MEDICAL LIBRARY
(MINISTRY OF HEALTH.)

# EIGHTH

# DETAILED ANNUAL REPORT

OF THE

# REGISTRAR-GENERAL

OF

# BIRTHS, DEATHS, AND MARRIAGES

# IN SCOTLAND.

Presented to both Houses of Parliament by Command of Her Majesty.




EDINBURGH:
PRINTED BY MURRAY AND GIBB,
FOR HER MAJESTY'S STATIONERY OFFICE.

1866.

MEDICAL LIBRARY
MINISTRY OF HEALTH

WELLCOME INSTITUTE
LIBRARY
Coll. welMOmec
Call No. WA

# REPORT.

TO THE

RIGHT HON^BLE. SIR GEORGE GREY, BART., M.P.,

*Her Majesty's Principal Secretary of State for the Home Department.*

GENERAL REGISTRY OFFICE OF BIRTHS, ETC.,
EDINBURGH, *January* 11, 1866.

SIR,

ON the close of the year 1862, I submitted to you, in conformity with the seventh section of the Scottish Registration Act, a general abstract of the births, deaths, and marriages registered in Scotland during that year. I have now the honour to submit to you my Detailed Report, with relative Tables, for the same year.

The year 1862 will long be remembered in Scotland, as it was one during which large masses of the working classes were thrown out of employment in consequence of the stoppage of the cotton supplies from America, and the closing of the cotton mills in this country. Much suffering and misery were caused thereby; and as the weather proved unusually inclement, being nearly the wettest and coldest of which we have certain records, disease of all kinds prevailed to an unusual extent among the people, and the deaths which occurred were far above their average. From the partial arrestment of trade, the marriages were below their average; but the births maintained their usual proportion.

The inquiry into the comparative mortality of the married and the unmarried female, at each quinquennial period of life

from fifteen years of age to the close of life, has been continued in the present Report. The results entirely correspond with those of the previous year, and merit the attention of the vital statist and those engaged in Life Assurance.

In consequence of the Government of Sweden having published in their last official Report, Tables relative to the child-bearing age of the women in that country, facts have been adduced in this Report which prove that cold retards the prolific period of life, seeing that a difference of about four years exists in this respect between the child-bearing age of women in Scotland and in Sweden. I am informed that this is the first time that the supposition in question has been confirmed by trustworthy facts.

A thorough investigation has been made in this Report into the singular practice and habit of the Scottish people marrying in such large numbers on the last day of the year. It will be seen by the facts adduced, that, with certain singular exceptions, a full twentieth of the whole yearly marriages are contracted year after year on the 31st day of December.

It is gratifying to observe that, ever since the Registration Act came into operation, the proportion of men and of women who are able to sign their names in full in the marriage register is increasing.

The Tables printed in this Report generally correspond with those of former years; a few additional Tables, however, have been added, to illustrate the facts above alluded to, as well as the influence of weather on different diseases and classes of disease.

I have the honour to be,

SIR,

Your faithful Servant,

W. P. DUNDAS,

*Registrar-General.*

# CONTENTS.


Page

Report of Registrar-General to the Secretary of State, . . . . . iii
Report to the Registrar-General, . . . . . ix
Table of Estimated Population, with the number of Births, Deaths, and Marriages registered in Scotland during each of the eight years 1855 to 1862 inclusive, and their proportion to Population; showing also the excess of Births over Deaths, . . ix
Table showing the Proportion of Births, Deaths, and Marriages in the Insular, Mainland-Rural, and Town Districts of Scotland, during each of the eight years 1855 to 1862, . x
Table of the Population of Scotland and its Three Great Groups of Districts in 1851 and 1861, also the estimated Population to the middle of the year 1862, distinguishing the Sexes, . . . . . x
Table showing the estimated Population, the Number, and Proportion of Births, Deaths, and Marriages in every Division and County of Scotland during the year 1862, . xi
Table of the Births, Deaths, and Marriages in Scotland and in its Three Great Groups of Districts in 1862, and their proportions to the estimated Population; also the number of Illegitimate Births, and their proportion to the total Births, . . . xii

BIRTHS IN 1862.

Number of Births in 1862, and their Proportion to the Population, . . . . x
Birth-rates in the several Groups of Districts, . . . . . xi
Number and Proportion of Legitimate and Illegitimate Births, . . . . xii
Effect of Cold in delaying the Prolific Period of Life, . . . . . xiv
Number and Proportion of Mothers, at different Ages, in Scotland and Sweden, . . xiv
Table showing the Number and Proportion of the Sexes in the total Births, and in the Legitimate and Illegitimate Births; also the Proportion of Legitimate to the total Births, in Scotland, its Groups of Districts, Divisions and Counties in 1862, . xv
Number and Proportion of Twins and Triplet Births in 1862, . . . . xvi
Increase of the Population, . . . . . xvi

MARRIAGES IN 1862.

Number of Marriages, and their Proportion to the Population, . . . . xvi
Number and Proportion of Marriages celebrated according to the Rites of the several Religious Denominations, . . . . . xvii
Ages of Men and Women who contracted Marriage in Scotland in 1862, . . . xvii
Number and Proportion of Men and of Women under and above 21 and 25 years of age married during 1862, . . . . . xviii
Number and Proportion of Marriages between Persons in different conjugal conditions, . xxiii
Number and Proportion of Men and Women in the Groups of Districts, Divisions, and Counties of Scotland, and in Glasgow and Edinburgh, who signed the Marriage Register by Mark, with relative Tables, . . . . . xxiv

Page

DEATHS IN 1862.

Number of Deaths, and their Proportion to the Population, . . . . . xxv
Different Death Rates in the Rural and Town Districts, . . . . . xxvi
Higher Mortality in the Scottish Towns than in London, . . . . . xxvi
Mortality in each of the eight Principal Towns of Scotland, . . . . . xxvii
Male Deaths in Scotland exceed those of Female at almost all ages, . . . xxvii
Comparative Mortality of the Married and Unmarried Females at every quinquennial period of life, . . . . . xxix
Table showing the mean Annual per-centage of Deaths among the Married and Unmarried Women of Scotland, at every quinquennial period of life, . . . . xxix
Infantile Mortality, . . . . . xxxi

CAUSES OF DEATHS.

Some Facts relative to Zymotic Diseases, showing they are not always the cause of the increased Mortality which prevails, . . . . . xxxiii
Effect of Sanitary Measures on Epidemics, . . . . . xxxviii
Table showing the per-centage of Deaths from different Diseases in the Population in each of the eight principal Towns of Scotland, . . . . . xxxviii
Table showing the Proportion of Deaths from different Diseases in every 100,000 Persons of the estimated Population, and in each Sex, in Scotland and Three Great Groups of Districts, the Insular, Mainland-Rural, and Town, . . . . . xl
Table showing in Scotland, and in the Insular, Mainland-Rural, and Town Districts, the proportion of Deaths from different Diseases to every 10,000 Specified Causes of Death, xli
Deaths from the Zymotic Class of Diseases, and from the individual Diseases under that Class—Typhus, Small-pox, Scarlatina, Measles, etc., . . . . . xxxix
Deaths from Diseases of Uncertain Seat—Dropsy, Cancer, etc., . . . . xlii
Deaths from the Tubercular Class of Diseases—Scrofula, Consumption, etc., . . xlii
Deaths from Diseases of the Brain and Nervous System—Apoplexy, Paralysis, and Convulsions, etc., . . . . . xliii
Deaths from Diseases of the Heart and Organs of the Circulation, . . . . xliv
Deaths from Diseases of the Respiratory Organs—Bronchitis, Pneumonia, etc., . . xliv
Deaths from Diseases of the Organs of Digestion, . . . . . xliv
Deaths from Kidney and Urinary Diseases, . . . . . xlv
Stone twice as common in Scotland as in England, . . . . . xlv
Deaths from Child-Birth, etc., . . . . . xlv
Deaths from other Classes of Disease, Infantile Debility, etc., Old Age, . . . xlvi
Deaths from Violent Causes, and Suicides, . . . . . xlvii
The 17 most fatal Diseases in England and Scotland, . . . . . xlvii

*Influence of External Agencies.*

Influence of Season on the Births, . . . . . xlviii
Influence of the civil terms on the Marriages in Scotland, . . . . . xlix
Superstition of the Scotch as to days of Marriage, . . . . . xlix
Extraordinary number of Marriages in Scotland on the last day of the year, . . xlix
Singular exceptions to this in particular years, . . . . . l
Scotland and England under different Meteorological conditions, . . . . li
Influence of Weather on the monthly Death-rate, . . . . . lii
Character of the Weather in Scotland during 1862, . . . . . liii
Mortality regularly increases with the Cold, . . . . . liii
Mortality of Epidemics regularly increases with the fall of Temperature, . . . liv
Table showing the connection between certain Atmospheric Phenomena, especially mean Temperature, and the monthly Deaths from certain Diseases in the eight principal Towns of Scotland during 1862, . . . . . li
Table of the Meteorology of each month of the year 1862, . . . . . lii

Page

Table showing the value of the Imports, Exports, quantity of Grains, and other leading articles of Food or Commerce imported into Great Britain in 1860, 1861, and 1862; the average Price of Grain and of the 4lb. Loaf; the Amount of Deposits in Savings Banks; the number of Paupers, Emigrants, etc., . . . . . liv

---

## ABSTRACTS.

Summary Table of the Births, Deaths, and Marriages in the Divisions and Counties of Scotland in 1862, distinguishing the Sexes, the Number of Illegitimate Births, the Population in 1851 and 1861, the Excess of Births over Deaths, and the Number of Statute Acres in each County, . . . . . 1

Tables of the Population in 1851 and 1861, and of the Births, Deaths, and Marriages during the year 1862, also of the Illegitimate Births, in every Registration District, 2–23

Summary Table of Population in 1851 and 1861; and of the Births, Deaths, and Marriages in 1862, in the Insular, the Mainland-Rural, and Town Districts of Scotland, 23

### Marriages.

Table of the Marriages in Scotland and its Counties in 1862; distinguishing the Number of Marriages solemnized according to the Rites of the several Religious Denominations, the Number of Irregular Marriages, and the Number of the respective Sexes who signed the Register by Marks, . . . . . 24

Table of the Civil Condition of the Parties who married in 1862; distinguishing the Marriages of Bachelors with Spinsters; Bachelors with Widows; Widowers with Spinsters; and Widowers with Widows; giving the particulars as to the Age of each Sex, 25

Table of the Ages of all Males who married in Scotland and its Counties in 1862, . . 26

Table of the Ages of all Females who married in Scotland and its Counties in 1862, . 28

### Deaths.

Table of the Ages of all Persons of both Sexes who died in each of the Counties and Larger Towns of Scotland in 1862, together with the Population of these Counties and Towns in 1851 and 1861, . . . . . 30

Table of the Ages of all Males who died in each of the Counties and Larger Towns of Scotland in 1862, together with the Male Population of these Counties and Towns in 1851 and 1861, . . . . . 32

Table of the Ages of all Females who died in each of the Counties and Larger Towns of Scotland in 1862, together with the Female Population of these Counties and Towns in 1851 and 1861, . . . . . 34

Summary Table of the Causes of Death in both Sexes in each of the Counties of Scotland in 1862, . . . . . 36–39

Do. Males, . . . . . 40–43

Do. Females, . . . . . 44–47

Summary Table of the Causes of Death in both Sexes in each of the Larger Towns of Scotland in 1862, whose respective Populations amounted to 10,000 or upwards in 1861, including important Suburban Districts, . . . . . 48–51

Do. Males, . . . . . 52–55

Do. Females, . . . . . 56–59

Table of the Causes of Death in both Sexes in all Scotland at different Periods of Life, . 60–63

Do. Males, . . . . . 64–67

Do. Females, . . . . . 68–71

Table of the Causes of Death in both Sexes in the Insular Districts of Scotland at different Periods of Life, . . . . . 72–75

Do. Males, . . . . . 76–79

Do. Females, . . . . . 80–83

Page

Table of the Causes of Death in both Sexes in the Mainland Districts of Scotland at different Periods of Life, . . . . . 84–87
Do. Males, . . . . . 88–91
Do. Females, . . . . . 92–95
Table of the Causes of Death in both Sexes in the Town Districts of Scotland at different Periods of Life, . . . . . 96–99
Do. Males, . . . . . 100–103
Do. Females, . . . . . 107–140
Table of the Causes of Death in both Sexes in Glasgow at different Periods of Life, . 108–111
Do. Males, . . . . . 112–115
Do. Females, . . . . . 116–119
Table of the Causes of Death in both Sexes in the Suburban Districts of Barony and Govan at different Periods of Life, . . . . . 120–123
Do. Males, . . . . . 124–127
Do. Females, . . . . . 128–131
Table of the Causes of Death in both Sexes in Edinburgh at different Periods of Life, . 132–135
Do. Males, . . . . . 136–139
Do. Females, . . . . . 140–143
Table of the Causes of Death in both Sexes in Dundee at different Periods of Life, . . 144–147
Do. Males, . . . . . 148–151
Do. Females, . . . . . 152–155
Table of the Causes of Death in both Sexes in Aberdeen at different Periods of Life, . 156–159
Do. Males, . . . . . 160–163
Do. Females, . . . . . 164–167
Table of the Causes of Death in both Sexes in Paisley at different Periods of Life, . . 168–171
Do. Males, . . . . . 172–175
Do. Females, . . . . . 176–179
Table of the Causes of Death in both Sexes in Greenock at different Periods of Life, . 180–183
Do. Males, . . . . . 184–187
Do. Females, . . . . . 188–191
Table of the Causes of Death in both Sexes in Leith at different Periods of Life, . . 192–195
Do. Males, . . . . . 196–199
Do. Females, . . . . . 200–203
Table of the Causes of Death in both Sexes in Perth at different Periods of Life, . . 204–207
Do. Males, . . . . . 208–211
Do. Females, . . . . . 212–215
Table showing the Influence of Season on the Mortality, or the Number of Deaths during the several Months of the Year 1862, in each of the Divisions and Counties of Scotland, together with the estimated Population of each Division and County to the middle of 1862, . . . . . 216
Constitution of the Compound Districts, . . 217
Index to Districts, . . . . . 218

# REPORT TO THE REGISTRAR-GENERAL.

Sir,

The year 1862, to which this Report refers, was marked by a great increase in the deaths, and by a notable diminution in the number of marriages. These two results may be chiefly ascribed to one great cause, viz. the depression in trade, caused by the war in America, which not only stopped our supplies of cotton, and threw idle all those engaged in that trade, and those dependent on them for work, but also acted prejudicially on trade generally, and in particular on our import and export trade with America. Hence, though provisions were abundant, and cheaper than in 1861, articles of clothing advanced greatly in price, and all kinds of work were scarce, as all classes felt more or less the derangement of trade caused by the war. Great distress was thereby occasioned among the working classes; and as the atmospheric agencies were peculiar, they seemed to act with greater intensity than usual on a population weakened by the want of a proper supply of food; so that diseases of all kinds became prevalent, and the deaths were numerous in proportion. Pauperism consequently greatly increased; while emigration was resorted to by large numbers who were unable to maintain themselves at home.

In a small country like Scotland, whose inhabitants emigrate to such a large extent, not only to the colonies and foreign countries, but to England and Ireland, it has been found impossible to estimate the annual increase of the population from the excess of births over deaths. From the

Table I.—Population estimated to the middle of each year; with the Number of Births, Deaths, and Marriages registered in Scotland during each of the eight years 1855 to 1862, and their Proportion to the Population; showing also the excess of Births over Deaths.

| Year. | Estimated Population. | Births. | Deaths. | Marriages. | Excess of Births over Deaths. | Proportion to every 100 Persons living. | | |
|---|---|---|---|---|---|---|---|---|
| | | | | | | Births. | Deaths. | Marriages. |
| 1855 | 2,962,500 | 93,349 | 62,004 | 19,680 | 31,345 | 3·151 | 2·093 | 0·664 |
| 1856 | 2,979,855 | 101,821 | 58,529 | 20,740 | 42,291 | 3·417 | 1·964 | 0·696 |
| 1857 | 2,997,210 | 103,415 | 61,906 | 21,369 | 41,509 | 3·450 | 2·065 | 0·713 |
| 1858 | 3,014,565 | 104,018 | 63,539 | 19,655 | 40,479 | 3·455 | 2·107 | 0·652 |
| 1859 | 3,031,921 | 106,543 | 61,714 | 21,201 | 44,829 | 3·514 | 2·035 | 0·699 |
| 1860 | 3,049,277 | 105,629 | 68,170 | 21,225 | 37,459 | 3·464 | 2·235 | 0·695 |
| 1861 | 3,066,633 | 107,009 | 62,341 | 20,896 | 44,668 | 3·484 | 2·032 | 0·681 |
| 1862 | 3,083,989 | 107,069 | 67,195 | 20,597 | 39,874 | 3·471 | 2·178 | 0·667 |

experience of the last ten years, however, it has been found that a very close approximation to the truth is attained by assuming that the population is increasing nearly in the same ratio as during the last decade. The population of Scotland, therefore, to the middle of the year 1862, may be safely set down as having amounted to 3,083,989 persons, of whom 1,459,144 were males, and 1,624,845 females. These, distributed among the three great groups into which we divide Scotland, would furnish 160,014 persons for the Insular Districts; 1,769,198 persons for the Mainland-Rural Districts; and 1,154,777 persons for the Town Districts. (Table III.)

## BIRTHS.

107069 births were registered in Scotland during the year 1862, being in the proportion of 347 births to every ten thousand persons of the estimated population. The births were thus slightly below the proportion of those of 1861, and greatly below the average of 1859. They were, however, slightly

TABLE II.—Proportion of Births, Deaths, and Marriages in every 100 Persons living in the Insular, Mainland-Rural, and Town Districts of Scotland during the years 1855, 1856, 1857, 1858, 1859, 1860, 1861, and 1862, the Population being estimated to the middle of each year.

| Year. | Insular Districts. | | | Mainland-Rural Districts. | | | Town Districts. | | |
|---|---|---|---|---|---|---|---|---|---|
| | Births. | Deaths. | Marriages. | Births. | Deaths. | Marriages. | Births. | Deaths. | Marriages. |
| 1855 | 2·275 | 1·641 | 0·441 | 3·078 | 1·782 | 0·580 | 3·403 | 2·668 | 0·834 |
| 1856 | 2·643 | 1·325 | 0·514 | 3·204 | 1·661 | 0·599 | 3·783 | 2·554 | 0·869 |
| 1857 | 2·738 | 1·415 | 0·585 | 3·301 | 1·743 | 0·628 | 3·794 | 2·667 | 0·866 |
| 1858 | 2·822 | 1·464 | 0·544 | 3·299 | 1·804 | 0·576 | 3·790 | 2·682 | 0·787 |
| 1859 | 2·860 | 1·627 | 0·562 | 3·384 | 1·707 | 0·617 | 3·812 | 2·519 | 0·848 |
| 1860 | 2·846 | 1·684 | 0·503 | 3·346 | 1·896 | 0·610 | 3·735 | 2·843 | 0·856 |
| 1861 | 2·801 | 1·595 | 0·572 | 3·297 | 1·746 | 0·582 | 3·883 | 2·537 | 0·848 |
| 1862 | 2·786 | 1·859 | 0·531 | 3·308 | 1·847 | 0·575 | 3·814 | 2·730 | 0·827 |

TABLE III.—Population of Scotland and its Three Great Groups of Districts in 1851 and 1861; also the Estimated Population to the middle of the year in 1862, distinguishing the Sexes.

| Districts. | Census 1851. | | | Census 1861. | | | Estimated to 30th June 1862. | | |
|---|---|---|---|---|---|---|---|---|---|
| | Males. | Females. | Both Sexes. | Males. | Females. | Both Sexes. | Males. | Females. | Both Sexes. |
| Insular . . | 76,760 | 89,727 | 166,487 | 73,409 | 87,324 | 160,733 | 72,990 | 87,024 | 160,014 |
| Mainland-Rural . | 829,259 | 883,293 | 1,712,552 | 849,381 | 913,996 | 1,763,377 | 851,631 | 917,567 | 1,769,198 |
| Town . . | 469,460 | 540,243 | 1,009,703 | 527,058 | 611,126 | 1,138,184 | 534,523 | 620,254 | 1,154,777 |
| SCOTLAND . | 1,375,479 | 1,513,263 | 2,888,742 | 1,449,848 | 1,612,446 | 3,062,294 | 1,459,144 | 1,624,845 | 3,083,989 |

above the average of the six previous years, which only yielded the annual proportion of 346 births in every ten thousand persons. (Table I.)

The number of births in the three great groups of districts into which Scotland is divided, maintained the same relative proportion to each other

---

TABLE IV.—Number of Births, Deaths, and Marriages in 1862 in Scotland, its Groups of Districts, its Divisions and Counties, and their proportion to the Population estimated to the middle of the Year.

| | Divisions and Counties. | Population estimated to the middle of the Year 1862. | Births. | | Deaths. | | Marriages. | |
|---|---|---|---|---|---|---|---|---|
| | | | Number. | Per-cent. | Number. | Per-cent. | Number. | Per-cent. |
| | SCOTLAND . . . | 3,083,989 | 107069 | 3·471 | 67195 | 2·178 | 20597 | 0·667 |
| | Insular Districts . . | 160,014 | 4458 | 2·786 | 2975 | 1·859 | 857 | 0·531 |
| | Mainland-Rural Dists. | 1,769,198 | 58557 | 3·309 | 32694 | 1·847 | 10185 | 0·575 |
| | Town Districts . . . | 1,154,777 | 44054 | 3·814 | 31526 | 2·730 | 9561 | 0·827 |
| | *Divisions.* | | | | | | | |
| I. | NORTHERN . . . . | 130,845 | 3487 | 2·666 | 2017 | 1·541 | 678 | 0·518 |
| II. | NORTH-WESTERN . . | 166,279 | 4532 | 2·725 | 3106 | 1·865 | 793 | 0·476 |
| III. | NORTH-EASTERN . . | 369,084 | 12077 | 3·272 | 6788 | 1·812 | 2380 | 0·644 |
| IV. | EAST-MIDLAND . . . | 524,803 | 17251 | 3·286 | 10909 | 2·076 | 3372 | 0·642 |
| V. | WEST-MIDLAND . . | 242,639 | 7888 | 3·250 | 4967 | 2·047 | 1393 | 0·574 |
| VI. | SOUTH-WESTERN . . | 1,024,151 | 40515 | 3·955 | 25567 | 2·496 | 7633 | 0·745 |
| VII. | SOUTH-EASTERN . . | 412,179 | 14478 | 3·512 | 9552 | 2·317 | 3144 | 0·762 |
| VIII. | SOUTHERN . . . . | 214,009 | 6841 | 3·196 | 4289 | 2·004 | 1204 | 0·562 |
| | *Counties.* | | | | | | | |
| 1 | Shetland . . . . . | 31,744 | 896 | 2·822 | 484 | 1·524 | 195 | 0·614 |
| 2 | Orkney . . . . . | 32,512 | 811 | 2·494 | 487 | 1·494 | 184 | 0·565 |
| 3 | Caithness. . . . . | 42,500 | 1200 | 2·823 | 702 | 1·651 | 200 | 0·470 |
| 4 | Sutherland . . . . | 24,089 | 580 | 2·407 | 344 | 1·428 | 99 | 0·410 |
| 5 | Ross and Cromarty . | 82,258 | 2313 | 2·811 | 1507 | 1·832 | 375 | 0·455 |
| 6 | Inverness . . . . | 84,021 | 2219 | 2·745 | 1599 | 1·903 | 418 | 0·497 |
| 7 | Nairn . . . . . | 8,380 | 239 | 2·852 | 144 | 1·718 | 43 | 0·512 |
| 8 | Elgin . . . . . | 44,678 | 1420 | 3·178 | 863 | 1·931 | 242 | 0·537 |
| 9 | Banff . . . . . | 56,603 | 1883 | 3·326 | 918 | 1·621 | 339 | 0·598 |
| 10 | Aberdeen. . . . . | 224,579 | 7487 | 3·333 | 4300 | 1·914 | 1511 | 0·672 |
| 11 | Kincardine . . . . | 34,844 | 1048 | 3·007 | 563 | 1·615 | 245 | 0·703 |
| 12 | Forfar . . . . . | 208,389 | 7263 | 3·485 | 4885 | 2·339 | 1459 | 0·700 |
| 13 | Perth . . . . . | 132,677 | 3975 | 2·996 | 2481 | 1·869 | 775 | 0·584 |
| 14 | Fife. . . . . | 155,174 | 5093 | 3·282 | 2988 | 1·925 | 974 | 0·627 |
| 15 | Kinross . . . . . | 8,620 | 209 | 2·424 | 138 | 1·600 | 32 | 0·371 |
| 16 | Clackmannan . . . | 19,943 | 711 | 3·564 | 417 | 2·091 | 132 | 0·661 |
| 17 | Stirling . . . . . | 88,679 | 3278 | 3·696 | 1937 | 2·183 | 625 | 0·704 |
| 18 | Dumbarton . . . . | 55,078 | 1955 | 3·549 | 1110 | 2·015 | 314 | 0·570 |
| 19 | Argyll . . . . . | 82,587 | 2232 | 2·702 | 1563 | 1·892 | 358 | 0·433 |
| 20 | Bute . . . . . | 16,295 | 423 | 2·595 | 357 | 2·190 | 96 | 0·589 |
| 21 | Renfrew . . . . . | 170,097 | 6612 | 3·887 | 4308 | 2·532 | 1289 | 0·758 |
| 22 | Ayr. . . . . | 200,199 | 7492 | 3·742 | 4261 | 2·128 | 1361 | 0·679 |
| 23 | Lanark . . . . . | 653,855 | 26411 | 4·039 | 16998 | 2·599 | 4983 | 0·762 |
| 24 | Linlithgow . . . . | 40,102 | 1819 | 4·508 | 938 | 2·339 | 242 | 0·603 |
| 25 | Edinburgh . . . . | 275,918 | 9521 | 3·450 | 6964 | 2·523 | 2354 | 0·853 |
| 26 | Haddington . . . . | 37,784 | 1319 | 3·464 | 677 | 1·791 | 239 | 0·632 |
| 27 | Berwick . . . . . | 36,527 | 1114 | 3·049 | 597 | 1·634 | 181 | 0·495 |
| 28 | Peebles . . . . . | 11,361 | 354 | 3·116 | 204 | 1·795 | 60 | 0·528 |
| 29 | Selkirk . . . . . | 10,487 | 351 | 3·347 | 172 | 1·640 | 68 | 0·648 |
| 30 | Roxburgh . . . . | 54,033 | 1819 | 3·366 | 1044 | 1·932 | 274 | 0·507 |
| 31 | Dumfries . . . . | 75,624 | 2457 | 3·249 | 1589 | 2·101 | 475 | 0·628 |
| 32 | Kirkcudbright . . . | 42,417 | 1311 | 3·097 | 818 | 1·928 | 215 | 0·506 |
| 33 | Wigtown . . . . . | 41,935 | 1254 | 2·990 | 838 | 1·998 | 240 | 0·572 |

as in former years. Thus, of the 107069 births, 4458 were registered in the Insular Districts, 58557 in the Mainland-Rural Districts, and 44054 in the Town Districts,—giving the proportion in every ten thousand persons in each of these districts, of 278 Births in the Insular, 330 births in the Mainland-Rural, and 381 births in the Town Districts. (Tables IV. and V.) This is exactly the average birth-rate of each district during the seven years 1856 to 1862 inclusive. (Table II.)

When we compare the proportion of births in these groups of districts in 1861 and 1862, it is seen that the diminution in the proportion of births remarked in 1862 was confined to the Town Districts alone; while the Mainland-Rural Districts maintained a birth-rate if anything rather higher than in 1861. Thus, the Mainland-Rural Districts had the proportion of 329 births in every ten thousand persons in 1861, but 330 births in a like population in 1862. In the Town Districts, on the other hand, there prevailed in 1861 the high proportion of 388 births in every ten thousand persons, while in 1862 the proportion was only 381 births in a like population. This fact would seem to indicate that the adverse agencies which increased the deaths and diminished the marriages, told also to some extent on the births, but only affected that portion of the population which was congregated in towns. Supposing that these adverse agencies were the destitution, want of food and clothing, and misery caused by the large number of operatives thrown out of work by the stoppage of the cotton manufactures, this would account to a great extent for the facts as observed; because the mainland-rural populations being dependent chiefly on husbandry for their support, were unaffected by the destitution and misery from which the operatives suffered. In that case the facts would seem to indicate that under-feeding, destitution, and misery tend to diminish the birth-rate. It is at all events instructive to note, that while the class which were fed as usual, and who suffered not from the want of work and the necessaries of life,—viz., the agricultural class,—maintained their usual birth-rate, this birth-rate notably diminished among those of whom great numbers were thrown out of work, and were rendered destitute by the stoppage of the cotton manufactures.

Of the 107069 children born during the year, 96693 were legitimate, and 10376 illegitimate, indicating that 9·7 per cent. of the births were illegitimate. This is a slightly higher proportion of illegitimate births than

TABLE V.—Number of Births, Deaths, and Marriages registered in Scotland, and in its Three Great Groups of Districts in 1862, and their proportion to the Estimated Population; also the Number of the Illegitimate Births, and their proportion to the Total Births.

| 1862. Districts. | Births. | | Illegitimate Births. | | Deaths. | | | | | | Marriages. | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | No. of Deaths. | | | Per-cent. to Pop. | | | | |
| | No. | Per-cent. to Pop. | No. | Per-cent. to Total Births | Males. | Fem. | Both Sexes. | Males. | Fem. | Both Sexes. | No. | Per-cent. to Pop. |
| Insular . | 4458 | 2·786 | 219 | 4·9 | 1445 | 1530 | 2975 | 1·979 | 1·758 | 1·859 | 851 | 0·531 |
| Mainland Rural | 58557 | 3·309 | 5836 | 9·9 | 16178 | 16516 | 32694 | 1·899 | 1·799 | 1·847 | 10185 | 0·575 |
| Town . | 44054 | 3·814 | 4321 | 9·8 | 15556 | 15970 | 31526 | 2·910 | 2·574 | 2·730 | 9561 | 0·827 |
| SCOTLAND | 107069 | 3·471 | 10376 | 9·7 | 33179 | 34016 | 67195 | 2·273 | 2·093 | 2·178 | 20597 | 0·667 |

during the previous years, apparently indicating that illegitimacy is on the increase.

It is a singular fact, in connection with this subject, that in Scotland the proportion of illegitimate births has always been higher in the Mainland-Rural than in the Town Districts, though in 1862 the proportions approached much closer than they usually do. Thus, of the 58557 births in the Mainland-Rural Districts, 5836 were illegitimate; while of the 44054 births in the Town Districts, 4321 were illegitimate;—thus indicating that 9·9 per cent. of the Mainland-Rural births were illegitimate, and 9·8 per cent. of the Town births. (Tables VI. and IX.)

The proportion in which illegitimate births occur in the several Counties year after year is so uniform, that few remarks are required on that head. It may merely be noticed that the Counties included in the North-Eastern and Southern Divisions always furnish much the highest proportion of illegitimate births. Thus, while the Northern and North-Western Divisions furnished respectively only 5·5 and 5·6 per cent. of illegitimate births, and the great mining and manufacturing South-Western Division 8·5 per cent., the Southern Division had 14·1 per cent., and the North-Eastern Division 15·1 per cent. of illegitimate births. (Table IX.)

Of the 107069 children born during the year, 55257 were males, and 51812 females, being in the high proportion of 106·6 males for every 100

TABLE VI.—BIRTHS, 1862. Total Births; also the Number of the Legitimate and Illegitimate Births in Scotland and in its Three Great Groups of Districts in 1862; together with the Number of Twins and Triplets at a Birth.

| 1862. Districts. | Total Births. | | | Legitimate Births. | | | Illegitimate Births. | | | Twin Births. | Triplet Births. |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | Males. | Fem. | Both Sexes. | Males. | Fem. | Both Sexes. | Males. | Fem. | Both Sexes | | |
| Insular . . . . | 2,294 | 2,164 | 4,458 | 2,179 | 2,060 | 4,239 | 115 | 104 | 219 | 47 | – |
| Mainland-Rural . . | 30,320 | 28,237 | 58,557 | 27,294 | 25,427 | 52,721 | 3,026 | 2,810 | 5,836 | 715 | 8 |
| Town . . . . | 22,643 | 21,411 | 44,054 | 20,413 | 19,320 | 39,733 | 2,230 | 2,091 | 4,321 | 517 | 10 |
| SCOTLAND . . . | 55,257 | 51,812 | 107,069 | 49,886 | 46,807 | 96,693 | 5,371 | 5,005 | 10,376 | 1,279 | 18 |

TABLE VII.—BIRTHS, 1862. Per-centage of Births to the Population, and of Illegitimate to the Total Births; also the Proportion of the Sexes in the Total Births, and in the Legitimate and Illegitimate Births; together with the Per-centage of Twin and Triplet Births to the Total Births in Scotland and in its Three Great Groups of Districts in 1862.

| 1862. Districts. | Per-centage of Births to Population. | Per-centage of Illegitim. to Total Births. | Proportion of Males to every 100 Females in the | | | Proportion of Mothers who bare Twins. — One in every | Proportion of Mothers who bare Triplets. — One in every |
|---|---|---|---|---|---|---|---|
| | | | Total Births. | Legitimate Births. | Illegitim. Births. | | |
| Insular . . . . | 2·786 | 4·9 | 106·0 | 105·7 | 110·5 | 94 | – |
| Mainland-Rural | 3·309 | 9·9 | 107·3 | 107·3 | 107·6 | 81 | 7229 |
| Town . . . . | 3·814 | 9·8 | 105·7 | 105·6 | 106·2 | 84 | 4351 |
| SCOTLAND . . . | 3·471 | 9·7 | 106·6 | 106·5 | 107·3 | 82 | 5875 |

females at birth. The illegitimate children, however, as in former years, yielded the still higher proportion of 107·3 males for every 100 females at birth. Eight years of registration in Scotland shows that the proportion of males to females at birth is always higher among the illegitimate than among the legitimate children—the very reverse of what has been observed in all foreign countries. Thus, during the eight years 1855 to 1862 inclusive, among the legitimate children there were 105·4 males at birth for every 100 females; while among the illegitimate children for the same period, there were 107·3 males for every 100 females.

The birth registers unfortunately do not now embrace the age of the mother when her child's birth is registered. But from the tables published in our Second Detailed Report, which were prepared from the registers of 1855, it would appear that a larger number of women bear children between the ages of 25 and 30 than at any other quinquennial period of life; while nearly an equal number bear children at the ages of 20 to 25, as at those of 30 to 35 years. Sweden would appear to be almost the only country which publishes official statistics on this subject; and by the last series of reports which we have received,* it would appear that the child-bearing period of life in that country is, as it were, delayed for a period of about four years later than in this country. Thus, instead of the greatest number of women bearing children between the ages of 25 to 30, as in this country, in Sweden the greatest number bear children between the ages of 30 to 35 years. Then, instead of the next most prolific age being as it is in Scotland from 20 to 25, and from 30 to 35 years of age, in Sweden it is from 25 to 30, and from 35 to 40 years of age, while nearly the same number of women bear children above 40 as between 20 and 25 years of age.

These facts are so singular, that in Table VIII. are given the number and proportion of mothers at different ages in Scotland and in Sweden, that the differences in the prolific periods of the females of each country may be seen at a glance. By a comparison of the facts, it will be observed that, at all ages under 25 years, only half the number of women bear children

TABLE VIII.—Number and Proportion of MOTHERS at different Ages in SCOTLAND and SWEDEN.

| Age of Mother on the birth of her child. | Number of Mothers at each Age. | | Proportion at each Age in every 100 Mothers. | |
|---|---|---|---|---|
| | SCOTLAND, *i.e.* Edinburgh and Glasgow in 1855. | SWEDEN, 1861. | SCOTLAND. | SWEDEN. |
| 15–20 years. | 403 | 1443 | 2·43 | 1·12 |
| 20–25 ,, | 3814 | 15,864 | 23·01 | 12·33 |
| 25–30 ,, | 5057 | 31,802 | 30·52 | 24·72 |
| 30–35 ,, | 3943 | 33,539 | 23·79 | 26·06 |
| 35–40 ,, | 2395 | 29,438 | 14·45 | 22·88 |
| 40 and above. | 961 | 16,585 | 5·80 | 12·89 |
| Total Mothers . . . | 16,573 | 128,671 | 100·00 | 100·00 |

* *Bidrag till Sveriges Officiela Statistik. Befolknings-Statistik fur Aret* 1861. Ny följd. iii. p. 8.

in Sweden as compared with Scotland; whereas, at the other end of the child-bearing period, only half the number of women above 40 years of age bear children in Scotland, as in Sweden. This striking fact would

TABLE IX.—BIRTHS, 1862. Number and Proportion of Sexes in Total Births, and in the Legitimate and Illegitimate Births; also the Proportion of the Legitimate to the Total Births in all Scotland, its Groups of Districts, Divisions, and Counties in 1862.

| 1862. | Total Births. | | | Legitimate Births. | | | Illegitimate Births. | | | No. of Total and Illegitimate Births, and per-centage of Illegit. to the Total Births. | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Males. | Females. | Proportion of Males to 100 Females. | Males. | Females. | Proportion of Males to 100 Females. | Males. | Females. | Proportion of Males to 100 Females. | Total Births. | Illegit. Births. | Per-cent. of Illegit. |
| SCOTLAND . . . | 55257 | 51812 | 106·6 | 49886 | 46807 | 106·5 | 5371 | 5005 | 107·3 | 107069 | 10376 | 9·7 |
| Insular Districts . . | 2294 | 2164 | 106·0 | 2179 | 2060 | 105·7 | 115 | 104 | 110·5 | 4458 | 219 | 4·9 |
| Mainland-Rural Dist. | 30320 | 28237 | 107·3 | 27294 | 25427 | 107·3 | 3026 | 2810 | 107·6 | 58557 | 5836 | 9·9 |
| Town Districts . . | 22643 | 21411 | 105·7 | 20413 | 19320 | 105·6 | 2230 | 2091 | 106·2 | 44054 | 4321 | 9·8 |
| NORTHERN DIVISION | 1819 | 1668 | 109·0 | 1715 | 1580 | 108·5 | 104 | 88 | 118·1 | 3487 | 192 | 5·5 |
| NORTH-WESTERN DO. | 2358 | 2174 | 108·4 | 2233 | 2043 | 109·3 | 125 | 131 | 95·4 | 4532 | 256 | 5·6 |
| NORTH-EASTERN DO. | 6232 | 5845 | 106·6 | 5277 | 4971 | 106·1 | 955 | 874 | 109·2 | 12077 | 1829 | 15·1 |
| EAST-MIDLAND DO. . | 8897 | 8354 | 105·3 | 7990 | 7538 | 105·9 | 907 | 816 | 111·1 | 17251 | 1723 | 9·9 |
| WEST-MIDLAND DO. . | 4044 | 3844 | 105·2 | 3715 | 3559 | 104·3 | 329 | 285 | 115·4 | 7888 | 614 | 7·7 |
| SOUTH-WESTERN DO. | 20910 | 19605 | 106·6 | 19138 | 17906 | 106·8 | 1772 | 1699 | 104·3 | 40515 | 3471 | 8·5 |
| SOUTH-EASTERN DO. | 7477 | 7001 | 106·7 | 6789 | 6366 | 106·6 | 688 | 635 | 108·3 | 14478 | 1223 | 8·4 |
| SOUTHERN DO. . . | 3520 | 3321 | 105·9 | 3029 | 2844 | 106·5 | 491 | 477 | 102·9 | 6841 | 968 | 14·1 |
| *Counties.* | | | | | | | | | | | | |
| Shetland . . . . . | 479 | 417 | 114·8 | 460 | 403 | 114·1 | 19 | 14 | 135·7 | 896 | 33 | 3·6 |
| Orkney . . . . . | 402 | 409 | 98·2 | 389 | 393 | 98·9 | 13 | 16 | 81·2 | 811 | 29 | 3·5 |
| Caithness . . . . | 642 | 558 | 115·0 | 584 | 515 | 113·3 | 58 | 43 | 134·9 | 1200 | 101 | 8·4 |
| Sutherland . . . . | 296 | 284 | 104·2 | 282 | 269 | 104·8 | 14 | 15 | 93·3 | 580 | 29 | 5·0 |
| Ross and Cromarty . | 1242 | 1071 | 115·9 | 1200 | 1032 | 116·2 | 42 | 39 | 107·6 | 2313 | 81 | 3·5 |
| Inverness . . . . | 1116 | 1103 | 101·1 | 1033 | 1011 | 102·1 | 83 | 92 | 90·2 | 2219 | 175 | 7·8 |
| Nairn . . . . . | 129 | 110 | 117·2 | 110 | 104 | 105·7 | 19 | 6 | 150·0 | 239 | 25 | 10·4 |
| Elgin . . . . . | 708 | 712 | 99·4 | 627 | 617 | 101·6 | 81 | 95 | 85·2 | 1420 | 176 | 12·4 |
| Banff . . . . . | 1015 | 868 | 116·9 | 846 | 734 | 115·2 | 169 | 134 | 126·1 | 1883 | 303 | 16·0 |
| Aberdeen . . . . | 3867 | 3620 | 106·8 | 3261 | 3061 | 106·5 | 606 | 559 | 108·4 | 7487 | 1165 | 15·5 |
| Kincardine . . . . | 513 | 535 | 95·8 | 433 | 455 | 95·1 | 80 | 80 | 100·0 | 1048 | 160 | 15·2 |
| Forfar . . . . . | 3823 | 3440 | 111·1 | 3370 | 3041 | 110·8 | 453 | 399 | 113·5 | 7263 | 852 | 11·7 |
| Perth . . . . . | 1956 | 2019 | 96·8 | 1745 | 1822 | 95·7 | 211 | 197 | 107·1 | 3975 | 408 | 10·2 |
| Fife . . . . . | 2639 | 2454 | 107·5 | 2433 | 2275 | 106·9 | 206 | 179 | 115·0 | 5093 | 385 | 7·5 |
| Kinross . . . . . | 104 | 105 | 99·0 | 92 | 93 | 98·9 | 12 | 12 | 100·0 | 209 | 24 | 11·4 |
| Clackmannan . . . | 375 | 336 | 111·6 | 350 | 307 | 114·0 | 25 | 29 | 86·2 | 711 | 54 | 7·6 |
| Stirling . . . . . | 1658 | 1620 | 102·3 | 1507 | 1485 | 101·4 | 151 | 135 | 111·8 | 3278 | 286 | 8·7 |
| Dumbarton . . . . | 1023 | 932 | 109·7 | 947 | 857 | 110·5 | 76 | 75 | 101·3 | 1955 | 151 | 7·7 |
| Argyll . . . . . | 1145 | 1087 | 105·3 | 1060 | 1027 | 103·2 | 85 | 60 | 141·6 | 2232 | 145 | 6·5 |
| Bute . . . . . | 218 | 205 | 106·3 | 201 | 190 | 105·7 | 17 | 15 | 113·3 | 423 | 32 | 7·5 |
| Renfrew . . . . . | 3401 | 3211 | 105·9 | 3137 | 2963 | 105·8 | 264 | 248 | 106·5 | 6612 | 512 | 7·7 |
| Ayr . . . . . | 3938 | 3554 | 110·8 | 3588 | 3205 | 111·9 | 350 | 349 | 100·2 | 7492 | 699 | 9·3 |
| Lanark . . . . . | 13571 | 12840 | 105·6 | 12413 | 11738 | 105·7 | 1158 | 1102 | 105·0 | 26411 | 2260 | 8·5 |
| Linlithgow . . . . | 943 | 876 | 107·8 | 873 | 818 | 106·7 | 70 | 58 | 120·6 | 1819 | 128 | 7·0 |
| Edinburgh . . . . | 4932 | 4589 | 107·4 | 4463 | 4162 | 107·2 | 469 | 427 | 109·8 | 9521 | 896 | 9·4 |
| Haddington . . . . | 701 | 618 | 113·4 | 632 | 558 | 113·2 | 69 | 60 | 115·0 | 1319 | 129 | 9·7 |
| Berwick . . . . . | 558 | 556 | 100·1 | 503 | 494 | 101·8 | 55 | 62 | 88·7 | 1114 | 117 | 10·5 |
| Peebles . . . . . | 172 | 182 | 94·5 | 158 | 167 | 94·6 | 14 | 15 | 93·3 | 354 | 29 | 8·1 |
| Selkirk . . . . . | 171 | 180 | 95·0 | 160 | 167 | 95·8 | 11 | 13 | 84·6 | 351 | 24 | 6·8 |
| Roxburgh . . . . | 914 | 905 | 100·9 | 811 | 786 | 103·1 | 103 | 119 | 86·5 | 1819 | 222 | 12·2 |
| Dumfries . . . . . | 1254 | 1203 | 104·2 | 1065 | 1028 | 103·6 | 189 | 175 | 108·0 | 2457 | 364 | 14·8 |
| Kirkcudbright . . . | 685 | 626 | 109·4 | 571 | 532 | 107·3 | 114 | 94 | 121·2 | 1311 | 208 | 12·0 |
| Wigtown . . . . | 667 | 587 | 113·6 | 582 | 498 | 116·9 | 85 | 89 | 95·5 | 1254 | 174 | 13·8 |

seem to indicate that cold does delay the child-bearing period of life in women, as has been often supposed, but never till now proved by trustworthy facts.

During the year 1862 there occurred 1279 twin and 18 triplet births, giving the proportion of one in every 82 mothers having twins, and one in every 5875 mothers having triplets. The proportion, therefore, of twin and triplet births is very steady from year to year.

As the births during the year amounted to 107,069, and the deaths to 67,195, the excess of births over deaths numbered 39,874, and did no emigration occur, the population of Scotland ought to have been increased by that amount. The Emigration Commissioners, however, ascertained that 121,214 persons emigrated from the ports of Great Britain and Ireland during the year, of whom 35,487 were ascertained to be of English, 12,596 of Scotch, 49,680 of Irish origin, while 3311 were foreigners, and of 20,140 the origin was not ascertained. If 2509 persons be taken as the proportion which would fall to Scotland of those whose nationality was not ascertained, the total Scottish emigrants would amount to 15,105, which, deducted from the excess of births over deaths, would leave 24,769 persons as the increase of the population of Scotland during the year, or about 7000 persons more than the probable increase. The above figures, however, take no note of the very large emigration of Scotch to England and to Ireland, nor of those who enter the army, navy, or merchant shipping. The number who annually emigrate to England must be very great, seeing that, at the census of 1861, it was ascertained that the number of Scotchmen residing in England equalled 5½ per cent. (5·52) of the total population of Scotland; whereas the number of English residing in Scotland only equalled the twenty-seven hundredth part of a per-centage (0·27) of the population of England.

---

## MARRIAGES.

20,597 marriages were registered in Scotland during the year 1862, being in the low proportion of 667 marriages in every 100,000 of the population, or considerably under the average of the seven previous years, which was at the annual rate of 685 marriages in a like population. Though the marriages in England also fell short of their usual proportion during

TABLE X.—MARRIAGES, 1862. Number of Marriages contracted according to the Rites of the several Religious Denominations, and their several Proportions to the Total Marriages.

| Religious Denominations. | SCOTLAND. | | Insular Districts. | Mainland-Rural Districts. | Town Districts. |
|---|---|---|---|---|---|
| | Number of Marriages. | Proportion to Total Marriages. | | | |
| Established Church . . . | 9307 | 45·19 | 441 | 5449 | 3417 |
| Free Church . . . . | 4930 | 23·94 | 279 | 2388 | 2263 |
| United Presbyterian Church . | 2846 | 13·81 | 59 | 1362 | 1425 |
| Roman Catholic Church . . | 1778 | 8·64 | 40 | 510 | 1228 |
| Episcopalian Church . . | 371 | 1·80 | 1 | 109 | 261 |
| Other Denominations . . | 990 | 4·80 | 28 | 312 | 650 |
| Denomination not stated and Irregular . . . . | 375 | 1·82 | 3 | 55 | 317 |

1862, and from the same causes as in Scotland, they remained far above the Scottish ratio; seeing that they were in the proportion of 807 marriages for every 100,000 persons, the average of the seven previous years having been 828 marriages in a like population.

This low proportion of marriages in Scotland, though no doubt leading to other evils, and above all to the encouragement of illegitimacy, does not seem to retard increase of the population by births, as has been fully pointed out in former Reports. The birth-rate in England, during the six years 1856 to 1861 inclusive, was 344 births in every ten thousand persons. The Scottish birth-rate during the same period was 346 births in a like population. So that the much lower proportion of marriages in Scotland was compensated for by increasing fruitfulness in the women, the Scottish birth-rate actually exceeding the English one.

Of the 20597 marriages registered in Scotland during the year, 9307 were celebrated according to the rites of the Established Church, 4930 according to those of the Free Church, 2846 according to those of the United Presbyterian Church, 1778 according to the rites of the Roman Catholic Church, 371 according to those of the Episcopal Church, 990 according to the several rites of the smaller religious denominations, while in 348 cases the denomination was not stated, and in only 27 cases the marriage was irregular. These numbers yield proportions very similar to those of former years, and indicate that 45·19 per cent. of the marriages were celebrated by ministers of the Established Church, 23·94 per cent. by those of the Free Church, 13·81 per cent. by those of the United Presbyterian Church, 8·64 per cent. by those of the Romish Church, 1·80 per cent. by those of the Episcopalian Church, 4·80 per cent. by ministers and others belonging to the smaller religious denominations; while in 1·82 per cent. the religious denomination was not stated.

Of the 20597 men who married during the year, the ages of 20575

---

TABLE XI.—MARRIAGES, 1862. Ages of Men and Women at Marriage in Scotland, and in its Three Great Groups of Districts, in 1862.

| AGE. | SCOTLAND. | | INSULAR DISTRICTS. | | MAINLAND-RURAL DISTRICTS. | | TOWN DISTRICTS. | |
|---|---|---|---|---|---|---|---|---|
| | Men. | Women. | Men. | Women. | Men. | Women. | Men. | Women. |
| Under 15 years | – | 3 | – | – | – | 2 | – | 1 |
| 15—16 | – | 4 | – | – | – | 3 | – | 1 |
| 16—17 | – | 66 | – | 1 | – | 43 | – | 22 |
| 17—18 | 16 | 290 | 1 | 5 | 8 | 153 | 7 | 132 |
| 18—19 | 132 | 858 | 4 | 15 | 64 | 411 | 64 | 432 |
| 19—20 | 454 | 1465 | 9 | 30 | 234 | 734 | 211 | 701 |
| 20—21 | 967 | 1810 | 11 | 36 | 503 | 906 | 453 | 868 |
| 21—25 | 7094 | 7709 | 190 | 317 | 3520 | 3802 | 3384 | 3590 |
| 25—30 | 6142 | 4961 | 279 | 268 | 3051 | 2503 | 2812 | 2190 |
| 30—35 | 2522 | 1756 | 169 | 107 | 1268 | 887 | 1085 | 762 |
| 35—40 | 1353 | 896 | 85 | 42 | 650 | 403 | 618 | 451 |
| 40—45 | 770 | 418 | 43 | 16 | 353 | 174 | 374 | 228 |
| 45—50 | 468 | 195 | 16 | 6 | 220 | 90 | 232 | 99 |
| 50—55 | 310 | 88 | 16 | 3 | 144 | 36 | 150 | 49 |
| 55—60 | 171 | 25 | 4 | 1 | 88 | 10 | 79 | 14 |
| 60—65 | 116 | 14 | 16 | 1 | 45 | 5 | 55 | 8 |
| 65—70 | 40 | 4 | 3 | 1 | 16 | – | 21 | 3 |
| 70—75 | 15 | – | 2 | – | 6 | – | 7 | – |
| 75—80 | 5 | – | – | – | 2 | – | 3 | – |
| 80—85 | – | 1 | – | – | – | – | – | 1 |
| 85—90 | – | – | – | – | – | – | – | – |
| Not stated | 22 | 34 | 3 | 2 | 13 | 23 | 6 | 9 |
| All Ages | 20,597 | 20,597 | 851 | 851 | 10,185 | 10,185 | 9561 | 9561 |

16 b

were ascertained, and of that number 1569 were under 21 years of age. Of the 20597 women who married, the ages of 20563 were ascertained, and of that number 4496 were under 21 years of age. It thus appears that 7·62 per cent. of the men, and 21·86 per cent. of the women who married during the year were minors, or under the legal age of 21 years. (Table XII.)

We cannot ascertain with the same accuracy the ages of the persons who marry in England, in consequence of the system adopted for the registration of marriages there; for of the 164030 marriages entered on the English registers in 1862, in only 104364 instances were the exact ages of both parties specified. That number, however, probably gives a very close approximation to the truth; and by the Tables of the Registrar-General of England, it appears that, of that number, 9149 men, and 25417 women who married, were under 21 years of age; thus demonstrating that 8·76 per cent. of the men, and 24·35 of the women who married, were under 21 years of age. This is above the proportion of minors who marry in Scotland.

That the English marry somewhat earlier than the Scottish people, has been pointed out in former Reports; and the statistics of the year 1862

TABLE XII.—MARRIAGES, 1862. Number and Proportion of Men and Women, under 21 years of Age, who contracted Marriage in England and in Scotland, and in the Insular, the Mainland-Rural, and Town Districts of Scotland, in 1862.

| | Number Married in 1862, whose Ages were ascertained. | | Number under 21 years. | | Per-centage under 21 years. | |
|---|---|---|---|---|---|---|
| | Men. | Women. | Men. | Women. | Men. | Women. |
| ENGLAND . . | 104364 | 104364 | 9149 | 25417 | 8·766 | 24·354 |
| SCOTLAND . . | 20575 | 20563 | 1569 | 4496 | 7·625 | 21·864 |
| Insular Districts . | 848 | 849 | 25 | 87 | 2·948 | 10·242 |
| Mainland-Rural Districts . . | 10172 | 10162 | 809 | 2252 | 7·953 | 22·062 |
| Town Districts . | 9555 | 9552 | 735 | 2157 | 7·692 | 22·581 |

TABLE XIII.—MARRIAGES, 1862. Number and Proportion of Men and Women, under and above 25 years of Age, who contracted Marriage in England and in Scotland, and in the Insular, Mainland-Rural, and Town Districts of Scotland, in 1862.

| | Number who Married. | | | | Per-centage who Married. | | | |
|---|---|---|---|---|---|---|---|---|
| | Under 25 years. | | Above 25 years. | | Under 25 years. | | Above 25 years. | |
| | Men. | Women. | Men. | Women. | Men. | Women. | Men. | Women. |
| ENGLAND . . . | 52469 | 66112 | 51895 | 38252 | 50·275 | 63·347 | 49·725 | 36·653 |
| SCOTLAND . . . | 8663 | 12205 | 11912 | 8358 | 42·108 | 59·354 | 57·892 | 40·646 |
| Insular Districts . . | 215 | 404 | 633 | 445 | 25·353 | 42·872 | 74·647 | 57·128 |
| Mainland-Rural Dists. | 4329 | 6054 | 5843 | 4108 | 42·558 | 59·574 | 57·442 | 40·426 |
| Town Districts . . . | 4119 | 5747 | 5436 | 3805 | 43·108 | 60·165 | 56·892 | 39·835 |

closely corresponded in that respect with those of its predecessors. Thus, taking the men and women who married in 1862, it is found that in England 50·27 per cent. of the men who married were under 25 years of age; while in Scotland only 42·10 per cent. were under that age. In England, 63·34 per cent. of the women who married were under 25 years of age; but in Scotland only 59·35 per cent. were under that age. (Table XIII.)

This fact of the English marrying at a somewhat earlier age is, if possible, still more distinctly made manifest by contrasting the proportions of men and women who marry at each age in Scotland and in England. Table XIV. is drawn up with the view of exhibiting this contrast. By that Table it will be seen, that in Scotland 4·70 per cent. of the men who married were between 20 and 21 years of age; while in England 5·90 per cent. were at that age. In Scotland, only 34·48 per cent. of the men who married were between 21 and 25 years of age; but in England, 41·50 per cent. were at the same ages. Above 25 years the Scottish proportion necessarily preponderates up to the fiftieth year of life, inasmuch as, fewer having married at the junior ages, more are left to marry later in life. Consequently, while in Scotland 29·86 of the men who married were between the ages of 25 to 30 years, only 25·52 per cent. were at the same ages in England; and while in Scotland 12·26 per cent. of the men who married were from 30 to 35 years of age, only 9·97 per cent. were at the same ages in England.

The Table exhibits the same facts with regard to the women. Thus, in Scotland, 8·79 per cent. of the women who married were between 20 and 21 years of age; but in England 10·75 per cent. were at the same age. In Scotland, 37·49 per cent. of the women who married were between the ages of 21 and 25; but in England 38·99 per cent. were at the same ages. Above 25 years of age, as was noticed with regard to the men, the proportions of England and Scotland are reversed, in consequence of the women of Scotland marrying at a somewhat later period of life than in England. Thus, in Scotland, while 24·13 per cent. of the women who marry were between the ages of 25 and 30 years, in England only 19·55 per cent. were at the same ages. In Scotland, 8·54 per cent. of the women who married

TABLE XIV.—MARRIAGES, 1862. Per-centage of Men and Women at each age in Scotland and England, who married during the Year 1862.

| Ages. | Men. | | Women. | |
|---|---|---|---|---|
| | Scotland. | England. | Scotland. | England. |
| Under 16 Years | — | — | 0·03 | 0·03 |
| 16—17 | — | — | 0·32 | 0·20 |
| 17—18 | 0·07 | 0·06 | 1·41 | 1·15 |
| 18—19 | 0·64 | 0·49 | 4·18 | 4·25 |
| 19—20 | 2·21 | 2·32 | 7·13 | 7·97 |
| 20—21 | 4·70 | 5·90 | 8·79 | 10·75 |
| 21—25 | 34·48 | 41·50 | 37·49 | 38·99 |
| 25—30 | 29·86 | 25·52 | 24·13 | 19·55 |
| 30—35 | 12·26 | 9·97 | 8·54 | 7·28 |
| 35—40 | 6·58 | 5·05 | 4·36 | 3·89 |
| 40—45 | 3·74 | 3·47 | 2·03 | 2·67 |
| 45—50 | 2·27 | 2·07 | 0·95 | 1·57 |
| 50—55 | 1·50 | 1·61 | 0·43 | 0·84 |
| 55—60 | 0·83 | 0·91 | 0·12 | 0·42 |
| 60 and above | 0·86 | 1·13 | 0·09 | 0·34 |
| Total . . . . | 100·00 | 100·00 | 100·00 | 100·00 |

were between the ages of 30 and 35 years, but only 7·28 per cent. in England, etc.

Nothing more strikingly illustrates the causes which influence the marriage-rate, than the different proportions in which marriages are contracted in the Insular, the Mainland-Rural, and the Town Districts of Scotland. In the Insular Districts the population has exceeded its means of support, and is annually diminishing. There is no demand for labour, and no opening for new families but by the death of the old. The marriage-rate is consequently very low, during 1862 being in the proportion of 53 marriages in every ten thousand persons. In the Mainland-Rural Districts

TABLE XV.—MARRIAGES, 1862. Number and Proportion of Men and Women, under and above 25 years of Age, who contracted Marriage in Scotland, and in its Eight Divisions, in 1862.

| DIVISIONS. | Number of Persons Married whose Ages were ascertained. | | Number of Persons Married. | | | | Per-centage to the total Men and Women who Married. | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | Under 25 yrs. | | Above 25 yrs. | | Under 25 yrs. | | Above 25 yrs. | |
| | Men. | Women. | Men. | Women. | Men. | Women. | Men. | Women. | Men. | Wom. |
| 1. Northern | 675 | 675 | 225 | 313 | 450 | 362 | 33·333 | 46·518 | 66·667 | 53·482 |
| 2. North-Western | 792 | 791 | 160 | 364 | 632 | 427 | 20·202 | 46·017 | 79·798 | 53·983 |
| 3. North-Eastern | 2,379 | 2,377 | 904 | 1347 | 1475 | 1030 | 38·000 | 56·668 | 62·000 | 43·332 |
| 4. East-Midland | 3,372 | 3,367 | 1474 | 1924 | 1898 | 1443 | 43 712 | 57·142 | 56·288 | 42·858 |
| 5. West-Midland | 1,391 | 1,391 | 508 | 825 | 883 | 566 | 36·520 | 59·309 | 63·480 | 40·691 |
| 6. South-Western | 7,625 | 7,625 | 3547 | 4932 | 4078 | 2693 | 46·518 | 64·682 | 53·482 | 35·318 |
| 7. South-Eastern | 3,138 | 3,136 | 1334 | 1818 | 1804 | 1318 | 42·511 | 57·972 | 57·489 | 42·028 |
| 8. Southern | 1,203 | 1,201 | 511 | 682 | 692 | 519 | 43·308 | 56·786 | 56·692 | 43·214 |
| SCOTLAND | 20,575 | 20,563 | 8663 | 12205 | 11912 | 8358 | 42·108 | 59·354 | 57·892 | 40·646 |

TABLE XVI.—MARRIAGES, 1862. Number of Persons in Scotland and in its Eight Divisions who married in 1862, and their Proportion to the estimated Population. Also the number of Males under and above 25 years of Age who married in 1862, and their Proportion to the estimated number of Males in each Division (the Ages not known allocated).

| DIVISIONS. | Estimated Population to the middle of 1862. | Persons who Married. | | Male Population, estimated to the middle of 1862. | Number of Men who Married in 1862. | | Per-centage of Men who Married to the Estimated Male Population. | |
|---|---|---|---|---|---|---|---|---|
| | | Number. | Per-centage to the Population. | | Under 25 yrs. | Above 25 yrs. | Under 25 yrs. | Above 25 yrs. |
| 1. Northern . . | 130,845 | 1356 | 1·037 | 59,023 | 226 | 452 | 0·383 | 0·765 |
| 2. North-Western | 166,279 | 1586 | 0·953 | 77,396 | 160 | 633 | 0·206 | 0·817 |
| 3. North-Eastern | 369,084 | 4760 | 1·289 | 174,410 | 904 | 1476 | 0·518 | 0·846 |
| 4. East-Midland . | 524,803 | 6744 | 1·284 | 242,972 | 1474 | 1898 | 0·606 | 0·781 |
| 5. West-Midland | 242,639 | 2786 | 1·148 | 118,051 | 508 | 885 | 0·430 | 0·749 |
| 6. South-Western | 1,024,151 | 15266 | 1·490 | 492,057 | 3551 | 4082 | 0·721 | 0·829 |
| 7. South-Eastern | 412,179 | 6288 | 1·525 | 193,932 | 1337 | 1807 | 0·689 | 0·931 |
| 8. Southern . . | 214,009 | 2408 | 1·125 | 101,303 | 511 | 693 | 0·504 | 0·684 |
| SCOTLAND . | 3,083,989 | 41194 | 1·335 | 1,459,144 | 8671 | 11926 | 0·594 | 0·817 |

the population is almost stationary; at least it is only increasing at a very low rate, and is obliged to draft its surplus into the towns, or send them as emigrants abroad. The present resident population is sufficient for all the demands of agriculture, and the opening for new families is chiefly produced by the death of the old. The marriage-rate was consequently not much higher than in the Insular Districts, being only at the low rate of 57 marriages in every ten thousand persons during 1862. The Town Districts, however, are rapidly increasing; and though the demand for labour was not so great as during previous years, and large numbers of operatives were out of work, the marriages during 1862 were in the proportion of 82 marriages in every ten thousand of the population, the average of the seven previous years having been 84 marriages in a like population.

The above facts seem to prove that it is the difficulty of procuring a livelihood which represses marriages in Scotland, causes the marriage-rate to be so low, and forces such a large proportion of the Scotch to emigrate and seek a livelihood elsewhere.

Tables XV. and XVI. are drawn up with the view of showing the same facts for the different divisions of Scotland; and whether we compare the proportions who marry under 25 years of age in the several divisions, as shown in Table XV., or the actual number of marriages to the population, as is shown in Table XVI., the same conclusion is arrived at, viz. that it is the greater or lesser difficulty of procuring a livelihood which is the principal cause influencing the marriage-rate. Thus, in the North-Western Division of Scotland, consisting of purely Highland counties, which are annually decreasing in population, only 20 per cent. of the men who married were under 25 years of age. But in the great manufacturing and mining South-Western Division, where the population is most rapidly increasing, 46 per cent. of the men who married during the year were under 25 years of age. Compare these facts with those given in Table XVI. The North-Western Division had only in the proportion of 95 persons married during the year in every ten thousand persons; but the South-Western Division had 149 persons married in a like population. Or take the men alone. In the North-Western Division, of every ten thousand males, only 20

TABLE XVII.—MARRIAGES, 1862. Number of Marriages between Persons in different Conjugal Conditions, and their Proportion in every 100 Marriages.

| DISTRICTS. | Number of Marriages. | | | | | Proportion in every 100 Marriages. | | | |
|---|---|---|---|---|---|---|---|---|---|
| | Total Marriages condition specified. | Bachelors and Spinsters. | Bachelors and Widows. | Widowers and Spinsters. | Widowers and Widows. | Bachelors and Spinsters. | Bachelors and Widows. | Widowers and Spinsters. | Widowers and Widows. |
| Insular . . . . . | 815 | 711 | 6 | 83 | 15 | 87·24 | 0·74 | 10·18 | 1·84 |
| Mainland-Rural . . | 9765 | 8670 | 167 | 779 | 149 | 88·79 | 1·71 | 7·97 | 1·53 |
| Town . . . . . | 9524 | 8011 | 291 | 885 | 337 | 84·11 | 3·06 | 9·29 | 3·54 |
| SCOTLAND . . . | 20104 | 17392 | 464 | 1747 | 501 | 86·51 | 2·31 | 8·69 | 2·49 |
| EDINBURGH . . . | 1598 | 1355 | 45 | 146 | 52 | 84·79 | 2·81 | 9·14 | 3·26 |
| GLASGOW . . . . | 3455 | 2903 | 103 | 337 | 112 | 84·02 | 2·98 | 9·76 | 3·24 |

who married during the year were under 25 years of age; while in the South-Western Division, of every ten thousand males, 72 who married during the year were under 25 years of age.

TABLE XVIII.—MARRIAGES, 1862. Number of Marriages in which the Conjugal Condition was specified; also, the Number of Marriages of Bachelors with Spinsters, Bachelors with Widows, Widowers with Spinsters, and Widowers with Widows; with the Number of Men and Women who re-married in 1862.

| | Divisions and Counties. | Total Marriages, condition specified. | Bachelors with Spinsters. | Bachelors with Widows. | Widowers with Spinsters. | Widowers with Widows. | Re-marriages. | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | | | Widowers. | Widows. | Proportion of WIDOWERS in every 100 Men who married. | Proportion of WIDOWS in every 100 Women who married. |
| | SCOTLAND . . . | 20104 | 17392 | 464 | 1747 | 501 | 2248 | 965 | 11·18 | 4·80 |
| | Insular Districts . . | 815 | 711 | 6 | 83 | 15 | 98 | 21 | 12·02 | 2·57 |
| | Mainland-Rural Dists. | 9765 | 8670 | 167 | 779 | 149 | 928 | 316 | 9·50 | 3·23 |
| | Town Districts . . . | 9524 | 8011 | 291 | 885 | 337 | 1222 | 628 | 12·83 | 6·59 |
| I. | NORTHERN DIVISION | 663 | 593 | 11 | 50 | 9 | 59 | 20 | 8·89 | 3·16 |
| II. | NORTH-WESTERN DO. | 737 | 650 | 9 | 73 | 5 | 78 | 14 | 10·58 | 1·89 |
| III. | NORTH-EASTERN DO. | 2357 | 2103 | 60 | 167 | 27 | 194 | 87 | 8·23 | 3·69 |
| IV. | EAST-MIDLAND DO. . | 3298 | 2874 | 61 | 277 | 86 | 363 | 147 | 11·00 | 4·45 |
| V. | WEST-MIDLAND DO. . | 1343 | 1161 | 20 | 124 | 38 | 162 | 58 | 12·06 | 4·32 |
| VI. | SOUTH-WESTERN DO. | 7484 | 6366 | 203 | 680 | 235 | 915 | 438 | 12·22 | 5·85 |
| VII. | SOUTH-EASTERN DO. | 3067 | 2640 | 78 | 270 | 79 | 349 | 157 | 11·38 | 5·18 |
| VIII. | SOUTHERN DO. . . . | 1155 | 1005 | 22 | 106 | 22 | 128 | 44 | 11·08 | 3·81 |
| 1 | Shetland . . . . . | 191 | 165 | 3 | 18 | 5 | 23 | 8 | 12·04 | 4·18 |
| 2 | Orkney . . . . . | 183 | 165 | – | 16 | 2 | 18 | 2 | 9·83 | 1·09 |
| 3 | Caithness . . . . | 196 | 178 | 6 | 11 | 1 | 12 | 7 | 6·12 | 3·62 |
| 4 | Sutherland . . . . | 93 | 85 | 2 | 5 | 1 | 6 | 3 | 6·45 | 3·22 |
| 5 | Ross and Cromarty . | 351 | 308 | 5 | 35 | 3 | 38 | 8 | 10·82 | 2·27 |
| 6 | Inverness . . . . | 386 | 342 | 4 | 38 | 2 | 40 | 6 | 10·36 | 1·55 |
| 7 | Nairn . . . . . | 43 | 42 | – | 1 | – | 1 | – | 2·32 | 0·00 |
| 8 | Elgin . . . . . | 239 | 216 | 8 | 13 | 2 | 15 | 10 | 6·27 | 4·18 |
| 9 | Banff . . . . . | 335 | 310 | 6 | 15 | 4 | 19 | 10 | 5·67 | 2·98 |
| 10 | Aberdeen . . . . | 1498 | 1313 | 42 | 126 | 17 | 143 | 59 | 9·54 | 3·93 |
| 11 | Kincardine . . . . | 242 | 222 | 4 | 12 | 4 | 16 | 8 | 6·61 | 3·30 |
| 12 | Forfar . . . . . | 1455 | 1231 | 28 | 138 | 58 | 196 | 86 | 13·47 | 5·91 |
| 13 | Perth . . . . . | 753 | 678 | 10 | 48 | 17 | 65 | 27 | 8·63 | 3·58 |
| 14 | Fife . . . . . | 934 | 823 | 20 | 82 | 9 | 91 | 29 | 9·74 | 3·10 |
| 15 | Kinross . . . . . | 27 | 27 | – | – | – | – | – | 0·00 | 0·00 |
| 16 | Clackmannan . . . | 129 | 115 | 3 | 9 | 2 | 11 | 5 | 8·52 | 3·86 |
| 17 | Stirling . . . . . | 598 | 524 | 9 | 48 | 17 | 65 | 26 | 10·87 | 4·34 |
| 18 | Dumbarton . . . . | 312 | 269 | 2 | 31 | 10 | 41 | 12 | 13·14 | 3·84 |
| 19 | Argyll . . . . . | 341 | 293 | 8 | 33 | 7 | 40 | 15 | 11·73 | 4·39 |
| 20 | Bute . . . . . | 92 | 75 | 1 | 12 | 4 | 16 | 5 | 17·39 | 5·43 |
| 21 | Renfrew . . . . . | 1260 | 1047 | 36 | 116 | 61 | 177 | 97 | 14·04 | 7·69 |
| 22 | Ayr . . . . . | 1290 | 1125 | 25 | 112 | 28 | 140 | 53 | 10·85 | 4·10 |
| 23 | Lanark . . . . . | 4934 | 4194 | 142 | 452 | 146 | 598 | 288 | 12·12 | 5·83 |
| 24 | Linlithgow . . . . | 219 | 193 | 13 | 10 | 3 | 13 | 16 | 5·93 | 7·30 |
| 25 | Edinburgh . . . . | 2325 | 1982 | 57 | 212 | 74 | 286 | 131 | 12·30 | 5·63 |
| 26 | Haddington . . . . | 227 | 200 | 6 | 20 | 1 | 21 | 7 | 9·25 | 3·08 |
| 27 | Berwick . . . . . | 170 | 152 | – | 17 | 1 | 18 | 1 | 10·58 | 0·58 |
| 28 | Peebles . . . . . | 59 | 52 | 1 | 6 | – | 6 | 1 | 10·16 | 1·69 |
| 29 | Selkirk . . . . . | 67 | 61 | 1 | 5 | – | 5 | 1 | 7·46 | 1·49 |
| 30 | Roxburgh . . . . | 267 | 226 | 4 | 31 | 6 | 37 | 10 | 13·86 | 3·74 |
| 31 | Dumfries . . . . | 454 | 393 | 12 | 40 | 9 | 49 | 21 | 10·79 | 4·62 |
| 32 | Kirkcudbright . . . | 200 | 180 | 2 | 14 | 4 | 18 | 6 | 9·00 | 3·00 |
| 33 | Wigtown . . . . | 234 | 206 | 4 | 21 | 3 | 24 | 7 | 10·25 | 2·99 |
| | EDINBURGH . . . | 1598 | 1355 | 45 | 146 | 52 | 198 | 97 | 12·39 | 6·07 |
| | GLASGOW . . . | 3455 | 2903 | 103 | 337 | 112 | 449 | 215 | 12·99 | 6·22 |

Of the 20597 marriages registered in Scotland during the year, the conjugal condition of the parties previous to their entrance into the new engagement was ascertained in 20104 cases. Of these 20104 marriages,

TABLE XIX.—MARRIAGES, 1862. Number of Men and of Women who signed the Marriage Register by Mark; also the Total Number of Men and of Women who married in 1862; together with the proportion of Men and of Women who signed the Register by Mark, and the proportion who signed their names in full, in Scotland, its Divisions and Counties.

| | DIVISIONS AND COUNTIES. | MEN. | | | | WOMEN. | | | |
|---|---|---|---|---|---|---|---|---|---|
| | | Number of Males who Married. | Number who signed by Mark. | Per-centage who signed by Mark. | Per-centage who signed their names in full. | Number of Women who Married. | Number who signed by Mark. | Per-centage who signed by Mark. | Per-centage who signed their names in full. |
| | SCOTLAND . . . | 20597 | 2062 | 10·01 | 89·99 | 20597 | 4192 | 20·35 | 79·65 |
| | Insular Districts . . . | 851 | 205 | 24·09 | 75·91 | 851 | 338 | 38·54 | 61·46 |
| | Mainland-Rural Districts | 10185 | 771 | 7·57 | 92·43 | 10185 | 1497 | 14·69 | 85·31 |
| | Town Districts . . . | 9561 | 1086 | 11·35 | 88·65 | 9561 | 2357 | 24·65 | 75·35 |
| I. | NORTHERN DIVISION . | 678 | 53 | 7·81 | 92·19 | 678 | 127 | 18·73 | 81·27 |
| II. | NORTH-WESTERN DO. . | 793 | 258 | 32·53 | 67·47 | 793 | 393 | 49·55 | 50·45 |
| III. | NORTH-EASTERN DO. . | 2380 | 84 | 3·51 | 96·49 | 2380 | 224 | 9·41 | 90·59 |
| IV. | EAST-MIDLAND DO. . . | 3372 | 215 | 6·37 | 93·64 | 3372 | 494 | 14·65 | 85·35 |
| V. | WEST-MIDLAND DO. . | 1393 | 190 | 13·64 | 86·36 | 1393 | 338 | 24·26 | 75·74 |
| VI. | SOUTH-WESTERN DO. . | 7633 | 1034 | 13·54 | 86·46 | 7633 | 2215 | 29·02 | 70·98 |
| VII. | SOUTH-EASTERN DO. . | 3144 | 171 | 5·43 | 94·57 | 3144 | 306 | 9·73 | 90·27 |
| VIII. | SOUTHERN DO. . . . | 1204 | 57 | 4·73 | 95·27 | 1204 | 95 | 7·89 | 92·11 |
| 1 | Shetland . . . . . | 195 | 24 | 12·31 | 87·69 | 195 | 71 | 36·92 | 63·08 |
| 2 | Orkney . . . . . | 184 | 5 | 2·71 | 97·29 | 184 | 13 | 7·06 | 92·94 |
| 3 | Caithness . . . . . | 200 | 15 | 7·50 | 92·50 | 200 | 18 | 9·00 | 91·00 |
| 4 | Sutherland . . . . . | 99 | 9 | 9·09 | 90·91 | 99 | 25 | 25·25 | 74·75 |
| 5 | Ross and Cromarty . . | 375 | 129 | 34·40 | 65·60 | 375 | 186 | 49·60 | 50·40 |
| 6 | Inverness . . . . . | 418 | 129 | 30·86 | 69·14 | 418 | 207 | 49·52 | 50·48 |
| 7 | Nairn . . . . . | 43 | 3 | 6·97 | 93·03 | 43 | 17 | 39·53 | 60·47 |
| 8 | Elgin . . . . . | 242 | 12 | 4·95 | 95·05 | 242 | 25 | 10·33 | 89·67 |
| 9 | Banff . . . . . | 339 | 17 | 5·01 | 94·99 | 339 | 42 | 12·39 | 87·61 |
| 10 | Aberdeen . . . . . | 1511 | 46 | 3·04 | 96·96 | 1511 | 125 | 14·89 | 85·11 |
| 11 | Kincardine . . . . . | 245 | 6 | 2·44 | 97·56 | 245 | 15 | 6·12 | 97·88 |
| 12 | Forfar. . . . . | 1459 | 142 | 9·73 | 90·27 | 1459 | 348 | 23·85 | 76·15 |
| 13 | Perth . . . . . | 775 | 33 | 4·25 | 95·75 | 775 | 44 | 5·67 | 94·33 |
| 14 | Fife . . . . . | 974 | 28 | 2·87 | 97·13 | 974 | 77 | 7·90 | 92·10 |
| 15 | Kinross . . . . . | 32 | – | 0·00 | 100·00 | 32 | – | 0·00 | 100·00 |
| 16 | Clackmannan . . . . | 132 | 12 | 9·09 | 90·91 | 132 | 25 | 18·94 | 81·06 |
| 17 | Stirling . . . . . | 625 | 70 | 11·20 | 88·80 | 625 | 141 | 22·56 | 77·44 |
| 18 | Dumbarton . . . . . | 314 | 64 | 20·38 | 79·62 | 314 | 86 | 27·38 | 72·62 |
| 19 | Argyll. . . . . | 358 | 49 | 13·68 | 86·32 | 358 | 101 | 28·21 | 71·79 |
| 20 | Bute . . . . . | 96 | 7 | 7·29 | 92·71 | 96 | 10 | 10·41 | 89·59 |
| 21 | Renfrew . . . . . | 1289 | 185 | 14·35 | 85·65 | 1289 | 385 | 29·80 | 70·20 |
| 22 | Ayr . . . . . | 1361 | 163 | 11·97 | 88·03 | 1361 | 327 | 24·02 | 75·98 |
| 23 | Lanark . . . . . | 4983 | 686 | 13·76 | 86·24 | 4983 | 1503 | 30·16 | 69·84 |
| 24 | Linlithgow . . . . . | 242 | 39 | 16·11 | 83·89 | 242 | 46 | 19·00 | 81·00 |
| 25 | Edinburgh . . . . . | 2354 | 102 | 4·33 | 95·67 | 2354 | 206 | 8·75 | 91·25 |
| 26 | Haddington. . . . . | 239 | 24 | 10·04 | 89·96 | 239 | 38 | 15·90 | 84·10 |
| 27 | Berwick . . . . . | 181 | 5 | 2·76 | 97·24 | 181 | 13 | 7·18 | 92·82 |
| 28 | Peebles . . . . . | 60 | – | 0·00 | 100·00 | 60 | 1 | 1·66 | 98·34 |
| 29 | Selkirk . . . . . | 68 | 1 | 1·47 | 98·53 | 68 | 2 | 2·94 | 97·06 |
| 30 | Roxburgh . . . . . | 274 | 10 | 3·64 | 96·36 | 274 | 11 | 4·01 | 95·99 |
| 31 | Dumfries. . . . . | 475 | 14 | 2·94 | 97·06 | 475 | 42 | 8·84 | 91·16 |
| 32 | Kirkcudbright. . . . | 215 | 12 | 5·58 | 94·42 | 215 | 9 | 4·18 | 95·82 |
| 33 | Wigtown . . . . . | 240 | 21 | 8·75 | 91·25 | 240 | 33 | 13·75 | 86·25 |
| | EDINBURGH . . . | 1610 | 53 | 3·29 | 96·71 | 1610 | 122 | 7·57 | 92·43 |
| | GLASGOW . . . . | 3459 | 496 | 14·33 | 85·67 | 3459 | 1102 | 31·85 | 68·15 |

17392 were those of bachelors with spinsters; 464 were those of bachelors with widows; 1747 were those of widowers with spinsters; and 501 were those of widowers with widows. These numbers indicate that in every 100 marriages 86·51 were between bachelors and spinsters; 2·31 between bachelors and widows; 8·69 between widowers and spinsters; and 2·49 between widowers and widows. (Table XVII.)

As occurs year after year, re-marriages are much more common in the Town than in the Mainland-Rural Districts; for while in every 100 men who married during the year only 9·50 were widowers in the Mainland-Rural Districts, 12·83 were widowers in the Town Districts; and while only 3·23 per cent. of the women who married were widows in the Mainland-Rural Districts, 6·59 per cent. were widows in the Town Districts. (Table XVIII.)

In Edinburgh and Glasgow the proportion of persons in different conjugal conditions who married was almost identical, and scarcely differed from that of the whole Town Districts. These facts therefore show, that the congregating of masses of the population in towns increases the proportion of re-marriages. (Tables XVII. and XVIII.)

The state of elementary education among the people may, to a certain extent, be estimated by ascertaining the proportion who are able to sign their names in the marriage register.

During the year 1862, of the 20597 men who married, 18535 signed their names in full in the marriage registers, while 2062 signed by mark. Of the 20597 women who married, 16405 signed their names in full, while 4192 signed by mark. These numbers show that 89·99 per cent. of the men, and 79·65 per cent. of the women, were able to sign their names in full, while 10·01 per cent. of the men, and 20·35 per cent. of the women, signed by mark. These proportions contrast favourably with England, for in 1862 only 76·3 per cent. of the men who married, and 66·8 per cent. of the women who married, could sign their names in the marriage registers, while 23·7 per cent. of the men, and 33·2 per cent. of the women, were obliged to sign by mark. The efforts, however, which have been making in England for many years past to extend the benefits of elementary education, are every year manifesting their beneficial results in the marriage

Table XX.—MARRIAGES, 1855–62. Proportion per cent. of Men and Women who signed in writing or by mark in the Marriage Registers of Scotland from 1855 to 1862 inclusive.

| Year. | Men. | | Women. | |
|---|---|---|---|---|
| | Signed by Mark. | Signed in Writing. | Signed by Mark. | Signed in Writing. |
| 1855 | 11·4 | 88·6 | 22·8 | 77·2 |
| 1856 | 11·8 | 88·2 | 23·9 | 76·1 |
| 1857 | 12·1 | 87·9 | 24·8 | 75·2 |
| 1858 | 11·8 | 88·2 | 24·0 | 76·0 |
| 1859 | 10·9 | 89·1 | 22·2 | 77·8 |
| 1860 | 10·3 | 89·7 | 22·7 | 78·3 |
| 1861 | 10·6 | 89 4 | 21·3 | 78·7 |
| 1862 | 10·0 | 90·0 | 20·3 | 79·7 |

registers of that country; for while in 1855 no fewer than 29·5 per cent. of the men and 41·2 per cent. of the women who married were obliged to sign by mark, these proportions have steadily diminished year by year, till in 1862 they were in the proportions above stated. The improvement in Scotland during the same period has been very much less in proportion; still it may safely be said that there has been improvement even in this, as Table XX. indicates. Thus, while from 11 to 12 per cent. of the men who married in 1855, 1856, and 1857 were obliged to sign by mark; in 1860, 1861, and 1862, these proportions were reduced to a fraction more than 10 per cent. And while 22 to 24 per cent. of the women who married in 1855, 1856, and 1857, were obliged to sign by mark; during 1861 and 1862 the proportion was reduced to 21 and 20 per cent. Every effort ought therefore to be made to increase the efficiency of our schools, till every man and woman in the population is able to read and to write. Some of the counties of Scotland approach this desirable result, as Kinross and Peebles, by the returns of 1862; while Ross and Cromarty and Inverness are still in such a very backward condition as to elementary education, that from 30 to 34 per cent. of the men, and nearly 50 per cent. of the women, could not sign their names in the marriage registers in 1862.

It is the Irish element in Scotland which to a great extent causes her proportion of those who sign by mark to be so high. This is proved by the fact, that all those towns or counties where the number and proportion of Irish are great, there the proportion of men and of women who sign by mark is also great. Contrast Edinburgh and Glasgow. While only 3 per cent. of the men and 7½ per cent. of the women in Edinburgh are obliged to sign by mark, 14 per cent. of the men and nearly 32 per cent. of the women in Glasgow sign by mark. In Dumbartonshire, where the Irish specially congregate, above 20 per cent. of the men and 27 per cent. of the women sign by mark; while in Fife, where few Irish are to be met with, less than 3 per cent. of the men and 8 per cent. of the women sign by mark. In fact, Table XIX. is a very instructive one, and shows where our educational efforts ought chiefly to be put forth.

---

## DEATHS.

67195 deaths were registered in Scotland during the year 1862, being in the high proportion of 217 deaths in every ten thousand of the estimated population. This was a very much higher death-rate than the mean of the seven previous years, which only averaged annually 207 deaths in every ten thousand persons. The Scottish death-rate during 1862 was even above that of England, where the proportion was only 214 deaths in every ten thousand persons, which was considerably below the mean mortality of England, that of the seven previous years averaging annually 218 deaths in every ten thousand persons.

England and Scotland, therefore, though both suffering from the same commercial distresses, and both with large numbers of their populations thrown out of work by the stoppage of the cotton supplies from America, exhibited this marked difference, that while the mortality of England was considerably below, that of Scotland was very much above their respective averages. This single fact shows that mere misery, destitution, and an insufficient supply of food to large numbers of the labouring classes, will not of

themselves increase the mortality, unless other agencies, and in particular atmospheric agencies, act at the same time injuriously on the population. It will afterwards be shown that England and Scotland were under very different atmospheric agencies during 1862; and that the much more unwholesome weather which prevailed in Scotland during that period, from acting with greater intensity than usual on a population whose frames were weakened by the want of a proper supply of food, was quite adequate to account for the greater mortality which prevailed in Scotland.

Year after year establishes the fact that the inhabitants of the Insular and Mainland-Rural Districts are more healthy, and die at a much lower rate than those of the Town Districts. Thus, of the 67195 deaths in Scotland during the year 1862, 2975 died in the Insular, 32694 in the Mainland-Rural, and 31526 in the Town Districts; showing that in every ten thousand persons in each of these districts, 185 deaths occurred in the Insular, 184 deaths in the Mainland-Rural, but 273 deaths in the Town Districts. (Tables II, IV, and V.)

This striking fact is better seen by taking the mean proportion of deaths in each of these districts for the eight years during which the Registration Act has been in operation, viz. from 1855 to 1862 inclusive. It then appears, that for every ten thousand persons in each of these districts, there have been 157 deaths annually in the Insular Districts, 177 deaths in the Mainland-Rural Districts, and 265 deaths in the Town Districts. Congregating the population in masses, therefore, in towns exposes them to much greater risk of life than if scattered in small hamlets or cottages over the country.

For a contrast with the mortality of the Town Districts of Scotland, that of London, one of the healthiest towns of England, and itself with the population of a kingdom, may be cited. During the eight years, 1855 to 1862 inclusive, the mean annual mortality of London was 231 deaths in every ten thousand inhabitants,—a proportion much below that of the Town Districts of Scotland, which, as we have just seen, was in the proportion of 265 deaths in a like population. This striking fact may be so far accounted for by the very different style in which houses are built in England and in Scotland, and by the much greater attention which the English pay to sanitary arrangements. As sanitary science advances, it would

---

TABLE XXI.—TOWN DEATHS, 1855–1862. Per-centage of Deaths to the Estimated Population of each of the Eight Principal Towns of Scotland, and the Mean Annual Mortality during these Eight Years.

| TOWNS. | Per-centage of Deaths to Population. | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | 1855. | 1856. | 1857. | 1858. | 1859. | 1860. | 1861. | 1862. | Mean Annual Mortality. |
| Glasgow . . | 2·99 | 2·84 | 3·08 | 3·05 | 2·83 | 3·19 | 2·75 | 2·86 | 2·95 |
| Edinburgh . | 2·57 | 2·49 | 2·26 | 2·49 | 2·19 | 2·50 | 2·44 | 2·77 | 2·46 |
| Dundee . . | 2·53 | 2·84 | 2·57 | 2·64 | 2·53 | 3·20 | 2·60 | 2·79 | 2·59 |
| Aberdeen . . | 2·28 | 2·26 | 2·34 | 2·20 | 2·28 | 2·97 | 2·40 | 2·59 | 2·41 |
| Paisley . . | 2·76 | 2·30 | 3·02 | 2·67 | 2·49 | 2·90 | 2·54 | 2·64 | 2·66 |
| Greenock . . | 3·38 | 3·03 | 3·06 | 2·59 | 3·34 | 2·90 | 2·52 | 3·06 | 2·98 |
| Leith . . . | 1·97 | 2·39 | 2·17 | 2·26 | 1·98 | 2·76 | 2·12 | 2·38 | 2·38 |
| Perth . . . | 2·19 | 2·19 | 3·10 | 2·67 | 2·24 | 2·64 | 2·62 | 2·35 | 2·50 |

appear to be more and more clearly established, that it is the comparative purity of the air which is breathed which is the main cause of the different rates of mortality which prevail in one place over another: for even overcrowding only acts prejudicially through vitiation of the air; and hence it is very necessary, when carrying out improvements which conduce to the comfort or convenience of the lower classes, to see that we are not introducing sources of vitiation of the air from which their houses were free before they were interfered with.

The mortality in the eight principal towns of Scotland varied considerably during 1862, being lowest in Perth and highest in Greenock. (Table XXI.) Thus, in every ten thousand persons in each of these towns, there died during the year, 235 persons in Perth, 238 in Leith, 259 in Aberdeen, 264 in Paisley, 277 in Edinburgh, 279 in Dundee, 286 in Glasgow, and 306 in Greenock. Taking the average deaths in each of these towns for a period of eight years, 1855 to 1862 inclusive, it would appear that Leith was the most healthy, and Greenock the most unhealthy town. Thus, the mean annual deaths in every 10,000 persons in each of these towns during the above eight years was 238 deaths in Leith, 241 in Aberdeen, 246 in Edinburgh, 250 in Perth, 259 in Dundee, 266 in Paisley, 295 in Glasgow, and 298 in Greenock. (Table XXI.)

It is now an established fact, that in this country males are cut off in a higher proportion than females, and that the ratio of that higher death-rate in the males is nearly constant from year to year. Thus, in 1862, males died at the rate of 227 deaths in every 10,000 males living, while females were only cut off in the proportion of 209 deaths in a like population of females. An eight years' average gives the annual proportion of 2189 male deaths in every 100,000 males, but only 2002 female deaths in every 100,000 females. The annual difference between the male and female death-rate is therefore nearly the same year after year, being about 0·18 of a per-centage in favour of the female life; or, in other words, about 18 more males die annually in every 10,000 males, than women die in every 10,000 females.

It is interesting to note, that in England the difference between the mortality of the male and female is nearly the same as in Scotland, viz. a difference in favour of the female of 0·17 of a per-centage; so that it may be assumed as an ascertained fact, that over the whole of Britain the female mortality is less than that of the male.

TABLE XXII.—DEATHS. Mean Annual Per-centage of Deaths to the Population at different Ages in Scotland, during the Eight Years 1855 to 1862 inclusive.

| AGES. | Per-centage of Deaths to the Population. | | AGES. | Per-centage of Deaths to the Population. | |
|---|---|---|---|---|---|
| | Males. | Females. | | Males. | Females. |
| Under 1 Year | 14·968 | 12·468 | 30—40 | 1·072 | 1·017 |
| 2 | 7·109 | 6·971 | 40—50 | 1·378 | 1·178 |
| 3 | 3·447 | 3·533 | 50—60 | 2·094 | 1·776 |
| 4 | 2·312 | 2·322 | 60—70 | 3·907 | 3·292 |
| 5 | 1·678 | 1·713 | 70—80 | 9·378 | 8·281 |
| | | | 80—90 | 20·006 | 18·305 |
| Total under 5 Yrs. | 6·134 | 5·575 | 90—100 | 38·255 | 35·540 |
| 5—10 | 0·895 | 0·864 | 100 and above | 39·999 | 42·371 |
| 10—15 | 0·481 | 0·493 | | | |
| 15—20 | 0·729 | 0·657 | Total all Ages | 2·189 | 2·002 |
| 20—30 | 0·996 | 0·808 | | | |

In Scotland, this higher death-rate of the male seems to prevail at almost all periods of life. By Table XXV. it will be seen, that in 1862 the males were cut off in a higher ratio at every age of life, excepting during the third, fourth, and fifth years, when the female deaths slightly preponderated. Even at the child-bearing period of life, viz. 15 to 50, the male mortality at each period of life exceeded that of the female.

It gives, however, a more just idea of the relative mortality of the sexes at each age, to take the average of the eight years, 1855 to 1862 inclusive. (Table XXII.) It is then seen that in Scotland the mortality of the male exceeds that of the female at every period of life excepting during the third and fifth year, and between the years of 10 and 15, when the female mortality slightly preponderates. By that Table it is also seen that the period of life when least mortality occurs is from the tenth to the fifteenth year of life; but, indeed, from the fifth to the thirtieth year of life, the deaths annually among both males and females are under one per cent. of the population at these ages.

When calculations are made, based on the proportions of the sexes at birth, and on the mortality returns at the different ages, it appears that the excess of males at birth is required to counterbalance the greater mortality which occurs among the males till they attain a marriageable age; for it is a singular fact, that before the eighteenth year of life, so many more males than females have died, that the numbers of the sexes are equalized at that age, so that every man at that age could have one woman of the same age for his wife, leaving no surplus over on either side.

In last Report, attention was directed to the influence of marriage on the death-rate of the female; and a Table was published which showed the

---

TABLE XXIII.—Number of the Living, and Deaths of the MARRIED and UNMARRIED FEMALES at Different Ages in Scotland in 1862; and the proportion of Deaths to the respective Populations at each Age. Also the proportions for 1861.

| AGES Above 15 Years. | Married and Widowed Women in 1862. | | | Per-cent. of Deaths in 1861. | Unmarried Women above 15 Years in 1862. | | | Per-cent. of Deaths in 1861. |
|---|---|---|---|---|---|---|---|---|
| | Number living. | Deaths. | Per-cent. of Deaths. | | Number living. | Deaths. | Per-cent. of Deaths. | |
| 15—20 | 3,384 | 25 | 0·738 | 0·983 | 154,829 | 1075 | 0·694 | 0·691 |
| 20—25 | 39,924 | 364 | 0·912 | 0·910 | 114,180 | 895 | 0·783 | 0·783 |
| 25—30 | 71,649 | 683 | 0·953 | 0·928 | 61,044 | 506 | 0·829 | 0·903 |
| 30—35 | 77,503 | 764 | 0·985 | 0·927 | 34,954 | 367 | 1·049 | 0·941 |
| 35—40 | 71,962 | 806 | 1·120 | 1·116 | 24,368 | 300 | 1·231 | 1·181 |
| 40—45 | 69,660 | 806 | 1·171 | 1·116 | 19,690 | 225 | 1·142 | 1·109 |
| 45—50 | 58,934 | 785 | 1·332 | 1·270 | 14,659 | 222 | 1·507 | 1·455 |
| 50—55 | 54,479 | 826 | 1·516 | 1·449 | 13,973 | 269 | 1·926 | 1·576 |
| 55—60 | 41,462 | 886 | 2·136 | 1·989 | 10,216 | 244 | 2·389 | 2·077 |
| 60—65 | 42,390 | 1200 | 2·830 | 2·649 | 11,405 | 370 | 3·244 | 2·715 |
| 65—70 | 26,242 | 1242 | 4·732 | 4·269 | 6,875 | 350 | 5·090 | 4·489 |
| 70—75 | 20,337 | 1342 | 6·549 | 6·627 | 5,544 | 434 | 7·828 | 6·672 |
| 75—80 | 12,190 | 1424 | 11·681 | 10·448 | 3,230 | 359 | 11·114 | 9·741 |
| 80—85 | 7,490 | 1278 | 17·062 | 15·105 | 1,986 | 332 | 16·717 | 16·236 |
| 85—90 | 2,646 | 708 | 26·757 | 23·179 | 582 | 161 | 27 663 | 25·597 |
| 90—95 | 763 | 282 | 36·972 | 32·147 | 181 | 55 | 30·386 | 39·778 |
| 95—100 | 203 | 94 | 46·305 | 36·138 | 48 | 20 | 41·666 | 35·416 |
| 100 and above | 34 | 17 | 50·000 | 50·000 | 23 | 3 | 13·042 | 26·087 |
| Not stated | – | 11 | – | – | – | 3 | – | – |
| Total, 15—105 Yrs. | 601,252 | 13543 | 2·252 | 2·109 | 477,787 | 6190 | 1·295 | 1·240 |
| In Two Groups, | | | | | | | | |
| 15—45 | 334,082 | 3448 | 1·032 | 1·003 | 409,065 | 3368 | 0 820 | 0·821 |
| 45—105 | 267,170 | 10095 | 3·778 | 3·495 | 68,722 | 2822 | 4·107 | 3·691 |

different death-rates which prevailed at each quinquennial period of life among those who were or had been married, and those who were unmarried. A similar Table has been prepared for 1862; but as this series of Tables will not be continued in subsequent Reports, in consequence of the long time required for their preparation, the per-centage of deaths for 1861 is given alongside that of 1862; and a Summary Table is added, showing the mean death-rates of the married and the unmarried at every quinquennial period of life. (Tables XXIII. and XXIV.)

By these Tables it will be seen, that though the proportion of the deaths among the married and the unmarried women at each age differed slightly during each year, there is no difference whatever in the results brought out by each Table; for, excepting at the extreme ages 80 to 85, and again 90 to 95 years, the results of the Tables of both years are absolutely identical. This almost unlooked-for result appears fully to confirm the general correctness of both Tables; and is another reason for not continuing the series beyond the present Report, as the facts which they indicate may be assumed to be demonstrated. In the Summary Table, plus (+) and minus (–) marks have been appended to the proportions at each age, to indicate whether the deaths among the unmarried at that age were greater (+) or less (–) than those of the married at the same age.

When the mean annual per-centage of deaths in the married and unmarried females at each quinquennial period of life is compared, it is found that the married die at a higher ratio during the three quinquennial periods of life, 15 to 30 years; but that during the latter portion of their child-bearing life, when the half of their children are born, viz. from 30 to 40 years of age, the married die at a lower rate than the unmarried. At the age when the usual "change of life" occurs, viz. between 40 and 45 years, the mortality of the married female again slightly exceeds that of the unmarried,—a result which might have been expected, seeing that the fatigues of child-bearing, and the harder labour connected with the nursing and rearing of her family, somewhat weakens the system, and renders that critical period of life more trying to the married than to the unmarried woman. From that period, however, to old age—that is, to 75 years—the married and the widowed die in smaller proportions than the unmarried. Above that age the numbers are too small to allow any certain conclusions to be drawn; still

---

TABLE XXIV.—Mean Annual Per-centage of Deaths among the MARRIED and UNMARRIED WOMEN of Scotland, at different Ages, during the Two Years 1861 and 1862.

| AGES. | Per-centage of Deaths to the number living. | | Whether Proportion of Unmarried is greater or less than that of the Married. | AGES. | Per-centage of Deaths to the number living. | | Whether proportion of Unmarried is greater or less than that of the Married. |
|---|---|---|---|---|---|---|---|
| | Married and Widowed. | Un-married. | | | Married and Widowed. | Un-married. | |
| 15—20 | 0·860 | 0·692 | — | 75—80 | 11·064 | 10·427 | — |
| 20—25 | 0·911 | 0·783 | — | 80—85 | 16·083 | 16·476 | + |
| 25—30 | 0·940 | 0·866 | — | 85—90 | 24·968 | 26·630 | + |
| 30—35 | 0·956 | 0·995 | + | 90—95 | 34·559 | 35·082 | + |
| 35—40 | 1·118 | 1·206 | + | 95—100 | 41·221 | 38·541 | — |
| 40—45 | 1·143 | 1·125 | — | 100 and above | 50·000 | 19·064 | — |
| 45—50 | 1·301 | 1·481 | + | | | | |
| 50—55 | 1·482 | 1·751 | + | Total . | 2·180 | 1·267 | — |
| 55—60 | 2·062 | 2·233 | + | | | | |
| 60—65 | 2·739 | 2·979 | + | In two groups | | | |
| 65—70 | 4·500 | 4·789 | + | 15—45 | 1·017 | 0·820 | — |
| 70—75 | 6·588 | 7·250 | + | 45—105 | 3·636 | 3·899 | + |

from 80 to 95 years the chances of life seem still to be decidedly in favour of the married woman.

When the results of the whole Table, however, are looked at, the apparently contradictory general result manifests itself, viz. that the total mortality among the married and widowed women is very much greater than among the unmarried. Thus the Table appears to indicate that the total married and widowed women were cut off at the rate of 2·180 deaths in every 100 living, while the unmarried women only suffered at the low rate of 1·267 in every 100 living. This result is produced by our comparing things which are not strictly comparable, and which, if compared, only lead to erroneous results. Thus, more than half of the unmarried women are between 15 and 25 years of age, at which period of life the mortality is extremely low, these being the most healthy years of life. But at the same ages only one-fourteenth part of the whole married women are to be found; and, in fact, we do not reach the half of the married and widowed women till the 43d year of life, half the number being above that age, and half below it. From this it follows, that even though the proportion of deaths among the unmarried women at every quinquennial age above 25 had been much greater than it is, and had exceeded that of the married women (which it does), yet the great preponderance of unmarried women under 25, and their low rate of mortality, would more than counterbalance the higher death-rates at subsequent ages.

When the deaths at different ages in the Town and Mainland-Rural Districts are compared (Tables XXVII. and XXVIII.), it is seen that at

---

Table XXV.—DEATHS, 1862. Population of Scotland at different Ages in 1862, the Number of Deaths at the same Ages, and the Proportion of Deaths to the Population at each Age.

| AGES. | SCOTLAND, 1862. | | | | | |
|---|---|---|---|---|---|---|
| | POPULATION.* | | DEATHS. | | Per-cent. of Deaths to Population. | |
| | Males. | Females. | Males. | Females. | Males. | Females. |
| Under 1 Year | 46,370 | 44,748 | 6982 | 5574 | 15·057 | 12·456 |
| — 2 | 42,380 | 41,087 | 3210 | 3005 | 7·573 | 7·313 |
| — 3 | 42,717 | 41,427 | 1567 | 1587 | 3·654 | 3·830 |
| — 4 | 41,291 | 40,400 | 932 | 1029 | 2·257 | 2·547 |
| — 5 | 40,621 | 39,160 | 649 | 662 | 1·597 | 1·690 |
| Total under 5 Years | 213,379 | 206,822 | 13340 | 11857 | 6·251 | 5·732 |
| 5—10 | 185,468 | 180,206 | 1702 | 1591 | 0·918 | 0·882 |
| 10—15 | 166,144 | 158,778 | 897 | 808 | 0·539 | 0·509 |
| 15—20 | 151,387 | 158,213 | 1163 | 1100 | 0·768 | 0·695 |
| 20—30 | 231,057 | 286,797 | 2388 | 2448 | 1·033 | 0·853 |
| 30—40 | 170,867 | 208,787 | 1926 | 2237 | 1·127 | 1·071 |
| 40—50 | 137,551 | 162,943 | 1908 | 2038 | 1·386 | 1·250 |
| 50—60 | 100,304 | 120,130 | 2213 | 2225 | 2·206 | 1·852 |
| 60—70 | 65,768 | 86,912 | 2833 | 3162 | 4·307 | 3·638 |
| 70—80 | 28,750 | 41,301 | 2766 | 3559 | 9·620 | 8·617 |
| 80—90 | 7,831 | 12,704 | 1734 | 2479 | 22·142 | 19·513 |
| 90—100 | 608 | 1,195 | 247 | 451 | 40·625 | 37·740 |
| 100 and above | 30 | 57 | 10 | 20 | 33·333 | 35·087 |
| Not stated | – | – | 52 | 41 | – | – |
| All Ages | 1,459,144 | 1,624,845 | 33179 | 34016 | 2·273 | 2·093 |
| Both Sexes | 3,083,989 | | 67195 | | 2·178 | |

* The Populations of this and of the three following Tables are estimated to the middle of the year, so as to give the true proportion of deaths.

all ages under 5 years, the mortality of children is double in the town what it is in the country. Thus, if we take the whole children under 5 years, 9·332 per cent. of the males died during 1862 in the Town Districts, but only 4·445 per cent. in the Mainland-Rural Districts; 8·698 per cent. of the female children died in the Town Districts, but only 4·023 per cent. in the Rural Districts. At every age of early life much the same difference existed; for, while male children under 1 year of age died at the rate of 19·445 per cent. in the Town Districts, only 11·829 per cent. died in the Mainland-Rural Districts. The most striking difference, however, occurred at the second year of life; for while 12·212 per cent. male children at that age died in the Town Districts, only 4·786 per cent. at the same age died in the Mainland-Rural Districts. The proportion of female children in each of these districts held the same relation to each other. This remarkable fact shows how many infantile lives would be saved to the nation could all the children born in towns be reared in the country till they had passed their fifth year.

If the eight principal towns of Scotland were arranged in the order of least mortality of male infants under 1 year of age during 1862, Perth would appear as the most healthy town, and Dundee as the most unhealthy. But it gives a far more correct idea of the absolute healthiness of the towns, in so far as infantile mortality is concerned, if we take the average of the eight years, 1855 to 1862 inclusive. When this is done, Aberdeen and Perth are found to be the towns most favourable to infantile life, while Dundee and Glasgow are the most fatal to it. Thus, in every 100 male children living in each of these towns during these eight years, 16·66 died annually in Aberdeen, 16·78 in Perth, 17·02 in Leith, 19·11 in Paisley,

---

TABLE XXVI.—DEATHS, 1862. Population of Insular Districts at different Ages in 1862, the Number of Deaths at the same Ages, and the Proportion of Deaths to the Population at each Age.

| AGES. | INSULAR DISTRICTS, 1862. | | | | | |
|---|---|---|---|---|---|---|
| | POPULATION. | | DEATHS. | | Per-cent. of Deaths to Population. | |
| | Males. | Females. | Males. | Females. | Males. | Females. |
| Under 1 Year | 1,982 | 1,876 | 239 | 163 | 12·058 | 8·688 |
| — 2 | 1,913 | 1,862 | 102 | 73 | 5·331 | 3·920 |
| — 3 | 2,020 | 1,996 | 58 | 46 | 2·871 | 2·304 |
| — 4 | 1,973 | 1,893 | 25 | 28 | 1·267 | 1·479 |
| — 5 | 2,057 | 1,933 | 12 | 21 | 0·583 | 1·086 |
| Total under 5 Years | 9,945 | 9,560 | 436 | 331 | 4·384 | 3·462 |
| 5—10 | 9,428 | 9,171 | 58 | 44 | 0·615 | 0·479 |
| 10—15 | 8,649 | 8,382 | 24 | 36 | 0·277 | 0·429 |
| 15—20 | 7,487 | 8,255 | 47 | 48 | 0·627 | 0·581 |
| 20—30 | 10,181 | 14,377 | 138 | 88 | 1·355 | 0·612 |
| 30—40 | 7,584 | 10,917 | 73 | 78 | 0·962 | 0·714 |
| 40—50 | 6,369 | 8,725 | 64 | 88 | 1·004 | 1·009 |
| 50—60 | 5,545 | 6,995 | 86 | 95 | 1·550 | 1·358 |
| 60—70 | 4,613 | 6,039 | 117 | 171 | 2·536 | 2·831 |
| 70—80 | 2,299 | 3,129 | 196 | 257 | 8·525 | 8·213 |
| 80—90 | 801 | 1,299 | 152 | 220 | 18·861 | 16·936 |
| 90—100 | 85 | 156 | 38 | 65 | 44·705 | 41·666 |
| 100 and above | 4 | 19 | 3 | 1 | 75·000 | 5·263 |
| Not stated | – | – | 13 | 8 | – | – |
| ALL AGES | 72,990 | 87,024 | 1445 | 1530 | 1·979 | 1·758 |
| BOTH SEXES | 160,014 | | 2975 | | 1·859 | |

19·68 in Edinburgh, 22·44 in Greenock, 23·10 in Glasgow, and 23·20 in Dundee.

Even taking the whole male deaths under 5 years in each of these towns during the eight years, 1855 to 1862 inclusive, makes very little change in their respective positions as to healthiness; for Aberdeen and Perth are by that test the most favourable to infantile life, Glasgow, Greenock, and Dundee the most fatal to it. Thus, in every 100 children under 5 years of age in each of these towns, there died annually 7·07 in Aberdeen, 7·47 in Perth, 7·52 in Leith, 8·34 in Edinburgh, 8·60 in Paisley, 10·69 in Dundee, 10·83 in Greenock, and 11·66 in Glasgow.

Tables XXIX. to XXXVI. inclusive, continue the series of Tables for each of the eight principal towns of Scotland, showing the number and proportion of deaths at each period of life, and in each sex, distinguishing also each year of life under 5 years.

## Causes of Death.

Of the 67195 deaths in Scotland during the year 1862, the cause of death was recorded in 63860 cases, leaving only 3335 cases in which no cause of death was given, or in which the entry was made in such indefinite terms that the death could not be referred to any particular class of diseases. It thus happens, that year after year about 5 per cent. of all the deaths have no cause of death assigned, and few or none of these have the benefit of medical assistance; indeed, the half of these, or 1537, were infants under one year of age.

Table XXVII.—DEATHS, 1862. Population of the Mainland-Rural districts at Different Ages in 1862, the Number of Deaths at the same Ages, and the Proportion of Deaths to the Population at each Age.

| Ages. | Mainland-Rural Districts, 1862. | | | | | |
|---|---|---|---|---|---|---|
| | Population. | | Deaths. | | Per-cent. of Deaths to Population. | |
| | Males. | Females. | Males. | Females. | Males. | Females. |
| Under 1 Year | 26,112 | 25,244 | 3089 | 2415 | 11·829 | 9·570 |
| — 2 | 24,698 | 23,879 | 1182 | 1124 | 4·786 | 4·707 |
| — 3 | 24,971 | 24,197 | 615 | 622 | 2·463 | 2·570 |
| — 4 | 24,487 | 23,692 | 381 | 412 | 1·555 | 1·739 |
| — 5 | 24,183 | 23,264 | 266 | 266 | 1·099 | 1·143 |
| Total under 5 Years | 124,451 | 120,276 | 5533 | 4839 | 4·445 | 4·023 |
| 5—10 | 111,598 | 107,406 | 839 | 758 | 0·751 | 0·705 |
| 10—15 | 100,820 | 95,150 | 508 | 422 | 0·503 | 0·443 |
| 15—20 | 89,103 | 87,744 | 604 | 573 | 0·677 | 0·653 |
| 20—30 | 125,303 | 148,838 | 1202 | 1143 | 0·959 | 0·767 |
| 30—40 | 94,058 | 111,481 | 911 | 1019 | 0·968 | 0·914 |
| 40—50 | 78,492 | 89,913 | 796 | 920 | 1·014 | 1·023 |
| 50—60 | 60,380 | 68,789 | 1057 | 1081 | 1·750 | 1·571 |
| 60—70 | 41,798 | 51,996 | 1571 | 1675 | 3·758 | 3·221 |
| 70—80 | 19,589 | 26,528 | 1719 | 2116 | 8·774 | 7·976 |
| 80—90 | 5,589 | 8,618 | 1233 | 1629 | 22·061 | 18·902 |
| 90—100 | 429 | 796 | 171 | 303 | 39·860 | 38·065 |
| 100 and above | 23 | 32 | 7 | 14 | 30·426 | 43·750 |
| Not stated | – | – | 27 | 24 | – | – |
| All Ages | 851,631 | 917,567 | 16178 | 16516 | 1·899 | 1·799 |
| Both Sexes | 1,769,198 | | 32694 | | 1·847 | |

## Class I. *Zymotic Diseases.*

The zymotic or epidemic and contagious class of diseases cut off 13978 persons in Scotland during the year 1862, and thus constituted 21·88 per cent. of the specified causes of death. This is a much lower proportion than occurred during the six years 1855 to 1860 inclusive, and is only slightly above the proportion of 1861, when the total deaths were 4854 below that of the year under discussion. This is a very remarkable result, because it goes far to prove, what the results of former years also indicated, that a year of great mortality may occur, and not be dependent for its increase on the epidemic class of diseases but to a very small extent; in other words, that a very high mortality among the population may be caused by an increased number of deaths from all diseases, but only to a small extent by an increase among the so-called epidemic diseases.

The year of lowest mortality in Scotland, since the Registration Act came into operation, was 1856, when the deaths were 8666 fewer than in 1862; yet in that year 13,779 deaths were ascribed to the zymotic class of diseases, which would be exactly the number which fell victims to the same class of diseases in 1862, if allowance were made for increase of population. In other words, in the very healthiest year, and during one of the most unhealthy, the mortality arising from the zymotic class of diseases was exactly the same.

This striking fact proves (what is quite overlooked at the present day) that epidemic diseases are neither necessarily nor always the cause of the high mortality which prevails. And the experience of the eight years 1855 to 1862 inclusive in Scotland has shown that the years of highest mortality

Table XXVIII.—DEATHS, 1862. Population of the Town Districts at Different Ages in 1862, the Number of Deaths at the same Ages, and the Proportion of Deaths to the Population at each Age.

| AGES. | TOWN DISTRICTS, 1862. | | | | | |
|---|---|---|---|---|---|---|
| | POPULATION. | | DEATHS. | | Per-cent. of Deaths to Population. | |
| | Males. | Females. | Males. | Females. | Males. | Females. |
| Under 1 Year | 18,276 | 17,628 | 3654 | 2996 | 19·445 | 16·995 |
| — 2 | 15,770 | 15,346 | 1926 | 1808 | 12·212 | 11·780 |
| — 3 | 15,725 | 15,234 | 894 | 919 | 5·686 | 6·032 |
| — 4 | 14,831 | 14,815 | 526 | 589 | 3·547 | 3·976 |
| — 5 | 14,380 | 13,963 | 371 | 375 | 2·579 | 2·699 |
| Total under 5 Years | 78,982 | 76,986 | 7371 | 6687 | 9·332 | 8·698 |
| 5—10 | 64,442 | 63,629 | 805 | 789 | 1·249 | 1·240 |
| 10—15 | 56,672 | 55,246 | 365 | 350 | 0·644 | 0·633 |
| 15—20 | 54,796 | 62,214 | 512 | 479 | 0·934 | 0·699 |
| 20—30 | 95,580 | 123,582 | 1048 | 1217 | 1·096 | 0·984 |
| 30—40 | 69,231 | 86,389 | 942 | 1140 | 1·360 | 1·319 |
| 40—50 | 52,692 | 64,305 | 1048 | 1030 | 1·990 | 1·601 |
| 50—60 | 34,379 | 44,346 | 1070 | 1049 | 3·112 | 2·365 |
| 60—70 | 19,351 | 28,877 | 1145 | 1316 | 5·917 | 4·557 |
| 70—80 | 6,862 | 11,644 | 851 | 1186 | 12·401 | 10·185 |
| 80—90 | 1,438 | 2,787 | 349 | 630 | 24·270 | 22·604 |
| 90—100 | 94 | 243 | 38 | 83 | 40·425 | 34·156 |
| 100 and above | 4 | 6 | – | 5 | – | 83·333 |
| Not stated | – | – | 12 | 9 | – | – |
| All Ages | 534,523 | 620,254 | 15556 | 15970 | 2·912 | 2·598 |
| Both Sexes | 1,154,777 | | 31526 | | 2·730 | |

are not those when the proportion of deaths from the epidemic diseases is greatest. Thus, in the year of lowest mortality, the deaths from the zymotic class of diseases constituted 25 per cent. of the deaths; but in 1860, the year

TABLE XXIX.—GLASGOW, 1862. Population and Deaths at Different Ages in 1862, and the Proportion of Deaths to the Population at each Age.

| AGES. | POPULATION.* | | DEATHS. | | Per-cent. of Deaths to Population. | |
|---|---|---|---|---|---|---|
| | Males. | Females. | Males. | Females. | Males. | Females. |
| Under 1 Year | 6,999 | 6,613 | 1400 | 1162 | 20·000 | 17·571 |
| — 2 | 5,712 | 5,604 | 824 | 777 | 14·426 | 13·865 |
| — 3 | 5,513 | 5,456 | 347 | 406 | 6·294 | 7·441 |
| — 4 | 5,158 | 5,215 | 196 | 244 | 3·799 | 4·679 |
| — 5 | 4,980 | 4,813 | 147 | 141 | 2·962 | 2·929 |
| Total under 5 Years | 28,362 | 27,701 | 2914 | 2730 | 10·274 | 9·855 |
| 5—10 | 21,662 | 21,442 | 297 | 300 | 1·371 | 1·399 |
| 10—15 | 18,965 | 18,601 | 158 | 136 | 1·086 | 0·731 |
| 15—20 | 19,990 | 22,251 | 206 | 201 | 1·030 | 0·903 |
| 20—30 | 37,010 | 45,933 | 359 | 462 | 0·969 | 1·005 |
| 30—40 | 25,904 | 30,914 | 348 | 431 | 1·343 | 1·393 |
| 40—50 | 18,898 | 21,901 | 412 | 400 | 2·180 | 1·826 |
| 50—60 | 11,116 | 13,914 | 379 | 374 | 3·409 | 2·687 |
| 60—70 | 5,626 | 8,308 | 330 | 377 | 5·865 | 4·537 |
| 70—80 | 1,544 | 2,829 | 213 | 300 | 13·795 | 10·604 |
| 80—90 | 288 | 570 | 70 | 138 | 24·305 | 24·210 |
| 90—100 | 19 | 53 | 6 | 17 | 31·578 | 32·075 |
| 100 and above | – | 2 | – | 2 | – | 100·000 |
| Not stated | – | – | 4 | 1 | – | – |
| ALL AGES | 189,384 | 214,419 | 5696 | 5869 | 3·007 | 2·737 |
| BOTH SEXES | 403,803 | | 11565 | | 2·864 | |

TABLE XXX.—EDINBURGH, 1862. Population and Deaths at Different Ages in 1862, and the Proportion of Deaths to the Population at each Age.

| AGES. | POPULATION. | | DEATHS. | | Per-cent. of Deaths to Population. | |
|---|---|---|---|---|---|---|
| | Males. | Females. | Males. | Females. | Males. | Females. |
| Under 1 Year | 2,240 | 2,349 | 503 | 399 | 22·459 | 16·986 |
| — 2 | 2,013 | 2,018 | 221 | 235 | 10·978 | 11·645 |
| — 3 | 1,985 | 1,926 | 112 | 134 | 5·692 | 6·956 |
| — 4 | 1,859 | 1,914 | 64 | 84 | 3·442 | 4·388 |
| — 5 | 1,943 | 1,773 | 63 | 71 | 3·242 | 4·004 |
| Total under 5 Years | 10,040 | 9,980 | 963 | 923 | 9·591 | 9·248 |
| 5—10 | 8,734 | 8,591 | 108 | 142 | 1·236 | 1·664 |
| 10—15 | 8,004 | 7,811 | 39 | 50 | 0·487 | 0·640 |
| 15—20 | 8,051 | 9,813 | 82 | 55 | 1·018 | 0·560 |
| 20—30 | 14,573 | 19,573 | 179 | 190 | 1·228 | 0·970 |
| 30—40 | 9,889 | 13,458 | 182 | 181 | 1·840 | 1·345 |
| 40—50 | 7,501 | 10,432 | 164 | 170 | 2·186 | 1·629 |
| 50—60 | 5,158 | 7,626 | 170 | 175 | 3·295 | 2·294 |
| 60—70 | 3,110 | 5,140 | 201 | 264 | 6·463 | 5·136 |
| 70—80 | 1,209 | 2,103 | 168 | 199 | 13·895 | 9·462 |
| 80—90 | 227 | 469 | 46 | 91 | 20·264 | 19·403 |
| 90—100 | 9 | 40 | 4 | 11 | 44·444 | 27·500 |
| 100 and above | – | 1 | – | 1 | – | 100·000 |
| Not stated | – | – | – | 2 | – | – |
| ALL AGES | 76,506 | 95,037 | 2306 | 2454 | 3·014 | 2·582 |
| BOTH SEXES | 171,543 | | 4760 | | 2·774 | |

* The Populations of this and of the seven following Tables are all calculated to the middle of the year, so as to give the true proportion of deaths.

of greatest mortality, they only constituted 22 per cent.; and again, in 1862, a year also of great mortality, they only constituted 21 per cent. of the deaths.

In the present state of sanitary science, this is a most important fact, because it shows the fallacy of the opinion urged by sanitary reformers, that

TABLE XXXI.—DUNDEE, 1862. Population and Deaths at Different Ages in 1862, and the Proportion of Deaths to the Population at each Age.

| AGES. | POPULATION. | | DEATHS. | | Per-cent. of Deaths to Population. | |
|---|---|---|---|---|---|---|
| | Males. | Females. | Males. | Females. | Males. | Females. |
| Under 1 Year | 1,510 | 1,394 | 392 | 302 | 25·960 | 21·664 |
| — 2 | 1,176 | 1,189 | 205 | 173 | 17·432 | 14·550 |
| — 3 | 1,324 | 1,178 | 88 | 85 | 6·747 | 7·216 |
| — 4 | 1,149 | 1,135 | 41 | 47 | 3·568 | 4·140 |
| — 5 | 1,111 | 1,137 | 18 | 29 | 1·621 | 2·550 |
| Total under 5 Years | 6,270 | 6,033 | 744 | 636 | 11·866 | 10·542 |
| 5—10 | 5,209 | 5,183 | 56 | 52 | 1·075 | 1·003 |
| 10—15 | 4,513 | 4,472 | 26 | 19 | 0·576 | 0·424 |
| 15—20 | 4,105 | 5,484 | 27 | 34 | 0·657 | 0·619 |
| 20—30 | 6,851 | 11,374 | 63 | 104 | 0·919 | 0·914 |
| 30—40 | 5,119 | 7,445 | 54 | 82 | 1·054 | 1·101 |
| 40—50 | 3,916 | 5,365 | 76 | 81 | 1·940 | 1·509 |
| 50—60 | 2,913 | 3,714 | 81 | 83 | 2·780 | 2·234 |
| 60—70 | 1,435 | 2,185 | 86 | 87 | 5·992 | 3·981 |
| 70—80 | 474 | 767 | 45 | 85 | 9·493 | 11·082 |
| 80—90 | 81 | 180 | 27 | 38 | 33·333 | 21·111 |
| 90—100 | 12 | 17 | 4 | 9 | 33·333 | 52·941 |
| 100 and above | 1 | – | – | – | – | – |
| Not stated | – | – | – | – | – | – |
| ALL AGES | 40,899 | 52,219 | 1289 | 1310 | 3·151 | 2·508 |
| BOTH SEXES | 93,118 | | 2599 | | 2·791 | |

TABLE XXXII.—ABERDEEN, 1862. Population and Deaths at Different Ages in 1862, and the Proportion of Deaths to the Population at each Age.

| AGES. | POPULATION. | | DEATHS. | | Per-cent. of Deaths to Population. | |
|---|---|---|---|---|---|---|
| | Males. | Females. | Males. | Females. | Males. | Females. |
| Under 1 Year | 1,038 | 990 | 179 | 151 | 17·244 | 15·252 |
| — 2 | 938 | 876 | 99 | 104 | 10·610 | 11·872 |
| — 3 | 953 | 927 | 42 | 47 | 4·407 | 5·070 |
| — 4 | 907 | 890 | 35 | 24 | 3·869 | 2·695 |
| — 5 | 886 | 835 | 23 | 16 | 2·595 | 1·916 |
| Total under 5 Years | 4,717 | 4,518 | 378 | 342 | 8·013 | 7·569 |
| 5—10 | 4,256 | 4,068 | 38 | 49 | 0·892 | 1·204 |
| 10—15 | 3,851 | 3,926 | 34 | 16 | 0·883 | 0·407 |
| 15—20 | 3,332 | 3,809 | 33 | 25 | 0·990 | 0·656 |
| 20—30 | 4,954 | 7,424 | 77 | 63 | 1·554 | 0·848 |
| 30—40 | 3,688 | 5,639 | 47 | 60 | 1·275 | 1·010 |
| 40—50 | 3,182 | 4,502 | 58 | 61 | 1·822 | 1·355 |
| 50—60 | 2,446 | 3,522 | 69 | 69 | 2·820 | 1·391 |
| 60—70 | 1,446 | 2,495 | 85 | 99 | 5·878 | 3·967 |
| 70—80 | 617 | 1,205 | 72 | 103 | 11·669 | 8·547 |
| 80—90 | 154 | 346 | 40 | 82 | 25·974 | 23·699 |
| 90—100 | 11 | 31 | 7 | 14 | 63·636 | 45·161 |
| 100 and above | – | 1 | – | 1 | – | 100·000 |
| Not stated | – | – | – | 1 | – | – |
| ALL AGES | 32,654 | 41,486 | 938 | 985 | 2·872 | 2·374 |
| BOTH SEXES | 74,140 | | 1923 | | 2·593 | |

improved sanitary arrangements would extinguish the epidemic class of diseases. In that belief they teach that all the deaths from the epidemic class of diseases are "preventible deaths"; and hence they argue that proper sanitary arrangements would preserve to the public all those persons who annually die from such diseases. This has yet to be proved.

TABLE XXXIII.—PAISLEY, 1862. Population and Deaths at Different Ages in 1862, and the Proportion of Deaths to the Population at each Age.

| AGES. | POPULATION. | | DEATHS. | | Per-cent. of Deaths to Population. | |
|---|---|---|---|---|---|---|
| | Males. | Females. | Males. | Females. | Males. | Females. |
| Under 1 Year | 785 | 780 | 124 | 132 | 15·796 | 16·923 |
| — 2 | 680 | 659 | 62 | 46 | 9·117 | 6·965 |
| — 3 | 724 | 642 | 24 | 27 | 3·314 | 4·209 |
| — 4 | 652 | 643 | 21 | 20 | 3·220 | 3·110 |
| — 5 | 621 | 581 | 7 | 10 | 1·127 | 1·721 |
| Total under 5 Years | 3,462 | 3,305 | 238 | 235 | 6·874 | 7·110 |
| 5—10 | 2,759 | 2,872 | 22 | 27 | 0·797 | 0·944 |
| 10—15 | 2,438 | 2,409 | 16 | 17 | 0·656 | 0·705 |
| 15—20 | 2,130 | 2,598 | 23 | 21 | 1·079 | 0·807 |
| 20—30 | 3,497 | 4,690 | 37 | 58 | 1·058 | 1·236 |
| 30—40 | 2,630 | 3,293 | 37 | 58 | 1·406 | 1·761 |
| 40—50 | 2,134 | 2,520 | 34 | 30 | 1·593 | 1·187 |
| 50—60 | 1,472 | 1,857 | 51 | 47 | 3·464 | 2·530 |
| 60—70 | 925 | 1,272 | 58 | 56 | 6·259 | 4·400 |
| 70—80 | 373 | 559 | 58 | 64 | 15·549 | 11·449 |
| 80—90 | 81 | 129 | 23 | 36 | 28·395 | 27·907 |
| 90—100 | 12 | 10 | 5 | 2 | 41·666 | 20·000 |
| 100 and above | – | – | – | – | – | – |
| Not stated | – | – | – | – | – | – |
| ALL AGES | 21,913 | 25,514 | 602 | 651 | 2·747 | 2·551 |
| BOTH SEXES | 47,427 | | 1253 | | 2·641 | |

TABLE XXXIV.—GREENOCK, 1862. Population and Deaths at Different Ages in 1862, and the Proportion of Deaths to the Population at each Age.

| AGES. | POPULATION. | | DEATHS. | | Per-cent. of Deaths to Population. | |
|---|---|---|---|---|---|---|
| | Males. | Females. | Males. | Females. | Males. | Females. |
| Under 1 Year | 797 | 717 | 173 | 149 | 21·707 | 20·781 |
| — 2 | 616 | 614 | 94 | 90 | 15·259 | 14·657 |
| — 3 | 671 | 622 | 43 | 42 | 6·408 | 6·752 |
| — 4 | 636 | 633 | 28 | 19 | 4·402 | 3·000 |
| — 5 | 583 | 594 | 19 | 18 | 3·258 | 3·030 |
| Total under 5 Years | 3,303 | 3,179 | 357 | 318 | 10·808 | 10·003 |
| 5—10 | 2,625 | 2,545 | 39 | 31 | 1·485 | 1·218 |
| 10—15 | 2,145 | 2,035 | 12 | 19 | 0·559 | 0·933 |
| 15—20 | 2,147 | 2,042 | 23 | 17 | 1·071 | 0·833 |
| 20—30 | 4,212 | 4,312 | 59 | 42 | 1·400 | 0·976 |
| 30—40 | 3,089 | 3,336 | 35 | 44 | 1·133 | 1·318 |
| 40—50 | 2,214 | 2,369 | 51 | 52 | 2·303 | 2·195 |
| 50—60 | 1,278 | 1,472 | 41 | 41 | 3·208 | 2·785 |
| 60—70 | 680 | 986 | 38 | 50 | 5·588 | 5·071 |
| 70—80 | 233 | 351 | 35 | 31 | 15·107 | 8·831 |
| 80—90 | 38 | 93 | 8 | 17 | 21·052 | 18·279 |
| 90—100 | 5 | 10 | 3 | 4 | 60·000 | 40·000 |
| 100 and above | – | 1 | – | 1 | – | 100·000 |
| Not stated | – | – | 2 | – | – | – |
| ALL AGES | 21,969 | 22,731 | 703 | 667 | 3·199 | 2·934 |
| BOTH SEXES | 44,700 | | 1370 | | 3·064 | |

Take, for instance, three of the most universal epidemics of children, viz. Measles, Scarlatina, and Hooping-cough. Has it ever yet been found that the children of the upper classes, in whose houses sanitary arrangements are as perfect as they can be made, are less exempt from these diseases than the children of the lowest classes, in whose houses there is the utter neglect

TABLE XXXV.—LEITH, 1862. Population and Deaths at Different Ages in 1862, and the Proportion of Deaths to the Population at each Age.

| AGES. | POPULATION. | | DEATHS. | | Per-cent. of Deaths to Population. | |
|---|---|---|---|---|---|---|
| | Males. | Females. | Males. | Females. | Males. | Females. |
| Under 1 Year | 588 | 536 | 117 | 100 | 19·897 | 18·656 |
| — 2 | 563 | 478 | 45 | 42 | 7·992 | 8·786 |
| — 3 | 497 | 494 | 32 | 20 | 6·438 | 4·048 |
| — 4 | 497 | 486 | 15 | 23 | 3·018 | 4·732 |
| — 5 | 486 | 445 | 18 | 11 | 3·703 | 2·471 |
| Total under 5 Years | 2,631 | 2,439 | 227 | 196 | 8·627 | 8·036 |
| 5—10 | 2,083 | 2,047 | 21 | 23 | 1·008 | 1·123 |
| 10—15 | 1,875 | 1,688 | 5 | 7 | 0·266 | 0·414 |
| 15—20 | 1,652 | 1,709 | 7 | 7 | 0·423 | 0·409 |
| 20—30 | 3,771 | 3,324 | 30 | 28 | 0·785 | 0·842 |
| 30—40 | 2,584 | 2,608 | 38 | 30 | 1·470 | 1·150 |
| 40—50 | 1,725 | 1,966 | 29 | 24 | 1·681 | 1·220 |
| 50—60 | 1,012 | 1,292 | 25 | 26 | 2·470 | 2·012 |
| 60—70 | 558 | 865 | 31 | 31 | 5·555 | 3·583 |
| 70—80 | 203 | 353 | 21 | 39 | 10·344 | 11·048 |
| 80—90 | 36 | 82 | 4 | 19 | 11·111 | 23·170 |
| 90—100 | 1 | 1 | 1 | 1 | 100·000 | 100·000 |
| 100 and above | – | – | – | – | – | – |
| Not stated | – | – | 2 | – | – | – |
| ALL AGES | 18,131 | 18,374 | 441 | 431 | 2·432 | 2·345 |
| BOTH SEXES | 36,505 | | 872 | | 2·388 | |

TABLE XXXVI.—PERTH, 1862. Population and Deaths at Different Ages in 1862, and the Proportion of Deaths to the Population at each Age.

| AGES. | POPULATION. | | DEATHS. | | Per-cent. of Deaths to Population. | |
|---|---|---|---|---|---|---|
| | Males. | Females. | Males. | Females. | Males. | Females. |
| Under 1 Year | 363 | 346 | 56 | 45 | 15·427 | 13·005 |
| — 2 | 338 | 331 | 29 | 37 | 8·579 | 11·176 |
| — 3 | 325 | 316 | 16 | 10 | 4·923 | 3·164 |
| — 4 | 353 | 317 | 17 | 11 | 4·957 | 3·470 |
| — 5 | 294 | 298 | 8 | 7 | 2·721 | 2·348 |
| Total under 5 Years | 1,673 | 1,608 | 126 | 110 | 7·531 | 6·840 |
| 5—10 | 1,362 | 1,416 | 15 | 7 | 1·101 | 0·494 |
| 10—15 | 1,286 | 1,277 | 6 | 6 | 0·466 | 0·469 |
| 15—20 | 1,269 | 1,350 | 7 | 8 | 0·551 | 0·592 |
| 20—30 | 2,001 | 2,529 | 20 | 25 | 0·999 | 0·988 |
| 30—40 | 1,560 | 1,966 | 11 | 17 | 0·705 | 0·864 |
| 40—50 | 1,182 | 1,509 | 16 | 18 | 1·353 | 1·192 |
| 50—60 | 840 | 1,158 | 21 | 23 | 2·500 | 1·990 |
| 60—70 | 559 | 929 | 35 | 43 | 6·261 | 4·628 |
| 70—80 | 238 | 391 | 19 | 45 | 7·983 | 11·508 |
| 80—90 | 65 | 98 | 18 | 17 | 27·692 | 17·347 |
| 90—100 | – | 5 | – | 3 | – | 60·000 |
| 100 and above | – | – | – | – | – | – |
| Not stated | – | – | 1 | 1 | – | – |
| ALL AGES | 12,035 | 14,236 | 295 | 323 | 2·451 | 2·268 |
| BOTH SEXES | 26,271 | | 618 | | 2·350 | |

of all sanitary measures? No sanitary measures have ever arrested these diseases; no extent of sanitary precautions has warded off these diseases from the children of the rich. The neglect of sanitary arrangements only renders the people who are subjected to the filth and bad air more prone to be affected by every disease, be it an epidemic or a sporadic disease; and this is done by the tone of the system being lowered and the general health impaired.

All that the best sanitary arrangements can do is to improve the general health of the people; and doing this will render them less liable to be attacked by all diseases, and less liable to fall victims under the disease when attacked. But no amount of sanitary precautions will prevent epidemics attacking masses of the people should epidemic seasons come round, or should an epidemic wave, like that of Cholera, reach our island. All facts yet ascertained, however, prove that persons suffer from attacks of epidemic diseases just in proportion to their sanitary condition; but it has been quite overlooked that they are equally afflicted by every disease, so that in that respect the epidemics follow the same rule as the ordinary diseases.

It is this fact, hitherto overlooked, which explains why in unhealthy seasons the high mortality is not specially caused by an increase of the epidemic diseases, but by an increased prevalence and fatality of all the ordinary diseases which afflict humanity. For instance, during the very unwholesome season of 1862, the injurious but unknown atmospheric agencies which increased the mortality did not increase the epidemic diseases at all, if we compare that year with the very healthy year 1856, but

TABLE XXXVII.—TOWN DEATHS, 1862. Per-centage of Deaths from different Diseases to the Population in each of the Eight Principal Towns of Scotland in 1862.

| DISEASES. | Glasgow. | Edinburgh. | Dundee. | Aberdeen. | Paisley. | Greenock. | Leith. | Perth. |
|---|---|---|---|---|---|---|---|---|
| Total Deaths | 2·864 | 2·774 | 2·791 | 2·593 | 2·641 | 3·064 | 2·388 | 2·350 |
| I. Zymotic Class | 0·627 | 0·686 | 0·839 | 0·573 | 0·447 | 0·727 | 0·808 | 0·558 |
| III. Tubercular Class | 0·587 | 0·470 | 0·448 | 0·469 | 0·510 | 0·664 | 0·306 | 0·346 |
| IV. Brain, etc., Diseases | 0·199 | 0·244 | 0·158 | 0·219 | 0·221 | 0·241 | 0·186 | 0·220 |
| V. Heart, etc., Diseases | 0·106 | 0·153 | 0·090 | 0·114 | 0·075 | 0·085 | 0·139 | 0·144 |
| VI. Respiratory Organs, Dis. | 0·574 | 0·438 | 0·452 | 0·345 | 0·394 | 0·375 | 0·323 | 0·315 |
| VII. Organs of Digestion, Dis. | 0·218 | 0·163 | 0·153 | 0·234 | 0·267 | 0·261 | 0·131 | 0·171 |
| XIII. Premature Debility | 0·165 | 0·123 | 0·201 | 0·129 | 0·137 | 0·208 | 0·139 | 0·106 |
| XV. Age | 0·118 | 0·127 | 0·156 | 0·178 | 0·290 | 0·136 | 0·101 | 0·209 |
| XVII. Violent Deaths | 0·082 | 0·107 | 0·062 | 0·086 | 0·059 | 0·100 | 0·084 | 0·055 |
| Small-pox | 0·006 | 0·099 | 0·018 | 0·000 | 0·002 | 0·004 | 0·213 | 0·003 |
| Measles | 0·068 | 0·017 | 0·260 | 0·211 | 0·031 | 0·228 | 0·013 | 0·019 |
| Scarlatina | 0·028 | 0·135 | 0·025 | 0·028 | 0·008 | 0·004 | 0·082 | 0·060 |
| Diphtheria | 0·034 | 0·024 | 0·028 | 0·021 | 0·021 | 0·073 | 0·027 | 0·266 |
| Hooping-cough | 0·170 | 0·163 | 0·231 | 0·107 | 0·063 | 0·035 | 0·224 | 0·232 |
| Croup | 0·081 | 0·051 | 0·083 | 0·016 | 0·063 | 0·098 | 0·041 | 0·060 |
| Diarrhœa, Dysentery, Cholera | 0·064 | 0·053 | 0·078 | 0·063 | 0·052 | 0·087 | 0·049 | 0·022 |
| Typhus and Infantile Fever | 0·134 | 0·092 | 0·073 | 0·082 | 0·128 | 0·147 | 0·109 | 0·125 |
| Dropsy | 0·021 | 0·019 | 0·040 | 0·026 | 0·065 | 0·031 | 0·026 | 0·026 |
| Cancer | 0·034 | 0·068 | 0·035 | 0·055 | 0·029 | 0·046 | 0·027 | 0·049 |
| Phthisis | 0·419 | 0·300 | 0·331 | 0·330 | 0·375 | 0·489 | 0·164 | 0·213 |
| Apoplexy | 0·039 | 0·050 | 0·039 | 0·039 | 0·056 | 0·058 | 0·043 | 0·076 |
| Paralysis | 0·039 | 0·061 | 0·040 | 0·062 | 0·069 | 0·064 | 0·052 | 0·064 |
| Convulsions | 0·047 | 0·039 | 0·039 | 0·035 | 0·008 | 0·022 | 0·019 | 0·019 |
| Bronchitis | 0·389 | 0·304 | 0·281 | 0·244 | 0·293 | 0·261 | 0·161 | 0·239 |
| Pneumonia | 0·116 | 0·064 | 0·096 | 0·053 | 0·067 | 0·069 | 0·109 | 0·041 |
| Teething | 0·077 | 0·025 | 0·069 | 0·083 | 0·101 | 0·105 | 0·026 | 0·079 |

expended their destructive energies on the ordinary diseases. If we compare 1862 with 1860, on the other hand, we shall find that their pernicious action was equally felt by the epidemic as by the ordinary diseases; for while, as compared with that year, the epidemic diseases furnished an increase of 1572 deaths, the ordinary diseases furnished an increase of 3282 deaths.

Sanitary measures, therefore, are far more required to save people from the ravages of the ordinary diseases than from epidemics. Epidemics only occur at intervals; but the ordinary diseases are silently cutting off our population day by day. All such measures, therefore, should be actively carried out, not with the utopian idea of preventing the people from suffering from epidemics, but to lessen the general death-rate from all diseases, including epidemics. Sanitary measures effect this by improving the general health through removing those causes of vitiation of the purity of the air which is the most fruitful source of bad health. But great care would require to be taken, that, in adding to the conveniences of life among the lower classes, we do not introduce sources of vitiation of the air greater and more dangerous than those which we are endeavouring to remove.

In the eight towns (Table XXXVII.) the mortality from the zymotic class of diseases was highest in Dundee, and lowest in Paisley. Thus, in every thousand persons living in each of these towns, 4·47 deaths from the zymotic class of diseases occurred during 1862 in Paisley; 5·58 in Perth; 5·73 in Aberdeen; 6·26 in Glasgow; 6·86 in Edinburgh; 7·27 in Greenock; 8·08 in Leith; and 8·39 in Dundee. The Town Districts had 6·47 deaths from that class of diseases in every thousand persons, but the Mainland-Rural Districts only 3·73 deaths in a like population. (Table XXXVIII.)

Of the individual zymotic diseases, Typhus, or continued fever, in its various forms, was the most fatal, having caused 3021 deaths, or 4·73 per cent. of the specified causes of death. Males were cut off in greater proportions than females, seeing that in every 100,000 of each sex, 103 males died for every 99 females.

Hooping-cough was the next most fatal disease, 2799 deaths having resulted from it, of which 1295 were males, and 1504 females. Hooping-cough is almost the only epidemic which cuts off females in larger proportion than males. It seems difficult to account for this peculiarity, seeing that both nervous diseases and those of the respiratory organs prove more fatal to males than to females.

The deaths from measles only amounted to 1404 during the year, thus constituting the low proportion of 2·19 per cent. of the specified causes of death. It was remarkable, that while the disease was common in the Insular Districts and in the Town Districts, it affected to a very slight extent the Mainland-Rural Districts.

Since Diphtheria made its appearance in Scotland in 1857, it has steadily but slowly increased, and has from the very beginning shown the peculiarity that it has prevailed to a much larger extent in the sparsely populated rural districts than in the towns. Even during the year 1862, of 997 deaths from Diphtheria, only 360 occurred in the Town Districts, but 617 in the Mainland-Rural Districts, and 20 in the Insular. The progress of the disease may be traced by the deaths. Thus, in 1857, the deaths from Diphtheria numbered only 76; in 1858 they were 294; in 1859 they were 515; in 1860 they were 480; in 1861 they amounted to 681; but in 1862 they had increased to 997, and thus constituted 1½ per cent. of the specified causes of death.

The deaths from the usual bowel complaints were low during the year,

seeing that only 1108 deaths were attributed to Diarrhœa, 293 to Dysentery, and 57 to Cholera, the three only constituting 2·2 per cent. of the mortality. As has been frequently pointed out in these Reports, the prevalence and

TABLE XXXVIII.—DEATHS, 1862. Proportion of Deaths from different Diseases in every hundred thousand persons of the Population, and of either Sex, in Scotland and in its Three Great Groups of Districts, the Insular, the Mainland-Rural, and Town Districts, during 1862; allowance being made for the Causes of Death which were not specified.

| 1862. | Proportion of DEATHS in every 100,000 Living. | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DISEASES. | SCOTLAND. | | | INSULAR DISTRICTS. | | | MAINLAND-RURAL DISTRICTS. | | | TOWN DISTRICTS. | | |
| | BOTH SEXES. | MALES. | FEMALE. | BOTH SEXES. | MALES. | FEMALE. | BOTH SEXES. | MALES. | FEMALE. | BOTH SEXES. | MALES. | FEMALE. |
| ALL CAUSES . . . | 2178 | 2273 | 2093 | 1859 | 1979 | 1758 | 1847 | 1899 | 1799 | 2730 | 2910 | 2574 |
| 1. Zymotic Class . . . | 476 | 488 | 466 | 361 | 395 | 332 | 373 | 373 | 373 | 647 | 679 | 619 |
| 2. Uncertain Seat . . | 78 | 62 | 91 | 74 | 52 | 97 | 73 | 57 | 86 | 86 | 69 | 100 |
| 3. Tubercular Class . | 389 | 401 | 379 | 270 | 319 | 230 | 316 | 325 | 309 | 515 | 531 | 501 |
| 4. Nervous System . . | 173 | 195 | 153 | 114 | 139 | 96 | 152 | 163 | 141 | 213 | 251 | 179 |
| 5. Organs of Circulation | 95 | 103 | 87 | 46 | 43 | 48 | 86 | 95 | 78 | 114 | 124 | 104 |
| 6. Respiratory Organs | 313 | 339 | 290 | 164 | 201 | 134 | 226 | 244 | 210 | 464 | 504 | 424 |
| 7. Organs of Digestion | 163 | 177 | 151 | 96 | 115 | 81 | 146 | 158 | 134 | 198 | 216 | 182 |
| 8. Urinary Organs . . | 30 | 44 | 18 | 21 | 32 | 12 | 29 | 43 | 16 | 34 | 49 | 21 |
| 9. Generative Organs . | 16 | – | 30 | 14 | – | 27 | 15 | – | 29 | 18 | – | 33 |
| 10. Locomotive Organs . | 13 | 16 | 11 | 19 | 23 | 19 | 12 | 13 | 10 | 15 | 20 | 10 |
| 11. Skin, etc. . . . . | 2 | 3 | 1 | 1 | 2 | – | 2 | 3 | 2 | 2 | 4 | 1 |
| 12. Malformation . . . | 4 | 5 | 4 | – | 1 | – | 3 | 3 | 4 | 7 | 8 | 5 |
| 13. Premature Debility . | 101 | 123 | 83 | 34 | 41 | 29 | 76 | 90 | 63 | 148 | 183 | 117 |
| 14. Atrophy . . . . . | 19 | 18 | 20 | 10 | 9 | 11 | 13 | 13 | 12 | 29 | 28 | 30 |
| 15. Age . . . . . | 223 | 179 | 262 | 476 | 454 | 603 | 250 | 207 | 289 | 150 | 107 | 187 |
| 16. Sudden Deaths . . | 4 | 4 | 3 | 3 | 5 | 1 | 3 | 2 | 3 | 5 | 6 | 4 |
| 17. Violent Deaths . . | 70 | 108 | 36 | 69 | 126 | 22 | 63 | 99 | 29 | 81 | 121 | 46 |
| Small-pox . . . . | 14 | 15 | 13 | 1 | 1 | 1 | 6 | 6 | 6 | 27 | 29 | 25 |
| Measles . . . . . | 47 | 51 | 44 | 91 | 101 | 82 | 18 | 19 | 18 | 85 | 94 | 77 |
| Scarlatina . . . . | 43 | 48 | 39 | 5 | 2 | 5 | 37 | 40 | 34 | 57 | 65 | 51 |
| Diphtheria . . . . | 33 | 33 | 34 | 14 | 17 | 11 | 37 | 36 | 37 | 31 | 32 | 31 |
| Hooping-cough . . | 95 | 93 | 97 | 24 | 28 | 21 | 62 | 60 | 65 | 152 | 133 | 151 |
| Croup . . . . . | 47 | 52 | 43 | 49 | 61 | 40 | 35 | 38 | 32 | 65 | 71 | 59 |
| DIARRHŒA . . | 37 | 38 | 36 | 26 | 37 | 18 | 29 | 29 | 28 | 52 | 53 | 50 |
| Dysentery . . . . | 9 | 9 | 10 | 9 | 8 | 11 | 8 | 7 | 9 | 12 | 11 | 10 |
| Cholera . . . . . | 1 | 2 | 1 | 1 | 1 | 1 | 1 | 2 | 1 | 2 | 2 | 1 |
| Influenza . . . . | 13 | 12 | 14 | 51 | 54 | 48 | 14 | 12 | 16 | 6 | 5 | 5 |
| Infantile Fever . . | 2 | 2 | 2 | – | – | – | 2 | 2 | 2 | 1 | 1 | 2 |
| TYPHUS . . . . . | 103 | 107 | 99 | 61 | 52 | 67 | 95 | 97 | 93 | 125 | 130 | 112 |
| Metria . . . . . | 4 | – | 8 | 2 | – | 4 | 4 | – | 7 | 5 | – | 9 |
| Erysipelas . . . . | 8 | 7 | 8 | 5 | 9 | 2 | 7 | 6 | 8 | 9 | 8 | 10 |
| Dropsy . . . . . | 25 | 20 | 29 | 31 | 20 | 41 | 23 | 18 | 27 | 27 | 22 | 31 |
| Cancer . . . . . | 39 | 26 | 50 | 33 | 26 | 40 | 36 | 25 | 47 | 43 | 28 | 56 |
| Scrofula . . . . . | 24 | 29 | 19 | 9 | 19 | 2 | 22 | 27 | 18 | 27 | 34 | 16 |
| Tabes Mesenterica . | 27 | 31 | 23 | 6 | 8 | 5 | 20 | 23 | 17 | 39 | 45 | 34 |
| PHTHISIS . . . | 280 | 272 | 287 | 227 | 249 | 206 | 230 | 224 | 235 | 362 | 350 | 371 |
| Hydrocephalus . . | 58 | 68 | 50 | 24 | 38 | 12 | 42 | 48 | 36 | 86 | 101 | 73 |
| Apoplexy . . . . | 41 | 43 | 38 | 13 | 9 | 17 | 39 | 39 | 39 | 47 | 54 | 40 |
| Paralysis . . . . | 51 | 53 | 49 | 46 | 53 | 40 | 51 | 50 | 24 | 52 | 58 | 48 |
| Epilepsy . . . . . | 7 | 9 | 6 | 5 | 4 | 3 | 7 | 9 | 5 | 8 | 11 | 6 |
| Convulsions . . . | 23 | 29 | 18 | 16 | 19 | 16 | 15 | 18 | 12 | 37 | 47 | 28 |
| BRONCHITIS . . | 196 | 202 | 191 | 56 | 60 | 55 | 132 | 134 | 130 | 308 | 325 | 294 |
| Pneumonia . . . | 65 | 80 | 52 | 33 | 45 | 24 | 51 | 63 | 41 | 90 | 111 | 72 |
| Teething . . . . | 37 | 43 | 32 | 11 | 16 | 9 | 23 | 27 | 19 | 61 | 70 | 54 |
| Enteritis . . . . | 30 | 35 | 25 | 8 | 9 | 6 | 28 | 32 | 23 | 36 | 43 | 29 |
| All Liver Diseases . | 32 | 35 | 29 | 24 | 34 | 17 | 31 | 32 | 29 | 34 | 38 | 30 |
| CHILDBIRTH . . | 10 | – | 19 | 12 | – | 22 | 9 | – | 18 | 11 | – | 21 |
| Burns and Scalds . | 11 | 16 | 11 | 8 | 5 | 10 | 10 | 9 | 10 | 12 | 13 | 12 |
| Drowning . . . . | 14 | 26 | 4 | 44 | 93 | 3 | 14 | 24 | 4 | 12 | 22 | 4 |
| Fracture & Contusion | 26 | 44 | 9 | 9 | 16 | 4 | 24 | 44 | 6 | 30 | 49 | 13 |

fatality of these diseases is chiefly influenced by the mean temperature; for although they occur at all seasons, they chiefly spread and prove fatal during the warmer months of the year. As a general rule, however, if the mean monthly temperature does not rise above 56° or 57°, there is no great in-

TABLE XXXIX.—DEATHS, 1862. Proportion of Deaths from different Diseases in every ten thousand Deaths from Specified Causes, in Scotland and in its Three Great Groups of Districts, the Insular, the Mainland-Rural, and Town Districts, in 1862; distinguishing the proportional mortality in both Sexes, and in the Males and Females.

| 1862. | Proportion of DEATHS in every 10,000 Specified Causes of Death. | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DISEASES. | SCOTLAND. | | | INSULAR DISTRICTS. | | | MAINLAND-RURAL DISTRICTS. | | | TOWN DISTRICTS. | | |
| | BOTH SEXES. | MALES. | FEMALE. | BOTH SEXES. | MALES. | FEMALE. | BOTH SEXES. | MALES. | FEMALE. | BOTH SEXES. | MALES. | FEMALE. |
| 1. Zymotic Class | 2188 | 2147 | 2228 | 1951 | 2008 | 1900 | 2022 | 1968 | 2074 | 2371 | 2335 | 2407 |
| 2. Uncertain Seat | 358 | 275 | 438 | 416 | 268 | 523 | 392 | 310 | 478 | 317 | 241 | 392 |
| 3. Tubercular Class | 1789 | 1766 | 1814 | 1461 | 1613 | 1223 | 1715 | 1712 | 1719 | 1888 | 1827 | 1947 |
| 4. Nervous System | 796 | 859 | 735 | 626 | 705 | 553 | 826 | 866 | 787 | 780 | 864 | 699 |
| 5. Organs of Circulation | 436 | 455 | 417 | 253 | 226 | 276 | 469 | 501 | 439 | 418 | 429 | 407 |
| 6. Respiratory Organs | 1439 | 1494 | 1386 | 891 | 1026 | 769 | 1228 | 1288 | 1170 | 1691 | 1734 | 1656 |
| 7. Organs of Digestion | 749 | 782 | 717 | 526 | 588 | 469 | 778 | 836 | 747 | 727 | 745 | 708 |
| 8. Urinary Organs | 135 | 196 | 88 | 120 | 167 | 76 | 159 | 226 | 94 | 125 | 168 | 83 |
| 9. Generative Organs | 75 | – | 147 | 84 | – | 161 | 84 | – | 165 | 65 | – | 129 |
| 10. Locomotive Organs | 63 | 72 | 53 | 116 | 117 | 115 | 65 | 71 | 60 | 56 | 70 | 42 |
| 11. Skin, etc. | 12 | 16 | 8 | 8 | 16 | – | 14 | 17 | 12 | 10 | 15 | 6 |
| 12. Malformation | 22 | 23 | 21 | 4 | 8 | – | 21 | 19 | 23 | 25 | 29 | 21 |
| 13. Premature Debility | 467 | 541 | 395 | 188 | 210 | 168 | 414 | 478 | 352 | 542 | 623 | 457 |
| 14. Atrophy | 90 | 83 | 96 | 60 | 50 | 69 | 74 | 73 | 76 | 107 | 96 | 119 |
| 15. Age | 1027 | 790 | 1256 | 2903 | 2311 | 3446 | 1357 | 1096 | 1610 | 551 | 369 | 726 |
| 16. Sudden Deaths | 18 | 18 | 18 | 20 | 33 | 7 | 16 | 12 | 20 | 20 | 43 | 17 |
| 17. Violent Deaths | 322 | 476 | 172 | 381 | 647 | 138 | 342 | 522 | 166 | 297 | 417 | 181 |
| Small-pox | 65 | 66 | 66 | 8 | 8 | 7 | 36 | 34 | 38 | 100 | 102 | 99 |
| Measles | 219 | 226 | 213 | 502 | 521 | 484 | 102 | 102 | 102 | 312 | 324 | 301 |
| Scarlatina | 200 | 213 | 188 | 28 | 16 | 38 | 203 | 216 | 189 | 212 | 224 | 199 |
| Diphtheria | 156 | 149 | 162 | 80 | 92 | 69 | 202 | 193 | 211 | 116 | 110 | 122 |
| Hooping-cough | 438 | 412 | 463 | 140 | 151 | 130 | 340 | 318 | 362 | 558 | 524 | 590 |
| Croup | 218 | 229 | 207 | 273 | 319 | 230 | 192 | 206 | 179 | 239 | 246 | 233 |
| DIARRHŒA | 173 | 171 | 175 | 148 | 193 | 107 | 157 | 156 | 157 | 191 | 185 | 198 |
| Dysentery | 45 | 40 | 50 | 56 | 42 | 69 | 45 | 40 | 51 | 44 | 40 | 49 |
| Cholera | 8 | 9 | 8 | 8 | 8 | 7 | 10 | 10 | 9 | 7 | 9 | 6 |
| Influenza | 61 | 53 | 67 | 281 | 285 | 276 | 81 | 68 | 94 | 22 | 10 | 23 |
| Infantile Fever | 9 | 8 | 10 | – | – | – | 13 | 14 | 13 | 6 | 4 | 8 |
| TYPHUS | 473 | 472 | 473 | 333 | 269 | 392 | 515 | 512 | 518 | 442 | 448 | 436 |
| Metria | 20 | – | 40 | 16 | – | 30 | 22 | – | 43 | 19 | – | 37 |
| Erysipelas | 39 | 34 | 43 | 32 | 50 | 15 | 42 | 36 | 47 | 36 | 30 | 41 |
| Dropsy | 116 | 89 | 142 | 176 | 109 | 238 | 127 | 100 | 154 | 100 | 77 | 122 |
| Cancer | 180 | 116 | 241 | 184 | 134 | 230 | 201 | 134 | 265 | 156 | 97 | 219 |
| Scrofula | 110 | 129 | 91 | 56 | 100 | 15 | 124 | 143 | 106 | 100 | 117 | 84 |
| Tabes Mesenterica | 124 | 138 | 111 | 40 | 42 | 38 | 111 | 127 | 95 | 144 | 150 | 132 |
| PHTHISIS | 1285 | 1197 | 1371 | 1228 | 1268 | 1192 | 1248 | 1184 | 1311 | 1326 | 1204 | 1445 |
| Hydrocephalus | 269 | 299 | 239 | 136 | 201 | 76 | 231 | 257 | 206 | 316 | 348 | 285 |
| Apoplexy | 188 | 191 | 184 | 76 | 50 | 100 | 210 | 206 | 220 | 172 | 188 | 156 |
| Paralysis | 236 | 234 | 238 | 253 | 268 | 230 | 278 | 265 | 291 | 193 | 199 | 186 |
| Epilepsy | 36 | 43 | 28 | 28 | 33 | 23 | 400 | 48 | 32 | 32 | 40 | 25 |
| Convulsions | 109 | 129 | 89 | 96 | 100 | 92 | 82 | 98 | 67 | 136 | 162 | 110 |
| BRONCHITIS | 902 | 892 | 912 | 313 | 310 | 315 | 718 | 708 | 727 | 1131 | 1111 | 1144 |
| Pneumonia | 302 | 355 | 251 | 180 | 235 | 138 | 281 | 334 | 230 | 332 | 384 | 282 |
| Teething | 173 | 191 | 155 | 68 | 84 | 53 | 127 | 148 | 107 | 226 | 242 | 211 |
| Enteritis | 139 | 158 | 120 | 48 | 50 | 46 | 154 | 175 | 133 | 132 | 150 | 116 |
| All Liver Diseases | 147 | 154 | 139 | 136 | 176 | 100 | 169 | 175 | 163 | 125 | 132 | 119 |
| CHILDBIRTH | 47 | – | 94 | 72 | – | 138 | 51 | – | 102 | 41 | – | 82 |
| Burns and Scalds | 50 | 47 | 53 | 48 | 33 | 61 | 54 | 48 | 60 | 47 | 47 | 47 |
| Drowning | 68 | 116 | 21 | 241 | 479 | 23 | 76 | 128 | 26 | 46 | 77 | 16 |
| Fracture & Contusion | 120 | 199 | 43 | 56 | 84 | 30 | 134 | 237 | 34 | 111 | 170 | 54 |

crease of these complaints. In 1862 the mean temperature was below its average during all the warmer months, so that the mean temperature of July was only 53°·8, of August 56°, and of September 53°·4. The consequence was, that these bowel complaints never became prevalent, and their fatality remained low.

Of the other diseases belonging to this class, Croup caused 1396 deaths, Scarlatina 1281, Small-pox 426, Influenza 387, Erysipelas 249, Metria 130, Infantile Fever 63, Thrush 36, Purpura 51, Ague 16, Worms 32, Rheumatic Fever 84, Syphilis 126, of which 97 were congenital and died before the 5th year of life, Noma 21, and Hydrophobia 1.

### Class II. *Diseases of Uncertain Seat.*

The diseases tabulated under this class cut off 2288 persons; and thus constituted 3·58 per cent. of the total mortality, or caused 78 deaths in every 100,000 persons of the general population. Dropsy and Cancer are the most fatal diseases under this class, but the cases of Dropsy are only those where the seat of the disease or its primary cause were not specified; for Ascites and Hydrothorax are tabulated in their proper classes, and so are all cases of Dropsy resulting from heart, kidney, or lung disease. The deaths of 743 persons were attributed to Dropsy, 212 being males, and 461 females; from which it would appear that females are more liable to that disease than males, seeing that in every 100,000 persons of each sex, 20 males, but 29 females, die annually from Dropsy.

Cancer, during 1862, cut off 1152 persons, of whom 367 were males, and 785 females, so that it also affects females to a much larger extent than males; seeing that in every 100,000 persons of each sex in the population, only 26 males, but 50 females, died from its effects during the year. Cancer, year after year, causes from 1·5 to 1·9 per cent. of the deaths, and seems to be nearly equally prevalent in the rural as in the town districts, and does not appear to be one of those diseases which are aggravated by a residence in towns.

Of the other diseases belonging to this class, Mortification cut off 108; Abscess, 121; Hæmorrhage, the seat of which was not stated, 85; Ulcer, 55; Fistula (all kinds), 11; and Gout, 13 persons.

### Class III. *Tubercular Diseases.*

The tubercular class of diseases (which is composed of Scrofula, Tabes Mesenterica, Phthisis or Consumption, and Hydrocephalus) cut off 11429 persons in Scotland in 1862, and thus constituted 17·89 per cent. of the specified causes of death, or in the proportion of 389 deaths in every 100,000 persons of the population. The deaths from this class of diseases were therefore 847 above those of the previous year, being an increase of 8 per cent. in 1862 over that of the previous year. This fact of itself proves how deadly were the agencies (whatever they were) which raised the mortality so high in 1862, and proves that they acted equally through an increase of all diseases as through epidemics.

Of the eight principal towns of Scotland in proportion to their populations, Leith seemed to suffer least, and Greenock the greatest, from this class of diseases. Thus, of every ten thousand persons living in each of these towns, there died during the year, from the tubercular class of diseases, 30 persons in Leith, 34 in Perth, 44 in Dundee, 46 in Aberdeen, 47 in Edin-

burgh, 51 in Paisley, 58 in Glasgow, and 66 in Greenock. The Town Districts had 51·5 deaths from this class of diseases in every ten thousand persons, the Mainland-Rural Districts only 21 deaths in a like number of inhabitants. The mortality, therefore, fell with especial severity on the Town Districts, while the Rural Districts suffered less than usual from that class of affections.

Phthisis or Consumption is the most fatal disease of this class, and cut off during the year 8211 persons, of whom 3760 were males and 4451 females. This gives the proportion of 280 deaths by Phthisis in every 100,000 persons of the population, or 287 female deaths, but only 272 male deaths, in every 100,000 of each sex. In Scotland, therefore, females die from that disease in greater proportions than males, year after year.

As the mortality from all diseases is greatest in towns, so is it with regard to Consumption. Thus, in every 100,000 persons living in each of the three great groups of districts, 227 died in the Insular Districts during the year, 230 in the Mainland-Rural Districts, but 362 in the Town Districts.

Of the eight principal towns, Leith seemed to show the smallest proportion of deaths from Phthisis, Greenock the highest. Thus, in every ten thousand persons in each of these towns, there died from Phthisis during the year, 16 in Leith, 21 in Perth, 30 in Edinburgh, 33 in Dundee and in Aberdeen, 37 in Paisley, 41 in Glasgow, and 48 in Greenock.

Of the other tubercular diseases, Scrofula cut off 704 persons, Tabes Mesenterica 796, and Hydrocephalus 1718, being in the respective proportions of 24, 27, and 58 deaths in every 100,000 persons of the population. Of the deaths from Hydrocephalus, 941 were males, 777 females,—a fact proving the much greater tendency of the male to diseases of the brain even during childhood.

### Class IV. *Diseases of the Brain and Nervous System.*

Diseases of the brain and nervous system proved fatal to 5086 persons in Scotland during the year, and thus constituted 7·96 per cent. of the specified causes of death, or cut off 173 persons in every 100,000 of the population. The agencies unfavourable to life had therefore caused the mortality from the brain diseases to increase 5½ per cent. above that of the previous year. Of the 5086 deaths from the brain diseases, 2699 occurred in males, and 2387 in females, indicating the proportion of 195 male but only 153 female deaths in every 100,000 of each sex; thus showing that at all ages the male has the same greater tendency to suffer from diseases of the brain, as was shown to exist during the period of childhood, during which he was liable to Hydrocephalus.

Like all other diseases, the mortality of this class of diseases was highest in the Town Districts. Thus, in every 100,000 persons in each district, 114 died from diseases of the brain and nervous system in the Insular, 152 in the Mainland-Rural, and 213 in the Town Districts. Of the eight principal towns, Edinburgh and Greenock showed the highest mortality from brain diseases, Dundee and Leith the lowest.

Of the individual diseases under this class, Apoplexy caused 1201 deaths; Paralysis, 1509; Convulsions, 697; Epilepsy, 230; Cephalitis, 319; Delirium Tremens, 61; Insanity, 96; Tetanus, 49; and Chorea, 9; while 915 deaths were registered under the indefinite term, Brain Disease.

### Class V. *Diseases of the Heart and Organs of the Circulation.*

The deaths from this class of diseases increased by nearly 12 per cent. over those of the previous year, 2787 persons having been cut off by this class during 1862, of whom 1432 were males and 1355 females. This shows that in every 100,000 persons of each sex, 103 males, but only 87 females, had died from heart diseases during the year.

Of the individual affections under this class, Heart Disease caused 2614, Pericarditis 84, and Aneurism 89 deaths.

### Class VI. *Diseases of the Respiratory Organs.*

9194 persons fell victims to this class of diseases, the inflammatory affections of the respiratory organs, and thus constituted 14·39 per cent. of the specified causes of death, or 313 deaths during the year in every 100,000 persons of the population. As only 8400 deaths were caused by the same class of diseases in 1861, the increased mortality from these affections in 1862 amounted to 9·4 per cent. If, however, all the diseases affecting the respiratory organs were included, as Croup, Hooping-cough, Influenza, and Phthisis, the per-centage of increase during the fatal year 1862 would be much higher. Thus the deaths from all affections of the respiratory organs, including the above, numbered 19,297 in 1861, but 21,987 in 1862, so that the deaths from these diseases in 1862 were nearly 14 per cent. higher than in 1861. This striking fact would of itself seem to indicate that the deleterious agencies which raised the mortality of 1862 so much above that of 1861 were chiefly atmospheric, inasmuch as it is atmospheric agencies which are known to act most powerfully and directly on the human frame through the respiratory organs.

Unlike Consumption and Hooping-cough, the inflammatory affections of the respiratory organs affect and prove fatal to more males than females; for the male deaths amounted to 4691, the female to 4500, showing that, in every 100,000 persons of each sex, 339 males died for every 290 females. The greater exposure of the male in all weathers sufficiently accounts for the difference of the death-rate in the sexes.

Of the individual diseases belonging to this class, Bronchitis caused 5764 deaths, or 9 per cent. of the specified causes of death; Pneumonia 1932 deaths, or 3 per cent. of the specified causes of death; Asthma, 698 deaths; Pleurisy, 291; Laryngitis, 170; while 339 deaths were registered under the indefinite term of "Disease of the Lungs."

### Class VII. *Diseases of the Organs of Digestion.*

4788 deaths resulted from diseases of the organs of digestion, thus constituting 7·49 per cent. of the specified causes of death, or 163 deaths in every 100,000 persons of the population. This class of diseases proved fatal to the male in somewhat larger proportion than the deaths from all causes; for 2459 of the deaths were those of males, 2329 females, being in the proportion of 177 male deaths and 151 female deaths in every 100,000 of each sex.

On looking over the individual diseases under this class, it is seen that the tendency of the male to die in higher proportion than the female is witnessed at all ages, being even more strongly developed when he is a mere child than when an adult. Thus, comparing the number of deaths with

the population of each sex, it is seen that for every 100,000 persons of each sex, 43 males, but only 32 females, died during the year from Teething; 35 males, but only 25 females, from Enteritis; while, taking the whole of the liver diseases (including Hepatitis and Jaundice), which are chiefly diseases of adult life, 35 males died for every 25 females.

Of the several diseases under this class, Teething caused 1106 deaths, Enteritis 892, Peritonitis 227, Gastritis 165, Ulceration of the Intestines 175, Ascites 64, Hernia 114, Ileus 268, Quinsey 63, Intussusception 49, Stricture of the Intestines 23, Stomach Disease 682, Hepatitis 153, Jaundice 175, Liver Disease 611, and Spleen Disease 21.

### Class VIII. *Kidney and Urinary Diseases.*

Kidney and Urinary Diseases cut off 904 persons during the year, of whom 617 were males and 287 females. This class of diseases, therefore, cut off the sexes in very different proportions, seeing that in every 100,000 persons of each sex, 44 males died for every 18 females. The proportion of deaths in the combined sexes was 30 deaths from this class of diseases in every 100,000 persons of the population. This is a proportion greatly above that of England, which for the same year was in the proportion of 26 deaths only in a like population. As much the same proportions occurred in former years, we have the fact that the Scottish people are much more liable to this class of diseases than the English. The colder and more variable climate of Scotland may perhaps account for this increased mortality from Kidney and Urinary Diseases in Scotland; for it is a known fact, that when the skin is active less burden is thrown on the kidneys; and this accounts for the remarkable relief which all who are suffering from Kidney Disease experience when they remove to a warm climate.

It was at one time supposed that Stone was much more common in England than in Scotland; and this supposed greater liability to that disease was assumed to be owing to the English living so much on suet dumplings and drinking cider. If we take a five years' average, however, of the deaths from Stone in England and in Scotland, it is found that that disease is twice as common in Scotland as it is in England; for while in every 100,000 deaths in England only 43 were due to Stone, 105 were caused by it in Scotland. 78 deaths were caused by Stone in Scotland in 1862, which gives the proportion of 25 deaths in every 100,000 of the population, the English proportion being only 10 deaths for the same year in a like population.

Of the other diseases belonging to this class, Nephria caused 239 deaths, Diabetes 74, Cystitis 66, Nephritis and Ischuria each 41, Stricture of Urethra 6, and undefined Disease of the Kidney 359 deaths.

### Class IX. *Childbirth, and Diseases of the Organs of Generation.*

This class of diseases caused 481 deaths, of whom 480 were females, giving the proportion of 30 deaths in every 100,000 females of the population. 305 of these were caused by Childbirth, which gives the proportion of 19 deaths in every 100,000 females. To ascertain, however, the exact mortality of Childbirth, we must take the 130 deaths from Metria (Childbed Fever) along with those tabulated under the heading of Childbirth, when we have a total of 435 deaths in childbed during the year. As 105,754 mothers gave birth to 107,069 children during the year, it follows that 4 in every

thousand mothers died in giving birth to their children, or one death in every 243 mothers. In the English tables, instead of comparing the deaths in Childbirth with the number of mothers who were delivered of children during the year, they are compared with the number of children born during the year. This makes the proportion of deaths slightly lower than the reality, seeing it goes on the supposition that every mother had but one child. As, however, it affords means of comparison with countries which do not ascertain the number of the twin and triplet births, Table XL. is constructed on that principle, showing the deaths of women in Childbirth during each of the seven years 1856 to 1862 inclusive, and the proportional deaths of mothers to every ten thousand children born alive. The mean of the seven years shows that 46 mothers died annually for every ten thousand children born alive, or 47 mothers died annually for every ten thousand women who bore children during the year. This is very closely on the English proportion; for during the same seven years 45 women died annually in Childbirth for every ten thousand children born alive, or 46 mothers for every ten thousand women who bore children during the year.

Diseases of the organs of locomotion, which form the tenth class, proved fatal to 404 persons. Of these, 164 died from Rheumatism, 213 from Diseases of the Bones and Joints, and 27 from Arthritis, or Inflammation of the Joints.

Diseases of the skin and integumentary system, forming the eleventh class, cut off 80 persons, viz. 19 by Carbuncle, 8 by Phlegmon, and 53 by various skin diseases.

Malformations from birth caused 145 deaths, of which 49 were from Cyanosis, 34 from Spina Bifida, and 62 from others not specified.

The thirteenth class of diseases is the debility arising from premature birth, and from weakly constitutions at birth. 2986 deaths resulted from that cause, giving the high proportion of 4·67 per cent. of the specified causes of death.

576 deaths were ascribed to Atrophy, and 118 to sudden deaths, the causes of which were not ascertained.

The deaths registered under "Old Age" amounted to 6559, and thus constituted 10·27 per cent. of the specified causes of death. The deaths ascribed to old age are those where the affection which finally proved fatal was not ascertained, or was so slight that it was overlooked, the flame of life just gradually expiring. This kind of death appears to be more common in the Insular than in the Mainland-Rural Districts, and more common in the

TABLE XL.—Deaths of Women in Childbirth during each of the seven years 1856 to 1862 inclusive.

| YEAR. | Number of Deaths from | | | Number of Births. | Deaths of Mothers to every 10,000 Children born alive. |
|---|---|---|---|---|---|
| | Metria and Childbirth. | Metria. | Accidents of Childbirth. | | |
| 1856 | 494 | 143 | 351 | 101,821 | 48 |
| 1857 | 449 | 145 | 304 | 103,415 | 43 |
| 1858 | 454 | 152 | 302 | 104,018 | 43 |
| 1859 | 508 | 175 | 333 | 106,543 | 47 |
| 1860 | 564 | 236 | 328 | 105,629 | 53 |
| 1861 | 511 | 203 | 308 | 107,009 | 48 |
| 1862 | 435 | 130 | 305 | 107,069 | 40 |
| 7 years | 3415 | 1184 | 2231 | 735,504 | 46 |

latter than in the Town Districts. Thus, in every 100,000 persons in each of these districts, 476 deaths were ascribed to old age in the Insular, 250 in the Mainland-Rural Districts, and only 150 in the Town Districts.

## Class XVI. *Violent Deaths.*

The violent and accidental deaths cut off 2057 persons in Scotland in 1862, and thus constituted 3·22 per cent. of the specified causes of death, or 70 deaths in every 100,000 persons of the population. This proportion is nearly constant from year to year.

Of these, 769 deaths were caused by Fractures and Contusions; giving the proportion of 26 deaths in every 100,000 persons, or 1·20 per cent. of the total mortality. As might be expected, this proportion is much greater in towns than in the rural districts; for in every 100,000 persons in each district, 9 died by Fractures and Contusions in the Insular Districts, 24 died by the same causes in the Mainland-Rural, and 30 in the Town Districts —the railway accidents bringing up the rural proportion so very much above the Insular.

436 deaths were caused by Drowning, or 14 in every 100,000 persons. This proportion is very greatly exceeded, however, in the Insular Districts, where the only traffic with the mainland and with adjacent islands has to be carried on in open boats. In the Insular Districts, therefore, 44 deaths occurred in 1862 for every 100,000 persons.

324 deaths were ascribed to Burns and Scalds, being in the proportion of 11 deaths in every 100,000 persons. This is greatly below the English average, as well as below the proportion for the same year, and may probably be attributed to the more general use of woollen garments among the Scotch. It is possibly to the same cause, viz. the greater use of woollen garments in the Insular than in the Mainland-Rural, and in these last than in the towns, that in every 100,000 persons in each of these districts, 8 died from Burns and Scalds in the Insular, 10 in the Mainland-Rural, and 12 in the Town Districts. As fully two-thirds of the persons who suffer from Burns and Scalds are children under 10 years of age, it is quite apparent that if infants

Table XLI.—The Seventeen most Fatal Diseases in Scotland and England in 1862.

| SCOTLAND. | | ENGLAND. | |
|---|---|---|---|
| Diseases. | Proportion of Deaths to 100,000 living. | Diseases. | Proportion of Deaths to 100,000 living. |
| Phthisis | 280 | Phthisis | 253 |
| Old Age | 223 | Bronchitis | 161 |
| Bronchitis | 196 | Debility, Premature Birth, Atrophy | 134 |
| Debility, Premature Birth, Atrophy | 120 | Old Age | 133 |
| Typhus and Infantile Fever | 105 | Convulsions | 125 |
| Hooping-cough | 95 | Pneumonia | 117 |
| Heart Disease | 84 | Typhus & Infantile Fever | 93 |
| Pneumonia | 65 | Heart Disease | 88 |
| Hydrocephalus | 58 | Scarlatina | 73 |
| Paralysis | 51 | Hooping-cough | 61 |
| Measles | 47 | Diarrhœa | 55 |
| Croup | 47 | Measles | 48 |
| Scarlatina | 43 | Paralysis | 48 |
| Apoplexy | 41 | Apoplexy | 45 |
| Cancer | 39 | Cancer | 36 |
| Teething | 37 | Dropsy | 36 |
| Diarrhœa | 37 | Hydrocephalus | 35 |

and children were more generally clothed in woollen garments, there would be many lives annually saved.

Of the other violent and accidental deaths, 54 were from Poison, 46 from Hanging, 101 from Suffocation, more than half of these being children overlaid in bed, 74 from Wounds, 53 from Intemperance, 7 from Privation, 3 from Neglect, 34 from Cold, and 94 from other violent causes, the particulars of which were not given.

Of the 2057 violent deaths, 83 were Suicides; and of these, 35 were by hanging, 16 by cut-throat, 13 by drowning, 6 poisoning by opium or some of its preparations, 1 poisoning by arsenic, 1 by sulphuric acid, 3 by gunshot wounds, 1 by precipitation from a height, 1 by immolation on a railway, while in six cases the cause was not specified.

Table XLI. shows the seventeen diseases which proved most fatal in Scotland and in England during 1862, arranged in the order of their respective fatality. The Table shows that, even in countries so closely adjoining, the several diseases to which the inhabitants are liable, are under somewhat different conditions, and consequently exhibit different results.

## INFLUENCE OF EXTERNAL AGENCIES.

The influence of season on the births has been so often pointed out in these Reports, that it need only be stated, that in 1862, as in former years, the greatest monthly and daily number of births occurred during the months of March, April, May, and June; while the smallest number occurred during August, September, November, and December. (Table XLII.)

The marriages, on the other hand, have been shown by these Reports

TABLE XLII.—Monthly and Daily Number of Births in 1862.

| Months. | Monthly Births. | Daily Births. | Months. | Monthly Births. | Daily Births. |
|---|---|---|---|---|---|
| January . . . | 9150 | 295 | July . . . . | 9233 | 298 |
| February . . . | 8357 | 298 | August . . . | 8231 | 265 |
| March . . . . | 9582 | 309 | September . . | 8316 | 277 |
| April . . . . | 9586 | 319 | October . . . | 8712 | 281 |
| May . . . . | 10147 | 328 | November . . | 7893 | 263 |
| June . . . . | 8998 | 300 | December . . | 8864 | 279 |

TABLE XLIII.—Monthly and Daily Number of Marriages in 1862, with the number contracted on the last day of the Year.

| Months. | Number of Marriages as registered each Month. | Marriages corrected for January and December. | Number of Marriageable Days in each Month. | Corrected Daily Marriages in each Month. |
|---|---|---|---|---|
| January . . . | 2321 | 1451 | 23 | 63 |
| February . . . | 1207 | 1207 | 20 | 60 |
| March . . . . | 1235 | 1235 | 21 | 58 |
| April . . . . | 1137 | 1137 | 22 | 51 |
| May . . . . | 1053 | 1053 | 22 | 48 |
| June . . . . | 2993 | 2993 | 21 | 142 |
| July . . . . | 2001 | 2001 | 23 | 87 |
| August . . . | 1309 | 1309 | 21 | 62 |
| September . . . | 1261 | 1261 | 22 | 57 |
| October . . . | 1203 | 1203 | 23 | 52 |
| November . . . | 2082 | 2082 | 20 | 104 |
| December . . . | 2795 | * 2582 | * 22 | * 117 |
| 31st December . . | ... | 1083 | 1 | 1083 |

* These numbers do not include those having reference to the 31st day of December.

to be under quite different influences, inasmuch as, though they are contracted with great regularity during every month of the year, they double or even treble their numbers shortly after the half-yearly terms of Whitsunday and Martinmas. This result is produced by the practice which prevails in Scotland of engaging both agricultural and domestic servants by the half-year, and also by the practice of letting houses half-yearly or yearly. Houses for newly married persons can therefore only be easily procured at these terms, and the marriages of those who have been in service usually take place shortly after these terms.

On looking at Table XLIII., it will be seen that fewest marriages occurred during the month of May, and the next fewest in April. This can scarcely now be attributed to any lingering superstition as to its being "unlucky" to marry in May, because very nearly the same number of marriages actually takes place daily in May, as during April and October. It seems rather to be due to the fact of its being so near the half-yearly term period; and the fact of people delaying their marriage till they could get into their own house after the term, may have led to the old exploded saying, that it was "unlucky" to marry in May.

Were we to be guided by the number of marriages entered on the registers during each month, it might be inferred that January was a favourite month for contracting marriage in Scotland. This conclusion, however, would be an erroneous one; for though, in the insular and northern parts of Scotland, most of the marriages are contracted during the winter months, when the males are not engaged in the fisheries, this applies more to the months of November and December than to January.

When the marriage registers for January are consulted, it is found that a full third of the marriages which are entered therein were not contracted in January at all, but on the last day of December, but from having been registered in January were counted with the January marriages. When deprived of these, it then appears that January exhibits no pre-eminence over other months as a favourite one for marriage.

It is December, then, and not January which is the favourite marriage month in Scotland; but when the December registers are looked into, it is found that, though the daily number of marriages during that month exceeds that of all other months excepting June, it is the last day of December which is the public pet, for on it alone are celebrated one-twentieth of all the marriages which take place during the year.

In last Report attention was directed to this striking peculiarity in the social habits of the Scottish people, but we were not then in possession of data sufficient to show the exact magnitude of the fact. We have now, however, gone over the marriage registers for a series of years, to procure some tangible facts on this subject, and they are certainly extremely curious. Those for 1862 are given in detail in Table XLIII.

At present we flatter ourselves that the days of superstition have passed away. It is not so, however, with the Scottish people, as these registers avouch. No Scotchman will begin any kind of work on a Saturday, if he can possibly avoid it, because he has the superstitious belief that he will never live to finish it. For the same reason no Scotchman will marry on a Saturday; it is with him an "unlucky day," and he dreads that one or other of the parties to the marriage will not live out the year, or if they outlive the year, that they will have no family. Accordingly, as a general rule, no marriages occur in Scotland on Saturday among natives of Scotland. On Sundays, also, no marriages take place; so that the marrying days in Scot-

land are limited to five weekly, or from 20 to 23 in each month. The fourth column of Table XLIII. shows the number of marrying days in each month for 1862, and by these the daily marriages are calculated.

The last column of that Table shows the number of marriages which are contracted during each marrying day of each month; and it will be seen that while 48 marriages occurred during each marrying day of May, 51 in April, 52 in October, 57 in September, 58 in March, 60 in February, and 63 in January, they rose to 104 daily in November, to 117 daily during 22 of the marrying days in December, to 142 daily during the marrying days of June, but to the enormous number of 1083 during the last day of December. Here then we have the very singular fact ascertained, that the last day of the year is such a favourite for marrying with the people of Scotland, that a full twentieth of the marriages during the year were contracted on that day.

This, however, is not a casual occurrence, but recurs year after year with a regularity, even in the numbers, which is truly surprising. Thus, on going over the marriage registers for a series of years, it was found that when the last day of December fell on a Monday, Tuesday, Wednesday, Thursday, or Friday, the numbers who annually married on that last day of December only varied from 1020 to 1090, so that the average number of marriages on every 31st day of December, when it fell on the above days of the week, was 1055.

But all this is changed when the last day of December falls on a Saturday. The Saturday superstition, as to its being an unlucky day, outweighs all fondness for the last day of the year as a day of marriage; so that when, in the revolution of the seasons, the last day of the year falls on a Saturday, the marriage register virtually remains a blank, in so far as the natives of Scotland are concerned. In 1859, when the 31st of December fell on a Saturday, only 59 marriages were contracted instead of 1055, and these chiefly by persons not natives of Scotland. The Scottish people had in that case anticipated the 31st, and contracted their usual 1055 marriages on the 30th of the month!

It is strongly suspected that the same singular practice prevails in Sweden, for in that country even a greater excess of marriages takes place

TABLE XLIII.—Daily Number of Deaths in Scotland during each Month of the Year 1862, to show the Influence of Season, but especially of Mean Temperature, on the Mortality.

| MONTHS. | Mean Temperature. | Daily Number of DEATHS. | | | |
|---|---|---|---|---|---|
| | | SCOTLAND. | Insular Districts. | Mainland-Rural Districts. | Town Districts. |
| JANUARY . . | 38°·4 | 222 | 8 | 103 | 111 |
| FEBRUARY . . | 40°·1 | 207 | 9 | 104 | 95 |
| MARCH . . . | 37°·8 | 216 | 13 | 107 | 96 |
| APRIL . . . | 44°·6 | 207 | 11 | 101 | 95 |
| MAY . . . | 51°·1 | 188 | 8 | 93 | 87 |
| JUNE . . . | 52°·4 | 176 | 7 | 88 | 81 |
| JULY . . . | 53°·8 | 167 | 8 | 85 | 74 |
| AUGUST . . | 56°·0 | 143 | 7 | 73 | 63 |
| SEPTEMBER . | 53°·4 | 153 | 6 | 73 | 74 |
| OCTOBER . . | 47°·1 | 154 | 6 | 72 | 76 |
| NOVEMBER . . | 37°·1 | 173 | 6 | 80 | 87 |
| DECEMBER . . | 41°·8 | 199 | 8 | 94 | 97 |

in December than in Scotland. But the official tables and reports do not give us the means of determining that point with certainty.

The influence of the weather on the death-rate in Scotland is of the most potent kind, as has been fully proved in former Reports. But Scotland and England, though forming parts of the same island, are apparently under such very different meteorological conditions, that a knowledge of the kind of weather prevailing in the one country, often gives no indication whatever of the kind of weather prevailing in the other. Thus, in 1862, while the mean temperature of England was above its mean, that of Scotland was below its mean; and while the rainfall over England only amounted to 26·40 inches, the quantity deposited in Scotland was 45·29 inches. Still more striking were the differences in the periods of warm and cold weather in the two countries. One example may suffice. In England, on the 24th of March, a period of warm genial weather set in, which continued uninterruptedly till the 7th of April, and during all that period the mean temperature was at 5° above its mean. Scotland, on the other hand, during the very same period, presented a truly wintry appearance, and its temperature was fully 5° below its mean. Snow began to fall on the 21st of March; cold piercing north-easterly winds prevailed; when the month of March closed, the hills were still white, and it was not till towards the close of the first week of April that the snowy mantle disappeared.

The weather in Scotland during 1862 presented many points of resemblance with that of 1861. It had a lower summer, and a somewhat higher winter temperature than usual; a more clouded sky, and consequently less sunshine; a greater fall of rain, and a more humid atmosphere than the average of former years. The lower summer temperature seemed to be occasioned by the more clouded rainy sky obscuring the sun, and preventing its rays heating the ground as much as usual; while the higher temperature of the winter months was caused by the unusual prevalence of strong balmy westerly and south-westerly winds, which, having come over the heated waters of the Atlantic, brought with their warmth an unusual quantity of moisture, great part of which was deposited on the land.

The continuance of the damp cloudy weather for two successive years seems to have acted prejudicially on the public health, and to have induced

TABLE XLIV.—Showing the connection between certain Atmospheric Phenomena, especially mean Temperature, and the monthly Deaths from certain Diseases, in the Eight Principal Towns of Scotland, during 1862.

| 1862. | Jan. | Feb. | Mar. | April. | May. | June. | July. | Aug. | Sept. | Oct. | Nov. | Dec. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Mean Temperature, | 38°·8 | 40°·6 | 38°·6 | 45°·2 | 51°·3 | 53°·2 | 55°·3 | 56°·9 | 54°·0 | 47°·3 | 35°·6 | 43°·0 |
| Rain—in inches, | 5·35 | 1·61 | 5·17 | 3·05 | 4·77 | 3·95 | 4·41 | 3·70 | 2·47 | 8·58 | 2·88 | 6·53 |
| Westerly Winds, | 12 | 7 | 6 | 14 | 13 | 17 | 20 | 13 | 13 | 20 | 10 | 23 |
| Easterly Winds, | 7 | 11 | 19 | 8 | 9 | 5 | 5 | 6 | 9 | 4 | 5 | 4 |
| Total Deaths, | 2745 | 2100 | 2376 | 2239 | 2113 | 1925 | 1780 | 1558 | 1754 | 1877 | 2102 | 2396 |
| Daily Deaths, | 89 | 71 | 76 | 75 | 68 | 64 | 57 | 50 | 58 | 61 | 70 | 79 |
| Zymotic Diseases, | 635 | 514 | 534 | 444 | 421 | 347 | 408 | 331 | 415 | 542 | 612 | 692 |
| Small-pox, | 6 | 6 | 3 | 3 | 1 | 3 | 5 | 9 | 21 | 55 | 84 | 110 |
| Measles, | 50 | 42 | 92 | 83 | 68 | 51 | 58 | 45 | 50 | 61 | 123 | 134 |
| Scarlatina and Diphtheria, | 83 | 74 | 60 | 39 | 37 | 32 | 38 | 45 | 58 | 78 | 94 | 90 |
| Hooping-cough, | 255 | 206 | 179 | 140 | 120 | 94 | 105 | 50 | 67 | 82 | 83 | 93 |
| Croup, | 58 | 44 | 30 | 30 | 28 | 30 | 38 | 44 | 63 | 86 | 82 | 93 |
| Typhus, | 107 | 84 | 97 | 83 | 87 | 77 | 96 | 66 | 66 | 82 | 79 | 90 |
| Diarrhœa, Dysen., & Chol., | 36 | 36 | 42 | 31 | 43 | 39 | 45 | 50 | 73 | 72 | 39 | 44 |
| Consumption, | 287 | 306 | 336 | 314 | 329 | 330 | 258 | 216 | 237 | 214 | 218 | 228 |
| Diseases Respiratory Organs, | 627 | 361 | 441 | 397 | 313 | 280 | 236 | 198 | 198 | 262 | 405 | 479 |
| Heart, etc., Diseases, | 127 | 72 | 91 | 83 | 81 | 81 | 71 | 54 | 81 | 60 | 90 | 83 |
| Brain, etc., Diseases, | 171 | 157 | 168 | 177 | 188 | 157 | 147 | 135 | 151 | 142 | 139 | 182 |
| Age, | 168 | 113 | 144 | 114 | 93 | 94 | 81 | 75 | 74 | 99 | 94 | 107 |

an amount of sickness and death quite unusual. The fact that this kind of weather occurred when large numbers of the lower classes were suffering from insufficient food and clothing, in consequence of being thrown out of work by the stoppage of the cotton manufactories, accounts partly for its more baneful action in 1862 than in 1861.

The greatest daily number of deaths occurred during the month of January, when 222 deaths occurred daily under a mean temperature of 38°·4, being the same as that of the two preceding months. The daily deaths during the preceding November were 172, and during December 180; so that, although the mean temperature had remained nearly steady

TABLE XLV.—Meteorology of Scotland for 1862, deduced from Observations made at 53 Stations of the Meteorological Society of Scotland, the particulars for each of the Stations having been published in the Quarterly Reports of the Registrar-General for 1862.

| 1862. | JAN. | FEB. | MAR. | APR. | MAY. | JUNE. | JULY. | AUG. | SEPT. | OCT. | NOV. | DEC. | YEAR. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Absolute Highest Temperature in shade | 55·0 | 61·9 | 60·4 | 74·5 | 77·4 | 80·0 | 73·0 | 80·5 | 79·0 | 73·0 | 59·0 | 57·5 | 80·5 |
| Absolute Lowest Temperature do. . . | 19·3 | 9·0 | 10·0 | 18·9 | 27·2 | 33·0 | 33·9 | 35·0 | 28·0 | 21·3 | 9·9 | 23·0 | 9·0 |
| Mean of Highest Daily Temperatures . | 42·0 | 44·4 | 42·5 | 51·5 | 58·1 | 58·7 | 60·4 | 62·3 | 60·3 | 53·4 | 42·6 | 46·2 | 51·8 |
| Mean of Lowest Daily Temperatures . | 34·8 | 35·8 | 33·2 | 37·8 | 44·0 | 46·0 | 47·3 | 49·7 | 46·4 | 40·7 | 31·6 | 37·5 | 40·4 |
| Mean Daily Range of Temperature . . | 7·1 | 8·6 | 9·3 | 13·7 | 14·1 | 12·6 | 13·1 | 12·6 | 14·1 | 12·7 | 11·0 | 8·7 | 11·4 |
| Mean Temperature . . . . . | 38·4 | 40·1 | 37·8 | 44·6 | 51·1 | 52·4 | 53·8 | 56·0 | 53·4 | 47·1 | 37·1 | 41·8 | 46·1 |
| Mean of Black Bulb in Sun . . . . . | 47·9 | 57·5 | 56·2 | 70·7 | 77·8 | 78·4 | 80·8 | 82·2 | 82·3 | 68·4 | 53·4 | 49·4 | 67·1 |
| Mean of Black Bulb at Night (on grass) | 31·6 | 32·0 | 29·4 | 33·4 | 38·9 | 41·3 | 42·3 | 44·9 | 41·1 | 35·6 | 27·2 | 33·6 | 35·9 |
| Mean Temperature of Evaporation (wet bulb) . . . . . | 37·0 | 38·0 | 35·8 | 41·8 | 48·3 | 49·8 | 50·9 | 53·4 | 51·3 | 44·7 | 35·2 | 40·4 | 43·9 |
| Mean Dew-point Temperature . . . | 35·3 | 36·2 | 33·8 | 39·1 | 46·0 | 47·3 | 48·3 | 51·4 | 49·5 | 42·8 | 33·6 | 38·5 | 41·8 |
| Mean Humidity of the Air . . . . . | 90 | 89 | 88 | 83 | 84 | 83 | 83 | 87 | 88 | 88 | 90 | 89 | 87 |
| Elastic Force of Vapour . . (inches) | ·207 | ·214 | ·195 | ·240 | ·311 | ·326 | ·339 | ·382 | ·354 | ·276 | ·194 | ·234 | ·272 |
| Number of Days on which Rain fell . | 21 | 11 | 16 | 14 | 16 | 20 | 22 | 16 | 13 | 19 | 10 | 21 | 199 |
| Amount of Rain (Sleet and Snow melted) (inches) . . . . . | 5·32 | 1·88 | 3·63 | 2·99 | 3·89 | 3·99 | 3·87 | 3·35 | 2·44 | 6·32 | 2·41 | 5·20 | 45·29 |
| Mean Amount of Cloud . . . . . | 7·5 | 6·9 | 7·6 | 6·2 | 6·6 | 6·9 | 7·0 | 7·2 | 6·2 | 5·9 | 5·7 | 6·9 | 6·9 |
| Hours of Sunshine . . . . . | 50 | 80 | 80 | 183 | 182 | 174 | 200 | 156 | 157 | 139 | 108 | 59 | 1568 |
| Mean Barometer, corrected . (inches) | 29·686 | 30·052 | 29·698 | 29·881 | 29·810 | 29·733 | 29·735 | 29·885 | 29·979 | 29·620 | 29·897 | 29·767 | 29·812 |
| Easterly Winds—number of Days . . | 8 | 12 | 19 | 7 | 9 | 5 | 5 | 8 | 9 | 4 | 7 | 4 | 97 |
| Westerly Winds—number of Days . . | 14 | 9 | 6 | 15 | 14 | 18 | 21 | 14 | 13 | 21 | 13 | 22 | 180 |

for three consecutive months, the prolonged low temperature had steadily increased the mortality.

The weather during February, however, was not so severe as during January, and the mean temperature was more than $1\frac{1}{2}$ degree higher; the daily deaths therefore fell to 207. The wintry weather of March, however, with its mean temperature 2 degrees below that of February, caused the daily deaths to increase to 116; so that the effects of cold on the human frame were very marked during these months. As this wintry weather had extended into April, and many of those who were death-stricken with the severe weather of March did not die till April, the mortality of April was high, amounting to 207 deaths daily.

After this the weather steadily improved; the mean temperature increasing till August, when the highest mean temperature of the year was attained, viz. 56 degrees. With this rise in mean temperature, the number of deaths regularly declined; so that the daily deaths were 188 in May, 176 in June, 167 in July, and attained their minimum in August, when only 143 deaths occurred daily.

After this the mean temperature regularly declined, and the deaths in nearly the same proportion increased; so that 153 deaths occurred daily in September, 154 daily during October, 173 daily during November, and 199 daily during December.

It is worthy of remark, that the deaths continued to increase during December, though its mean temperature was $3\frac{1}{2}$ degrees higher than that of November, which had the lowest mean temperature of any month during the year. This effect is constantly observed at the close of the year, and, indeed, the same occurs also in the spring months, as was strikingly exemplified in April.

These facts then prove, that in this country it is cold and not heat which exerts the most deadly influence on the mortality; and what is still more striking, is the fact that all our so-called epidemic diseases, excepting alone the bowel complaints, increase with the cold and diminish with the warm weather. The public do not seem to be aware of this striking fact, which has been year after year pointed out in these Reports, seeing that, when epidemics prevail either among men or cattle, it is continually stated that the cold weather is being anxiously looked for to put a stop to the epidemic. The fact is, in this country it is cold and not heat which encourages the spread and increases the fatality of all epidemics, excepting the bowel complaints. In the eight principal towns of Scotland, for instance (which may serve to illustrate this fact for all Scotland), the deaths from the epidemic class of diseases were lowest in August, the month of greatest heat, and steadily increased with the fall of temperature, till the close of the year. Thus, the deaths from the zymotic, or epidemic and contagious, class of diseases in these towns, were 331 in August, 415 in September, 542 in October, 612 in November, and 692 in December. The same had been noticed every year, so that there can be no doubt whatever as to the general law of the increase of disease in Scotland under fall of temperature.

To show this influence of temperature on a few diseases and classes of disease, Table XLIV. is appended. It is the transcript of a Table which was published in our annual supplement to the Monthly Returns of the Births, Deaths, and Marriages in the Eight Principal Towns of Scotland for the year 1862. The whole figures in that Table apply alone to the eight towns, viz. Glasgow, Edinburgh, Dundee, Aberdeen, Paisley, Greenock, Leith, and Perth. By that Table it is seen, that while Small-pox caused

only 9 deaths in the eight towns during August, which was the warmest month, the deaths increased with the fall of temperature, till they amounted to 110 in December. Measles, which caused 45 deaths in August, increased with the fall of temperature till it caused 134 deaths in December. Scarlatina and Diphtheria caused only 45 deaths in August, but 90 in December. Hooping-cough, which caused 50 deaths in August, increased in fatality as the temperature fell, till it caused 255 deaths in January. Typhus Fever, which caused only 66 deaths in August, increased with the fall of temperature, till it caused 90 deaths in December, and 107 in January. Diseases of the respiratory organs, which caused 216 deaths in August, increased with the fall of temperature, till they caused 479 deaths in December, and 627 in January. These examples are quite sufficient to prove the point to which attention is desired to be directed, viz. that the prevalence and fatality of all diseases in Scotland increases with the cold weather, so that our cold months are also the most fatal, and the coldest month is almost invariably that which exhibits the greatest number of deaths.

Table XLV. shows the meteorological phenomena in Scotland during the year 1862, deduced from observations made at 53 stations of the Meteoro-

TABLE XLVI.—Showing the Revenue, Imports, Exports, the Quantities of Grain, Tea, Sugar, etc., imported into the United Kingdom; the average Price of the Chief Articles of Food in England, etc., during the years 1860, 1861, and 1862.

| | | 1860. | 1861. | 1862. |
|---|---|---|---|---|
| Gross Revenue of United Kingdom, . | £ | 71,089,668 | 70,283,674 | 69,674,479 |
| Gross Expenditure, . . . . . | £ | 69,619,266 | 72,842,059 | 72,086,485 |
| Real Value of Total Imports, . . . | £ | 210,648,643 | 217,485,024 | 225,716,976 |
| Real Value of Total Exports, . . . | £ | 165,670,653 | 159,632,498 | 166,168,734 |
| Wheat imported, . . . . . | Qrs. | 5,880,958 | 6,912,815 | 9,469,270 |
| All other Grains imported, . . . . | Qrs. | 7,125,662 | 7,366,239 | 6,905,922 |
| Wheat Flour imported, . . . . . | Cwts. | 5,086,220 | 6,152,938 | 7,207,113 |
| All other kinds of Flour imported, . . | Cwts. | 71,344 | 97,421 | 17,935 |
| Eggs imported, . . . . . | No. | 167,695,200 | 203,313,360 | 235,230,360 |
| Butter imported, . . . . . | Cwts. | 840,112 | 992,772 | 1,037,371 |
| Cheese imported, . . . . . | Cwts. | 583,283 | 706,395 | 703,909 |
| Potatoes imported, . . . . . | Cwts. | 560,762 | 385,446 | 1,354,636 |
| Rice imported, . . . . . | Cwts. | 1,535,575 | 3,305,632 | 3,919,189 |
| Tea imported, . . . . . | lbs. | 88,946,532 | 96,577,382 | 114,787,361 |
| Coffee imported, . . . . . | lbs. | 82,767,746 | 83,532,525 | 94,210,359 |
| Cocoa imported, . . . . . | lbs. | 9,009,839 | 9,080,288 | 9,912,508 |
| Raw Sugar imported, . . . . . | Cwts. | 8,817,277 | 10,400,805 | 9,884,191 |
| Tobacco imported (total), . . . . . | lbs. | 51,663,625 | 52,854,392 | 42,306,035 |
| Wine imported, . . . . . | Galls. | 12,475,001 | 11,052,436 | 11,960,664 |
| Wool imported, . . . . . | lbs. | 148,396,577 | 147,172,841 | 171,943,472 |
| Cotton (Raw) imported, . . . . . | lbs. | 1,390,938,752 | 1,256,984,736 | 523,973,296 |
| Flax imported, . . . . . | Cwts. | 1,464,810 | 1,333,679 | 1,798,351 |
| Hemp, etc., imported, . . . . . | Cwts. | 792,388 | 820,600 | 915,807 |
| Jute imported, . . . . . | Cwts. | 816,787 | 904,092 | 963,774 |
| Quantity of Coal raised in Scotland, . | Tons | 10,900,500 | 11,076,000 | 12,200,000 |
| ——— Iron Ore raised in do., . . | Tons | 2,150,000 | 1,975,000 | 1,500,000 |
| ——— Pig Iron made in do., . . | Tons | 937,000 | 950,000 | 1,080,000 |
| Cod and Ling taken on Coasts of do., . | Cwts. | 167,918 | 131,764 | 157,597 |
| Herrings taken on do., . . . . . | Barrels | 721,190 | 723,486 | 867,769 |
| Average Price of Wheat in England, . | per Qr. | 53s. 3d. | 55s. 4d. | 55s. 5d. |
| ——— Barley, . . . . . | per Qr. | 36s. 7d. | 36s. 1d. | 35s. 1d. |
| ——— Oats, . . . . . | per Qr. | 24s. 5d. | 23s. 9¼d. | 22s. 7d. |
| Contract price of 4lb. Loaf to Troops in Scotland, . . . 1st half year, | | 4¾d. to 5¾d. | 7d. | 6¼d. |
| 2d half year, | | 5d. to 6½d. | 6¼d. | 5½d. |
| Contract price of Fresh Meat per lb. to Troops in Scotland, 1st half year, | | 4¼d. to 5¼d. | 5¼d. | 5d. |
| 2d half year, | | 5d. to 6¾d. | 5d. | 4½d. |
| Savings Banks, Scotland—Number of Accounts, | | 139,114 | 143,906 | 147,865 |
| Savings Banks, do.—Amount of Deposits, £ | | 2,414,073 | 2,537,963 | 2,677,209 |
| Number of registered Paupers in Scotland, . | | 95,761 | 97,340 | 98,922 |
| Number of ascertained Scottish Emigrants, . | | 8,733 | 6,730 | 12,596 |

logical Society of Scotland. The particulars for each of these stations were published in the Quarterly Reports of the Registrar-General for the year 1862, on the conclusion of each quarter. From that Table it appears that the mean barometric pressure, corrected to 32 degrees and to the mean sea-level, was 29·812 inches. The mean temperature of the year was 46°·1. The mean daily range of temperature 11°·4. The absolute highest degree of temperature in the shade was 80°·5; and the absolute lowest in the shade, 9°·0. The mean of the highest temperatures during the day was 51°·8; the mean of the lowest temperatures during the night, 40°·4. The mean of the black-bulb thermometer exposed to the sun was 67°·1; and the mean of the lowest temperature, indicated by the black-bulb minimum thermometer exposed on the grass during the night, was 35°·9. The mean temperature of evaporation was 43°·9; and the mean dew-point temperature, 41·8. The mean humidity of the air was 87. Rain fell on 199 days, with a mean depth of 45·29 inches of water. The mean amount of cloud was 6·9; and the sun shone for 1568 hours during the year. Winds with an easterly point blew 97 days; those with a westerly point, 180 days.

Table XLVI. shows some of the other external agencies which influence the deaths and the marriages, as from it may be deduced the general state of the country as to the condition of its trade, its imports and exports, its commercial prosperity, the supply and price of provisions, the ability of the people to save from their earnings and deposit these savings in banks, the amount of pauperism and of emigration. From that Table it will be seen, that although the imports of cotton in 1862 fell very far short of the previous year, the quantity of the other textile substances—flax, hemp, jute, and wool—materially increased. The quantity of coal raised and of iron made in Scotland also materially increased in 1862, while provisions of all kinds were cheaper and more abundant than during the previous year. The interruption to the cotton manufactures, however, increased pauperism, and caused twice as many to emigrate as during the previous year.

I have the honour to be,

Sir,

Your most obedient Servant,

JAMES STARK.

General Registry Office of Births, etc.,
Edinburgh, 18*th December* 1865.

## Births, Deaths, and Marriages registered in Scotland during the Year 1862.

| | 1862. | Population. | | Total Births, including the Illegitimate. | | | Illegitimate Births. | | | Deaths. | | | Marriages. | Excess of Births over Deaths. | Number of Statute Acres. * |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | 1851. | 1861. | Males. | Fem. | Total | Mal. | Fem | Totl | Males. | Fem. | Total. | | | |
| | **SCOTLAND** - - | 2,888,742 | 3,062,294 | 55257 | 51812 | 107069 | 5371 | 5005 | 10376 | 33179 | 34016 | 67195 | 20597 | 39874 | 19,639,377 |
| | DIVISIONS. | | | | | | | | | | | | | | |
| 1 | NORTHERN, . . . | 127,035 | 130,422 | 1819 | 1668 | 3487 | 104 | 88 | 192 | 1009 | 1008 | 2017 | 678 | 1470 | 2,261,662 |
| 2 | NORTH-WESTERN, . | 175,735 | 167,329 | 2358 | 2174 | 4532 | 125 | 131 | 256 | 1514 | 1592 | 3106 | 793 | 1426 | 4,739,876 |
| 3 | NORTH-EASTERN, . | 348,366 | 366,783 | 6232 | 5845 | 12077 | 955 | 874 | 1829 | 3321 | 3467 | 6788 | 2380 | 5289 | 2,429,594 |
| 4 | EAST-MIDLAND, . | 515,966 | 523,822 | 8897 | 8354 | 17251 | 907 | 816 | 1723 | 5352 | 5557 | 10909 | 3372 | 6342 | 2,790,492 |
| 5 | WEST-MIDLAND, . | 241,447 | 242,507 | 4044 | 3844 | 7888 | 329 | 285 | 614 | 2411 | 2556 | 4967 | 1393 | 2921 | 2,693,176 |
| 6 | SOUTH-WESTERN, . | 881,092 | 1,008,253 | 20910 | 19605 | 40515 | 1772 | 1699 | 3471 | 12807 | 12760 | 25567 | 7633 | 14948 | 1,462,397 |
| 7 | SOUTH-EASTERN, . | 383,217 | 408,962 | 7477 | 7001 | 14478 | 688 | 635 | 1323 | 4673 | 4879 | 9552 | 3144 | 4926 | 1,192,524 |
| 8 | SOUTHERN, . . . | 215,884 | 214,216 | 3520 | 3321 | 6841 | 491 | 477 | 968 | 2092 | 2197 | 4289 | 1204 | 2552 | 2,069,696 |
| | COUNTIES. | | | | | | | | | | | | | | |
| | I. NORTHERN. | | | | | | | | | | | | | | |
| 1 | Shetland, . . . | 31,078 | 31,670 | 479 | 417 | 896 | 19 | 14 | 33 | 227 | 257 | 484 | 195 | 412 | 598,726 |
| 2 | Orkney, . . . | 31,455 | 32,395 | 402 | 409 | 811 | 13 | 16 | 29 | 242 | 245 | 487 | 184 | 324 | |
| 3 | Caithness, . . . | 39,782 | 42,200 | 642 | 558 | 1200 | 58 | 43 | 101 | 359 | 343 | 702 | 200 | 498 | 455,708 |
| 4 | Sutherland, . . . | 24,720 | 24,157 | 296 | 284 | 580 | 14 | 15 | 29 | 181 | 163 | 344 | 99 | 236 | 1,207,188 |
| | II. NORTH-WESTERN. | | | | | | | | | | | | | | |
| 5 | Ross and Cromarty, . | 83,781 | 82,427 | 1242 | 1071 | 2313 | 42 | 39 | 81 | 737 | 770 | 1507 | 375 | 806 | 2,016,375 |
| 6 | Inverness, . . . | 91,954 | 84,902 | 1116 | 1103 | 2219 | 83 | 92 | 175 | 777 | 822 | 1599 | 418 | 620 | 2,723,501 |
| | III. NORTH-EASTERN. | | | | | | | | | | | | | | |
| 7 | Nairn, . . . . | 8,076 | 8,347 | 129 | 110 | 239 | 19 | 6 | 25 | 72 | 72 | 144 | 43 | 95 | 137,500 |
| 8 | Elgin (or Moray), . . | 40,532 | 44,218 | 708 | 712 | 1420 | 81 | 95 | 176 | 427 | 436 | 863 | 242 | 557 | 340,000 |
| 9 | Banff, . . . . | 51,353 | 56,020 | 1015 | 868 | 1883 | 169 | 134 | 303 | 449 | 469 | 918 | 339 | 965 | 439,219 |
| 10 | Aberdeen, . . . | 213,461 | 223,344 | 3867 | 3620 | 7487 | 606 | 559 | 1165 | 2082 | 2218 | 4300 | 1511 | 3187 | 1,260,625 |
| 11 | Kincardine, . . . | 34,944 | 34,854 | 513 | 535 | 1048 | 80 | 80 | 160 | 291 | 272 | 563 | 245 | 485 | 252,250 |
| | IV. EAST-MIDLAND. | | | | | | | | | | | | | | |
| 12 | Forfar, . . . . | 193,627 | 206,750 | 3823 | 3440 | 7263 | 453 | 399 | 852 | 2391 | 2494 | 4885 | 1459 | 2378 | 568,750 |
| 13 | Perth, . . . . | 137,369 | 133,198 | 1956 | 2019 | 3975 | 211 | 197 | 408 | 1215 | 1266 | 2481 | 775 | 1494 | 1,814,063 |
| 14 | Fife,* . . . . | 153,789 | 155,021 | 2639 | 2454 | 5093 | 206 | 179 | 385 | 1471 | 1517 | 2988 | 974 | 2105 | 328,427 |
| 15 | Kinross,* . . . | 9,626 | 8,731 | 104 | 105 | 209 | 12 | 12 | 24 | 63 | 75 | 138 | 32 | 71 | 49,812 |
| 16 | Clackmannan, . . | 21,555 | 20,122 | 375 | 336 | 711 | 25 | 29 | 54 | 212 | 205 | 417 | 132 | 294 | 29,440 |
| | V. WEST-MIDLAND. | | | | | | | | | | | | | | |
| 17 | Stirling, . . . | 83,802 | 88,138 | 1658 | 1620 | 3278 | 151 | 135 | 286 | 916 | 1021 | 1937 | 625 | 1341 | 295,875 |
| 18 | Dumbarton, . . . | 46,995 | 54,179 | 1023 | 932 | 1955 | 76 | 75 | 151 | 569 | 541 | 1110 | 314 | 845 | 204,800 |
| 19 | Argyll, . . . . | 94,042 | 83,859 | 1145 | 1087 | 2232 | 85 | 60 | 145 | 764 | 799 | 1563 | 358 | 669 | 2,083,126 |
| 20 | Bute, . . . . | 16,608 | 16,331 | 218 | 205 | 423 | 17 | 15 | 32 | 162 | 195 | 357 | 96 | 66 | 109,375 |
| | VI. SOUTH-WESTERN. | | | | | | | | | | | | | | |
| 21 | Renfrew,* . . . | 157,950 | 168,746 | 3401 | 3211 | 6612 | 264 | 248 | 512 | 2157 | 2151 | 4308 | 1289 | 2304 | 158,268 |
| 22 | Ayr,* . . . . | 189,973 | 199,063 | 3938 | 3554 | 7492 | 350 | 349 | 699 | 2146 | 2115 | 4261 | 1361 | 3231 | 735,262 |
| 23 | Lanark,* . . . . | 533,169 | 640,444 | 13571 | 12840 | 26411 | 1158 | 1102 | 2260 | 8504 | 8494 | 16998 | 4983 | 9413 | 568,867 |
| | VII. SOUTH-EASTERN. | | | | | | | | | | | | | | |
| 24 | Linlithgow,* . . . | 30,590 | 39,045 | 943 | 876 | 1819 | 70 | 58 | 128 | 499 | 439 | 938 | 242 | 881 | 81,113 |
| 25 | Edinburgh,* . . . | 259,493 | 274,093 | 4932 | 4589 | 9521 | 469 | 427 | 896 | 3400 | 3564 | 6964 | 2354 | 2557 | 234,925 |
| 26 | Haddington,* . . . | 36,363 | 37,626 | 701 | 618 | 1319 | 69 | 60 | 129 | 302 | 375 | 677 | 239 | 642 | 179,142 |
| 27 | Berwick,* . . . | 36,165 | 36,488 | 558 | 556 | 1114 | 55 | 62 | 117 | 269 | 328 | 597 | 181 | 517 | 302,951 |
| 28 | Peebles,* . . . | 10,804 | 11,300 | 172 | 182 | 354 | 14 | 15 | 29 | 107 | 97 | 204 | 60 | 150 | 227,869 |
| 29 | Selkirk,* . . . | 9,802 | 10,410 | 171 | 180 | 351 | 11 | 13 | 24 | 96 | 76 | 172 | 68 | 179 | 166,524 |
| | VIII. SOUTHERN. | | | | | | | | | | | | | | |
| 30 | Roxburgh,* . . . | 51,225 | 53,722 | 914 | 905 | 1819 | 103 | 119 | 222 | 544 | 500 | 1044 | 274 | 775 | 428,494 |
| 31 | Dumfries,* . . . | 78,149 | 75,904 | 1254 | 1203 | 2457 | 189 | 175 | 364 | 776 | 813 | 1589 | 475 | 868 | 702,953 |
| 32 | Kirkcudbright,* . . | 43,121 | 42,495 | 685 | 626 | 1311 | 114 | 94 | 208 | 398 | 420 | 818 | 215 | 493 | 610,343 |
| 33 | Wigtown,* . . . | 43,389 | 42,095 | 667 | 587 | 1254 | 85 | 89 | 174 | 374 | 464 | 838 | 240 | 416 | 327,906 |

* In all the Counties marked thus *, the number of Acres is given from actual survey by the Ordnance Staff; and these measurements were procured from the Ordnance Survey Office, through the kindness of Col. Sir Henry James. The measurements of the other Counties, with the exception of Shetland and Orkney, were taken from Major Dawson's estimate for the Census of 1851. In that estimate he included as land all the channels between the islands in Shetland and Orkney. These channels are excluded in the estimate given in the above Table.

| No. of District. | Registration Districts. | Population. | | Total Births, including the Illegitimate. | | | Illegitimate Births. | | | Deaths. | | | Marriages. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | 1851. | 1861. | Males. | Fem. | Total. | Mal. | Fem | Totl | Mal. | Fem | Total. | |
| | I. NORTHERN. | | | | | | | | | | | | |
| | 1. Shetland. | | | | | | | | | | | | |
| 1 | Bressay, etc.—(1) Bressay | 906 | 915 | 11 | 12 | 23 | 1 | – | 1 | 6 | 8 | 14 | 6 |
| | (2) Burra and Quarff, | 906 | 890 | 13 | 13 | 26 | – | 2 | 2 | 6 | 5 | 11 | 6 |
| 2 | Delting, . . . | 2124 | 1975 | 29 | 18 | 47 | 2 | – | 2 | 8 | 14 | 22 | 8 |
| 3 | Dunrossness, etc.— | | | | | | | | | | | | |
| | (1) Dunrossness, . | c. 2005 | 2113 | 35 | 36 | 71 | – | – | – | 20 | 16 | 36 | 8 |
| | (2) Sandwick and Cunningsburgh, . . | c. 2220 | 2337 | 28 | 34 | 62 | – | 3 | 3 | 10 | 29 | 39 | 12 |
| | (3) Fair Isle, . . | 280 | 380 | 8 | 4 | 12 | – | – | – | 3 | 3 | 6 | – |
| 4 | Fetlar, etc.— | | | | | | | | | | | | |
| | (1) Fetlar, . . . | 658 | 548 | 6 | 4 | 10 | – | – | – | 7 | 8 | 15 | 5 |
| | (2) North Yell, . . | 998 | 932 | 15 | 15 | 30 | – | – | – | 4 | 7 | 11 | 8 |
| 5 | Lerwick (incl. Town), . | 3390 | 3631 | 53 | 44 | 97 | 5 | 2 | 7 | 34 | 39 | 73 | 36 |
| 6 | Mid and South Yell, . | 1741 | 1784 | 24 | 29 | 53 | 2 | 1 | 3 | 19 | 12 | 31 | 13 |
| 7 | Nesting, etc.— | | | | | | | | | | | | |
| | (1) Nesting, . . | c. 806 | 855 | 11 | 9 | 20 | – | – | – | 4 | 5 | 9 | 5 |
| | (2) Lunnasting, . . | c. 830 | 880 | 14 | 9 | 23 | 2 | – | 2 | 3 | 4 | 7 | 3 |
| | (3) Whalsay and Skerries | 784 | 848 | 14 | 19 | 33 | – | – | – | 6 | 5 | 11 | – |
| 8 | Northmavine, . . | 2534 | 2585 | 29 | 24 | 53 | | – | – | 19 | 23 | 42 | 14 |
| 9 | Sandsting and Aithsting, | 2603 | 2670 | 49 | 40 | 89 | – | 1 | 1 | 16 | 17 | 33 | 17 |
| 10 | Tingwall, etc.— | | | | | | | | | | | | |
| | (1) Tingwall, . . | c. 1654 | 1554 | 19 | 23 | 42 | 2 | 1 | 3 | 11 | 15 | 26 | 13 |
| | (2) Whiteness & Weesdale | c. 1220 | 1143 | 18 | 18 | 36 | 2 | 3 | 5 | 5 | 10 | 15 | 2 |
| 11 | Unst, . . . . | 2977 | 3060 | 49 | 40 | 89 | 1 | 1 | 2 | 20 | 19 | 39 | 27 |
| 12 | Walls, etc.—(1) Walls, . | c. 1280 | 1365 | 27 | 13 | 40 | – | – | – | 12 | 10 | 22 | 8 |
| | (2) Sandness, . | c. 563 | 606 | 15 | 8 | 23 | – | – | – | 10 | 5 | 15 | 4 |
| | (3) Papa-Stour, . | 359 | 366 | 9 | 3 | 12 | 2 | – | 2 | 2 | – | 2 | – |
| | (4) Foula, . . | 240 | 233 | 3 | 2 | 5 | – | – | – | 2 | 3 | 5 | – |
| | Total, | 31078 | 31670 | 479 | 417 | 896 | 19 | 14 | 33 | 227 | 257 | 484 | 195 |
| | 2. Orkney. | | | | | | | | | | | | |
| 13 | Birsay, . . . . | 1749 | 1774 | 16 | 17 | 33 | – | 3 | 3 | 12 | 7 | 19 | 6 |
| 14 | Deerness, . . . | 786 | 813 | 9 | 6 | 15 | – | – | – | 7 | 4 | 11 | 2 |
| 15 | Eday and Pharay, . . | 1016 | 979 | 15 | 19 | 34 | – | – | – | 9 | 6 | 15 | 7 |
| 16 | Evie and Rendall, . . | 1446 | 1408 | 13 | 13 | 26 | – | – | – | 9 | 12 | 21 | 6 |
| 17 | Firth and Stennes, . . | 1327 | 1493 | 15 | 18 | 33 | 1 | – | 1 | 6 | 5 | 11 | 8 |
| 18 | Harray, . . . | 750 | 819 | 9 | 7 | 16 | 1 | – | 1 | 4 | 3 | 7 | 3 |
| 19 | Holm and Paplay, . | 749 | 834 | 12 | 9 | 21 | – | – | – | 7 | 9 | 16 | 4 |
| 20 | Hoy and Græmsay, . | 615 | 556 | 10 | 7 | 17 | – | – | – | 2 | 4 | 6 | 5 |
| 21 | KIRKWALL & ST OLA (incl. Burgh), . . | 3990 | 4422 | 59 | 70 | 129 | 2 | 5 | 7 | 38 | 41 | 79 | 23 |
| 22 | North Ronaldshay, . | 526 | 532 | 9 | 10 | 19 | – | 2 | 2 | 3 | 7 | 10 | 4 |
| 23 | Orphir, . . . | 1157 | 1133 | 13 | 9 | 22 | – | 1 | 1 | 9 | 12 | 21 | 13 |
| 24 | Rousay and Egilsay, . | 1215 | 1152 | 21 | 12 | 33 | 1 | – | 1 | 12 | 10 | 22 | 8 |
| 25 | St Andrews, . . . | 926 | 868 | 12 | 11 | 23 | – | 1 | 1 | 5 | 9 | 14 | 6 |
| 26 | Sanday, . . . | 2004 | 2145 | 28 | 23 | 51 | – | 1 | 1 | 13 | 8 | 21 | 15 |
| 27 | Sandwick, . . . | 1107 | 1225 | 20 | 13 | 33 | – | – | – | 7 | 5 | 12 | 5 |
| 28 | Shapinshay, . . . | 899 | 973 | 12 | 17 | 29 | – | – | – | 10 | 6 | 16 | 7 |
| 29 | South Ronaldshay and Burray, . . . | 3086 | 3282 | 44 | 50 | 94 | 3 | 2 | 5 | 17 | 28 | 45 | 12 |
| 30 | Stromness, . . . | 2770 | 2540 | 20 | 23 | 43 | 3 | – | 3 | 21 | 27 | 48 | 9 |
| 31 | Stronsay, . . . | 1211 | 1228 | 15 | 18 | 33 | – | – | – | 14 | 8 | 22 | 9 |
| 32 | Walls, etc.—(1) Walls, . | 1278 | 1254 | 16 | 15 | 31 | 2 | – | 2 | 9 | 9 | 18 | 6 |
| | (2) Flotta, . | 389 | 420 | 2 | 5 | 7 | – | 1 | 1 | 5 | 5 | 10 | 3 |
| 33 | Westray, etc.—(1) Westray | 2088 | 2153 | 30 | 31 | 61 | – | – | – | 21 | 17 | 38 | 22 |
| | (2) Papa-Westray, | 371 | 392 | 2 | 6 | 8 | – | – | – | 2 | 3 | 5 | 1 |
| | Total, | 31455 | 32395 | 402 | 409 | 811 | 13 | 16 | 29 | 242 | 245 | 487 | 184 |

*N.B.*—Royal and Parliamentary Burghs are printed in capitals; thus: EDINBURGH. Towns with Populations of 2000 and upwards, in small capitals; thus: THURSO.

| No. of District. | Registration Districts. | Population. | | Total Births, including the Illegitimate. | | | Illegitimate Births. | | | Deaths. | | | Marriages. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | 1851. | 1861. | Males. | Fem. | Total. | Mal. | Fem | Totl | Mal. | Fem | Total. | |
| | 3. Caithness. | | | | | | | | | | | | |
| 34 | Bower, | 1658 | 1746 | 26 | 19 | 45 | 1 | 1 | 2 | 13 | 10 | 23 | 11 |
| 35 | Canisbay, | 2437 | 2730 | 49 | 45 | 94 | 5 | 3 | 8 | 26 | 24 | 50 | 11 |
| 36 | Dunnet, | 1868 | 1861 | 32 | 19 | 51 | 1 | – | 1 | 14 | 16 | 30 | 8 |
| 37 | Halkirk, | 2918 | 2864 | 36 | 31 | 67 | 4 | 3 | 7 | 24 | 25 | 49 | 12 |
| 38 | Latheron, | 8224 | 8571 | 136 | 93 | 229 | 16 | 10 | 26 | 51 | 54 | 105 | 30 |
| 39 | Olrig, | 1873 | 2059 | 31 | 21 | 52 | – | – | – | 20 | 11 | 31 | 12 |
| 40 | Reay, | 2506 | 2476 | 24 | 28 | 52 | 2 | 2 | 4 | 23 | 21 | 44 | 11 |
| 41 | Thurso (incl. Town), | 5096 | 5561 | 81 | 76 | 157 | 6 | 4 | 10 | 56 | 47 | 103 | 21 |
| 42 | Watten, | 1351 | 1491 | 19 | 23 | 42 | 1 | 2 | 3 | 11 | 11 | 22 | 4 |
| 43 | WICK—(1) Burgh, | 6796 | 7505 | 123 | 135 | 258 | 11 | 10 | 21 | 87 | 102 | 189 | 60 |
| | (2) Landward, | 5055 | 5336 | 85 | 68 | 153 | 11 | 8 | 19 | 34 | 22 | 56 | 20 |
| | Total, | 39782 | 42200 | 642 | 558 | 1200 | 58 | 43 | 101 | 359 | 343 | 702 | 200 |
| | 4. Sutherland. | | | | | | | | | | | | |
| 44 | Assynt—(1) Kirkton, | c. 510 | 553 | 7 | 6 | 13 | – | – | – | 6 | 7 | 13 | 3 |
| | (2) Stoer, | c. 2479 | 2625 | 35 | 28 | 63 | 2 | – | 2 | 15 | 14 | 29 | 12 |
| 45 | Clyne, | 1933 | 1886 | 28 | 26 | 54 | – | 2 | 2 | 20 | 12 | 32 | 16 |
| 46 | Criech—(1) Bonar, | c. 2134 | 1982 | 15 | 21 | 36 | – | 2 | 2 | 14 | 15 | 29 | 10 |
| | (2) Rosehall, | c. 580 | 539 | 6 | 11 | 17 | – | 1 | 1 | 4 | 4 | 8 | 3 |
| 47 | DORNOCH (incl. Burgh), | 2981 | 2885 | 32 | 37 | 69 | 3 | 3 | 6 | 22 | 28 | 50 | 13 |
| 48 | Durness, | 1152 | 1109 | 9 | 11 | 20 | – | 1 | 1 | 8 | 8 | 16 | 4 |
| 49 | Eddrachillis—(1) Scourie, | c. 700 | 727 | 3 | 9 | 12 | – | – | – | 3 | 1 | 4 | 1 |
| | (2) Kinlochbervie, | c. 876 | 914 | 17 | 11 | 28 | – | – | – | 4 | 6 | 10 | 3 |
| 50 | Farr—(1) Kirkton, | c. 1313 | 1251 | 18 | 12 | 30 | – | 1 | 1 | 9 | 8 | 17 | 5 |
| | (2) Strathy, | c. 890 | 852 | 11 | 12 | 23 | 1 | – | 1 | 7 | 10 | 17 | 1 |
| 51 | Golspie, | 1529 | 1615 | 28 | 18 | 46 | 1 | – | 1 | 14 | 8 | 22 | 5 |
| 52 | Kildonan, | 2288 | 2132 | 31 | 30 | 61 | 3 | 1 | 4 | 19 | 12 | 31 | 7 |
| 53 | Lairg, | 1162 | 961 | 10 | 11 | 21 | – | – | – | 8 | 6 | 14 | 2 |
| 54 | Loth, | 640 | 610 | 7 | 9 | 16 | 1 | 2 | 3 | 3 | 3 | 6 | 5 |
| 55 | Rogart, | 1535 | 1439 | 11 | 11 | 22 | 3 | 2 | 5 | 10 | 9 | 19 | 4 |
| 56 | Tongue, | 2018 | 2077 | 28 | 21 | 49 | – | – | – | 15 | 12 | 27 | 5 |
| | Total, | 24720 | 24157 | 296 | 284 | 580 | 14 | 15 | 29 | 181 | 163 | 344 | 99 |
| | II. NORTH-WESTERN. | | | | | | | | | | | | |
| | 5. Ross and Cromarty. | | | | | | | | | | | | |
| | *Mainland.* | | | | | | | | | | | | |
| 57 | Alness, | 1240 | 1178 | 18 | 24 | 42 | 1 | 2 | 3 | 4 | 13 | 17 | 5 |
| 58 | Applecross— | | | | | | | | | | | | |
| | (1) Applecross, | c. 1130 | 1064 | 10 | 12 | 22 | – | 1 | 1 | 10 | 18 | 28 | 9 |
| | (2) Shieldaig, | c. 1579 | 1480 | 17 | 14 | 31 | – | 2 | 2 | 20 | 19 | 39 | 5 |
| 59 | Avoch, | 2029 | 1788 | 26 | 27 | 53 | 4 | – | 4 | 13 | 9 | 22 | 4 |
| 60 | Contin, | 1562 | 1509 | 19 | 16 | 35 | – | – | – | 9 | 6 | 15 | 8 |
| 61 | CROMARTY (incl. Burgh) | 2727 | 2300 | 27 | 22 | 49 | – | 2 | 2 | 13 | 18 | 31 | 10 |
| 62 | DINGWALL (incl. Burgh) | 2364 | 2412 | 43 | 24 | 67 | – | 2 | 2 | 22 | 25 | 47 | 17 |
| 63 | Edderton, | 890 | 836 | 11 | 8 | 19 | 2 | 1 | 3 | 5 | 7 | 12 | 4 |
| 64 | Fearn, | 2122 | 2083 | 35 | 23 | 58 | 1 | – | 1 | 14 | 24 | 38 | 8 |
| 65 | Fodderty, | 2342 | 2247 | 30 | 18 | 48 | 3 | – | 3 | 15 | 22 | 37 | 4 |
| 66 | Gairloch— | | | | | | | | | | | | |
| | (1) Northern District, | c. 1822 | 1927 | 35 | 28 | 63 | 1 | – | 1 | 21 | 22 | 43 | 3 |
| | (2) Southern District, | c. 3340 | 3522 | 46 | 43 | 89 | – | 3 | 3 | 22 | 29 | 51 | 13 |
| 67 | Glenshiel, | 573 | 485 | 5 | 7 | 12 | – | 1 | 1 | 9 | 2 | 11 | 3 |
| 68 | Killearnan, | 1794 | 1494 | 21 | 18 | 39 | 3 | 2 | 5 | 18 | 11 | 29 | 9 |
| 69 | Kilmuir-Easter, | 1437 | 1295 | 18 | 17 | 35 | – | – | – | 12 | 8 | 20 | 1 |
| 70 | Kiltearn, | 1538 | 1634 | 23 | 13 | 36 | 1 | 1 | 2 | 18 | 16 | 34 | 5 |
| 71 | Kincardine, | 1896 | 1746 | 25 | 19 | 44 | 2 | – | 2 | 7 | 10 | 17 | 5 |

| No. of District. | Registration Districts. | Population. | | Total Births, including the Illegitimate. | | | Illegitimate Births. | | | Deaths. | | | Marriages. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | 1851. | 1861. | Males. | Fem. | Total. | Mal. | Fem | Totl | Mal. | Fem | Total. | |
| 72 | Kintail, | 1009 | 890 | 6 | 9 | 15 | – | – | – | 2 | 9 | 11 | 2 |
| 73 | Knockbain, | 3005 | 2485 | 30 | 29 | 59 | 1 | 5 | 6 | 21 | 17 | 38 | 10 |
| 74 | Lochalsh, | 2299 | 2413 | 30 | 26 | 56 | – | – | – | 22 | 17 | 39 | 6 |
| 75 | Lochbroom— | | | | | | | | | | | | |
| | (1) Lochbroom, | *c.* 3540 | 3577 | 42 | 47 | 89 | 3 | 1 | 4 | 35 | 37 | 72 | 18 |
| | (2) Coigach, | *c.* 1273 | 1285 | 16 | 10 | 26 | – | – | – | 16 | 7 | 23 | 1 |
| 76 | Lochcarron, | 1612 | 1592 | 23 | 19 | 42 | 1 | – | 1 | 19 | 14 | 33 | 6 |
| 77 | Logie-Easter, | 965 | 932 | 14 | 16 | 30 | – | – | – | 8 | 9 | 17 | 5 |
| 78 | Nigg, | 1457 | 1253 | 17 | 13 | 30 | 3 | – | 3 | 11 | 13 | 24 | 6 |
| 79 | Resolis, | 1551 | 1568 | 21 | 15 | 36 | 1 | – | 1 | 14 | 7 | 21 | 8 |
| 80 | Rosemarkie (incl. Burgh of FORTROSE), | 1776 | 1545 | 15 | 15 | 30 | 2 | 1 | 3 | 20 | 12 | 32 | 9 |
| 81 | Rosskeen, | 3699 | 3766 | 58 | 51 | 109 | 4 | 2 | 6 | 33 | 29 | 62 | 17 |
| 82 | TAIN (incl. Burgh), | 3574 | 3294 | 28 | 34 | 62 | 2 | 1 | 3 | 41 | 44 | 85 | 20 |
| 83 | Tarbat, | 2151 | 2269 | 44 | 34 | 78 | 1 | – | 1 | 15 | 25 | 40 | 12 |
| 84 | Urquhart & Logie-Wester, | 3153 | 3147 | 38 | 42 | 80 | 3 | 4 | 7 | 27 | 30 | 57 | 12 |
| 85 | Urray, | 2621 | 2355 | 41 | 20 | 61 | – | – | – | 14 | 26 | 40 | 5 |
| | *Insular.* | | | | | | | | | | | | |
| *a*86 | Barvas, | 4189 | 4609 | 103 | 89 | 192 | – | – | – | 45 | 43 | 88 | 36 |
| *b*86 | Carloway, | *c.* 2120 | 2204 | 49 | 36 | 85 | – | 1 | 1 | 30 | 39 | 69 | 5 |
| 87 | Lochs, | *c.* 3109 | 3568 | 67 | 72 | 139 | – | 1 | 1 | 25 | 31 | 56 | 26 |
| 88 | STORNOWAY (incl. Town), | 8057 | 8668 | 153 | 129 | 282 | 2 | 5 | 7 | 90 | 86 | 176 | 41 |
| 89 | Uig, | *c.* 2236 | 2007 | 38 | 32 | 70 | 1 | 1 | 2 | 17 | 16 | 33 | 17 |
| | Total, | 83781 | 82427 | 1242 | 1071 | 2313 | 42 | 39 | 81 | 737 | 770 | 1507 | 375 |
| | 6. INVERNESS. | | | | | | | | | | | | |
| | *Mainland.* | | | | | | | | | | | | |
| 90 | Alvie, | 914 | 833 | 11 | 9 | 20 | – | 1 | 1 | 1 | 6 | 7 | 2 |
| 91 | Ardersier, | 1337 | 1239 | 15 | 15 | 30 | 1 | 2 | 3 | 3 | 10 | 13 | 8 |
| 92 | Boleskine & Abertarff— | | | | | | | | | | | | |
| | (1) Boleskine, | *c.* 936 | 813 | 11 | 11 | 22 | 2 | 1 | 3 | 7 | 7 | 14 | 3 |
| | (2) Fort-Augustus or Abertarff, | *c.* 1070 | 930 | 15 | 10 | 25 | 1 | – | 1 | 5 | 7 | 12 | 5 |
| 93 | Cromdale and Inverallan, | 3990 | 3943 | 58 | 42 | 100 | 11 | 5 | 16 | 34 | 43 | 77 | 33 |
| 94 | Croy and Dalcross, | 1777 | 1873 | 20 | 28 | 48 | 3 | 2 | 5 | 16 | 13 | 29 | 6 |
| 95 | Daviot and Dunlichty, | 1857 | 1741 | 14 | 26 | 40 | – | 3 | 3 | 7 | 15 | 22 | 11 |
| 96 | Dores, | 1650 | 1506 | 16 | 21 | 37 | 1 | 5 | 6 | 17 | 13 | 30 | 5 |
| 97 | Glenelg—(1) Glenelg, | *c.* 1070 | 800 | 4 | 9 | 13 | – | 2 | 2 | 8 | 11 | 19 | 2 |
| | (2) Knoydart, | *c.* 770 | 574 | 10 | 8 | 18 | – | 1 | 1 | 3 | 5 | 8 | – |
| | (3) North Morar, | *c.* 630 | 469 | 11 | 9 | 20 | 1 | 1 | 2 | 7 | 4 | 11 | 5 |
| 98 | INVERNESS (including Burgh), | 16496 | 16162 | 235 | 236 | 471 | 17 | 23 | 40 | 155 | 167 | 322 | 109 |
| 99 | Kilmonivaig— | | | | | | | | | | | | |
| | (1) Glengarry, | *c.* 710 | 625 | 5 | 6 | 11 | 2 | 1 | 3 | 2 | 4 | 6 | 2 |
| | (2) Lochaber, | *c.* 1873 | 1651 | 16 | 18 | 34 | 1 | – | 1 | 12 | 5 | 17 | 5 |
| 100 | Kilmorack, | 3007 | 2852 | 26 | 27 | 53 | 1 | 4 | 5 | 16 | 33 | 49 | 10 |
| 101 | Kiltarlity, | 2965 | 2839 | 40 | 18 | 58 | 4 | – | 4 | 17 | 25 | 42 | 16 |
| 102 | Kingussie and Insh, | 2201 | 2033 | 26 | 27 | 53 | 1 | 5 | 6 | 19 | 19 | 38 | 7 |
| 103 | Kirkhill, | 1730 | 1757 | 20 | 7 | 27 | 1 | 1 | 2 | 22 | 15 | 37 | 14 |
| 104 | Laggan, | 1223 | 986 | 7 | 11 | 18 | – | 1 | 1 | 8 | 2 | 10 | 4 |
| 105 | Moy and Dalarossie, | 1018 | 1026 | 10 | 11 | 21 | – | – | – | 7 | 11 | 18 | 3 |
| 106 | Petty, | 1784 | 1671 | 32 | 24 | 56 | 3 | 2 | 5 | 11 | 12 | 23 | 7 |
| 107 | Urquhart, etc.— | | | | | | | | | | | | |
| | (1) Urquhart, | *c.* 2585 | 2294 | 30 | 33 | 63 | 3 | 1 | 4 | 15 | 17 | 32 | 5 |
| | (2) Glenmoriston, | *c.* 695 | 617 | 10 | 8 | 18 | 1 | 2 | 3 | 1 | 5 | 6 | 0 |
| | *Insular.* | | | | | | | | | | | | |
| 108 | Barra, | 1873 | 1853 | 32 | 29 | 61 | 2 | 1 | 3 | 11 | 17 | 28 | 9 |
| 109 | Bracadale, | 1597 | 1335 | 14 | 10 | 24 | 1 | – | 1 | 10 | 13 | 23 | 6 |
| 110 | Duirinish, | 5330 | 4775 | 45 | 79 | 124 | 2 | 7 | 9 | 50 | 60 | 110 | 14 |

| No. of District. | Registration Districts. | Population. | | Total Births, including the Illegitimate. | | | Illegitimate Births. | | | Deaths. | | | Marriages. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | 1851. | 1861. | Males. | Fem. | Total. | Mal. | Fem | Totl | Mal. | Fem | Total. | |
| 111 | Harris—(1) Harris, . | 3663 | 3769 | 67 | 57 | 124 | 4 | 2 | 6 | 39 | 29 | 68 | 10 |
| | (2) Bernera, . | 477 | 336 | 7 | 5 | 12 | 2 | – | 2 | 2 | 2 | 4 | 3 |
| | (3) St Kilda, . | 110 | 78 | – | – | – | – | – | – | 2 | 2 | 4 | – |
| 112 | Kilmuir—(1) Kilmuir, . | c. 1743 | 1561 | 17 | 21 | 38 | 1 | – | 1 | 28 | 24 | 52 | 6 |
| | (2) Stenscholl, | c. 1464 | 1311 | 19 | 15 | 34 | 2 | 2 | 4 | 23 | 18 | 41 | 7 |
| 113 | North Uist, . . . | 3918 | 3959 | 44 | 49 | 93 | 1 | 2 | 3 | 32 | 29 | 61 | 24 |
| 114 | Portree—(1) Portree, . | 2805 | 2579 | 29 | 28 | 57 | 1 | 2 | 3 | 33 | 35 | 68 | 5 |
| | (2) Raasay, . | 752 | 580 | 8 | 13 | 21 | – | – | – | 4 | 4 | 8 | 6 |
| 115 | Sleat, . . . . | 2531 | 2330 | 31 | 30 | 61 | 1 | 2 | 3 | 26 | 36 | 62 | 8 |
| 116 | Small Isles, . . . | 916 | 567 | 4 | 8 | 12 | – | – | – | 1 | 5 | 6 | 3 |
| 117 | Snizort—North . | c. 3071 | 2613 | 9 | 14 | 23 | – | – | – | 19 | 13 | 32 | – |
| | South . | | | 21 | 25 | 46 | 4 | 3 | 7 | 15 | 15 | 30 | 12 |
| 118 | South Uist— | | | | | | | | | | | | |
| | (1) Benbecula, . . | 1762 | 1544 | 28 | 14 | 42 | 2 | 1 | 3 | 10 | 8 | 18 | 11 |
| | (2) Howmore, . . | c. 2040 | 1763 | 29 | 33 | 62 | 3 | 3 | 6 | 18 | 18 | 36 | 24 |
| | (3) Boisdale, . . | c. 2371 | 2051 | 36 | 31 | 67 | 3 | 2 | 5 | 20 | 12 | 32 | 1 |
| 119 | Strath, . . . . | 3243 | 2664 | 34 | 28 | 62 | – | 2 | 2 | 41 | 33 | 74 | 7 |
| | Total, | 91954 | 84902 | 1116 | 1103 | 2219 | 83 | 92 | 175 | 777 | 822 | 1599 | 418 |
| | III. NORTH-EASTERN. | | | | | | | | | | | | |
| | 7. Nairn. | | | | | | | | | | | | |
| 120 | Ardclach, . . . | 1278 | 1330 | 19 | 13 | 32 | 1 | – | 1 | 9 | 11 | 20 | 5 |
| 121 | Auldearn, . . . | 1480 | 1328 | 15 | 18 | 33 | 4 | 1 | 5 | 9 | 7 | 16 | 4 |
| 122 | Cawdor, . . . . | 1202 | 1203 | 18 | 12 | 30 | 4 | – | 4 | 8 | 8 | 16 | 8 |
| 123 | NAIRN (incl. Burgh), . | 4116 | 4486 | 77 | 67 | 144 | 10 | 5 | 15 | 46 | 46 | 92 | 26 |
| | Total, | 8076 | 8347 | 129 | 110 | 239 | 19 | 6 | 25 | 72 | 72 | 144 | 43 |
| | 8. Elgin (or Moray). | | | | | | | | | | | | |
| 124 | Abernethy & Kincardine, | 1871 | 1928 | 23 | 29 | 52 | 6 | 6 | 12 | 21 | 18 | 39 | 3 |
| 125 | Alves, . . . . | 919 | 1010 | 16 | 13 | 29 | 1 | 4 | 5 | 11 | 12 | 23 | 6 |
| 126 | Bellie, . . . . | 2017 | 1967 | 37 | 19 | 56 | 3 | 1 | 4 | 17 | 16 | 33 | 7 |
| 127 | Birnie, . . . . | 427 | 411 | 5 | 3 | 8 | – | – | – | 1 | 1 | 2 | 4 |
| 128 | Boharm, . . . . | 1368 | 1412 | 16 | 31 | 47 | 1 | 6 | 7 | 9 | 10 | 19 | 10 |
| 129 | Dallas, . . . . | 1226 | 1102 | 10 | 13 | 23 | 1 | 4 | 5 | 9 | 9 | 18 | 7 |
| 130 | Drainy, . . . . | 1856 | 3028 | 58 | 61 | 119 | 6 | 6 | 12 | 29 | 24 | 53 | 27 |
| 131 | Duffus, . . . . | 2983 | 3308 | 74 | 72 | 146 | 7 | 8 | 15 | 25 | 27 | 52 | 26 |
| 132 | Duthil, etc.—(1) Duthil, | c. 1493 | 1609 | 16 | 23 | 39 | 3 | 2 | 5 | 13 | 7 | 20 | 2 |
| | (2) Rothiemurchus, . | c. 295 | 319 | 7 | 5 | 12 | 1 | 2 | 3 | 1 | 4 | 5 | – |
| 133 | Dyke, . . . . | 1369 | 1247 | 22 | 13 | 35 | 4 | – | 4 | 20 | 15 | 35 | 7 |
| 134 | Edinkillie, . . . | 1343 | 1303 | 19 | 21 | 40 | 4 | 4 | 8 | 19 | 11 | 30 | 7 |
| 135 | ELGIN (incl. Burgh), . | 8231 | 9866 | 148 | 160 | 308 | 21 | 21 | 42 | 114 | 125 | 239 | 58 |
| 136 | New Spynie, . . . | 445 | 518 | 12 | 7 | 19 | 2 | 2 | 4 | 3 | 4 | 7 | 3 |
| 137 | FORRES (incl. Burgh), . | 4069 | 4112 | 67 | 64 | 131 | 9 | 8 | 17 | 42 | 51 | 93 | 17 |
| 138 | Kinloss, . . . . | 1370 | 1315 | 16 | 21 | 37 | 1 | 1 | 2 | 11 | 11 | 22 | 6 |
| 139 | Knockando, . . . | 1771 | 1736 | 22 | 25 | 47 | 1 | 4 | 5 | 19 | 18 | 37 | 3 |
| 140 | Rafford, . . . . | 1020 | 1055 | 18 | 16 | 34 | – | 1 | 1 | 8 | 11 | 19 | 5 |
| 141 | Rothes, . . . . | 2022 | 2407 | 46 | 46 | 92 | 4 | 7 | 11 | 21 | 30 | 51 | 17 |
| 142 | St Andrews Lhanbryde, | 1208 | 1344 | 23 | 22 | 45 | 3 | 3 | 6 | 9 | 10 | 19 | 7 |
| 143 | Speymouth, . . . | 685 | 689 | 12 | 10 | 22 | – | 1 | 1 | 8 | 10 | 18 | 4 |
| 144 | Urquhart, . . . | 2544 | 2532 | 41 | 38 | 79 | 3 | 4 | 7 | 17 | 12 | 29 | 16 |
| | Total, | 40532 | 44218 | 708 | 712 | 1420 | 81 | 95 | 176 | 427 | 436 | 863 | 242 |
| | 9. Banff. | | | | | | | | | | | | |
| 145 | Aberlour, . . . | 1447 | 1665 | 40 | 19 | 59 | 3 | 4 | 7 | 11 | 10 | 21 | 13 |
| 146 | Alvah, . . . . | 1402 | 1467 | 23 | 11 | 34 | 3 | 2 | 5 | 10 | 5 | 15 | 8 |
| 147 | BANFF—(1) Burgh, . | 6084 | 6791 | 131 | 119 | 250 | 18 | 14 | 32 | 77 | 65 | 142 | 44 |
| | (2) Landward, | 869 | 949 | 20 | 12 | 32 | 2 | 3 | 5 | 2 | 4 | 6 | 7 |
| 148 | Botriphnie, . . . | 713 | 867 | 14 | 15 | 29 | 6 | 4 | 10 | 2 | 4 | 6 | 6 |
| 149 | Boyndie, . . . | 1564 | 1711 | 32 | 30 | 62 | 6 | 5 | 11 | 12 | 17 | 29 | 11 |

| No. of District. | Registration Districts. | Population. | | Total Births, including the Illegitimate. | | | Illegitimate Births. | | | Deaths. | | | Marriages. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | 1851. | 1861. | Males. | Fem. | Total. | Mal. | Fem | Totl | Mal. | Fem | Total. | |
| 150 | CULLEN (pt. of Burgh), | 1697 | 1821 | 52 | 25 | 77 | 6 | 4 | 10 | 13 | 14 | 27 | 6 |
| 151 | Deskford, . . . . | 917 | 1031 | 15 | 18 | 33 | – | 4 | 4 | 13 | 14 | 27 | 4 |
| 152 | Enzie, . . . . . | c. 1872 | 2072 | 27 | 31 | 58 | 6 | 4 | 10 | 15 | 13 | 28 | 12 |
| 153 | Fordyce, . . . . | 3807 | 4145 | 79 | 75 | 154 | 14 | 17 | 31 | 38 | 32 | 70 | 25 |
| 154 | Forglen, . . . . . | 695 | 783 | 12 | 10 | 22 | 1 | 1 | 2 | 10 | 2 | 12 | 4 |
| 155 | Gamrie, . . . . . | 2758 | 3019 | 47 | 50 | 97 | 8 | 4 | 12 | 19 | 26 | 45 | 25 |
| 156 | Grange, . . . . . | 1851 | 1909 | 30 | 31 | 61 | 6 | 4 | 10 | 16 | 15 | 31 | 14 |
| 157 | Inveravon—(1) Inveravon, | c. 894 | 868 | 9 | 11 | 20 | 3 | 1 | 4 | 4 | 5 | 9 | 4 |
| | (2) Auchbreck, | c. 1820 | 1771 | 28 | 13 | 41 | 5 | 1 | 6 | 14 | 14 | 28 | 10 |
| 158 | Inverkeithny, . . . . | 835 | 880 | 14 | 16 | 30 | 4 | 2 | 6 | 4 | 6 | 10 | 2 |
| 159 | Keith, . . . . . | 4986 | 5943 | 102 | 100 | 202 | 20 | 17 | 37 | 46 | 50 | 96 | 35 |
| 160 | Kirkmichael, etc.— | | | | | | | | | | | | |
| | (1) Kirkmichael, . | c. 568 | 551 | 4 | 4 | 8 | 1 | – | 1 | 2 | 4 | 6 | 2 |
| | (2) Tomintoul, . . | c. 990 | 960 | 10 | 13 | 23 | 2 | 3 | 5 | 8 | 21 | 29 | 5 |
| 161 | Marnoch, . . . . | 2994 | 3289 | 60 | 45 | 105 | 16 | 10 | 26 | 31 | 34 | 65 | 20 |
| 162 | Mortlach, . . . . | 2804 | 3095 | 61 | 44 | 105 | 16 | 6 | 22 | 21 | 26 | 47 | 16 |
| 163 | Ordiquhill, . . . . | 644 | 764 | 11 | 9 | 20 | 1 | 2 | 3 | 5 | 3 | 8 | 6 |
| 164 | Rathven (incl. Buckie, Town), . . . . | c. 4664 | 4922 | 108 | 99 | 207 | 12 | 13 | 25 | 37 | 34 | 71 | 39 |
| 165 | Rothiemay, . . . . | 1413 | 1414 | 24 | 17 | 41 | 6 | 3 | 9 | 19 | 13 | 32 | 5 |
| 166 | St Fergus, . . . . | 1597 | 1608 | 23 | 26 | 49 | 2 | 5 | 7 | 6 | 18 | 24 | 4 |
| 167 | Seafield (pt. of CULLEN, Burgh), . . . . | c. 1468 | 1725 | 39 | 25 | 64 | 2 | 1 | 3 | 14 | 20 | 34 | 12 |
| | Total, | 51353 | 56020 | 1015 | 868 | 1883 | 169 | 134 | 303 | 449 | 469 | 918 | 339 |
| | 10. Aberdeen. | | | | | | | | | | | | |
| 168 | ABERDEEN— | | | | | | | | | | | | |
| | (1) St Nicholas (Burgh), | 41465 | 41962 | 803 | 824 | 1627 | 128 | 143 | 271 | 608 | 582 | 1190 | 306 |
| | (2) Old Machar (Burgh), | 30503 | 31938 | 488 | 466 | 954 | 68 | 69 | 137 | 330 | 403 | 733 | 288 |
| | (3) Do. (Landward), | 1254 | 1298 | 17 | 17 | 34 | 2 | 4 | 6 | 8 | 5 | 13 | 6 |
| 169 | Aberdour, . . . . | 1707 | 1837 | 42 | 24 | 66 | 5 | 5 | 10 | 12 | 18 | 30 | 9 |
| 170 | Aboyne, . . . . . | 1108 | 1160 | 16 | 13 | 29 | 1 | – | 1 | 8 | 4 | 12 | 4 |
| 171 | Alford, . . . . . | 1143 | 1264 | 20 | 29 | 49 | 2 | 5 | 7 | 14 | 11 | 25 | 10 |
| 172 | Auchindoir, . . . . | 1369 | 1593 | 28 | 33 | 61 | 6 | 6 | 12 | 8 | 13 | 21 | 4 |
| 173 | Auchterless, . . . . | 1837 | 2010 | 37 | 35 | 72 | 9 | 4 | 13 | 16 | 11 | 27 | 8 |
| 174 | Belhelvie, . . . . | 1692 | 1807 | 30 | 35 | 65 | 3 | 4 | 7 | 11 | 9 | 20 | 7 |
| 175 | Birse, . . . . . | 1533 | 1284 | 15 | 19 | 34 | 2 | 3 | 5 | 6 | 11 | 17 | 6 |
| 176 | Bourtie, . . . . . | 529 | 547 | 7 | 5 | 12 | – | 1 | 1 | 3 | 2 | 5 | 2 |
| 177 | Cabrach, . . . . | 750 | 794 | 6 | 16 | 22 | 2 | 3 | 5 | 7 | 7 | 14 | 9 |
| 178 | Cairney, . . . . . | 1565 | 1490 | 21 | 21 | 42 | 5 | 4 | 9 | 17 | 14 | 31 | 12 |
| 179 | Chapel of Garioch, . . | 2102 | 2023 | 29 | 30 | 59 | 6 | 5 | 11 | 13 | 14 | 27 | 13 |
| 180 | Clatt, . . . . . | 543 | 511 | 6 | 5 | 11 | 1 | 1 | 2 | 7 | 3 | 10 | 2 |
| 181 | Cluny, . . . . . | 1149 | 1254 | 21 | 19 | 40 | 5 | 2 | 7 | 9 | 5 | 14 | 5 |
| 182 | Coull, . . . . . | 734 | 792 | 13 | 12 | 25 | – | 2 | 2 | 2 | 6 | 8 | 5 |
| 183 | Crathie and Braemar, . | 1788 | 1574 | 22 | 23 | 45 | 5 | 5 | 10 | 10 | 11 | 21 | 6 |
| 184 | Crimond, . . . . | 893 | 892 | 12 | 9 | 21 | 3 | 2 | 5 | 6 | 8 | 14 | 9 |
| 185 | Cruden, . . . . . | 2479 | 2743 | 56 | 37 | 93 | 15 | 6 | 21 | 20 | 15 | 35 | 21 |
| 186 | Culsamond, . . . . | 1042 | 1165 | 16 | 11 | 27 | – | 1 | 1 | 12 | 4 | 16 | 3 |
| 187 | Daviot, . . . . . | 601 | 614 | 10 | 4 | 14 | 1 | – | 1 | 4 | 2 | 6 | 6 |
| 188 | Drumblade, . . . . | 949 | 926 | 10 | 8 | 18 | 3 | – | 3 | 16 | 8 | 24 | 7 |
| 189 | Drumoak, . . . . | 948 | 996 | 15 | 12 | 27 | 1 | 2 | 3 | 6 | 12 | 18 | 9 |
| 190 | Dyce, . . . . . | 470 | 585 | 7 | 9 | 16 | 1 | 4 | 5 | 4 | 5 | 9 | 2 |
| 191 | Echt, . . . . . | 1206 | 1287 | 12 | 22 | 34 | 1 | 5 | 6 | 11 | 7 | 18 | 3 |
| 192 | Ellon, . . . . . | c. 2750 | 3239 | 46 | 64 | 110 | 11 | 5 | 16 | 25 | 25 | 50 | 20 |
| 193 | Fintray, . . . . . | 1080 | 1003 | 21 | 7 | 28 | 1 | – | 1 | 8 | 5 | 13 | 3 |
| 194 | Forgue, . . . . . | 2626 | 2686 | 50 | 40 | 90 | 11 | 7 | 18 | 19 | 24 | 43 | 18 |
| 195 | Foveran, . . . . | 1638 | 1891 | 30 | 31 | 61 | 3 | 4 | 7 | 12 | 9 | 21 | 7 |
| 196 | Fraserburgh (incl Twn.), | 4447 | 4511 | 96 | 79 | 175 | 11 | 7 | 18 | 36 | 40 | 76 | 37 |
| 197 | Fyvie, . . . . . | 3927 | 4344 | 100 | 65 | 165 | 14 | 10 | 24 | 22 | 35 | 57 | 26 |
| 198 | Gartly, . . . . . | 990 | 1029 | 12 | 18 | 30 | 5 | 2 | 7 | 6 | 10 | 16 | 5 |

| No. of District. | Registration Districts. | Population. | | Total Births, including the Illegitimate. | | | Illegitimate Births. | | | Deaths. | | | Marriages. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | 1851. | 1861. | Males. | Fem. | Total. | Mal. | Fem | Totl | Mal. | Fem | Total. | |
| 199 | Glass, | 972 | 1049 | 15 | 18 | 33 | 3 | 7 | 10 | 9 | 7 | 16 | 9 |
| 200 | Glenbucket, | 542 | 552 | 13 | 9 | 22 | 6 | 2 | 8 | 1 | 6 | 7 | 9 |
| 201 | Glenmuick, Tullich, and Glengairn, | 1984 | 1668 | 25 | 27 | 52 | 3 | 4 | 7 | 17 | 18 | 35 | 1 |
| 202 | Huntly (incl. Town), | 4061 | 4329 | 82 | 73 | 155 | 20 | 7 | 27 | 48 | 49 | 97 | 25 |
| 203 | Insch, | 1519 | 1565 | 38 | 28 | 66 | 10 | 5 | 15 | 24 | 15 | 39 | 10 |
| 204 | INVERURY (including part of Burgh), | c. 2649 | 2668 | 56 | 48 | 104 | 12 | 9 | 21 | 29 | 35 | 64 | 12 |
| 205 | Keig, | 772 | 811 | 18 | 14 | 32 | 3 | 1 | 4 | 10 | 3 | 13 | 3 |
| 206 | Keithhall, | 920 | 933 | 17 | 8 | 25 | 1 | – | 1 | 3 | 9 | 12 | 4 |
| 207 | Kemnay, | 680 | 832 | 19 | 14 | 33 | 2 | 2 | 4 | 7 | 4 | 11 | 8 |
| 208 | Kildrummy, | 643 | 590 | 9 | 8 | 17 | 1 | – | 1 | 5 | 4 | 9 | 3 |
| 209 | Kincardine O'Neil, | 2098 | 2186 | 34 | 35 | 69 | 4 | 7 | 11 | 18 | 18 | 36 | 16 |
| 210 | King-Edward, | 2749 | 2843 | 42 | 35 | 77 | 4 | 7 | 11 | 18 | 19 | 37 | 17 |
| 211 | Kinnellar, | 590 | 691 | 12 | 12 | 24 | 1 | 1 | 2 | 10 | 2 | 12 | 5 |
| 212 | Kinnethmont, | 1108 | 1187 | 15 | 23 | 38 | 4 | 7 | 11 | 10 | 15 | 25 | 6 |
| 213 | KINTORE (incl. Burgh, and part of Burgh of INVERURY), | 1342 | 1895 | 44 | 19 | 63 | 4 | – | 4 | 20 | 16 | 36 | 8 |
| 214 | Leochel-Cushnie, | 1068 | 1173 | 25 | 18 | 43 | 6 | 4 | 10 | 5 | 6 | 11 | 9 |
| 215 | Leslie, | 559 | 577 | 10 | 4 | 14 | 1 | – | 1 | 11 | 4 | 15 | 3 |
| 216 | Logie-Buchan, | 724 | 762 | 12 | 10 | 22 | – | – | – | 7 | 13 | 20 | 8 |
| 217 | Logie-Coldstone, | 889 | 932 | 9 | 16 | 25 | 2 | 2 | 4 | 5 | 9 | 14 | 12 |
| 218 | Longside, | 2952 | 3008 | 41 | 56 | 97 | 6 | 10 | 16 | 21 | 23 | 44 | 26 |
| 219 | Lonmay, | 1964 | 2142 | 30 | 29 | 59 | 4 | 4 | 8 | 17 | 9 | 26 | 15 |
| 220 | Lumphanan, | 1088 | 1251 | 26 | 15 | 41 | 6 | 4 | 10 | 15 | 6 | 21 | 9 |
| 221 | Methlic, | 1997 | 2157 | 36 | 23 | 59 | 4 | 2 | 6 | 15 | 15 | 30 | 16 |
| 222 | Midmar, | 1166 | 1091 | 18 | 15 | 33 | 2 | 3 | 5 | 6 | 10 | 16 | 7 |
| 223 | Monquhitter, | 2295 | 2580 | 49 | 47 | 96 | 12 | 9 | 21 | 26 | 27 | 53 | 15 |
| 224 | Monymusk, | 940 | 988 | 10 | 11 | 21 | – | – | – | 4 | 8 | 12 | 3 |
| 225 | New Deer, | c. 3383 | 3736 | 67 | 59 | 126 | 8 | 7 | 15 | 21 | 25 | 46 | 21 |
| 226 | Newhills, | 3325 | 3463 | 57 | 54 | 111 | 6 | 3 | 9 | 29 | 22 | 51 | 29 |
| a227 | New Machar, | c. 1338 | 1556 | 17 | 16 | 33 | 1 | 1 | 2 | 7 | 8 | 15 | 10 |
| b227 | New Pitsligo, | c. 2425 | 2609 | 40 | 45 | 85 | 9 | 6 | 15 | 20 | 28 | 48 | 21 |
| 228 | Old Deer, | c. 4025 | 4392 | 76 | 72 | 148 | 15 | 13 | 28 | 32 | 45 | 77 | 26 |
| 229 | Old Meldrum, | 2002 | 2343 | 41 | 46 | 87 | 8 | 3 | 11 | 17 | 26 | 43 | 10 |
| 230 | Oyne, | 919 | 1127 | 14 | 14 | 28 | 3 | 3 | 6 | 6 | 10 | 16 | 4 |
| 231 | Peterculter, | 1351 | 1410 | 21 | 16 | 37 | 4 | 2 | 6 | 12 | 12 | 24 | 10 |
| 232 | PETERHEAD (including Burgh), | 9429 | 9796 | 223 | 165 | 388 | 23 | 17 | 40 | 80 | 71 | 151 | 71 |
| 233 | Pitsligo, | 1801 | 1890 | 54 | 40 | 94 | 7 | 5 | 12 | 13 | 27 | 40 | 13 |
| 234 | Premnay, | 793 | 916 | 17 | 17 | 34 | 3 | 2 | 5 | 7 | 10 | 17 | 4 |
| 235 | Rathen, | 2368 | 2554 | 48 | 36 | 84 | 7 | 9 | 16 | 18 | 19 | 37 | 14 |
| 236 | Rayne, | 1550 | 1514 | 24 | 22 | 46 | 2 | 3 | 5 | 9 | 21 | 30 | 8 |
| a237 | Rhynie, | 1017 | 1061 | 17 | 16 | 33 | 1 | 3 | 4 | 5 | 8 | 13 | 6 |
| b237 | Savoch, | c. 1852 | 2061 | 29 | 30 | 59 | 5 | 10 | 15 | 12 | 13 | 25 | 8 |
| 238 | Skene, | 1862 | 1831 | 30 | 25 | 55 | 5 | 3 | 8 | 10 | 12 | 22 | 12 |
| 239 | Slains, | 1232 | 1266 | 22 | 22 | 44 | 3 | 3 | 6 | 2 | 11 | 13 | 9 |
| 240 | Strathdon, | 1531 | 1459 | 18 | 17 | 35 | – | 2 | 2 | 7 | 18 | 25 | 11 |
| 241 | Strichen, | c. 2223 | 2409 | 44 | 40 | 84 | 7 | 10 | 17 | 19 | 31 | 50 | 18 |
| 242 | Tarland, | 1197 | 1246 | 13 | 26 | 39 | 2 | 3 | 5 | 5 | 4 | 9 | 5 |
| 243 | Tarves, | c. 2339 | 2377 | 23 | 31 | 54 | 7 | 9 | 16 | 19 | 29 | 48 | 10 |
| 244 | Tough, | 891 | 874 | 12 | 16 | 28 | 6 | 3 | 9 | 7 | 12 | 19 | 4 |
| 245 | Towie, | 758 | 839 | 8 | 14 | 22 | – | 2 | 2 | 9 | 5 | 14 | 2 |
| 246 | Tullynessle and Forbes, | 930 | 957 | 22 | 8 | 30 | 7 | 1 | 8 | 3 | 5 | 8 | 2 |
| 247 | Turriff, | 3584 | 3693 | 65 | 76 | 141 | 10 | 17 | 27 | 37 | 27 | 64 | 21 |
| 248 | Tyrie, | c. 775 | 833 | 13 | 10 | 23 | 2 | – | 2 | 5 | 12 | 17 | 9 |
| 249 | Udny, | c. 1473 | 1623 | 33 | 30 | 63 | 3 | 1 | 4 | 14 | 19 | 33 | 16 |
| | Total, | 213461 | 223344 | 3867 | 3620 | 7487 | 606 | 559 | 1165 | 2082 | 2218 | 4300 | 1511 |

| No. of District. | Registration Districts. | Population. | | Total Births, including the Illegitimate. | | | Illegitimate Births. | | | Deaths. | | | Marriages. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | 1851. | 1861. | Males. | Fem. | Total. | Mal. | Fem | Totl | Mal. | Fem | Total. | |
| | 11. Kincardine. | | | | | | | | | | | | |
| 250 | Arbuthnot, . . . . | 1002 | 932 | 8 | 14 | 22 | 1 | 5 | 6 | 3 | 4 | 7 | 6 |
| 251 | Banchory-Devenick— | | | | | | | | | | | | |
| | (1) Ban.-Devenick (incl. pt. of ABERDEEN, Burgh), . . . | c. 1298 | 1232 | 26 | 26 | 52 | 1 | 3 | 4 | 12 | 13 | 25 | 7 |
| | (2) Portlethen, . . | c. 1780 | 1687 | 26 | 24 | 50 | 8 | 6 | 14 | 15 | 10 | 25 | 12 |
| 252 | Banchory-Ternan, . . | 2462 | 2947 | 45 | 46 | 91 | 8 | 4 | 12 | 33 | 30 | 63 | 13 |
| 253 | Benholm, . . . . | 1641 | 1574 | 29 | 22 | 51 | 5 | 1 | 6 | 11 | 18 | 29 | 10 |
| 254 | BERVIE (or Inverbervie) —(incl. Burgh), . . | 1459 | 1561 | 17 | 30 | 47 | 6 | 4 | 10 | 12 | 12 | 24 | 9 |
| 255 | Dunnottar (incl. part of Stonehaven, Town), . | 1949 | 1828 | 30 | 18 | 48 | 5 | 2 | 7 | 13 | 17 | 30 | 25 |
| 256 | Durris, . . . . | 962 | 1109 | 28 | 18 | 46 | 4 | 2 | 6 | 13 | 5 | 18 | 13 |
| 257 | Fettercairn, . . . | 1741 | 1700 | 29 | 27 | 56 | 2 | 5 | 7 | 14 | 18 | 32 | 12 |
| 258 | Fetteresso— | | | | | | | | | | | | |
| | (1) Fetteresso (incl. pt. of Stonehaven, Town), | c. 3730 | 3575 | 34 | 58 | 92 | 5 | 12 | 17 | 34 | 34 | 68 | 24 |
| | (2) Cookney, . . | c. 1990 | 1952 | 27 | 26 | 53 | 6 | 4 | 10 | 15 | 9 | 24 | 13 |
| 259 | Fordoun, . . . | 2386 | 2297 | 31 | 33 | 64 | 1 | 4 | 5 | 14 | 16 | 30 | 9 |
| 260 | Garvock, . . . | 457 | 458 | 6 | 6 | 12 | – | 2 | 2 | – | 4 | 4 | 4 |
| 261 | Glenbervie, . . . | 1239 | 1219 | 10 | 13 | 23 | – | 1 | 1 | 7 | 7 | 14 | 12 |
| 262 | Kinneff and Catterline, . | 1069 | 1054 | 18 | 20 | 38 | 1 | 3 | 4 | 4 | 7 | 11 | 4 |
| 263 | Laurencekirk, . . | 2125 | 2110 | 29 | 36 | 65 | 5 | 9 | 14 | 27 | 17 | 44 | 10 |
| 264 | Maryculter, . . . | 1055 | 1055 | 18 | 19 | 37 | 2 | 4 | 6 | 6 | 4 | 10 | 9 |
| 265 | Marykirk, . . . | 2232 | 2068 | 33 | 30 | 63 | 5 | – | 5 | 23 | 15 | 38 | 16 |
| 266 | Nigg, . . . . | 1841 | 2074 | 35 | 31 | 66 | 11 | 3 | 14 | 18 | 14 | 32 | 18 |
| 267 | St Cyrus, . . . | 1579 | 1552 | 23 | 24 | 47 | 1 | 3 | 4 | 15 | 12 | 27 | 9 |
| 268 | Strachan, . . . | 947 | 870 | 11 | 14 | 25 | 3 | 3 | 6 | 2 | 6 | 8 | 10 |
| | Total, | 34944 | 34854 | 513 | 535 | 1048 | 80 | 80 | 160 | 291 | 272 | 563 | 245 |
| | IV. EAST-MIDLAND. | | | | | | | | | | | | |
| | 12. Forfar. | | | | | | | | | | | | |
| 269 | Aberlemno, . . . | 1116 | 1054 | 16 | 15 | 31 | 3 | 3 | 6 | 1 | 4 | 5 | 11 |
| 270 | Airlie, . . . . | 856 | 845 | 15 | 14 | 29 | 1 | 2 | 3 | 10 | 10 | 20 | 5 |
| 271 | Arbirlot, . . . | 990 | 960 | 16 | 15 | 31 | 2 | 1 | 3 | 5 | 6 | 11 | 6 |
| 272 | ARBROATH (incl. Bur.), | 17238 | 17831 | 317 | 290 | 607 | 26 | 27 | 53 | 204 | 231 | 435 | 117 |
| 273 | Auchterhouse, . . | 686 | 706 | 9 | 12 | 21 | 1 | 3 | 4 | 1 | 3 | 4 | – |
| 274 | Barry, . . . . | 2175 | 2465 | 34 | 29 | 63 | 1 | 3 | 4 | 21 | 25 | 46 | 13 |
| 275 | BRECHIN (incl. Burgh), | 8210 | 8810 | 153 | 130 | 283 | 22 | 21 | 43 | 72 | 95 | 167 | 51 |
| 276 | Carmylie, . . . | 1240 | 1286 | 29 | 16 | 45 | 3 | 1 | 4 | 7 | 3 | 10 | 12 |
| 277 | Careston, . . . | 207 | 225 | 4 | 1 | 5 | – | – | – | 3 | 1 | 4 | 1 |
| 278 | Cortachy and Clova, . | 722 | 653 | 5 | 8 | 13 | 2 | 1 | 3 | 4 | 4 | 8 | 4 |
| 279 | Coupar-Angus, . . | 2685 | 2642 | 31 | 49 | 80 | 4 | 9 | 13 | 28 | 31 | 59 | 12 |
| 280 | Craig (incl. part of MONTROSE, Burgh), . | 1934 | 2177 | 53 | 28 | 81 | 4 | 1 | 5 | 28 | 12 | 40 | 17 |
| 281 | Dun, . . . . | 522 | 552 | 10 | 4 | 14 | 2 | 1 | 3 | 1 | 1 | 2 | 3 |
| 282 | DUNDEE— | | | | | | | | | | | | |
| | (1) First District, . | c.39960 | 44064 | 893 | 837 | 1730 | 92 | 92 | 184 | 615 | 609 | 1224 | 356 |
| | (2) Second District, . | c.34835 | 40813 | 831 | 751 | 1582 | 116 | 103 | 219 | 581 | 608 | 1189 | 331 |
| | (3) Third (or Lochee) Dis. | c. 5232 | 6787 | 155 | 106 | 261 | 30 | 13 | 43 | 93 | 93 | 186 | 49 |
| 283 | Dunnichen, . . . | 1884 | 1932 | 26 | 28 | 54 | 4 | 4 | 8 | 7 | 19 | 26 | 13 |
| 284 | Eassie and Nevay, . | 706 | 748 | 13 | 13 | 26 | – | 1 | 1 | 7 | 4 | 11 | 4 |
| 285 | Edzell, . . . . | 1084 | 1025 | 17 | 16 | 33 | 1 | 2 | 3 | 9 | 7 | 16 | 15 |
| 286 | Farnell, . . . | 650 | 703 | 9 | 7 | 16 | 1 | – | 1 | 6 | 5 | 11 | 1 |
| 287 | Fearn, . . . . | 392 | 439 | 3 | 7 | 10 | 1 | – | 1 | 4 | 5 | 9 | 1 |
| 288 | FORFAR (incl. Burgh), | 11009 | 10838 | 224 | 178 | 402 | 44 | 30 | 74 | 158 | 155 | 313 | 82 |
| 289 | Glammis, . . . | 2152 | 1980 | 35 | 34 | 69 | 3 | 2 | 5 | 16 | 8 | 24 | 13 |
| 290 | Glenisla, . . . | 1050 | 1008 | 13 | 13 | 26 | – | – | – | 14 | 11 | 25 | 5 |

| No. of District. | Registration Districts. | Population. | | Total Births, including the Illegitimate. | | | Illegitimate Births. | | | Deaths. | | | Marriages. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | 1851. | 1861. | Males. | Fem. | Total. | Mal. | Fem | Totl | Mal. | Fem | Total. | |
| 291 | Guthrie, . . . | 469 | 476 | 6 | 7 | 13 | – | 1 | 1 | 3 | 5 | 8 | 4 |
| 292 | Inverarity, . . . | 948 | 961 | 12 | 18 | 30 | 3 | 2 | 5 | 5 | 8 | 13 | 4 |
| 293 | Inverkeillor, . . . | 1871 | 1792 | 33 | 15 | 48 | – | – | – | 14 | 8 | 22 | 11 |
| 294 | Kettins, . . . | 995 | 962 | 16 | 15 | 31 | 3 | 1 | 4 | 4 | 6 | 10 | 7 |
| 295 | Kingoldrum, . . . | 429 | 473 | 11 | 6 | 17 | – | – | – | 2 | 2 | 4 | 2 |
| 296 | Kinnell, . . . | 826 | 816 | 21 | 9 | 30 | 3 | 1 | 4 | 1 | 3 | 4 | 3 |
| 297 | Kinnettles, . . . | 460 | 447 | 9 | 6 | 15 | 1 | – | 1 | 4 | 5 | 9 | 1 |
| 298 | Kirkden, . . . | 1763 | 1862 | 36 | 33 | 69 | 4 | 3 | 7 | 11 | 17 | 28 | 11 |
| 299 | Kirriemuir (incl. Town), | 7617 | 7359 | 118 | 100 | 218 | 20 | 18 | 38 | 76 | 62 | 138 | 34 |
| 300 | Lethnott and Navar, . | 408 | 446 | 6 | 10 | 16 | 1 | – | 1 | – | 1 | 1 | 2 |
| 301 | Liff, Benvie, and Invergowrie, . . . | 1467 | 1430 | 23 | 25 | 48 | – | 3 | 3 | 5 | 9 | 14 | 10 |
| 302 | Lintrathen, . . . | 926 | 898 | 9 | 14 | 23 | 3 | 4 | 7 | 5 | 4 | 9 | 3 |
| 303 | Lochlee, . . . | 615 | 495 | 7 | 7 | 14 | 1 | 1 | 2 | 5 | 3 | 8 | 2 |
| 304 | Logie-Pert, . . . | 1609 | 1483 | 19 | 11 | 30 | 1 | 1 | 2 | 7 | 8 | 15 | 8 |
| 305 | Lunan, . . . | 279 | 259 | 2 | 6 | 8 | – | – | – | 1 | 2 | 3 | 3 |
| 306 | Lundie, . . . | 450 | 442 | 8 | 9 | 17 | – | 1 | 1 | 1 | 2 | 3 | 1 |
| 307 | Mains, etc.—(1) Mains, . | 1299 | 1392 | 25 | 14 | 39 | 4 | 3 | 7 | 16 | 13 | 29 | 4 |
| | (2) Strathmartine, . | 735 | 789 | 19 | 10 | 29 | 2 | 1 | 3 | 6 | 4 | 10 | 4 |
| 308 | Marytown, . . . | 366 | 417 | 6 | 5 | 11 | 2 | – | 2 | 3 | 1 | 4 | 5 |
| 309 | Menmuir, . . . | 693 | 796 | 9 | 12 | 21 | – | – | – | 4 | 5 | 9 | 2 |
| 310 | Monifieth (including part of Broughty-Ferry), | 4267 | 5052 | 94 | 104 | 198 | 9 | 9 | 18 | 53 | 61 | 114 | 35 |
| 311 | Monikie, . . . | 1317 | 1460 | 24 | 18 | 42 | 4 | – | 4 | 7 | 8 | 15 | 6 |
| 312 | MONTROSE (incl. part of Burgh), . . . | 16037 | 15668 | 225 | 233 | 458 | 18 | 17 | 35 | 191 | 221 | 412 | 106 |
| 313 | Murroes, . . . | 643 | 763 | 17 | 12 | 29 | – | – | – | 9 | 8 | 17 | 4 |
| 314 | Newtyle, . . . | 1141 | 1139 | 20 | 16 | 36 | 3 | 1 | 4 | 11 | 9 | 20 | 10 |
| 315 | Oathlaw, . . . | 424 | 399 | 9 | 4 | 13 | – | – | – | 3 | 3 | 6 | 1 |
| 316 | Panbride, . . . | 1372 | 1299 | 28 | 23 | 51 | 2 | 2 | 4 | 8 | 9 | 17 | 11 |
| 317 | Rescobie, . . . | 711 | 747 | 18 | 6 | 24 | 1 | – | 1 | 6 | 4 | 10 | 4 |
| 318 | Ruthven, . . . | 503 | 265 | 4 | 3 | 7 | – | 1 | 1 | 4 | 2 | 6 | 2 |
| 319 | St Vigeans, . . . | 2591 | 2553 | 37 | 52 | 89 | 3 | 5 | 8 | 13 | 28 | 41 | 13 |
| 320 | Stracathro, . . . | 505 | 546 | 10 | 4 | 14 | – | 2 | 2 | 3 | 6 | 9 | 2 |
| 321 | Tannadice, . . . | 1517 | 1438 | 22 | 16 | 38 | 2 | 2 | 4 | 10 | 9 | 19 | 10 |
| 322 | Tealing, . . . | 844 | 883 | 9 | 16 | 25 | – | – | – | 5 | 8 | 13 | 12 |
| | Total, | 193627 | 206750 | 3823 | 3440 | 7263 | 453 | 399 | 852 | 2391 | 2494 | 4885 | 1459 |
| | 13. Perth. | | | | | | | | | | | | |
| 323 | Aberdalgie, . . . | 343 | 295 | 3 | 7 | 10 | 1 | – | 1 | 1 | 2 | 3 | 1 |
| 324 | Aberfeldy, . . . | c. 2702 | 2402 | 22 | 23 | 45 | 4 | 2 | 6 | 18 | 23 | 41 | 10 |
| 325 | Aberfoyle, . . . | 514 | 565 | 10 | 8 | 18 | 1 | 2 | 3 | 9 | 6 | 15 | – |
| 326 | Abernethy, . . . | 2026 | 1960 | 28 | 32 | 60 | 1 | 4 | 5 | 17 | 17 | 34 | 8 |
| 327 | Abernyte, . . . | 275 | 310 | 4 | 6 | 10 | 1 | 1 | 2 | 4 | 4 | 8 | 1 |
| 328 | Alyth (incl. Town), . | c. 2946 | 3198 | 52 | 62 | 114 | 15 | 12 | 27 | 30 | 29 | 59 | 19 |
| 329 | Auchterarder (including Town), . . . | 4160 | 4208 | 64 | 59 | 123 | 9 | 3 | 12 | 41 | 49 | 90 | 16 |
| 330 | Auchtergaven, . . | 3232 | 2562 | 41 | 32 | 73 | 6 | 2 | 8 | 24 | 31 | 55 | 23 |
| 331 | Balquhidder, . . . | 874 | 746 | 5 | 9 | 14 | – | 1 | 1 | 4 | 8 | 12 | 1 |
| 332 | Bendochy, . . . | c. 552 | 549 | 9 | 9 | 18 | – | 3 | 3 | 1 | 5 | 6 | 3 |
| 333 | Blackford, . . . | c. 2012 | 2084 | 32 | 35 | 67 | 3 | 2 | 5 | 22 | 14 | 36 | 8 |
| 334 | Blair-Athol, . . . | c. 1951 | 1553 | 18 | 30 | 48 | 1 | 2 | 3 | 19 | 19 | 38 | 4 |
| 335 | Blairgowrie (including Town), . . . | c. 4081 | 4423 | 84 | 64 | 148 | 10 | 8 | 18 | 32 | 36 | 68 | 30 |
| 336 | Callander, . . . | 1716 | 1676 | 21 | 29 | 50 | 2 | 2 | 4 | 13 | 17 | 30 | 13 |
| 337 | Caputh, . . . . | c. 1920 | 1728 | 27 | 14 | 41 | 3 | – | 3 | 11 | 12 | 23 | 7 |
| 338 | Cargill, . . . . | 1629 | 1647 | 29 | 25 | 54 | 3 | 6 | 9 | 15 | 15 | 30 | 4 |
| 339 | Clunie, . . . . | 723 | 699 | 9 | 13 | 22 | 1 | 2 | 3 | 4 | 5 | 9 | 2 |
| 340 | Collace, . . . . | 581 | 534 | 10 | 12 | 22 | – | 1 | 1 | 2 | 9 | 11 | 6 |

| No. of District. | Registration Districts. | Population. | | Total Births, including the Illegitimate. | | | Illegitimate Births. | | | Deaths. | | | Marriages. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | 1851. | 1861. | Males. | Fem. | Total. | Mal. | Fem | Totl | Mal. | Fem | Total. | |
| 341 | Comrie, | 2463 | 2226 | 22 | 39 | 61 | 2 | 6 | 8 | 23 | 20 | 43 | 19 |
| 342 | Crieff (incl. Town), | 4504 | 4490 | 65 | 66 | 131 | 8 | 11 | 19 | 39 | 39 | 78 | 22 |
| 343 | CULROSS (incl. Burgh), | 1487 | 1423 | 20 | 21 | 41 | 2 | 2 | 4 | 13 | 9 | 22 | 8 |
| 344 | Dowally, | c. 531 | 486 | 3 | 10 | 13 | – | 1 | 1 | 3 | 7 | 10 | 4 |
| 345 | Dron, | 394 | 376 | 5 | 1 | 6 | – | – | – | – | 2 | 2 | 5 |
| 346 | Dull, | c. 855 | 753 | 7 | 13 | 20 | – | – | – | 2 | 7 | 9 | 3 |
| 347 | Dunbarney, | 1066 | 1035 | 14 | 16 | 30 | 5 | 2 | 7 | 9 | 13 | 22 | 9 |
| 348 | Dunblane, | c. 3213 | 3096 | 51 | 37 | 88 | 6 | 1 | 7 | 31 | 24 | 55 | 21 |
| 349 | Dunkeld, | c. 1199 | 1086 | 16 | 18 | 34 | 2 | 3 | 5 | 15 | 12 | 27 | 8 |
| 350 | Dunning, | 2206 | 2084 | 38 | 38 | 76 | 6 | 3 | 9 | 16 | 15 | 31 | 15 |
| 351 | Errol, | 2796 | 2759 | 35 | 50 | 85 | 5 | 3 | 8 | 26 | 16 | 42 | 19 |
| 352 | Findo-Gask, | 405 | 399 | 7 | 4 | 11 | 2 | 1 | 3 | 2 | 4 | 6 | 2 |
| 353 | Forgandenny, | 828 | 739 | 12 | 16 | 28 | 2 | 1 | 3 | 4 | 3 | 7 | 3 |
| 354 | Forteviot, | 638 | 595 | 10 | 7 | 17 | 1 | 4 | 5 | 7 | 1 | 8 | 3 |
| a355 | Fortingall, | c. 1409 | 1244 | 12 | 15 | 27 | 1 | 1 | 2 | 9 | 8 | 17 | 1 |
| b355 | Foss, | c. 432 | 381 | 3 | 3 | 6 | 1 | – | 1 | – | 3 | 3 | 2 |
| 356 | Fowlis-Easter, | 300 | 317 | 8 | 8 | 16 | 1 | – | 1 | 1 | 1 | 2 | 2 |
| 357 | Fowlis-Wester, | 1321 | 1276 | 9 | 16 | 25 | 1 | 1 | 2 | 8 | 13 | 21 | 3 |
| 358 | Glendevon, | 128 | 138 | 1 | 2 | 3 | – | – | – | 1 | 1 | 2 | – |
| 359 | Inchture, | 745 | 659 | 10 | 15 | 25 | 1 | 2 | 3 | 5 | 3 | 8 | 8 |
| 360 | Kenmore, | c. 1718 | 1515 | 26 | 17 | 43 | 2 | – | 2 | 5 | 18 | 23 | 6 |
| 361 | Killin, | c. 1817 | 1681 | 16 | 13 | 29 | 1 | 2 | 3 | 15 | 17 | 32 | 5 |
| 362 | Kilmadock, | 3659 | 3312 | 35 | 52 | 87 | 1 | 5 | 6 | 33 | 45 | 78 | 17 |
| 363 | Kilspindie, | 684 | 665 | 13 | 14 | 27 | – | – | – | 7 | 4 | 11 | 6 |
| 364 | Kincardine, | 1993 | 1778 | 21 | 32 | 53 | 2 | 2 | 4 | 16 | 18 | 34 | 4 |
| 365 | Kinclaven, | 881 | 758 | 8 | 10 | 18 | – | – | – | 8 | 4 | 12 | 2 |
| 366 | Kinfauns, | 650 | 657 | 6 | 11 | 17 | – | 1 | 1 | 6 | 6 | 12 | 5 |
| 367 | Kinloch-Rannoch, | c. 1303 | 1147 | 11 | 15 | 26 | 4 | 2 | 6 | 7 | 7 | 14 | 1 |
| 368 | Kinnaird, | 370 | 318 | 4 | 1 | 5 | 1 | 1 | 2 | 4 | 2 | 6 | 3 |
| 369 | Kinnoull, | 771 | 796 | 15 | 14 | 29 | – | 1 | 1 | 8 | 3 | 11 | 4 |
| 370 | Kirkmichael— | | | | | | | | | | | | |
| | (1) Kirkmichael, | c. 849 | 812 | 19 | 14 | 33 | 3 | 3 | 6 | 11 | 8 | 19 | 4 |
| | (2) Glenshee, | c. 349 | 334 | 7 | 6 | 13 | 1 | – | 1 | – | 2 | 2 | – |
| 371 | Lecropt, | 442 | 538 | 6 | 5 | 11 | 1 | – | 1 | 6 | 3 | 9 | 1 |
| 372 | Lethendy and Kinloch, | c. 544 | 530 | 4 | 6 | 10 | 1 | – | 1 | 1 | 1 | 2 | 3 |
| 373 | Little Dunkeld, | c. 2140 | 2089 | 37 | 33 | 70 | 3 | 2 | 5 | 21 | 25 | 46 | 13 |
| 374 | Logie (including part of STIRLING), | 2551 | 3483 | 31 | 43 | 74 | 4 | 3 | 7 | 37 | 23 | 60 | 17 |
| 375 | Logiealmond, | c. 959 | 815 | 11 | 11 | 22 | 1 | – | 1 | 3 | 2 | 5 | 3 |
| 376 | Logierait, | c. 2109 | 1902 | 25 | 18 | 43 | 3 | 4 | 7 | 16 | 15 | 31 | 8 |
| 377 | Longforgan, | 1787 | 1823 | 31 | 34 | 65 | 4 | 4 | 8 | 19 | 14 | 33 | 6 |
| 378 | Madderty, | 593 | 536 | 6 | 8 | 14 | 1 | 1 | 2 | 4 | 7 | 11 | 6 |
| 379 | Meigle, | 978 | 1122 | 13 | 21 | 34 | 1 | 1 | 2 | 7 | 9 | 16 | 7 |
| 380 | Methven, | c. 2394 | 2290 | 35 | 37 | 72 | 1 | 2 | 3 | 17 | 19 | 36 | 12 |
| 381 | Moneydie, | 321 | 252 | 3 | – | 3 | – | – | – | 3 | – | 3 | 1 |
| 382 | Monzie, | c. 569 | 461 | 4 | 5 | 9 | – | – | – | 3 | – | 3 | – |
| 383 | Monzievaird, | 790 | 782 | 23 | 13 | 36 | 2 | – | 2 | 11 | 4 | 15 | 6 |
| 384 | Moulin, | c. 1772 | 1605 | 21 | 16 | 37 | 3 | 2 | 5 | 18 | 25 | 43 | 9 |
| 385 | Muckhart, | 685 | 615 | 5 | 9 | 14 | 1 | – | 1 | 5 | 7 | 12 | 6 |
| a386 | Muthill, | c. 2972 | 2808 | 51 | 51 | 102 | 5 | 8 | 13 | 28 | 24 | 52 | 15 |
| b386 | Persie, | c. 814 | 839 | 16 | 10 | 26 | 2 | – | 2 | 2 | 7 | 9 | 7 |
| 387 | PERTH (incl. Burgh), | 24670 | 26094 | 453 | 436 | 889 | 40 | 36 | 76 | 295 | 323 | 618 | 221 |
| 388 | Port of Menteith, | 1419 | 1375 | 18 | 19 | 37 | 1 | 3 | 4 | 9 | 14 | 23 | 4 |
| 389 | Rattray, | c. 2308 | 2234 | 21 | 45 | 66 | – | 6 | 6 | 11 | 20 | 31 | 9 |
| 390 | Redgorton, | c. 1955 | 1596 | 20 | 24 | 44 | 4 | 2 | 6 | 8 | 11 | 19 | 5 |
| 391 | Rhynd, | 338 | 297 | 3 | 5 | 8 | – | – | – | 2 | 2 | 4 | – |
| 392 | St Madoes, | 288 | 280 | 5 | 3 | 8 | – | 1 | 1 | 4 | 2 | 6 | 1 |
| 393 | St Martins, | 983 | 904 | 18 | 11 | 29 | 3 | 1 | 4 | 5 | 8 | 13 | 5 |
| a394 | Scone, | 2332 | 2153 | 28 | 28 | 56 | 4 | 4 | 8 | 21 | 18 | 39 | 12 |
| b394 | Strathfillan, | c. 435 | 411 | 4 | 3 | 7 | – | – | – | 8 | 6 | 14 | 2 |

| No. of District. | Registration Districts. | Population. | | Total Births, including the Illegitimate. | | | Illegitimate Births. | | | Deaths. | | | Marriages. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | 1851. | 1861. | Males. | Fem. | Total. | Mal. | Fem | Totl | Mal. | Fem | Total. | |
| 394 | Tenandry, | c. 681 | 595 | 8 | 7 | 15 | – | – | – | 14 | 6 | 20 | 2 |
| 395 | Tibbermore, | 1469 | 1182 | 12 | 13 | 25 | 1 | – | 1 | 8 | 6 | 14 | 7 |
| 396 | Trinity-Gask, | 597 | 488 | 6 | 6 | 12 | – | 1 | 1 | 1 | 5 | 6 | – |
| 397 | Tulliallan (including Kincardine), | 3043 | 2410 | 39 | 33 | 72 | 3 | 3 | 6 | 23 | 23 | 46 | 15 |
| 398 | Weem, | c. 230 | 215 | 2 | 3 | 5 | – | 1 | 1 | 4 | 1 | 5 | 2 |
| | Total, | 137369 | 133198 | 1956 | 2019 | 3975 | 211 | 197 | 408 | 1215 | 1266 | 2481 | 775 |
| | 14. Fife. | | | | | | | | | | | | |
| 399 | Abbotshall, | 688 | 808 | 9 | 9 | 18 | – | – | – | 7 | 5 | 12 | 5 |
| 400 | Abdie, | c. 1353 | 1257 | 23 | 15 | 38 | 6 | 1 | 7 | 14 | 8 | 22 | 4 |
| 401 | Aberdour, | 1945 | 1874 | 24 | 38 | 62 | 1 | 4 | 5 | 16 | 15 | 31 | 6 |
| 402 | ANSTRUTHER-EASTER (pt. of Burgh), | 1161 | 1155 | 15 | 18 | 33 | 1 | 1 | 2 | 8 | 13 | 21 | 9 |
| 403 | ANSTRUTHER-WESTER (incl. Burgh), | 443 | 438 | 4 | 7 | 11 | – | – | – | 3 | 4 | 7 | 4 |
| 404 | Arngask, | 689 | 705 | 9 | 8 | 17 | 2 | – | 2 | 4 | 6 | 10 | 4 |
| 405 | Auchterderran, | 3210 | 3457 | 71 | 68 | 139 | 5 | 6 | 11 | 24 | 20 | 44 | 18 |
| 406 | AUCHTERMUCHTY (incl. Burgh), | 3704 | 3285 | 48 | 43 | 91 | 5 | 9 | 14 | 24 | 32 | 56 | 21 |
| 407 | Auchtertool, | 517 | 609 | 9 | 9 | 18 | 2 | 1 | 3 | 9 | 2 | 11 | 5 |
| 408 | Ballingry, | 568 | 736 | 13 | 18 | 31 | 1 | 1 | 2 | 5 | 7 | 12 | 6 |
| 409 | Balmerino, | 945 | 815 | 11 | 15 | 26 | 1 | 2 | 3 | 10 | 8 | 18 | 2 |
| 410 | Beath, | 1252 | 2390 | 73 | 49 | 122 | 1 | 2 | 3 | 20 | 16 | 36 | 7 |
| 411 | BURNTISLAND (incl. Burgh), | 3158 | 3670 | 77 | 66 | 143 | 3 | 4 | 7 | 29 | 32 | 61 | 22 |
| 412 | Cameron, | 1207 | 1362 | 22 | 24 | 46 | 2 | 5 | 7 | 10 | 7 | 17 | 10 |
| 413 | Carnbee, | 1129 | 1157 | 26 | 22 | 48 | 1 | – | 1 | 12 | 8 | 20 | 4 |
| 414 | Carnock, | 3191 | 2925 | 69 | 54 | 123 | 1 | 1 | 2 | 21 | 21 | 42 | 8 |
| 415 | Ceres, | 2833 | 2723 | 38 | 41 | 79 | 4 | 5 | 9 | 25 | 30 | 55 | 11 |
| 416 | Collessie, | 1520 | 1530 | 24 | 20 | 44 | 1 | 3 | 4 | 16 | 17 | 33 | 10 |
| 417 | CRAIL (incl. Burgh), | 1903 | 1931 | 31 | 31 | 62 | 1 | 1 | 2 | 18 | 22 | 40 | 21 |
| 418 | Criech, | 386 | 377 | 4 | 6 | 10 | – | – | – | 3 | 3 | 6 | 2 |
| 419 | Cults, | 915 | 800 | 19 | 11 | 30 | 2 | – | 2 | 16 | 9 | 25 | 2 |
| 420 | CUPAR (incl. Burgh), | 7427 | 6750 | 97 | 90 | 187 | 12 | 8 | 20 | 59 | 79 | 138 | 55 |
| 421 | Dairsie, | 708 | 638 | 9 | 14 | 23 | 1 | 2 | 3 | 4 | 6 | 10 | 4 |
| 422 | Dalgetty, | 1513 | 1569 | 25 | 22 | 47 | 1 | – | 1 | 16 | 7 | 23 | 8 |
| 423 | Dunbog, | c. 409 | 414 | 7 | 7 | 14 | – | 1 | 1 | 2 | 2 | 4 | 2 |
| 424 | DUNFERMLINE— | | | | | | | | | | | | |
| | (1) Burgh, | 13836 | 13506 | 220 | 216 | 436 | 17 | 9 | 26 | 141 | 130 | 271 | 130 |
| | (2) Landward, | c. 7602 | 7609 | 158 | 143 | 301 | 9 | 15 | 24 | 84 | 62 | 146 | 30 |
| 425 | Dunino, | 289 | 370 | 2 | 6 | 8 | 1 | 3 | 4 | 2 | 4 | 6 | 7 |
| 426 | DYSART (incl. Burgh), | 8739 | 8842 | 142 | 139 | 281 | 10 | 9 | 19 | 86 | 92 | 178 | 51 |
| 427 | Elie, | 843 | 826 | 10 | 8 | 18 | – | – | – | 7 | 9 | 16 | 5 |
| 428 | FALKLAND (incl. Burgh) | 3102 | 2937 | 42 | 39 | 81 | 7 | 3 | 10 | 26 | 32 | 58 | 15 |
| 429 | Ferry-Port-on-Craig, | 2238 | 2013 | 26 | 28 | 54 | 1 | – | 1 | 20 | 22 | 42 | 13 |
| 430 | Flisk, | c. 157 | 230 | 7 | 7 | 14 | 1 | 1 | 2 | 2 | 2 | 4 | 3 |
| 431 | Forgan, | 1125 | 1326 | 14 | 17 | 31 | 1 | – | 1 | 12 | 13 | 25 | 9 |
| 432 | INVERKEITHING (incl. Burgh), | c. 2748 | 3196 | 57 | 53 | 110 | 2 | 4 | 6 | 33 | 34 | 67 | 15 |
| 433 | Kemback, | 956 | 896 | 13 | 9 | 22 | 1 | – | 1 | 3 | 7 | 10 | 11 |
| 434 | Kennoway, | 2257 | 2012 | 29 | 24 | 53 | 3 | 3 | 6 | 17 | 9 | 26 | 17 |
| 435 | Kettle, | 2601 | 2474 | 39 | 34 | 73 | 5 | 5 | 10 | 23 | 24 | 47 | 18 |
| 436 | Kilconquhar (including EARLSFERRY), | 2489 | 2431 | 42 | 30 | 72 | 4 | 2 | 6 | 21 | 24 | 45 | 9 |
| 437 | Kilmany, | 662 | 656 | 9 | 10 | 19 | – | – | – | 5 | 3 | 8 | 5 |
| 438 | KILRENNY (incl. Burgh and part of ANSTRUTHER-EASTER), | 2194 | 2534 | 52 | 52 | 104 | 2 | 3 | 5 | 17 | 22 | 39 | 18 |
| 439 | KINGHORN (incl. Burgh) | 2455 | 2349 | 39 | 39 | 78 | 5 | 5 | 10 | 42 | 38 | 80 | 20 |

| No. of District. | Registration Districts. | Population. | | Total Births, including the Illegitimate. | | | Illegitimate Births. | | | Deaths. | | | Marriages. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | 1851. | 1861. | Males. | Fem. | Total. | Mal. | Fem | Totl | Mal. | Fem | Total. | |
| 440 | Kinglassie, . . . | 1186 | 1266 | 25 | 28 | 53 | 2 | 2 | 4 | 13 | 9 | 22 | 10 |
| 441 | Kingsbarns, . . . | 893 | 937 | 16 | 14 | 30 | – | 1 | 1 | 7 | 7 | 14 | 6 |
| 442 | KIRKCALDY (including Burgh), . . . | 10636 | 11117 | 182 | 172 | 354 | 20 | 7 | 27 | 129 | 125 | 254 | 62 |
| 443 | Largo, . . . . | 2800 | 2626 | 48 | 39 | 87 | 4 | 6 | 10 | 19 | 27 | 46 | 20 |
| 444 | Leslie (incl. Town), . | 3800 | 4332 | 67 | 54 | 121 | 7 | 11 | 18 | 40 | 56 | 96 | 27 |
| 445 | Leuchars, . . . | 1991 | 1903 | 30 | 32 | 62 | 3 | 2 | 5 | 19 | 17 | 36 | 13 |
| 446 | Logie, . . . . | 467 | 410 | 8 | 11 | 19 | 2 | 1 | 3 | 4 | 1 | 5 | 1 |
| 447 | Markinch, . . . | 5843 | 5375 | 97 | 92 | 189 | 9 | 6 | 15 | 48 | 43 | 91 | 38 |
| 448 | Monimail, . . . | 1102 | 1054 | 15 | 13 | 28 | – | 2 | 2 | 10 | 10 | 20 | 3 |
| 449 | Moonzie, . . . | 198 | 179 | – | 3 | 3 | – | – | – | 2 | 2 | 4 | – |
| 450 | NEWBURGH (including Burgh), . . . | 2986 | 2693 | 50 | 46 | 96 | 6 | 5 | 11 | 28 | 37 | 65 | 15 |
| 451 | Newburn, . . . | 375 | 374 | 5 | 8 | 13 | – | 2 | 2 | 4 | 2 | 6 | 2 |
| 452 | PITTENWEEM (incl. Burgh), . . . | 1473 | 1710 | 37 | 27 | 64 | 3 | 1 | 4 | 20 | 15 | 35 | 8 |
| 453 | ST ANDREWS and St Leonards (incl. Burgh of St Andrews), . . | 7327 | 7605 | 106 | 117 | 223 | 8 | 5 | 13 | 63 | 83 | 146 | 55 |
| 454 | St Monance (or Abercrombie), . . . | 1241 | 1498 | 32 | 33 | 65 | – | 2 | 2 | 7 | 11 | 18 | 8 |
| 455 | Saline, . . . . | 1792 | 1610 | 31 | 20 | 51 | – | – | – | 7 | 9 | 16 | 16 |
| 456 | Scoonie (incl. Leven), . | 3115 | 3257 | 61 | 46 | 107 | 5 | – | 5 | 27 | 42 | 69 | 13 |
| 457 | Strathmiglo, . . . | 2509 | 2261 | 35 | 18 | 53 | 7 | – | 7 | 35 | 29 | 64 | 8 |
| 458 | Torryburn, . . . | 1341 | 1229 | 10 | 14 | 24 | 1 | – | 1 | 7 | 19 | 26 | 11 |
| 459 | Wemyss, . . . | 5647 | 6003 | 126 | 108 | 234 | 6 | 7 | 13 | 66 | 67 | 133 | 32 |
| | Total, | 153789 | 155021 | 2639 | 2454 | 5093 | 206 | 179 | 385 | 1471 | 1517 | 2988 | 974 |
| | 15. Kinross. | | | | | | | | | | | | |
| 460 | Cleish, . . . . | 659 | 649 | 8 | 5 | 13 | – | 1 | 1 | 1 | 2 | 3 | 1 |
| 461 | Fossoway and Tulliebole, | 1621 | 1584 | 12 | 34 | 46 | – | 5 | 5 | 7 | 8 | 15 | 7 |
| 462 | Kinross (incl. Town), . | 3227 | 2649 | 38 | 28 | 66 | 4 | 2 | 6 | 26 | 31 | 57 | 8 |
| 463 | Orwell, . . . . | 2569 | 2399 | 23 | 22 | 45 | 2 | 3 | 5 | 16 | 21 | 37 | 8 |
| 464 | Portmoak, . . . | 1550 | 1450 | 23 | 16 | 39 | 6 | 1 | 7 | 13 | 13 | 26 | 8 |
| | Total, | 9626 | 8731 | 104 | 105 | 209 | 12 | 12 | 24 | 63 | 75 | 138 | 32 |
| | 16. Clackmannan. | | | | | | | | | | | | |
| 465 | Alloa (incl. Town), . | 9493 | 8867 | 174 | 152 | 326 | 9 | 10 | 19 | 115 | 114 | 229 | 49 |
| 466 | Clackmannan, . . | 5802 | 4425 | 90 | 86 | 176 | 5 | 10 | 15 | 41 | 34 | 75 | 39 |
| 467 | Dollar, . . . . | 1574 | 1776 | 21 | 19 | 40 | 5 | 2 | 7 | 13 | 14 | 27 | 9 |
| 468 | Tillicoultry (including Town), . . . | 4686 | 5054 | 90 | 79 | 169 | 6 | 7 | 13 | 43 | 43 | 86 | 35 |
| | —— Total, | 21555 | 20122 | 375 | 336 | 711 | 25 | 29 | 54 | 212 | 205 | 417 | 132 |
| | V. WEST-MIDLAND. | | | | | | | | | | | | |
| | 17. Stirling. | | | | | | | | | | | | |
| 469 | Airth, . . . . | 1319 | 1194 | 22 | 26 | 48 | 1 | 1 | 2 | 11 | 12 | 23 | 5 |
| 470 | Alva (incl. Town), . | 3204 | 3283 | 66 | 62 | 128 | 8 | 7 | 15 | 30 | 37 | 67 | 18 |
| 471 | Baldernock, . . . | 801 | 718 | 17 | 7 | 24 | 2 | 1 | 3 | 7 | 7 | 14 | 3 |
| 472 | Balfron, . . . | 1900 | 1517 | 21 | 29 | 50 | 4 | – | 4 | 9 | 23 | 32 | 2 |
| 473 | Bothkennar, . . . | 1179 | 1722 | 30 | 32 | 62 | 1 | 1 | 2 | 20 | 15 | 35 | 9 |
| 474 | Buchanan, . . . | 632 | 705 | 6 | 9 | 15 | 2 | – | 2 | 5 | 7 | 12 | 5 |
| 475 | Campsie (including Lennoxtown), . . . | 6918 | 6483 | 106 | 109 | 215 | 8 | 11 | 19 | 57 | 93 | 150 | 34 |
| 476 | Denny (incl. Town), . | 4754 | 4988 | 86 | 111 | 197 | 7 | 18 | 25 | 32 | 47 | 79 | 37 |
| 477 | Drymen, . . . | 1481 | 1619 | 28 | 19 | 47 | 3 | – | 3 | 13 | 15 | 28 | 4 |
| 478 | Dunipace, . . . | 1472 | 1731 | 22 | 37 | 59 | 2 | 2 | 4 | 16 | 17 | 33 | 12 |
| 479 | FALKIRK—(1) Burgh, . | 8752 | 9030 | 162 | 152 | 314 | 13 | 9 | 22 | 104 | 112 | 216 | 67 |
| | (2) Landward, | 7686 | 7996 | 172 | 149 | 321 | 11 | 15 | 26 | 87 | 88 | 175 | 76 |

| No. of District. | Registration Districts. | Population. | | Total Births, including the Illegitimate. | | | Illegitimate Births. | | | Deaths. | | | Marriages. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | 1851. | 1861. | Males. | Fem. | Total. | Mal. | Fem | Totl | Mal. | Fem | Total. | |
| 480 | Fintry, . . . . | 823 | 685 | 15 | 8 | 23 | 3 | – | 3 | 5 | 3 | 8 | 3 |
| 481 | Gargunnock, . . . | 754 | 728 | 9 | 12 | 21 | 3 | – | 3 | 4 | 8 | 12 | 5 |
| 482 | Killearn, . . . | 1176 | 1171 | 22 | 16 | 38 | 1 | – | 1 | 7 | 10 | 17 | 4 |
| 483 | Kilsyth (incl. Town), . | 5346 | 6112 | 141 | 114 | 255 | 12 | 13 | 25 | 75 | 90 | 165 | 37 |
| 484 | Kippen, . . . . | 1892 | 1722 | 27 | 18 | 45 | 4 | 4 | 8 | 20 | 25 | 45 | 7 |
| 485 | Larbert, . . . . | 4606 | 4999 | 99 | 84 | 183 | 11 | 9 | 20 | 53 | 57 | 110 | 29 |
| 486 | Muiravonside, . . | 2647 | 2660 | 49 | 55 | 104 | 3 | 2 | 5 | 25 | 28 | 53 | 24 |
| 487 | Polmont, . . . | 3764 | 4111 | 83 | 78 | 161 | 3 | 7 | 10 | 47 | 39 | 86 | 33 |
| 488 | St Ninians (includ. Bannockburn, Town), . | 7630 | 6648 | 112 | 107 | 219 | 9 | 9 | 18 | 75 | 66 | 141 | 33 |
| 489 | Slamannan, . . . | 1655 | 2916 | 57 | 84 | 141 | 2 | 4 | 6 | 22 | 18 | 40 | 26 |
| 490 | STIRLING (incl. Burgh), | 12401 | 14012 | 279 | 282 | 561 | 36 | 20 | 56 | 186 | 195 | 381 | 145 |
| 491 | Strathblane, . . | 1010 | 1388 | 27 | 20 | 47 | 2 | 2 | 4 | 6 | 9 | 15 | 7 |
| | Total, | 83802 | 88138 | 1658 | 1620 | 3278 | 151 | 135 | 286 | 916 | 1021 | 1937 | 625 |
| | 18. Dumbarton. | | | | | | | | | | | | |
| 492 | Arrochar, . . . | 562 | 629 | 6 | 12 | 18 | 1 | 2 | 3 | 7 | 6 | 13 | 2 |
| 493 | Bonhill (includ. Town, & Alexandria, Town), | 7819 | 9059 | 173 | 151 | 324 | 13 | 8 | 21 | 87 | 78 | 165 | 47 |
| 494 | Cardross (incl. Renton), | 3402 | 4168 | 59 | 72 | 131 | 7 | 13 | 20 | 46 | 43 | 89 | 29 |
| 495 | Cumbernauld, . . | 3778 | 3513 | 65 | 58 | 123 | 8 | 8 | 16 | 20 | 38 | 58 | 18 |
| 496 | DUMBARTON (incl. Burgh) | 5445 | 8268 | 174 | 171 | 345 | 6 | 8 | 14 | 99 | 88 | 187 | 36 |
| 497 | Kilmaronock, . . | 1033 | 1085 | 23 | 10 | 33 | 2 | – | 2 | 7 | 13 | 20 | 5 |
| 498 | Kirkintilloch (incl. Town) | 8426 | 8179 | 145 | 149 | 294 | 17 | 15 | 32 | 99 | 80 | 179 | 50 |
| 499 | Luss, . . . . | 907 | 831 | 8 | 10 | 18 | 1 | – | 1 | 9 | 4 | 13 | 6 |
| 500 | New, or East, Kilpatrick, | 4286 | 4910 | 109 | 102 | 211 | 3 | 4 | 7 | 56 | 39 | 95 | 26 |
| 501 | Old, or West, Kilpatrick (incl. Duntocher, Town) | 5921 | 5577 | 115 | 83 | 198 | 7 | 14 | 21 | 52 | 69 | 121 | 37 |
| 502 | Roseneath, . . . | 1044 | 1626 | 25 | 20 | 45 | – | – | – | 11 | 14 | 25 | 6 |
| 503 | Row (incl. Helensburgh). | 4372 | 6334 | 121 | 94 | 215 | 11 | 3 | 14 | 76 | 69 | 145 | 52 |
| | Total, | 46995 | 54179 | 1023 | 932 | 1955 | 76 | 75 | 151 | 569 | 541 | 1110 | 314 |
| | 19. Argyll. *Mainland.* | | | | | | | | | | | | |
| 504 | Ardchattan, . . . | 1525 | 1381 | 13 | 12 | 25 | – | 1 | 1 | 12 | 18 | 30 | 4 |
| 505 | Ardnamurchan— | | | | | | | | | | | | |
| | (1) Aharacle, . . | c. 1791 | 1544 | 26 | 24 | 50 | 5 | – | 5 | 13 | 15 | 28 | 4 |
| | (2) Arisaig, . . | c. 1555 | 1343 | 20 | 20 | 40 | 1 | – | 1 | 2 | 11 | 13 | 10 |
| | (3) Sunart (or Strontian) | c. 875 | 759 | 6 | 9 | 15 | – | 2 | 2 | 4 | 6 | 10 | 3 |
| | (4) Western District, . | c 1225 | 1054 | 13 | 15 | 28 | – | 1 | 1 | 13 | 24 | 37 | 2 |
| 506 | Ballachulish and Corran of Ardgour, . . | c. 1125 | 919 | 14 | 9 | 23 | – | – | – | 11 | 5 | 16 | 7 |
| 507 | CAMPBELTOWN (incl. Burgh), . . . | 9381 | 8149 | 115 | 106 | 221 | 12 | 6 | 18 | 74 | 77 | 151 | 35 |
| 508 | Craignish, . . . | 756 | 618 | 10 | 13 | 23 | – | – | – | 10 | 8 | 18 | 5 |
| 509 | Cumlodden, . . . | 1095 | 1033 | 13 | 25 | 38 | – | 1 | 1 | 4 | 2 | 6 | 6 |
| 510 | Dunoon and Kilmun (incl. Dunoon & Kirn), | 4518 | 5461 | 70 | 73 | 143 | 3 | 2 | 5 | 51 | 48 | 99 | 27 |
| 511 | Glassary, . . . | c. 1860 | 1769 | 33 | 31 | 64 | 1 | 2 | 3 | 23 | 18 | 41 | 7 |
| 512 | Glenorchy and Inishail, . | 1450 | 1307 | 10 | 12 | 22 | 2 | 1 | 3 | 11 | 13 | 24 | 3 |
| 513 | INVERARAY (including Burgh), . . . | 1755 | 1650 | 20 | 24 | 44 | – | 2 | 2 | 13 | 14 | 27 | 14 |
| 514 | Inverchaolain, . . | 474 | 424 | 7 | 8 | 15 | – | 1 | 1 | 4 | 4 | 8 | 2 |
| 515 | Kilbrandon & Kilchattan, | c. 2571 | 2053 | 31 | 28 | 59 | 3 | 1 | 4 | 21 | 30 | 51 | 5 |
| 516 | Kilcalmonell, etc.— | | | | | | | | | | | | |
| | (1) Kilcalmonell, . | c. 930 | 742 | 9 | 6 | 15 | 1 | 1 | 2 | 3 | 10 | 13 | 4 |
| | (2) Kilberry, . . | 689 | 583 | 7 | 13 | 20 | – | – | – | 7 | 4 | 11 | 1 |
| 517 | Kilchrenan, etc.— | | | | | | | | | | | | |
| | (1) Kilchrenan, . . | 494 | 385 | 3 | 6 | 9 | – | 1 | 1 | 2 | 4 | 6 | 2 |
| | (2) Dalavich, . . | 282 | 230 | 2 | 4 | 6 | 1 | 1 | 2 | 1 | – | 1 | 1 |

| No. of District. | Registration Districts. | Population. | | Total Births, including the Illegitimate. | | | Illegitimate Births. | | | Deaths. | | | Marriages. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | 1851. | 1861. | Males. | Fem. | Total. | Mal. | Fem | Totl | Mal. | Fem | Total. | |
| 518 | Kilfinan, . . . | 1695 | 1891 | 28 | 30 | 58 | 2 | – | 2 | 22 | 17 | 39 | 7 |
| 519 | Killean and Kilchenzie, . | 2219 | 1890 | 24 | 28 | 52 | – | 1 | 1 | 13 | 12 | 25 | 7 |
| 520 | Kilmalie, . . . | c. 4110 | 3353 | 38 | 34 | 72 | 4 | 1 | 5 | 30 | 30 | 60 | 11 |
| 521 | Kilmartin, . . . | 1144 | 949 | 20 | 7 | 27 | – | – | – | 8 | 8 | 16 | 6 |
| 522 | Kilmodan, . . . | 500 | 433 | 4 | 7 | 11 | – | – | – | 5 | 2 | 7 | 3 |
| 523 | Kilmore and Kilbride (incl. Burgh of OBAN), | 3131 | 2962 | 49 | 39 | 88 | 3 | 2 | 5 | 43 | 25 | 68 | 21 |
| 524 | Kilninver, etc.— | | | | | | | | | | | | |
| | (1) Kilninver, . . | 449 | 314 | 4 | 4 | 8 | – | – | – | 3 | 2 | 5 | – |
| | (2) Kilmelford, . . | 265 | 486 | 7 | 6 | 13 | – | – | – | 3 | 5 | 8 | 2 |
| 525 | Lismore, etc.— | | | | | | | | | | | | |
| | (1) Lismore, . . | c. 1167 | 1023 | 12 | 11 | 23 | 2 | 1 | 3 | 12 | 10 | 22 | 3 |
| | (2) Appin, . . . | c. 940 | 825 | 10 | 11 | 21 | – | 1 | 1 | 9 | 7 | 16 | 2 |
| | (3) Glencoe & Ballachulish, . . . | c. 1510 | 1324 | 20 | 8 | 28 | – | 1 | 1 | 6 | 8 | 14 | 2 |
| | (4) Duror, . . . | c. 480 | 423 | 4 | 7 | 11 | – | 1 | 1 | – | 2 | 2 | 1 |
| 526 | Lochgilphead, . . | c. 3263 | 3312 | 54 | 57 | 111 | – | 2 | 2 | 34 | 32 | 66 | 15 |
| 527 | Lochgoilhead, etc.— | | | | | | | | | | | | |
| | (1) Lochgoilhead, . | 446 | 418 | 6 | 4 | 10 | 1 | – | 1 | 1 | 4 | 5 | 2 |
| | (2) Kilmorich, . . | 388 | 284 | 3 | 4 | 7 | 1 | – | 1 | 2 | 1 | 3 | – |
| 528 | Morvern, . . . | 1547 | 1226 | 14 | 17 | 31 | 1 | 2 | 3 | 11 | 16 | 27 | 2 |
| 529 | Muckairn, . . . | 788 | 729 | 9 | 4 | 13 | 1 | – | 1 | 9 | 7 | 16 | 7 |
| 530 | North Knapdale, . . | 1666 | 1327 | 16 | 19 | 35 | 1 | 1 | 2 | 9 | 10 | 19 | 4 |
| 531 | Saddell, etc.— | | | | | | | | | | | | |
| | (1) Saddell, . . . | 791 | 739 | 13 | 11 | 24 | 3 | – | 3 | 5 | 8 | 13 | 2 |
| | (2) Skipness, . . | c. 705 | 533 | 3 | 8 | 11 | – | 1 | 1 | 2 | 2 | 4 | – |
| 532 | Southend, . . . | 1406 | 1214 | 24 | 10 | 34 | 2 | – | 2 | 10 | 5 | 15 | 9 |
| 533 | South Knapdale, . . | 565 | 654 | 6 | 7 | 13 | – | – | – | 4 | 5 | 9 | – |
| 534 | Stralachlan, etc.— | | | | | | | | | | | | |
| | (1) Stralachlan, . . | 397 | 309 | 4 | 1 | 5 | – | – | – | 4 | 4 | 8 | 3 |
| | (2) Strachur, . . | 518 | 563 | 6 | 4 | 10 | – | – | – | 5 | 5 | 10 | 6 |
| 535 | Tarbert, . . . | c. 1828 | 1661 | 34 | 25 | 59 | 1 | 1 | 2 | 12 | 16 | 28 | 6 |
| | *Insular.* | | | | | | | | | | | | |
| 536 | Bowmore (or Kilarrow), . | 3469 | 2701 | 33 | 31 | 64 | 7 | 3 | 10 | 23 | 38 | 61 | 7 |
| 537 | Gigha, . . . . | 547 | 467 | 7 | 2 | 9 | 1 | – | 1 | 6 | 3 | 9 | 2 |
| 538 | Iona, . . . . | c. 900 | 743 | 8 | 15 | 23 | – | 2 | 2 | 7 | 6 | 13 | 4 |
| 539 | Jura, etc.—(1) Jura, . | c. 868 | 858 | 14 | 7 | 21 | 1 | 1 | 2 | 9 | 12 | 21 | 4 |
| | (2) Colonsay, | 837 | 598 | 5 | 5 | 10 | 1 | 1 | 2 | 2 | 9 | 11 | 3 |
| 540 | Kilchoman, . . . | c. 2865 | 2377 | 27 | 25 | 52 | 4 | 4 | 8 | 24 | 32 | 56 | 10 |
| 541 | Kildalton, . . . | c. 2450 | 2187 | 33 | 37 | 70 | 2 | 2 | 4 | 20 | 29 | 49 | 11 |
| 542 | Kilfinichen & Kilvickeon, | c. 2171 | 1792 | 23 | 15 | 38 | 5 | 1 | 6 | 18 | 13 | 31 | 7 |
| 543 | Kilmeny, . . . | 1413 | 1268 | 22 | 17 | 39 | 3 | 1 | 4 | 14 | 16 | 30 | 4 |
| 544 | Kilninian and Kilmore, . | c. 1890 | 1641 | 17 | 20 | 37 | 1 | – | 1 | 14 | 10 | 24 | 7 |
| 545 | Kinlochspelvie, . . | c. 420 | 428 | 7 | 4 | 11 | – | – | – | 6 | 2 | 8 | 1 |
| 546 | Oa, . . . . | c. 860 | 769 | 7 | 8 | 15 | – | – | – | 6 | 3 | 9 | 2 |
| 547 | Portnahaven, . . . | c. 1277 | 1059 | 24 | 11 | 35 | 1 | 3 | 4 | 18 | 8 | 26 | 2 |
| 548 | Salen, . . . . | c. 634 | 604 | 8 | 12 | 20 | – | – | – | 7 | 4 | 11 | 2 |
| 549 | Tobermory, . . . | c. 1804 | 1566 | 27 | 22 | 49 | 4 | – | 4 | 21 | 17 | 38 | 5 |
| 550 | Torosay, . . . | c. 550 | 557 | 8 | 9 | 17 | – | – | | 2 | 8 | 10 | 4 |
| 551 | Tyree, etc.—(1) Tyree, . | 3709 | 3217 | 30 | 38 | 68 | 2 | 4 | 6 | 22 | 31 | 53 | 17 |
| | (2) Coll, . | 1109 | 781 | 11 | 8 | 19 | 2 | – | 2 | 4 | 4 | 8 | 3 |
| | Total, | 94042 | 83859 | 1145 | 1087 | 2232 | 85 | 60 | 145 | 764 | 799 | 1563 | 358 |
| | 20. Bute. | | | | | | | | | | | | |
| 552 | Cumbraes, . . . | 1275 | 1256 | 18 | 14 | 32 | 1 | – | 1 | 12 | 12 | 24 | 15 |
| 553 | Kilbride, . . . | c. 2340 | 2253 | 26 | 24 | 50 | – | 3 | 3 | 18 | 24 | 42 | 5 |
| 554 | Kilmory, . . . | c. 2724 | 2515 | 27 | 19 | 46 | 2 | 1 | 3 | 22 | 24 | 46 | 8 |
| 555 | Kingarth, . . . | 1007 | 905 | 14 | 11 | 25 | 2 | 1 | 3 | 10 | 7 | 17 | 5 |

| No. of District. | Registration Districts. | Population. | | Total Births, including the Illegitimate. | | | Illegitimate Births. | | | Deaths. | | | Marriages. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | 1851. | 1861. | Males. | Fem. | Total. | Mal. | Fem | Totl | Mal. | Fem | Total. | |
| 556 | Lochranza, . . . | c. 883 | 824 | 8 | 14 | 22 | – | 2 | 2 | 3 | 9 | 12 | 5 |
| 557 | North Bute, . . . | c. 1235 | 1351 | 16 | 18 | 34 | 2 | 1 | 3 | 12 | 9 | 21 | 5 |
| 558 | ROTHESAY, . . | c. 7144 | 7227 | 109 | 105 | 214 | 10 | 7 | 17 | 85 | 110 | 195 | 53 |
| | Total, | 16608 | 16331 | 218 | 205 | 423 | 17 | 15 | 32 | 162 | 195 | 357 | 96 |
| | VI. SOUTH-WESTERN. | | | | | | | | | | | | |
| | 21. Renfrew. | | | | | | | | | | | | |
| 559 | Abbey— | | | | | | | | | | | | |
| | (1) Part of PAISLEY, | 16351 | 15889 | 322 | 313 | 635 | 25 | 34 | 59 | 183 | 227 | 410 | 183 |
| | (2) Landward (including part of Barrhead), | c. 4867 | 5670 | 123 | 95 | 218 | 12 | 7 | 19 | 51 | 70 | 121 | 27 |
| | (3) Johnstone (including Town), . . | c. 7363 | 8142 | 177 | 156 | 333 | 9 | 10 | 19 | 97 | 77 | 174 | 57 |
| 560 | Cathcart, . . . | 2916 | 3782 | 63 | 57 | 120 | 5 | 4 | 9 | 40 | 33 | 73 | 25 |
| 561 | Eaglesham, . . . | 2524 | 2328 | 47 | 31 | 78 | 3 | 3 | 6 | 26 | 32 | 58 | 25 |
| 562 | Eastwood, . . . | 9243 | 11314 | 203 | 210 | 413 | 13 | 11 | 24 | 134 | 157 | 291 | 72 |
| 563 | Erskine, . . . . | 1232 | 1457 | 20 | 26 | 46 | – | 2 | 2 | 14 | 12 | 26 | 7 |
| 564 | GREENOCK— | | | | | | | | | | | | |
| | (1) New, or Middle, . | 9414 | 9446 | 220 | 228 | 448 | 27 | 26 | 53 | 163 | 178 | 341 | 31 |
| | (2) East, . . . | 7704 | 12135 | 319 | 300 | 619 | 8 | 10 | 18 | 172 | 151 | 323 | 112 |
| | (3) Old, or West, . . | 20318 | 22313 | 454 | 464 | 918 | 23 | 28 | 51 | 368 | 338 | 706 | 250 |
| 565 | Houston and Killellan, . | 2753 | 2490 | 34 | 40 | 74 | 6 | 2 | 8 | 22 | 28 | 50 | 17 |
| 566 | Inchinnan, . . . | 649 | 619 | 12 | 7 | 19 | – | 2 | 2 | 6 | 3 | 9 | 5 |
| 567 | Innerkip— | | | | | | | | | | | | |
| | (1) Innerkip, . . | c. 1026 | 1188 | 16 | 23 | 39 | 1 | 4 | 5 | 11 | 9 | 20 | 9 |
| | (2) Gourock (including Town), . . . | c. 1992 | 2307 | 35 | 33 | 68 | 4 | 2 | 6 | 21 | 32 | 53 | 12 |
| 568 | Kilbarchan, . . . | 5474 | 6348 | 131 | 108 | 239 | 10 | 9 | 19 | 70 | 57 | 127 | 40 |
| 569 | Kilmalcolm, . . . | 1399 | 1455 | 22 | 21 | 43 | 3 | 2 | 5 | 13 | 10 | 23 | 12 |
| 570 | Lochwinnoch, . . | 4153 | 3821 | 74 | 46 | 120 | 13 | 7 | 20 | 44 | 36 | 80 | 12 |
| 571 | Mearns, . . . . | 3704 | 3547 | 57 | 63 | 120 | 7 | 11 | 18 | 40 | 28 | 68 | 11 |
| 572 | Neilston (including part of Barrhead), . . | 12233 | 11013 | 195 | 163 | 358 | 19 | 17 | 36 | 103 | 100 | 203 | 48 |
| 573 | PAISLEY— | | | | | | | | | | | | |
| | (1) High, . . . | 14643 | 14900 | 301 | 259 | 560 | 24 | 13 | 37 | 176 | 165 | 341 | 109 |
| | (2) Low, . . . | 7205 | 6712 | 122 | 116 | 238 | 16 | 12 | 28 | 118 | 109 | 227 | 37 |
| | (3) Middle, . . . | 9904 | 9926 | 189 | 187 | 376 | 16 | 18 | 34 | 125 | 150 | 275 | 68 |
| 574 | PORT-GLASGOW (incl. Burgh), . . . | 7017 | 7294 | 174 | 168 | 342 | 14 | 9 | 23 | 106 | 108 | 214 | 90 |
| 575 | RENFREW (incl. Burgh), | 3866 | 4650 | 91 | 97 | 188 | 6 | 5 | 11 | 54 | 41 | 95 | 30 |
| | Total, | 157950 | 168746 | 3401 | 3211 | 6612 | 264 | 248 | 512 | 2157 | 2151 | 4308 | 1289 |
| | 22. Ayr. | | | | | | | | | | | | |
| 576 | Ardrossan— | | | | | | | | | | | | |
| | (1) Old (including part of Saltcoats), . | c. 3434 | 3530 | 73 | 56 | 129 | 5 | 2 | 7 | 38 | 50 | 88 | 19 |
| | (2) New (including Ardrossan), . . | c. 2147 | 3246 | 64 | 48 | 112 | 5 | 5 | 10 | 37 | 18 | 55 | 25 |
| 577 | Auchinleck, . . . | 3697 | 4213 | 116 | 101 | 217 | 3 | 5 | 8 | 38 | 42 | 80 | 31 |
| 578 | AYR (incl. Burgh), . | 18845 | 19659 | 387 | 344 | 731 | 37 | 42 | 79 | 277 | 257 | 534 | 132 |
| 579 | Ballantrae, . . . | 1801 | 1483 | 27 | 11 | 38 | 5 | 2 | 7 | 14 | 11 | 25 | 11 |
| 580 | Barr, . . . . | 907 | 910 | 10 | 16 | 26 | 1 | 1 | 2 | 11 | 6 | 17 | 7 |
| 581 | Beith (incl. Town), . | 6425 | 5775 | 112 | 109 | 221 | 4 | 6 | 10 | 56 | 63 | 119 | 37 |
| 582 | Colmonell, . . . | 2934 | 2588 | 26 | 43 | 69 | 5 | 8 | 13 | 27 | 26 | 53 | 12 |
| 583 | Coylton, . . . . | 1542 | 1604 | 24 | 23 | 47 | 1 | 3 | 4 | 11 | 12 | 23 | 7 |
| 584 | Craigie, . . . . | 793 | 730 | 18 | 8 | 26 | 4 | 1 | 5 | 7 | 3 | 10 | 5 |
| 585 | Dailly, . . . . | 2413 | 2050 | 37 | 25 | 62 | 2 | 2 | 4 | 21 | 14 | 35 | 8 |

| No. of District. | Registration Districts. | Population. | | Total Births, including the Illegitimate. | | | Illegitimate Births. | | | Deaths. | | | Marriages. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | 1851. | 1861. | Males. | Fem. | Total. | Mal. | Fem | Totl | Mal. | Fem | Total. | |
| 586 | Dalmellington, | 2910 | 4194 | 114 | 99 | 213 | 2 | – | 2 | 45 | 38 | 83 | 21 |
| 587 | Dalry (incl. Town), | 8865 | 11156 | 259 | 239 | 498 | 16 | 22 | 38 | 160 | 126 | 286 | 79 |
| 588 | Dalrymple, | 1096 | 1325 | 19 | 26 | 45 | 1 | 4 | 5 | 12 | 15 | 27 | 7 |
| 589 | Dreghorn, | 1828 | 3283 | 65 | 69 | 134 | – | 4 | 4 | 23 | 18 | 41 | 15 |
| 590 | Dundonald (incl. Troon), | 4555 | 4694 | 77 | 77 | 154 | 4 | 6 | 10 | 37 | 39 | 76 | 33 |
| 591 | Dunlop, | 1115 | 1038 | 17 | 14 | 31 | 2 | – | 2 | 10 | 4 | 14 | 13 |
| 592 | Fenwick, | 1741 | 1532 | 30 | 19 | 49 | 2 | 4 | 6 | 16 | 9 | 25 | 19 |
| 593 | Galston (incl. Town), | 4392 | 5254 | 132 | 96 | 228 | 12 | 7 | 19 | 55 | 47 | 102 | 41 |
| 594 | Girvan (incl. Town), | 8588 | 7053 | 107 | 97 | 204 | 18 | 25 | 43 | 48 | 69 | 117 | 45 |
| 595 | IRVINE (incl. Burgh), | 8463 | 8607 | 154 | 153 | 307 | 23 | 12 | 35 | 99 | 117 | 216 | 50 |
| 596 | Kilbirnie (incl. Town), | 5484 | 5265 | 128 | 90 | 218 | 8 | 6 | 14 | 89 | 86 | 175 | 46 |
| 597 | KILMARNOCK (incl. part of Burgh), | 21287 | 23556 | 530 | 458 | 988 | 42 | 41 | 83 | 286 | 290 | 576 | 169 |
| 598 | Kilmaurs, | 3144 | 3526 | 69 | 55 | 124 | 7 | 2 | 9 | 35 | 41 | 76 | 18 |
| 599 | Kilwinning (incl. Town), | 6359 | 7717 | 168 | 155 | 323 | 17 | 17 | 34 | 81 | 76 | 157 | 43 |
| 600 | Kirkmichael, | 3262 | 2823 | 41 | 46 | 87 | 6 | 6 | 12 | 22 | 26 | 48 | 11 |
| 601 | Kirkoswald, | 2242 | 2060 | 34 | 37 | 71 | 7 | 7 | 14 | 10 | 15 | 25 | 9 |
| 602 | Largs (incl. Town), | 3715 | 3620 | 43 | 66 | 109 | 1 | 8 | 9 | 25 | 34 | 59 | 26 |
| 603 | Loudoun (incl. Newmilns), | 4720 | 4840 | 94 | 79 | 173 | 10 | 8 | 18 | 42 | 46 | 88 | 37 |
| 604 | Mauchline, | 2470 | 2303 | 36 | 26 | 62 | 2 | 2 | 4 | 27 | 32 | 59 | 16 |
| 605 | Maybole (incl. Town), | 7615 | 6713 | 129 | 116 | 245 | 21 | 19 | 40 | 68 | 65 | 133 | 43 |
| 606 | Monkton and Prestwick, | 1960 | 1937 | 23 | 25 | 48 | 6 | 4 | 10 | 16 | 21 | 37 | 19 |
| 607 | Muirkirk (incl. Town), | 3423 | 3270 | 77 | 51 | 128 | 5 | 3 | 8 | 31 | 20 | 51 | 30 |
| 608 | New Cumnock, | 2759 | 2891 | 49 | 42 | 91 | 8 | 6 | 14 | 23 | 18 | 41 | 19 |
| 609 | Ochiltree, | 1787 | 1676 | 16 | 26 | 42 | – | 3 | 3 | 9 | 10 | 19 | 8 |
| 610 | Old Cumnock (including Town), | 3777 | 3721 | 83 | 58 | 141 | 10 | 6 | 16 | 35 | 34 | 69 | 33 |
| 611 | Riccarton (incl. part of KILMARNOCK), | 4583 | 5629 | 111 | 134 | 245 | 4 | 12 | 16 | 64 | 44 | 108 | 45 |
| 612 | St Quivox and Newton-upon-Ayr, | 2231 | 1870 | 47 | 38 | 85 | 7 | 3 | 10 | 26 | 20 | 46 | 17 |
| 613 | Sorn (incl. Catrine), | 4174 | 4042 | 59 | 66 | 125 | 6 | 3 | 9 | 39 | 48 | 87 | 37 |
| 614 | Stair, | 820 | 743 | 11 | 12 | 23 | 1 | 1 | 2 | 5 | 2 | 7 | 4 |
| 615 | Stevenston (incl. Town and part of Saltcoats), | 3811 | 5452 | 102 | 110 | 212 | 9 | 12 | 21 | 67 | 76 | 143 | 29 |
| 616 | Stewarton (incl. Town), | 4572 | 4449 | 66 | 75 | 141 | 6 | 10 | 16 | 35 | 54 | 89 | 25 |
| 617 | Straiton, | 1540 | 1544 | 32 | 21 | 53 | 3 | 2 | 5 | 7 | 10 | 17 | 12 |
| 618 | Symington, | 902 | 855 | 13 | 16 | 29 | 1 | 1 | 2 | 6 | 6 | 12 | 5 |
| 619 | Tarbolton, | 2824 | 2669 | 68 | 58 | 126 | 5 | 5 | 10 | 38 | 42 | 80 | 28 |
| 620 | West Kilbride, | 2021 | 1968 | 41 | 21 | 62 | 6 | 1 | 7 | 18 | 15 | 33 | 15 |
| | Total, | 189973 | 199063 | 3938 | 3554 | 7492 | 350 | 349 | 699 | 2146 | 2115 | 4261 | 1361 |
| | 23. Lanark. | | | | | | | | | | | | |
| 621 | Avondale (incl. Strathaven), | 6451 | 6125 | 110 | 84 | 194 | 12 | 9 | 21 | 77 | 94 | 171 | 49 |
| 622 | Barony— | | | | | | | | | | | | |
| | (1) Maryhill (incl. Town and part of GLASGOW), | c. 4007 | 6734 | 133 | 121 | 254 | 11 | 8 | 19 | 85 | 81 | 166 | 47 |
| | (2) Springburn (incl. pt. of GLASGOW), | c. 6386 | 8911 | 222 | 165 | 387 | 21 | 20 | 41 | 229 | 249 | 478 | 40 |
| | (3) Shettleston, | c. 6564 | 6914 | 142 | 139 | 281 | 10 | 12 | 22 | 73 | 72 | 145 | 41 |
| 623 | Biggar, | 2049 | 1999 | 32 | 33 | 65 | 6 | 5 | 11 | 21 | 17 | 38 | 9 |
| 624 | Blantyre, | 2848 | 3092 | 51 | 45 | 96 | 1 | 5 | 6 | 25 | 32 | 57 | 18 |
| 625 | Bothwell— | | | | | | | | | | | | |
| | (1) Bothwell (including Bellshill), | c. 5583 | 7059 | 143 | 174 | 317 | 5 | 4 | 9 | 76 | 60 | 136 | 31 |
| | (2) Holytown, | c. 9700 | 10844 | 284 | 232 | 516 | 13 | 12 | 25 | 107 | 103 | 210 | 60 |

| No. of District. | Registration Districts. | Population. | | Total Births, including the Illegitimate. | | | Illegitimate Births. | | | Deaths. | | | Marriages. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | 1851. | 1861. | Males. | Fem. | Total. | Mal. | Fem | Totl | Mal. | Fem | Total. | |
| 626 | Cadder— | | | | | | | | | | | | |
| | (1) Western District, . | c. 2550 | 3023 | 59 | 57 | 116 | 4 | 1 | 5 | 35 | 27 | 62 | 12 |
| | (2) Eastern District, . | c. 2464 | 2925 | 54 | 46 | 100 | 5 | 2 | 7 | 26 | 13 | 39 | 19 |
| 627 | Cambuslang, . . . | 3306 | 3647 | 68 | 66 | 134 | 5 | 1 | 6 | 31 | 28 | 59 | 26 |
| 628 | Cambusnethan (including Wishaw) (part of), . | c. 8571 | 14601 | 344 | 346 | 690 | 25 | 19 | 44 | 132 | 111 | 243 | 97 |
| 629 | Carluke (incl. Town), . | 6283 | 6176 | 141 | 122 | 263 | 10 | 11 | 21 | 68 | 50 | 118 | 44 |
| 630 | Carmichael, . . . | 805 | 836 | 22 | 10 | 32 | 2 | – | 2 | 4 | 9 | 13 | 10 |
| 631 | Carmunnock, . . . | 710 | 734 | 9 | 13 | 22 | 4 | – | 4 | 7 | 4 | 11 | 1 |
| 632 | Carnwath, . . . | 3551 | 3584 | 75 | 80 | 155 | 7 | 10 | 17 | 34 | 22 | 56 | 32 |
| 633 | Carstairs, . . . | 1066 | 1345 | 29 | 29 | 58 | 1 | 2 | 3 | 12 | 9 | 21 | 9 |
| 634 | Covington & Thankerton, | 548 | 532 | 4 | 7 | 11 | – | 3 | 3 | 2 | 6 | 8 | 1 |
| 635 | Crawford— | | | | | | | | | | | | |
| | (1) Crawford, . . | c. 730 | 694 | 9 | 7 | 16 | – | – | – | 4 | 9 | 13 | 3 |
| | (2) Leadhills, . . | c. 940 | 896 | 19 | 18 | 37 | 4 | 3 | 7 | 5 | 13 | 18 | 6 |
| 636 | Crawfordjohn, . . | 1111 | 980 | 11 | 9 | 20 | 1 | 3 | 4 | 11 | 6 | 17 | 8 |
| 637 | Culter, . . . . | 472 | 665 | 7 | 6 | 13 | – | – | – | 5 | 3 | 8 | 3 |
| 638 | Dalserf— | | | | | | | | | | | | |
| | (1) Larkhall (including Town), . . | c. 2670 | 3629 | 93 | 79 | 172 | 11 | 4 | 15 | 38 | 45 | 83 | 26 |
| | (2) Dalserf, . . . | c. 913 | 1247 | 18 | 26 | 44 | 2 | 2 | 4 | 12 | 10 | 22 | 4 |
| 639 | Dalziel (incl. Motherwell), . . . | 2262 | 5438 | 158 | 146 | 304 | 3 | 3 | 6 | 68 | 47 | 115 | 26 |
| 640 | Dolphington, . . . | 305 | 260 | 3 | 1 | 4 | 1 | – | 1 | 1 | 5 | 6 | 2 |
| 641 | Douglas, . . . . | 2611 | 2490 | 57 | 39 | 96 | 10 | 3 | 13 | 32 | 21 | 53 | 20 |
| 642 | Dunsyre, . . . | 312 | 312 | 5 | 6 | 11 | 1 | – | 1 | 2 | 3 | 5 | – |
| 643 | East Kilbride, . . | 3760 | 4064 | 62 | 64 | 126 | 7 | 1 | 8 | 42 | 31 | 73 | 25 |
| 644 | GLASGOW— | | | | | | | | | | | | |
| | (1) Central District, . | c. 43270 | 49678 | 1164 | 1089 | 2253 | 237 | 218 | 455 | 822 | 959 | 1781 | 463 |
| | (2) High, . . . | c. 42005 | 48119 | 1028 | 956 | 1984 | 107 | 92 | 199 | 1054 | 939 | 1993 | 291 |
| | (3) Bridgeton, . . | c. 38385 | 45485 | 953 | 925 | 1878 | 80 | 55 | 135 | 605 | 629 | 1234 | 298 |
| | (4) Calton, . . . | c. 33310 | 36625 | 792 | 767 | 1559 | 67 | 71 | 138 | 482 | 564 | 1046 | 441 |
| | (5) Clyde, . . . | c. 32800 | 29975 | 568 | 504 | 1072 | 66 | 68 | 134 | 451 | 445 | 896 | 201 |
| | (6) Blythswood, . . | c. 21405 | 28697 | 376 | 429 | 805 | 29 | 29 | 58 | 267 | 268 | 535 | 499 |
| | (7) Milton, . . . | c. 26240 | 33360 | 787 | 787 | 1574 | 52 | 53 | 105 | 453 | 396 | 849 | 286 |
| | (8) Anderston, . . | c. 30035 | 40945 | 912 | 891 | 1803 | 38 | 61 | 99 | 494 | 502 | 996 | 296 |
| | (9) Tradeston, . . | c. 27163 | 38600 | 781 | 791 | 1572 | 46 | 66 | 112 | 481 | 511 | 992 | 397 |
| | (10) Hutchesontown, . | c. 34484 | 44019 | 992 | 908 | 1900 | 65 | 62 | 127 | 587 | 656 | 1243 | 287 |
| 645 | Glassford, . . . | 1955 | 1938 | 27 | 35 | 62 | 3 | 3 | 6 | 20 | 18 | 38 | 15 |
| 646 | Govan— | | | | | | | | | | | | |
| | (1) Govan (incl. Town), | c. 6238 | 13725 | 341 | 304 | 645 | 10 | 16 | 26 | 218 | 200 | 418 | 135 |
| | (2) Partick (incl. Town), | c. 7852 | 14859 | 312 | 314 | 626 | 16 | 13 | 29 | 179 | 186 | 365 | 95 |
| 647 | HAMILTON (incl. Burgh), | 11740 | 14047 | 291 | 244 | 535 | 26 | 21 | 47 | 152 | 135 | 287 | 91 |
| 648 | LANARK (incl. Burgh), | 8243 | 7891 | 130 | 140 | 270 | 10 | 21 | 31 | 82 | 80 | 162 | 50 |
| 649 | Lesmahagow, . . . | 7746 | 9266 | 177 | 169 | 346 | 20 | 16 | 36 | 101 | 75 | 176 | 65 |
| 650 | Libberton, . . . | 800 | 836 | 15 | 12 | 27 | 1 | 2 | 3 | 5 | 7 | 12 | 4 |
| 651 | New Monkland— | | | | | | | | | | | | |
| | (1) AIRDRIE, . . | 14435 | 12922 | 260 | 260 | 520 | 25 | 16 | 41 | 119 | 140 | 259 | 79 |
| | (2) Landward, . . | 8766 | 7632 | 160 | 133 | 293 | 15 | 11 | 26 | 86 | 62 | 148 | 25 |
| 652 | Old Monkland— | | | | | | | | | | | | |
| | (1) Western District, . | c. 6646 | 6932 | 174 | 149 | 323 | 9 | 14 | 23 | 70 | 65 | 135 | 41 |
| | (2) Middle District (incl. Coatbridge), . | c. 13168 | 15303 | 358 | 316 | 674 | 17 | 10 | 27 | 223 | 190 | 413 | 96 |
| | (3) Eastern District (incl. Calderbank), | c. 7519 | 7308 | 145 | 114 | 259 | 10 | 3 | 13 | 63 | 46 | 109 | 17 |
| 653 | Pettinain, . . . | 428 | 407 | 3 | 3 | 6 | – | – | – | 2 | – | 2 | 1 |
| 654 | RUTHERGLEN (incl. Burgh), . . . | 7954 | 9335 | 192 | 186 | 378 | 10 | 16 | 26 | 114 | 137 | 251 | 66 |
| 655 | Shotts (part of), . . | 3892 | 7343 | 158 | 152 | 310 | 7 | 9 | 16 | 67 | 59 | 126 | 44 |
| 656 | Stonehouse (incl. Town), | 2781 | 3267 | 72 | 66 | 138 | 3 | 7 | 10 | 27 | 33 | 60 | 19 |

| No. of District. | Registration Districts. | Population. | | Total Births, including the Illegitimate. | | | Illegitimate Births. | | | Deaths. | | | Marriages. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | 1851. | 1861. | Males. | Fem. | Total. | Mal. | Fem | Totl | Mal. | Fem | Total. | |
| 657 | Symington, . . . | 536 | 528 | 11 | 7 | 18 | – | – | – | 5 | 4 | 9 | 4 |
| 658 | Walston, . . . | 497 | 480 | 9 | 6 | 15 | 2 | 1 | 3 | 3 | 3 | 6 | 6 |
| 659 | Wandell and Lamington, | 369 | 380 | 9 | 7 | 16 | 2 | 3 | 5 | 3 | 4 | 7 | .. |
| 660 | Wiston and Roberton, . | 839 | 786 | 10 | 6 | 16 | 3 | 2 | 5 | 5 | 1 | 6 | 2 |
| | Total, | 533169 | 640444 | 13571 | 12840 | 26411 | 1158 | 1102 | 2260 | 8504 | 8494 | 16998 | 4983 |
| | VII. SOUTH-EASTERN. | | | | | | | | | | | | |
| | 24. Linlithgow. | | | | | | | | | | | | |
| 661 | Abercorn, . . . | 977 | 965 | 20 | 14 | 34 | 4 | – | 4 | 20 | 15 | 35 | 10 |
| 662 | Bathgate (incl. Town and Armadale), . | 4533 | 10134 | 302 | 276 | 578 | 8 | 16 | 24 | 148 | 148 | 296 | 82 |
| 663 | Borrowstounness (incl. Town), . . . | 5192 | 5698 | 142 | 135 | 277 | 9 | 5 | 14 | 73 | 69 | 142 | 20 |
| 664 | Carriden, . . . | 1724 | 1821 | 49 | 26 | 75 | 4 | 1 | 5 | 19 | 7 | 26 | 15 |
| 665 | Dalmeny, . . . | 768 | 804 | 13 | 15 | 28 | 3 | – | 3 | 9 | 6 | 15 | 5 |
| 666 | Ecclesmachen, . . | 289 | 309 | 4 | 6 | 10 | – | – | – | 2 | – | 2 | 1 |
| 667 | Kirkliston, . . . | 2029 | 1907 | 38 | 34 | 72 | 7 | 6 | 13 | 26 | 9 | 35 | 10 |
| 668 | LINLITHGOW— | | | | | | | | | | | | |
| | (1) Burgh, . . . | 4213 | 3843 | 73 | 62 | 135 | 12 | 6 | 18 | 58 | 45 | 103 | 29 |
| | (2) Landward, . . | 1902 | 1941 | 32 | 31 | 63 | 4 | 2 | 6 | 29 | 23 | 52 | 14 |
| 669 | Livingstone, . . . | 1289 | 1366 | 25 | 29 | 54 | 2 | 1 | 3 | 8 | 14 | 22 | 5 |
| 670 | QUEENSFERRY (incl. Burgh), . . . | 1195 | 1391 | 28 | 23 | 51 | 5 | 2 | 7 | 16 | 24 | 40 | 10 |
| 671 | Torphichen, . . . | 1356 | 1848 | 36 | 33 | 69 | 4 | 4 | 8 | 25 | 14 | 39 | 7 |
| 672 | Uphall, . . . . | 1331 | 1507 | 27 | 38 | 65 | 1 | 7 | 8 | 14 | 13 | 27 | 3 |
| 673 | Whitburn, . . . | 3792 | 5511 | 154 | 154 | 308 | 7 | 8 | 15 | 52 | 52 | 104 | 31 |
| | Total, | 30590 | 39045 | 943 | 876 | 1819 | 70 | 58 | 128 | 499 | 439 | 938 | 242 |
| | 25. Edinburgh. | | | | | | | | | | | | |
| 674 | Borthwick, . . . | 1614 | 1742 | 38 | 34 | 72 | 5 | 3 | 8 | 9 | 10 | 19 | 17 |
| 675 | Carrington, . . . | 710 | 681 | 10 | 11 | 21 | – | 2 | 2 | 7 | 2 | 9 | 2 |
| 676 | Cockpen, . . . | 3228 | 2902 | 52 | 56 | 108 | 4 | 6 | 10 | 22 | 36 | 58 | 23 |
| 677 | Colinton, . . . | 2676 | 2656 | 52 | 37 | 89 | 5 | 4 | 9 | 20 | 26 | 46 | 13 |
| 678 | Corstorphine, . . . | 1499 | 1579 | 27 | 22 | 49 | 2 | 2 | 4 | 15 | 11 | 26 | 6 |
| 679 | Cramond, . . . | 2547 | 2695 | 43 | 50 | 93 | 4 | 2 | 6 | 28 | 19 | 47 | 11 |
| 680 | Cranston, . . . | 1235 | 1035 | 21 | 19 | 40 | 1 | 1 | 2 | 9 | 9 | 18 | 2 |
| 681 | Crichton, . . . | 1387 | 1304 | 26 | 27 | 53 | 3 | 2 | 5 | 17 | 11 | 28 | 5 |
| 682 | Currie, . . . . | 2190 | 2248 | 33 | 36 | 69 | 1 | 1 | 2 | 12 | 18 | 30 | 13 |
| 683 | Dalkeith (incl. Town), | 6521 | 7114 | 136 | 135 | 271 | 9 | 12 | 21 | 65 | 75 | 140 | 59 |
| 684 | Duddingston— | | | | | | | | | | | | |
| | (1) PORTOBELLO, . | 3559 | 4366 | 49 | 70 | 119 | 3 | 4 | 7 | 35 | 43 | 78 | 34 |
| | (2) Landward, . . | 904 | 857 | 10 | 11 | 21 | 2 | 1 | 3 | 6 | 10 | 16 | 4 |
| 685 | EDINBURGH— | | | | | | | | | | | | |
| | (1) St George (incl. Landward of St Cuthbert), . . . | c. 38540 | 42068 | 641 | 583 | 1224 | 36 | 49 | 85 | 510 | 577 | 1087 | 339 |
| | (2) St Andrew, . . | c. 37435 | 38731 | 461 | 480 | 941 | 21 | 26 | 47 | 301 | 381 | 682 | 418 |
| | (3) Canongate (incl. Landward), . . | c. 29230 | 30169 | 628 | 583 | 1211 | 52 | 52 | 104 | 763 | 672 | 1435 | 224 |
| | (4) St Giles, . . . | c. 29245 | 29679 | 715 | 640 | 1355 | 179 | 138 | 317 | 431 | 439 | 870 | 341 |
| | (5) Newington, . . | c. 27198 | 29797 | 540 | 488 | 1028 | 28 | 16 | 44 | 301 | 385 | 686 | 288 |
| 686 | Fala and Soutra, . . | 434 | 382 | 7 | 4 | 11 | 1 | – | 1 | 2 | 3 | 5 | 4 |
| 687 | Glencross, . . . | 1138 | 1217 | 18 | 21 | 39 | 2 | 3 | 5 | 9 | 4 | 13 | 7 |
| 688 | Heriot, . . . . | 352 | 407 | 4 | 11 | 15 | 1 | – | 1 | 5 | 2 | 7 | 1 |
| 689 | Inveresk (incl. MUSSELBURGH), . . . | 8653 | 9518 | 194 | 152 | 346 | 14 | 16 | 30 | 129 | 147 | 276 | 67 |

| No. of District. | Registration Districts. | Population. | | Total Births, including the Illegitimate. | | | Illegitimate Births. | | | Deaths. | | | Marriages. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | 1851. | 1861. | Males. | Fem. | Total. | Mal. | Fem | Totl. | Mal. | Fem | Total. | |
| 690 | Kirknewton and East-Calder, | 1630 | 1549 | 20 | 25 | 45 | 4 | 5 | 9 | 5 | 10 | 15 | 10 |
| 691 | Lasswade, | 5821 | 5688 | 91 | 84 | 175 | 7 | 16 | 23 | 50 | 58 | 108 | 36 |
| 692 | LEITH— | | | | | | | | | | | | |
| | (1) North Leith, | c. 9494 | 11562 | 235 | 209 | 444 | 11 | 6 | 17 | 118 | 121 | 239 | 94 |
| | (2) South Leith | c. 22725 | 24467 | 526 | 470 | 996 | 38 | 33 | 71 | 323 | 310 | 633 | 220 |
| 693 | Liberton, | 3528 | 3510 | 51 | 60 | 111 | 6 | 3 | 9 | 35 | 34 | 69 | 9 |
| 694 | Mid-Calder, | 1474 | 1389 | 21 | 22 | 43 | 4 | 3 | 7 | 18 | 10 | 28 | 8 |
| 695 | Newbattle, | 2518 | 2837 | 77 | 52 | 129 | 5 | 4 | 9 | 35 | 31 | 66 | 23 |
| 696 | Newton, | 1780 | 1553 | 23 | 28 | 51 | 5 | – | 5 | 17 | 16 | 33 | 8 |
| 697 | Penicuik, | 3003 | 3249 | 64 | 50 | 114 | 4 | 5 | 9 | 36 | 35 | 71 | 28 |
| 698 | Ratho, | 1718 | 1659 | 29 | 21 | 50 | 6 | – | 6 | 15 | 13 | 28 | 12 |
| 699 | Stow, | 1973 | 2171 | 35 | 40 | 75 | 3 | 6 | 9 | 17 | 22 | 39 | 16 |
| 700 | Temple, | 1414 | 1385 | 29 | 25 | 54 | – | 1 | 1 | 9 | 8 | 17 | 8 |
| 701 | West-Calder, | 2120 | 1927 | 26 | 33 | 59 | 3 | 5 | 8 | 26 | 16 | 42 | 4 |
| | Total, | 259493 | 274093 | 4932 | 4589 | 9521 | 469 | 427 | 896 | 3400 | 3564 | 6964 | 2354 |
| | 26. Haddington. | | | | | | | | | | | | |
| 702 | Aberlady, | 1099 | 1019 | 24 | 16 | 40 | – | 2 | 2 | 9 | 12 | 21 | 6 |
| 703 | Athelstaneford, | 971 | 902 | 14 | 9 | 23 | 2 | – | 2 | 8 | 5 | 13 | 6 |
| 704 | Bolton, | 373 | 332 | 5 | 2 | 7 | – | – | – | 1 | 1 | 2 | 1 |
| 705 | Dirleton, | 1634 | 1540 | 25 | 27 | 52 | 4 | 1 | 5 | 7 | 13 | 20 | 7 |
| 706 | DUNBAR (incl. Burgh), | 4415 | 4944 | 91 | 85 | 176 | 12 | 4 | 16 | 37 | 47 | 84 | 25 |
| 707 | Garvald, | 869 | 891 | 20 | 9 | 29 | 1 | 2 | 3 | 4 | 5 | 9 | 7 |
| 708 | Gladsmuir, | 1780 | 1945 | 29 | 26 | 55 | 3 | 2 | 5 | 15 | 13 | 28 | 10 |
| 709 | HADDINGTON (incl. Burgh), | 5525 | 5548 | 108 | 113 | 221 | 9 | 13 | 22 | 47 | 62 | 109 | 51 |
| 710 | Humbie, | 925 | 997 | 16 | 14 | 30 | 3 | 1 | 4 | 10 | 4 | 14 | 10 |
| 711 | Innerwick, | 1012 | 937 | 15 | 15 | 30 | 1 | 3 | 4 | 2 | 8 | 10 | 6 |
| 712 | Morham, | 249 | 281 | 9 | 2 | 11 | 1 | – | 1 | 2 | 2 | 4 | 1 |
| 713 | NORTH BERWICK (incl. Burgh), | 1643 | 2071 | 41 | 41 | 82 | 3 | 5 | 8 | 17 | 17 | 34 | 12 |
| 714 | Oldhamstocks, | 692 | 615 | 10 | 8 | 18 | 1 | 2 | 3 | 5 | 2 | 7 | 1 |
| 715 | Ormiston, | 811 | 915 | 17 | 13 | 30 | 5 | 2 | 7 | 11 | 12 | 23 | 5 |
| 716 | Pencaitland, | 1175 | 1187 | 24 | 25 | 49 | 5 | 3 | 8 | 14 | 12 | 26 | 8 |
| 717 | Prestonkirk, | 1894 | 1960 | 41 | 29 | 70 | 1 | 2 | 3 | 13 | 28 | 41 | 13 |
| 718 | Prestonpans, | 2123 | 2080 | 41 | 28 | 69 | 2 | 1 | 3 | 22 | 26 | 48 | 12 |
| 719 | Salton, | 697 | 712 | 13 | 5 | 18 | 3 | 1 | 4 | 5 | 2 | 7 | 3 |
| 720 | Spott, | 595 | 555 | 10 | 6 | 16 | 1 | – | 1 | 3 | 8 | 11 | 2 |
| 721 | Stenton, | 719 | 692 | 12 | 9 | 21 | 1 | 1 | 2 | 4 | 10 | 14 | – |
| 722 | Tranent (incl. Town), | 4158 | 4647 | 103 | 94 | 197 | 8 | 9 | 17 | 48 | 56 | 104 | 41 |
| 723 | Whitekirk & Tynninghame | 1131 | 1113 | 13 | 11 | 24 | – | 1 | 1 | 7 | 13 | 20 | 5 |
| 724 | Whittinghame, | 671 | 710 | 6 | 14 | 20 | – | 1 | 1 | 3 | 5 | 8 | 2 |
| 725 | Yester (or Gifford), | 1202 | 1033 | 14 | 17 | 31 | 3 | 4 | 7 | 8 | 12 | 20 | 5 |
| | Total, | 36363 | 37626 | 701 | 618 | 1319 | 69 | 60 | 129 | 302 | 375 | 677 | 239 |
| | 27. Berwick. | | | | | | | | | | | | |
| 726 | Abbey St Bathans, | 155 | 179 | – | 4 | 4 | – | – | – | 1 | – | 1 | – |
| 727 | Ayton, | 1959 | 2014 | 37 | 33 | 70 | 3 | 1 | 4 | 11 | 14 | 25 | 7 |
| 728 | Bunkle and Preston, | 715 | 756 | 10 | 15 | 25 | – | 1 | 1 | 5 | 9 | 14 | 2 |
| 729 | Channelkirk, | 728 | 671 | 8 | 16 | 24 | – | 3 | 3 | 6 | 4 | 10 | 3 |
| 730 | Chirnside, | 1384 | 1502 | 18 | 19 | 37 | 1 | 1 | 2 | 12 | 10 | 22 | 3 |
| 731 | Cockburnspath, | 1196 | 1194 | 32 | 17 | 49 | 3 | 3 | 6 | 12 | 9 | 21 | 10 |
| 732 | Coldingham, | 3188 | 3241 | 60 | 46 | 106 | 8 | 2 | 10 | 21 | 21 | 42 | 20 |
| 733 | Coldstream, | 3245 | 2823 | 34 | 30 | 64 | 3 | 5 | 8 | 24 | 41 | 65 | 10 |
| 734 | Cranshaws, | 127 | 134 | 4 | 3 | 7 | 1 | – | 1 | – | 1 | 1 | – |
| 735 | Dunse (incl. Town), | 3407 | 3595 | 70 | 44 | 114 | 14 | 4 | 18 | 29 | 40 | 69 | 21 |
| 736 | Earlston, | 1819 | 1825 | 25 | 35 | 60 | – | 6 | 6 | 11 | 19 | 30 | 14 |

| No. of District. | Registration Districts. | Population. | | Total Births, including the Illegitimate. | | | Illegitimate Births. | | | Deaths. | | | Marriages. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | 1851. | 1861. | Males. | Fem. | Total. | Mal. | Fem | Totl | Mal. | Fem | Total. | |
| 737 | Eccles, | 1892 | 1861 | 21 | 26 | 47 | 4 | 3 | 7 | 8 | 14 | 22 | 11 |
| 738 | Edrom, | 1474 | 1592 | 22 | 14 | 36 | 5 | 1 | 6 | 9 | 9 | 18 | 7 |
| 739 | Eyemouth, | 1488 | 1804 | 30 | 42 | 72 | 1 | 2 | 3 | 15 | 27 | 42 | 11 |
| 740 | Fogo, | 604 | 559 | 8 | 8 | 16 | 1 | – | 1 | 2 | 2 | 4 | 4 |
| 741 | Foulden, | 430 | 431 | 5 | 7 | 12 | – | 2 | 2 | 7 | 5 | 12 | 2 |
| 742 | Gordon, | 983 | 931 | 14 | 5 | 19 | 1 | – | 1 | 7 | 6 | 13 | 5 |
| 743 | Greenlaw, | 1378 | 1370 | 19 | 22 | 41 | 2 | 1 | 3 | 9 | 15 | 24 | 3 |
| 744 | Hume, | 406 | 420 | 4 | 8 | 12 | – | 1 | 1 | 5 | 2 | 7 | 1 |
| 745 | Hutton, | 1102 | 1067 | 13 | 20 | 33 | – | 4 | 4 | 7 | 10 | 17 | 5 |
| 746 | Ladykirk, | 561 | 564 | 7 | 7 | 14 | – | 1 | 1 | 4 | 5 | 9 | 3 |
| 747 | Langton, | 484 | 502 | 13 | 17 | 30 | 1 | 1 | 2 | 4 | 6 | 10 | 7 |
| 748 | LAUDER (incl. Burgh), | 2154 | 2198 | 27 | 35 | 62 | 1 | 7 | 8 | 22 | 14 | 36 | 9 |
| 749 | Legerwood, | 587 | 599 | 11 | 12 | 23 | 1 | 2 | 3 | 2 | 2 | 4 | 2 |
| 750 | Longformacus, | 411 | 448 | 6 | 9 | 15 | 1 | 1 | 2 | 6 | 1 | 7 | 2 |
| 751 | Merton, | 692 | 729 | 11 | 7 | 18 | 1 | – | 1 | 8 | 2 | 10 | 5 |
| 752 | Mordington, | 427 | 377 | 7 | 3 | 10 | – | – | – | 4 | 4 | 8 | 1 |
| 753 | Nenthorn, | 441 | 461 | 8 | 7 | 15 | 2 | – | 2 | 4 | 6 | 10 | 1 |
| 754 | Polwarth, | 331 | 251 | – | 3 | 3 | – | 1 | 1 | 1 | 2 | 3 | 1 |
| 755 | Swinton, | 994 | 964 | 17 | 21 | 38 | – | 5 | 5 | 8 | 12 | 20 | 6 |
| 756 | Westruther, | 791 | 786 | 9 | 12 | 21 | – | 3 | 3 | 1 | 9 | 10 | 4 |
| 757 | Whitsome, | 612 | 640 | 8 | 9 | 17 | 1 | 1 | 2 | 4 | 7 | 11 | 1 |
| | Total, | 36165 | 36488 | 558 | 556 | 1114 | 55 | 62 | 117 | 269 | 328 | 597 | 181 |
| | 28. Peebles. | | | | | | | | | | | | |
| 758 | Broughton, | 284 | 297 | 3 | 7 | 10 | 1 | 2 | 3 | – | 3 | 3 | 2 |
| 759 | Drumelzier, | 244 | 209 | 1 | 1 | 2 | – | – | – | 2 | 1 | 3 | – |
| 760 | Eddlestone, | 790 | 753 | 13 | 10 | 23 | – | 2 | 2 | 3 | 6 | 9 | 1 |
| 761 | Glenholm, | 252 | 198 | 5 | 2 | 7 | – | – | – | 2 | – | 2 | 4 |
| 762 | Innerleithen, | 1236 | 1823 | 25 | 29 | 54 | 1 | 1 | 2 | 21 | 15 | 36 | 3 |
| 763 | Kilbucho, | 345 | 228 | 6 | 3 | 9 | 1 | 1 | 2 | 1 | 2 | 3 | – |
| 764 | Kirkurd, | 326 | 362 | 5 | 5 | 10 | – | – | – | 3 | 4 | 7 | 3 |
| 765 | Lyne, etc.—(1) Lyne, | 95 | 81 | 1 | 1 | 2 | – | – | – | – | – | – | – |
| | (2) Meggat, | 63 | 53 | 1 | – | 1 | – | – | – | – | – | – | – |
| 766 | Manor, | 256 | 247 | 4 | 4 | 8 | – | 1 | 1 | 2 | 3 | 5 | 2 |
| 767 | Newlands, | 950 | 987 | 19 | 14 | 33 | – | 2 | 2 | 8 | 4 | 12 | 4 |
| 768 | PEEBLES (incl. Burgh), | 2673 | 2850 | 41 | 54 | 95 | 4 | 4 | 8 | 33 | 32 | 65 | 23 |
| 769 | Skirling, | 316 | 317 | 4 | 4 | 8 | – | – | – | 1 | 4 | 5 | 4 |
| 770 | Stobo, | 478 | 478 | 3 | 12 | 15 | – | – | – | 8 | 3 | 11 | 1 |
| 771 | Traquair, | 646 | 687 | 12 | 13 | 25 | 2 | – | 2 | 5 | 2 | 7 | 1 |
| 772 | Tweedsmuir, | 220 | 196 | 1 | 3 | 4 | – | – | – | 2 | 3 | 5 | 5 |
| 773 | West Linton, | 1630 | 1534 | 28 | 20 | 48 | 5 | 2 | 7 | 16 | 15 | 31 | 7 |
| | Total, | 10804 | 11300 | 172 | 182 | 354 | 14 | 15 | 29 | 107 | 97 | 204 | 60 |
| | 29. Selkirk. | | | | | | | | | | | | |
| 774 | Ettrick, | 477 | 454 | 6 | 7 | 13 | 2 | 2 | 4 | 5 | 2 | 7 | 2 |
| 775 | Galashiels (incl. part of Town), | 3014 | 3379 | 60 | 51 | 111 | 4 | 6 | 10 | 31 | 23 | 54 | 30 |
| 776 | Kirkhope, | c. 600 | 555 | 10 | 12 | 22 | 1 | – | 1 | 8 | 2 | 10 | 2 |
| 777 | Roberton, | 670 | 640 | 11 | 20 | 31 | – | 2 | 2 | 5 | 5 | 10 | 6 |
| 778 | SELKIRK (incl. Burgh), | 4347 | 4739 | 74 | 77 | 151 | 4 | 2 | 6 | 42 | 40 | 82 | 24 |
| 779 | Yarrow, | c. 694 | 643 | 10 | 13 | 23 | – | 1 | 1 | 5 | 4 | 9 | 4 |
| | Total, | 9802 | 10410 | 171 | 180 | 351 | 11 | 13 | 24 | 96 | 76 | 172 | 68 |
| | VIII. SOUTHERN. | | | | | | | | | | | | |
| | 30. Roxburgh. | | | | | | | | | | | | |
| 780 | Ancrum, | 1554 | 1511 | 21 | 22 | 43 | 4 | 7 | 11 | 16 | 12 | 28 | 8 |
| 781 | Ashkirk, | 578 | 578 | 11 | 7 | 18 | 2 | 1 | 3 | 2 | 5 | 7 | 4 |

| No. of District. | Registration Districts. | Population. | | Total Births, including the Illegitimate. | | | Illegitimate Births. | | | Deaths. | | | Marriages. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | 1851. | 1861. | Males. | Fem. | Total. | Mal. | Fem | Totl | Mal. | Fem | Total. | |
| 782 | Bedrule, . . . | 240 | 222 | 7 | 4 | 11 | – | – | – | 4 | 1 | 5 | 1 |
| 783 | Bowden, . . . | 981 | 864 | 15 | 14 | 29 | 4 | 1 | 5 | 10 | 7 | 17 | 6 |
| 784 | Castleton, . . . | 2130 | 3688 | 57 | 51 | 108 | 4 | 9 | 13 | 45 | 27 | 72 | 9 |
| 785 | Cavers, . . . . | 1495 | 1824 | 28 | 30 | 58 | 2 | 5 | 7 | 19 | 13 | 32 | 11 |
| 786 | Crailing, . . . | 734 | 673 | 12 | 12 | 24 | 2 | 3 | 5 | 7 | 4 | 11 | 7 |
| *a*787 | Eckford, . . . | 1073 | 957 | 12 | 15 | 27 | 3 | 3 | 6 | 8 | 2 | 10 | 5 |
| *b*787 | Edgerston, . . . | *c.* 373 | 359 | 6 | 5 | 11 | – | 1 | 1 | 2 | 2 | 4 | 1 |
| 788 | Ednam, . . . . | 658 | 599 | 11 | 7 | 18 | – | 3 | 3 | 4 | 3 | 7 | 4 |
| 789 | Hawick (incl. part of Town), . . . | 7801 | 8726 | 181 | 175 | 356 | 22 | 26 | 48 | 129 | 117 | 246 | 58 |
| 790 | Hobkirk, . . . | 720 | 771 | 7 | 10 | 17 | 1 | – | 1 | 3 | 4 | 7 | 2 |
| 791 | Hownam, . . . | 252 | 289 | 7 | 2 | 9 | 1 | – | 1 | 1 | 2 | 3 | – |
| 792 | JEDBURGH (incl. Burgh), . . . | *c.* 5220 | 5011 | 82 | 75 | 157 | 11 | 7 | 18 | 33 | 53 | 86 | 20 |
| 793 | Kelso (incl. Town), . | 5634 | 5192 | 71 | 83 | 154 | 7 | 14 | 21 | 75 | 68 | 143 | 28 |
| 794 | Kirktown, . . . | 282 | 421 | 8 | 4 | 12 | – | – | – | – | 2 | 2 | 1 |
| 795 | Lilliesleaf, . . . | 798 | 772 | 6 | 22 | 28 | – | 1 | 1 | 5 | 5 | 10 | 2 |
| 796 | Linton, . . . . | 630 | 608 | 6 | 13 | 19 | – | 4 | 4 | 3 | – | 3 | 2 |
| 797 | Makerston, . . . | 345 | 380 | 8 | 3 | 11 | 1 | – | 1 | 3 | 4 | 7 | 3 |
| 798 | Maxton, . . . | 550 | 497 | 8 | 13 | 21 | 3 | 1 | 4 | 4 | 2 | 6 | 1 |
| 799 | Melrose— | | | | | | | | | | | | |
| | (1) Melrose, . . | 3592 | 3557 | 67 | 65 | 132 | 3 | 1 | 4 | 32 | 41 | 73 | 13 |
| | (2) Ladhope (incl. part of Galashiels), . | 3773 | 4154 | 87 | 73 | 160 | 9 | 6 | 15 | 33 | 46 | 79 | 30 |
| 800 | Minto, . . . . | 467 | 430 | 7 | 6 | 13 | – | – | – | 2 | – | 2 | 1 |
| 801 | Morebattle, . . . | 997 | 1031 | 20 | 17 | 37 | 5 | 2 | 7 | 5 | 4 | 9 | 8 |
| 802 | Oxnam, . . . . | *c.* 632 | 592 | 9 | 8 | 17 | 1 | – | 1 | 2 | – | 2 | 1 |
| 803 | Roxburgh, . . . | 1141 | 1178 | 22 | 31 | 53 | 3 | 5 | 8 | 11 | 12 | 23 | 4 |
| 804 | St Boswells, . . . | 884 | 865 | 9 | 11 | 20 | – | 1 | 1 | 13 | 7 | 20 | 2 |
| 805 | Smailholm, . . . | 617 | 554 | 1 | 11 | 12 | – | – | – | 3 | 9 | 12 | 2 |
| 806 | Southdean, . . . | *c.* 765 | 687 | 4 | 10 | 14 | – | – | – | 3 | 7 | 10 | 2 |
| 807 | Sprouston, . . . | 1424 | 1305 | 20 | 12 | 32 | 3 | 2 | 5 | 13 | 8 | 21 | 8 |
| 808 | Stitchel, . . . | 426 | 425 | 8 | 2 | 10 | – | – | – | 2 | 2 | 4 | 3 |
| 809 | Teviothead, . . . | 550 | 438 | 14 | 11 | 25 | 3 | 2 | 5 | 2 | 3 | 5 | 6 |
| 810 | Wilton (incl. Town and part of Hawick), . | 2557 | 3357 | 69 | 61 | 130 | 8 | 8 | 16 | 35 | 21 | 56 | 18 |
| 811 | Yetholm, . . | 1352 | 1207 | 13 | 20 | 33 | 1 | 6 | 7 | 15 | 7 | 22 | 3 |
| | Total, | 51225 | 53722 | 914 | 905 | 1819 | 103 | 119 | 222 | 544 | 500 | 1044 | 274 |
| | 31. Dumfries. | | | | | | | | | | | | |
| 812 | ANNAN (incl. part of Burgh), . . . | *c.* 5128 | 5113 | 83 | 64 | 147 | 7 | 9 | 16 | 50 | 61 | 111 | 32 |
| *a*813 | Applegarth, . . . | 918 | 935 | 12 | 19 | 31 | 2 | 2 | 4 | 1 | 5 | 6 | 12 |
| *b*813 | Brydekirk (incl. part of ANNAN), . . . | *c.* 864 | 779 | 13 | 12 | 25 | 1 | 2 | 3 | 8 | 9 | 17 | 4 |
| 814 | Canonbie, . . . | 3163 | 3219 | 49 | 67 | 116 | 9 | 13 | 22 | 21 | 38 | 59 | 7 |
| 815 | Carlaverock, . . . | 1418 | 1248 | 25 | 13 | 38 | 3 | 3 | 6 | 4 | 10 | 14 | 8 |
| 816 | Closeburn, . . . | 1732 | 1651 | 27 | 20 | 47 | 1 | 6 | 7 | 9 | 11 | 20 | 6 |
| 817 | Cummertrees, . . | *c.* 1334 | 1184 | 22 | 13 | 35 | 3 | – | 3 | 16 | 18 | 34 | 5 |
| 818 | Dalton, . . . . | 761 | 679 | 9 | 6 | 15 | 1 | 2 | 3 | 7 | 2 | 9 | 3 |
| 819 | Dornock, . . . | 936 | 856 | 14 | 9 | 23 | 3 | 1 | 4 | 7 | 11 | 18 | 4 |
| 820 | Dryfesdale, . . . | 2409 | 2509 | 47 | 41 | 88 | 5 | 4 | 9 | 32 | 15 | 47 | 11 |
| 821 | DUMFRIES (incl. part of Burgh), . . . | 12298 | 13523 | 257 | 263 | 520 | 56 | 54 | 110 | 222 | 197 | 419 | 137 |
| 822 | Dunscore, . . . | 1578 | 1554 | 27 | 24 | 51 | 6 | 4 | 10 | 7 | 9 | 16 | 14 |
| 823 | Durrisdeer, . . . | 1795 | 1320 | 14 | 21 | 35 | 2 | – | 2 | 9 | 13 | 22 | 7 |
| 824 | Eskdalemuir, . . . | 672 | 590 | 12 | 9 | 21 | 4 | 1 | 5 | 5 | 3 | 8 | – |
| 825 | Ewes, . . . . | 354 | 356 | 1 | 3 | 4 | – | – | – | 2 | 7 | 9 | 2 |
| 826 | Glencairn, . . . | 1980 | 1867 | 32 | 25 | 57 | 2 | 2 | 4 | 17 | 23 | 40 | 21 |

| No. of District. | Registration Districts. | Population. | | Total Births, including the Illegitimate. | | | Illegitimate Births. | | | Deaths. | | | Marriages. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | 1851. | 1861. | Males. | Fem. | Total. | Mal. | Fem | Totl | Mal. | Fem | Total. | |
| 827 | Graitney (or Gretna), . | 1830 | 1620 | 20 | 19 | 39 | 1 | 2 | 3 | 22 | 20 | 42 | 7 |
| 828 | Halfmorton, . . . | 687 | 713 | 13 | 8 | 21 | 2 | 1 | 3 | 3 | 5 | 8 | 2 |
| 829 | Hoddam, . . . | *c.* 1705 | 1568 | 24 | 27 | 51 | 5 | 3 | 8 | 12 | 21 | 33 | 6 |
| 830 | Holywood, . . . | 1060 | 1115 | 21 | 19 | 40 | 2 | 1 | 3 | 13 | 13 | 26 | 5 |
| 831 | Hutton, . . . . | 836 | 876 | 8 | 13 | 21 | – | 3 | 3 | 6 | 8 | 14 | 6 |
| 832 | Johnstone, . . . | 1261 | 1149 | 15 | 12 | 27 | 3 | 1 | 4 | 6 | 7 | 13 | 6 |
| 833 | Keir, . . . . | 960 | 849 | 11 | 16 | 27 | – | 2 | 2 | 7 | 4 | 11 | 3 |
| 834 | Kirkconnel, . . . | 1245 | 996 | 15 | 14 | 29 | 4 | 1 | 5 | 10 | 10 | 20 | 9 |
| 835 | Kirkmahoe, . . . | 1553 | 1462 | 24 | 16 | 40 | 3 | 2 | 5 | 16 | 8 | 24 | 10 |
| 836 | Kirkmichael, . . . | 1124 | 1026 | 20 | 16 | 36 | 2 | 3 | 5 | 10 | 6 | 16 | 7 |
| 837 | Kirkpatrick-Fleming, . | 1829 | 1925 | 26 | 34 | 60 | 3 | 4 | 7 | 27 | 17 | 44 | 2 |
| 838 | Kirkpatrick-Juxta, . | 1097 | 1025 | 19 | 25 | 44 | 1 | 4 | 5 | 7 | 8 | 15 | 3 |
| 839 | Langholm, . . . | 2990 | 2979 | 43 | 41 | 84 | 5 | 3 | 8 | 33 | 38 | 71 | 12 |
| 840 | LOCHMABEN (includ. Burgh), . . . | 3127 | 3087 | 58 | 69 | 127 | 10 | 12 | 22 | 29 | 35 | 64 | 26 |
| 841 | Middlebie, . . . | 2163 | 2004 | 40 | 38 | 78 | 6 | 3 | 9 | 24 | 18 | 42 | 12 |
| 842 | Moffat, . . . . | 2304 | 2232 | 26 | 37 | 63 | 4 | 4 | 8 | 19 | 20 | 39 | 8 |
| 843 | Morton, . . . . | 2482 | 2253 | 48 | 35 | 83 | 6 | 6 | 12 | 21 | 21 | 42 | 12 |
| 844 | Mousewald, . . . | 686 | 633 | 14 | 7 | 21 | 1 | 1 | 2 | 5 | 2 | 7 | 4 |
| 845 | Penpont, . . . | 1411 | 1326 | 21 | 18 | 39 | 3 | 3 | 6 | 8 | 16 | 24 | 9 |
| 846 | Ruthwell, . . . | 1110 | 1046 | 21 | 11 | 32 | 4 | – | 4 | 12 | 13 | 25 | 7 |
| 847 | St Mungo, . . . | 645 | 686 | 7 | 7 | 14 | – | – | – | 2 | 4 | 6 | 5 |
| 848 | SANQUHAR (including Burgh), . . . | *c.* 3155 | 2758 | 39 | 44 | 83 | 4 | 3 | 7 | 22 | 30 | 52 | 15 |
| 849 | Tinwald, . . . | 1080 | 1079 | 17 | 16 | 33 | 4 | – | 4 | 6 | 8 | 14 | 6 |
| 850 | Torthorwald, . . . | 1313 | 1254 | 15 | 20 | 35 | 6 | 5 | 11 | 11 | 25 | 36 | 5 |
| 851 | Tundergarth, . . . | 577 | 507 | 4 | 4 | 8 | 1 | 1 | 2 | 6 | 5 | 11 | 3 |
| 852 | Tynron, . . . . | 482 | 446 | 8 | 5 | 13 | 1 | – | 1 | 1 | 2 | 3 | 3 |
| *a*853 | Wamphray, . . . | 523 | 559 | 11 | 8 | 19 | – | 1 | 1 | 9 | 5 | 14 | – |
| *b*853 | Wanlockhead, . . | *c.* 916 | 811 | 12 | 10 | 22 | 3 | 1 | 4 | 8 | 6 | 14 | 7 |
| 854 | Westerkirk, . . . | 658 | 537 | 10 | 5 | 15 | – | 2 | 2 | 4 | 6 | 10 | 2 |
| | Total, | 78149 | 75904 | 1254 | 1203 | 2457 | 189 | 175 | 364 | 776 | 813 | 1589 | 475 |
| | 32. KIRKCUDBRIGHT. | | | | | | | | | | | | |
| 855 | Anwoth, . . . . | 900 | 899 | 16 | 13 | 29 | 3 | 2 | 5 | 10 | 7 | 17 | 4 |
| 856 | Balmaclellan, . . . | *c.* 938 | 890 | 17 | 15 | 32 | 3 | 2 | 5 | 6 | 7 | 13 | 4 |
| 857 | Balmaghie, . . . | 1217 | 1225 | 17 | 18 | 35 | 3 | 5 | 8 | 13 | 9 | 22 | 7 |
| 858 | Borgue, . . . . | 1043 | 1162 | 22 | 15 | 37 | 3 | 1 | 4 | 12 | 2 | 14 | 2 |
| 859 | Buittle, . . . . | 1042 | 1165 | 18 | 20 | 38 | 3 | 1 | 4 | 5 | 7 | 12 | 5 |
| 860 | Carsphairn, . . . | 855 | 553 | 6 | 6 | 12 | 1 | – | 1 | 4 | 10 | 14 | 3 |
| 861 | Colvend, . . . | 1398 | 1366 | 10 | 16 | 26 | 2 | 2 | 4 | 7 | 12 | 19 | 12 |
| 862 | Corsock-Bridge, . . | *c.* 550 | 544 | 12 | 10 | 22 | 4 | 3 | 7 | 2 | 6 | 8 | 6 |
| 863 | Crossmichael, . . . | 1362 | 1536 | 26 | 27 | 53 | 4 | 5 | 9 | 17 | 16 | 33 | 5 |
| 864 | Dalbeattie, . . . | *c.* 1927 | 2054 | 41 | 34 | 75 | 5 | 4 | 9 | 19 | 24 | 43 | 15 |
| 865 | Dalry, . . . . | 1238 | 1149 | 16 | 14 | 30 | 1 | 3 | 4 | 9 | 8 | 17 | 5 |
| 866 | Girthon, . . . . | 1787 | 1702 | 20 | 22 | 42 | 5 | – | 5 | 12 | 13 | 25 | 5 |
| 867 | Irongray, . . . | 918 | 913 | 17 | 9 | 26 | 3 | 3 | 6 | 7 | 16 | 23 | 6 |
| 868 | Kells (incl. NEW GALLOWAY), . . . | 1091 | 1170 | 17 | 15 | 32 | 4 | 2 | 6 | 7 | 12 | 19 | 5 |
| 869 | Kelton . . . . | 3186 | 3436 | 57 | 51 | 108 | 8 | 8 | 16 | 29 | 44 | 73 | 19 |
| 870 | Kirkbean, . . . | 982 | 942 | 13 | 15 | 28 | 2 | – | 2 | 5 | 13 | 18 | 5 |
| 871 | KIRKCUDBRIGHT (including Burgh), . . | 3555 | 3407 | 56 | 45 | 101 | 9 | 8 | 17 | 41 | 39 | 80 | 14 |
| 872 | Kirkgunzeon, . . . | 734 | 793 | 13 | 14 | 27 | 5 | – | 5 | 9 | 6 | 15 | 5 |
| 873 | Kirkmabreck, . . . | 2266 | 1851 | 19 | 24 | 43 | 4 | 5 | 9 | 26 | 25 | 51 | 4 |
| 874 | Kirkpatrick-Durham, . | *c.* 1349 | 1323 | 26 | 22 | 48 | 2 | 6 | 8 | 15 | 18 | 33 | 9 |
| 875 | Lochrutton, . . . | 726 | 677 | 13 | 13 | 26 | 2 | 3 | 5 | 9 | 4 | 13 | 3 |
| 876 | Minnigaff, . . . | 2054 | 1804 | 36 | 22 | 58 | 7 | 2 | 9 | 15 | 13 | 28 | 10 |
| 877 | New Abbey, . . . | 1098 | 1063 | 18 | 14 | 32 | 3 | 1 | 4 | 12 | 5 | 17 | 9 |

| No. of District. | Registration Districts. | Population. | | Total Births, including the Illegitimate. | | | Illegitimate Births. | | | Deaths. | | | Marriages. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | 1851. | 1861. | Males. | Fem. | Total. | Mal. | Fem | Totl | Mal. | Fem | Total. | |
| 878 | Parton, . . . . | c. 547 | 572 | 8 | 5 | 13 | – | – | – | 6 | 3 | 9 | 1 |
| 879 | Rerrick, . . . . | 1725 | 1738 | 18 | 27 | 45 | 1 | 6 | 7 | 14 | 10 | 24 | 8 |
| 880 | Terregles (incl. part of DUMFRIES), . . | 566 | 580 | 9 | 6 | 15 | 2 | 2 | 4 | 4 | 3 | 7 | 6 |
| 881 | Tongland, . . . | 924 | 892 | 18 | 11 | 29 | 4 | 1 | 5 | 6 | 9 | 15 | 3 |
| 882 | Troqueer (incl. part of DUMFRIES), . . | 4925 | 4743 | 79 | 89 | 168 | 16 | 13 | 29 | 59 | 59 | 118 | 24 |
| 883 | Twynholm, . . . | 782 | 815 | 15 | 12 | 27 | 2 | 2 | 4 | 6 | 8 | 14 | 3 |
| 884 | Urr, . . . . | c. 1436 | 1531 | 32 | 22 | 54 | 3 | 4 | 7 | 12 | 12 | 24 | 8 |
| | Total, | 43121 | 42495 | 685 | 626 | 1311 | 114 | 94 | 208 | 398 | 420 | 818 | 215 |
| | 33. Wigtown. | | | | | | | | | | | | |
| 885 | Glasserton, . . . | 1487 | 1472 | 24 | 13 | 37 | 2 | 1 | 3 | 14 | 8 | 22 | 7 |
| 886 | Inch, . . . . | 2579 | 2460 | 34 | 31 | 65 | 4 | 5 | 9 | 21 | 23 | 44 | 12 |
| 887 | Kirkcolm, . . . | 2018 | 1860 | 40 | 28 | 68 | 7 | 3 | 10 | 18 | 16 | 34 | 5 |
| 888 | Kirkcowan, . . . | 1541 | 1434 | 17 | 18 | 35 | 4 | 6 | 10 | 15 | 20 | 35 | 7 |
| 889 | Kirkinner, . . . | 1914 | 1716 | 24 | 25 | 49 | 6 | 3 | 9 | 10 | 11 | 21 | 9 |
| 890 | Kirkmaiden, . . . | 2681 | 2333 | 41 | 25 | 66 | 7 | 4 | 11 | 14 | 26 | 40 | 16 |
| 891 | Leswalt, . . . | 1703 | 1417 | 19 | 21 | 40 | – | 4 | 4 | 9 | 21 | 30 | 9 |
| 892 | Mochrum, . . . | 2946 | 2694 | 34 | 45 | 79 | 3 | 7 | 10 | 9 | 29 | 38 | 12 |
| 893 | New Luce, . . . | 791 | 731 | 13 | 13 | 26 | 2 | 3 | 5 | 4 | 2 | 6 | 5 |
| 894 | Old Luce (or Glenluce), . | 2841 | 2800 | 36 | 41 | 77 | 6 | 7 | 13 | 23 | 36 | 59 | 21 |
| 895 | Penninghame (incl. Newton-Stewart), . . | 4155 | 4061 | 63 | 52 | 115 | 5 | 2 | 7 | 41 | 38 | 79 | 26 |
| 896 | Portpatrick, . . . | 1963 | 2189 | 39 | 35 | 74 | 9 | 11 | 20 | 17 | 17 | 34 | 17 |
| 897 | Sorbie, . . . . | 1886 | 1814 | 28 | 19 | 47 | 2 | 3 | 5 | 17 | 15 | 32 | 10 |
| 898 | Stoneykirk, . . . | 3321 | 3228 | 52 | 41 | 93 | 7 | 5 | 12 | 23 | 31 | 54 | 15 |
| 899 | STRANRAER (incl. Burgh) | 5738 | 6315 | 118 | 104 | 222 | 14 | 12 | 26 | 89 | 95 | 184 | 41 |
| 900 | WHITHORN (incl. Burgh) | 3001 | 2934 | 42 | 41 | 83 | 4 | 5 | 9 | 30 | 48 | 78 | 16 |
| 901 | WIGTOWN (incl. Burgh) | 2824 | 2637 | 43 | 35 | 78 | 3 | 8 | 11 | 20 | 28 | 48 | 12 |
| | Total, | 43389 | 42095 | 667 | 587 | 1254 | 85 | 89 | 174 | 374 | 464 | 838 | 240 |

## SUMMARY.

| Districts. | Population. | | Total Births, including the Illegitimate. | | | Illegitimate Births. | | | Deaths. | | | Marriages. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 1851. | 1861. | Mal. | Fem. | Total. | Mal. | Fem | Total | Mal. | Fem. | Total. | |
| Insular, . . . . | 166,487 | 160,733 | 2294 | 2164 | 4458 | 115 | 104 | 219 | 1445 | 1530 | 2975 | 851 |
| Mainland-Rural, . . | 1,712,552 | 1,763,377 | 30320 | 28237 | 58557 | 3026 | 2810 | 5836 | 16178 | 16516 | 32694 | 10185 |
| Town, . . . . | 1,009,703 | 1,138,184 | 22643 | 21411 | 44054 | 2230 | 2091 | 4321 | 15556 | 15970 | 31526 | 9561 |
| SCOTLAND, . . | 2,888,742 | 3,062,294 | 55257 | 51812 | 107069 | 5371 | 5005 | 10376 | 33179 | 34016 | 67195 | 20597 |

MARRIAGES registered in SCOTLAND in 1862, and the Number of Persons who signed the Register by Marks.

| COUNTY. | Regular Marriages according to the Rites of | | | | | | | | Irregular Marriages. | Signed the Register by Marks. | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Established Church. | Free Church. | United Presbyterian Church. | Episcopalians. | Roman Catholics. | Other Denominations. | Not stated. | TOTAL. | | Males. | Females. | TOTAL. |
| Shetland | 153 | 23 | 7 | – | – | 12 | – | 195 | – | 24 | 71 | 95 |
| Orkney | 100 | 29 | 44 | – | – | 9 | – | 182 | 2 | 5 | 13 | 18 |
| Caithness | 41 | 135 | 9 | 1 | – | 14 | – | 200 | – | 15 | 18 | 33 |
| Sutherland | 10 | 88 | – | – | – | – | 1 | 99 | – | 9 | 25 | 34 |
| Ross and Cromarty | 71 | 294 | 5 | 2 | 2 | 1 | – | 375 | – | 129 | 186 | 315 |
| Inverness | 164 | 176 | 16 | 2 | 59 | 1 | – | 418 | – | 129 | 207 | 336 |
| Nairn | 11 | 15 | 13 | 1 | 2 | 1 | – | 43 | – | 3 | 17 | 20 |
| Elgin | 101 | 107 | 17 | 6 | 6 | 5 | – | 242 | – | 12 | 25 | 37 |
| Banff | 216 | 83 | 10 | 4 | 24 | 2 | – | 339 | – | 17 | 42 | 59 |
| Aberdeen | 889 | 376 | 66 | 51 | 30 | 75 | 24 | 1511 | – | 46 | 125 | 171 |
| Kincardine | 175 | 47 | 7 | 10 | 2 | 3 | – | 244 | 1 | 6 | 15 | 21 |
| Forfar | 677 | 298 | 215 | 54 | 129 | 84 | 2 | 1459 | – | 142 | 348 | 490 |
| Perth | 403 | 213 | 92 | 9 | 35 | 16 | 7 | 775 | – | 33 | 44 | 77 |
| Fife | 587 | 149 | 192 | 1 | 8 | 28 | 9 | 974 | – | 28 | 77 | 105 |
| Kinross | 15 | 7 | 10 | – | – | – | – | 32 | – | – | – | – |
| Clackmannan | 50 | 34 | 33 | 1 | 4 | 8 | 2 | 132 | – | 12 | 25 | 37 |
| Stirling | 319 | 109 | 122 | 2 | 51 | 18 | 3 | 624 | 1 | 70 | 141 | 211 |
| Dumbarton | 154 | 46 | 40 | 5 | 56 | 13 | – | 314 | – | 64 | 86 | 150 |
| Argyll | 202 | 108 | 18 | 6 | 17 | 7 | – | 358 | – | 49 | 101 | 150 |
| Bute | 40 | 42 | 4 | 1 | 6 | 2 | 1 | 96 | – | 7 | 10 | 17 |
| Renfrew | 664 | 203 | 146 | 15 | 203 | 52 | 4 | 1287 | 2 | 185 | 385 | 570 |
| Ayr | 750 | 264 | 185 | 17 | 86 | 55 | 4 | 1361 | – | 163 | 327 | 490 |
| Lanark | 1427 | 1172 | 826 | 91 | 774 | 414 | 268 | 4972 | 11 | 686 | 1503 | 2189 |
| Linlithgow | 98 | 62 | 37 | – | 33 | 12 | – | 242 | – | 39 | 46 | 85 |
| Edinburgh | 1057 | 540 | 416 | 74 | 160 | 85 | 15 | 2347 | 7 | 102 | 206 | 308 |
| Haddington | 133 | 51 | 30 | 2 | 19 | 3 | 1 | 239 | – | 24 | 38 | 62 |
| Berwick | 86 | 35 | 48 | 1 | 3 | 4 | 2 | 179 | 2 | 5 | 13 | 18 |
| Peebles | 40 | 7 | 11 | 1 | 1 | – | – | 60 | – | – | 1 | 1 |
| Selkirk | 36 | 6 | 23 | – | – | 2 | 1 | 68 | – | 1 | 2 | 3 |
| Roxburgh | 117 | 41 | 65 | 6 | 18 | 27 | – | 274 | – | 10 | 11 | 21 |
| Dumfries | 237 | 80 | 98 | 7 | 25 | 24 | 3 | 474 | 1 | 14 | 42 | 56 |
| Kirkcudbright | 146 | 37 | 17 | 1 | 9 | 5 | – | 215 | – | 12 | 9 | 21 |
| Wigtown | 138 | 53 | 24 | – | 16 | 8 | 1 | 240 | – | 21 | 33 | 54 |
| SCOTLAND | 9307 | 4930 | 2846 | 371 | 1778 | 990 | 348 | 20570 | 27 | 2062 | 4192 | 6254 |

## Ages and Condition of Persons married in Scotland in 1862.

| Condition combined with Age. | Total. | AGES and CONDITION of PERSONS at MARRIAGE in 1862. | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | Under 15 | 16 | 17 | 18 | 19 | 20 | 21 | 25 | 30 | 35 | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | Age not stated. |
| Bachelors and Spinsters. | 17392 | – | – | – | 15 | 132 | 442 | 926 | 6826 | 5592 | 1995 | 819 | 349 | 166 | 74 | 29 | 9 | 1 | 1 | – | – | – | 16 |
| | 17392 | 3 | 4 | 64 | 279 | 820 | 1403 | 1714 | 7182 | 4218 | 1103 | 414 | 110 | 39 | 14 | 2 | – | – | – | – | – | – | 23 |
| Bachelors and Widows. | 464 | – | – | – | 1 | – | 1 | 6 | 79 | 126 | 93 | 80 | 38 | 20 | 13 | 6 | 1 | – | – | – | – | – | – |
| | 464 | – | – | – | – | – | 1 | 3 | 29 | 130 | 146 | 75 | 56 | 15 | 7 | – | – | – | – | – | – | – | 2 |
| Widowers and Spinsters. | 1747 | – | – | – | – | – | – | 2 | 32 | 243 | 305 | 339 | 275 | 200 | 153 | 88 | 65 | 26 | 12 | 4 | – | – | 3 |
| | 1747 | – | – | 1 | 7 | 17 | 25 | 52 | 286 | 448 | 369 | 265 | 157 | 71 | 27 | 11 | 6 | 2 | – | – | – | – | 3 |
| Widowers and Widows. | 501 | – | – | – | – | – | – | – | 2 | 29 | 53 | 83 | 92 | 78 | 66 | 45 | 37 | 13 | 2 | 1 | – | – | – |
| | 501 | – | – | – | – | – | – | – | 13 | 45 | 96 | 129 | 92 | 68 | 40 | 9 | 7 | 1 | – | – | 1 | – | – |
| Condition not stated. Males. | 493 | – | – | – | – | – | 11 | 33 | 155 | 152 | 76 | 32 | 16 | 4 | 4 | 3 | 4 | – | – | – | – | – | 3 |
| Condition not stated. Females. | 493 | – | – | 1 | 4 | 21 | 36 | 41 | 199 | 120 | 42 | 13 | 3 | 2 | – | 3 | 1 | 1 | – | – | – | – | 6 |
| Total Males ..... | 20597 | – | – | – | 16 | 132 | 454 | 967 | 7094 | 6142 | 2522 | 1353 | 770 | 468 | 310 | 171 | 116 | 40 | 15 | 5 | – | – | 22 |
| Total Females ... | 20597 | 3 | 4 | 66 | 290 | 858 | 1465 | 1810 | 7709 | 4961 | 1756 | 896 | 418 | 195 | 88 | 25 | 14 | 4 | – | – | 1 | – | 34 |

AGES of MALES married in Scotland in 1862.

| | Total Males. | AGES of MALES at MARRIAGE in 1862. | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | Under 15 | 16 | 17 | 18 | 19 | 20 | 21 | 25 | 30 | 35 | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | Age not stated. |
| **Scotland** . . | 20597 | – | – | – | 16 | 132 | 454 | 967 | 7094 | 6142 | 2522 | 1353 | 770 | 468 | 310 | 171 | 116 | 40 | 15 | 5 | – | – | 22 |
| DISTRICTS. | | | | | | | | | | | | | | | | | | | | | | | |
| Insular . . | 851 | – | – | – | 1 | 4 | 9 | 11 | 190 | 279 | 169 | 85 | 43 | 16 | 16 | 4 | 16 | 3 | 2 | – | – | – | 3 |
| Mainland-Rural | 10185 | – | – | – | 8 | 64 | 234 | 503 | 3520 | 3051 | 1268 | 650 | 353 | 220 | 144 | 88 | 45 | 16 | 6 | 2 | – | – | 13 |
| Town . . . | 9561 | – | – | – | 7 | 64 | 211 | 453 | 3384 | 2812 | 1085 | 618 | 374 | 232 | 150 | 79 | 55 | 21 | 7 | 3 | – | – | 6 |
| DIVISIONS. | | | | | | | | | | | | | | | | | | | | | | | |
| 1. Northern . . | 678 | – | – | – | 2 | 6 | 9 | 19 | 189 | 210 | 116 | 54 | 22 | 15 | 12 | 5 | 10 | 2 | 4 | – | – | – | 3 |
| 2. North-Western | 793 | – | – | – | – | 2 | 3 | 9 | 146 | 278 | 165 | 89 | 46 | 19 | 15 | 10 | 7 | 3 | – | – | – | – | 1 |
| 3. North-Eastern | 2380 | – | – | – | 3 | 15 | 53 | 102 | 731 | 756 | 330 | 175 | 91 | 50 | 29 | 23 | 13 | 7 | – | 1 | – | . | 1 |
| 4. East-Midland . | 3372 | – | – | – | 4 | 20 | 80 | 155 | 1215 | 1010 | 373 | 190 | 124 | 85 | 66 | 26 | 16 | 3 | 3 | 2 | – | – | – |
| 5. West-Midland | 1393 | – | – | – | 1 | 13 | 27 | 45 | 422 | 416 | 200 | 113 | 65 | 35 | 25 | 15 | 14 | – | – | – | – | – | 2 |
| 6. South-Western | 7633 | – | – | – | 5 | 48 | 202 | 431 | 2861 | 2218 | 831 | 443 | 247 | 151 | 97 | 50 | 24 | 13 | 4 | – | – | – | 8 |
| 7. South-Eastern | 3144 | – | – | – | 1 | 16 | 59 | 145 | 1113 | 906 | 364 | 212 | 128 | 79 | 47 | 29 | 25 | 10 | 3 | 1 | – | – | 6 |
| 8. Southern . . | 1204 | – | – | – | – | 12 | 21 | 61 | 417 | 348 | 143 | 77 | 47 | 34 | 19 | 13 | 7 | 2 | 1 | 1 | – | – | 1 |
| COUNTIES. | | | | | | | | | | | | | | | | | | | | | | | |
| Shetland . . | 195 | – | – | – | 1 | 1 | 4 | 6 | 61 | 58 | 27 | 11 | 8 | 4 | 3 | 2 | 6 | 1 | 2 | – | – | – | – |
| Orkney . . | 184 | – | – | – | – | 2 | 4 | 2 | 53 | 57 | 30 | 17 | 6 | 5 | 2 | 1 | 2 | 1 | – | – | – | – | 2 |
| Caithness . . | 200 | – | – | – | – | 3 | 1 | 10 | 54 | 71 | 32 | 12 | 4 | 4 | 3 | 2 | 2 | – | 1 | – | – | – | 1 |
| Sutherland . . | 99 | – | – | – | 1 | – | – | 1 | 21 | 24 | 27 | 14 | 4 | 2 | 4 | – | – | – | 1 | – | – | – | – |
| Ross and Cromarty | 375 | – | – | – | – | 1 | 2 | 4 | 68 | 136 | 72 | 44 | 22 | 10 | 7 | 3 | 4 | 1 | – | – | – | – | 1 |
| Inverness . . | 418 | – | – | – | – | 1 | 1 | 5 | 78 | 142 | 93 | 45 | 24 | 9 | 8 | 7 | 3 | 2 | – | – | – | – | – |

AGES of MALES married in Scotland in 1862.

| | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Nairn . . . | 43 | – | – | – | – | – | 1 | 2 | 9 | 17 | 4 | 4 | 2 | 3 | – | – | – | – | – | – | – | – | 1 |
| Elgin . . . | 242 | – | – | – | – | 3 | 3 | 10 | 67 | 83 | 36 | 20 | 9 | 1 | 4 | 4 | 1 | 1 | – | – | – | – | – |
| Banff . . . | 339 | – | – | – | 1 | 1 | 7 | 14 | 115 | 106 | 44 | 26 | 9 | 3 | 7 | 2 | 4 | – | – | – | – | – | – |
| Aberdeen . . | 1511 | – | – | – | 2 | 10 | 38 | 63 | 464 | 469 | 211 | 102 | 65 | 41 | 15 | 17 | 8 | 5 | – | 1 | – | – | – |
| Kincardine . . | 245 | – | – | – | – | 1 | 4 | 13 | 76 | 81 | 35 | 23 | 6 | 2 | 3 | – | – | 1 | – | – | – | – | – |
| Forfar . . | 1459 | – | – | – | – | 8 | 25 | 65 | 507 | 449 | 161 | 77 | 63 | 38 | 45 | 9 | 11 | – | – | 1 | – | – | – |
| Perth . . . | 775 | – | – | – | – | 2 | 19 | 33 | 254 | 228 | 113 | 56 | 25 | 25 | 12 | 7 | – | 1 | – | – | – | – | – |
| Fife . . . | 974 | – | – | – | 3 | 10 | 32 | 48 | 380 | 282 | 90 | 49 | 34 | 20 | 6 | 10 | 4 | 2 | 3 | 1 | – | – | – |
| Kinross . . | 32 | – | – | – | 1 | – | – | 1 | 16 | 11 | 1 | 1 | – | – | 1 | – | – | – | – | – | – | – | – |
| Clackmannan . | 132 | – | – | – | – | – | 4 | 8 | 58 | 40 | 8 | 7 | 2 | 2 | 2 | – | 1 | – | – | – | – | – | – |
| Stirling . . | 625 | – | – | – | – | 9 | 22 | 26 | 235 | 169 | 70 | 38 | 21 | 16 | 10 | 5 | 4 | – | – | – | – | – | – |
| Dumbarton . . | 314 | – | – | – | – | 3 | 5 | 14 | 104 | 96 | 40 | 21 | 12 | 9 | 2 | 4 | 3 | – | – | – | – | – | 1 |
| Argyll . . | 358 | – | – | – | 1 | 1 | – | 4 | 64 | 114 | 78 | 43 | 27 | 8 | 7 | 5 | 5 | – | – | – | – | – | 1 |
| Bute . . . | 96 | – | – | – | – | – | – | 1 | 19 | 37 | 12 | 11 | 5 | 2 | 6 | 1 | 2 | – | – | – | – | – | – |
| Renfrew . . | 1289 | – | – | – | 1 | 5 | 38 | 69 | 487 | 364 | 140 | 83 | 32 | 32 | 21 | 12 | 4 | 1 | – | – | – | – | – |
| Ayr . . . | 1361 | – | – | – | 1 | 11 | 33 | 94 | 526 | 374 | 148 | 74 | 35 | 24 | 19 | 9 | 7 | 2 | 2 | – | – | – | 2 |
| Lanark . . | 4983 | – | – | – | 3 | 32 | 131 | 268 | 1848 | 1480 | 543 | 286 | 180 | 95 | 57 | 29 | 13 | 10 | 2 | – | – | – | 6 |
| Linlithgow . . | 242 | – | – | – | – | 4 | 11 | 22 | 111 | 56 | 15 | 10 | 7 | 2 | 1 | 1 | – | – | – | – | – | – | 2 |
| Edinburgh . . | 2354 | – | – | – | 1 | 11 | 39 | 93 | 803 | 677 | 294 | 170 | 99 | 59 | 42 | 27 | 23 | 9 | 2 | 1 | – | – | 4 |
| Haddington . | 239 | – | – | – | – | 1 | 4 | 16 | 87 | 66 | 28 | 12 | 14 | 8 | 2 | 1 | – | – | – | – | – | – | – |
| Berwick . . | 181 | – | – | – | – | – | 3 | 10 | 58 | 69 | 16 | 12 | 4 | 5 | 2 | – | 1 | – | 1 | – | – | – | – |
| Peebles . . | 60 | – | – | – | – | – | 2 | 3 | 24 | 16 | 5 | 4 | 1 | 4 | – | – | 1 | – | – | – | – | – | – |
| Selkirk . . | 68 | – | – | – | – | – | – | 1 | 30 | 22 | 6 | 4 | 3 | 1 | – | – | – | 1 | – | – | – | – | – |
| Roxburgh . . | 274 | – | – | – | – | – | 4 | 9 | 102 | 77 | 31 | 13 | 18 | 12 | 5 | 2 | 1 | – | – | – | – | – | – |
| Dumfries . . | 475 | – | – | – | – | 5 | 4 | 33 | 160 | 143 | 53 | 35 | 11 | 16 | 5 | 7 | 2 | 1 | – | – | – | – | – |
| Kirkcudbright . | 215 | – | – | – | – | 2 | 9 | 2 | 86 | 51 | 36 | 13 | 7 | 2 | 3 | 2 | 1 | – | – | 1 | – | – | – |
| Wigtown . . | 240 | – | – | – | – | 5 | 4 | 17 | 69 | 77 | 23 | 16 | 11 | 4 | 6 | 2 | 3 | 1 | 1 | – | – | – | 1 |

AGES of FEMALES married in Scotland in 1862.

| | Total Females. | AGES of FEMALES at MARRIAGE in 1862. | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | Under 15 | 16 | 17 | 18 | 19 | 20 | 21 | 25 | 30 | 35 | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | Age not stated. |
| **Scotland** . . | 20597 | 3 | 4 | 66 | 290 | 858 | 1465 | 1810 | 7709 | 4961 | 1756 | 896 | 418 | 195 | 88 | 25 | 14 | 4 | – | – | 1 | – | 34 |
| DISTRICTS. | | | | | | | | | | | | | | | | | | | | | | | |
| Insular . . | 851 | – | – | 1 | 5 | 15 | 30 | 36 | 317 | 268 | 107 | 42 | 16 | 6 | 3 | 1 | 1 | 1 | – | – | – | – | 2 |
| Mainland-Rural | 10185 | 2 | 3 | 43 | 153 | 411 | 734 | 906 | 3802 | 2503 | 887 | 403 | 174 | 90 | 36 | 10 | 5 | – | – | – | – | – | 23 |
| Town . . . | 9561 | 1 | 1 | 22 | 132 | 432 | 701 | 868 | 3590 | 2190 | 762 | 451 | 228 | 99 | 49 | 14 | 8 | 3 | – | – | 1 | – | 9 |
| DIVISIONS. | | | | | | | | | | | | | | | | | | | | | | | |
| 1. Northern . . | 678 | – | – | – | 4 | 14 | 39 | 50 | 206 | 209 | 91 | 37 | 14 | 8 | 2 | – | – | 1 | – | – | – | – | 3 |
| 2. North-Western | 793 | – | 1 | 1 | 8 | 18 | 28 | 43 | 265 | 280 | 92 | 35 | 12 | 6 | 1 | 1 | – | – | – | – | – | – | 2 |
| 3. North-Eastern | 2380 | – | – | 9 | 47 | 104 | 153 | 164 | 870 | 586 | 261 | 103 | 46 | 20 | 9 | 4 | 1 | – | – | – | – | – | 3 |
| 4. East-Midland . | 3372 | – | 1 | 4 | 21 | 84 | 208 | 266 | 1340 | 860 | 300 | 157 | 75 | 28 | 15 | 5 | 2 | 1 | – | – | – | – | 5 |
| 5. West-Midland . | 1393 | – | – | 7 | 17 | 66 | 101 | 119 | 515 | 345 | 107 | 54 | 29 | 20 | 7 | 2 | 2 | – | – | – | – | – | 2 |
| 6. South-Western | 7633 | 3 | 2 | 29 | 136 | 408 | 663 | 787 | 2904 | 1642 | 525 | 288 | 133 | 63 | 30 | 8 | 3 | – | – | – | 1 | – | 8 |
| 7. South-Eastern | 3144 | – | – | 11 | 42 | 125 | 202 | 276 | 1162 | 755 | 258 | 157 | 81 | 36 | 20 | 4 | 6 | 1 | – | – | – | – | 8 |
| 8. Southern . . | 1204 | – | – | 5 | 15 | 39 | 71 | 105 | 447 | 284 | 122 | 65 | 28 | 14 | 4 | 1 | – | 1 | – | – | – | – | 3 |
| COUNTIES. | | | | | | | | | | | | | | | | | | | | | | | |
| Shetland . . | 195 | – | – | – | 1 | 4 | 5 | 8 | 70 | 61 | 23 | 13 | 7 | 2 | – | – | – | 1 | – | – | – | – | – |
| Orkney . . | 184 | – | – | – | 2 | 2 | 11 | 10 | 57 | 51 | 32 | 14 | 2 | 2 | – | – | – | – | – | – | – | – | 1 |
| Caithness . . | 200 | – | – | – | 1 | 6 | 15 | 23 | 61 | 58 | 22 | 5 | 2 | 3 | 2 | – | – | – | – | – | – | – | 2 |
| Sutherland . . | 99 | – | – | – | – | 2 | 8 | 9 | 18 | 39 | 14 | 5 | 3 | 1 | – | – | – | – | – | – | – | – | – |
| Ross and Cromarty | 375 | – | – | – | 3 | 5 | 11 | 24 | 132 | 137 | 43 | 10 | 4 | 2 | 1 | 1 | – | – | – | – | – | – | 2 |
| Inverness . . | 418 | – | 1 | 1 | 5 | 13 | 17 | 19 | 133 | 143 | 49 | 25 | 8 | 4 | – | – | – | – | – | – | – | – | – |

AGES of FEMALES married in Scotland in 1862.

| | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Nairn . . . | 43 | – | – | – | 1 | – | 2 | 3 | 17 | 12 | 6 | 1 | – | – | – | – | – | – | – | – | – | – | 1 |
| Elgin . . . | 242 | – | – | 2 | 2 | 8 | 15 | 12 | 82 | 67 | 37 | 11 | 4 | 1 | 1 | – | – | – | – | – | – | – | – |
| Banff . . . | 339 | – | – | 4 | 10 | 12 | 20 | 28 | 125 | 83 | 35 | 9 | 5 | 6 | 2 | – | – | – | – | – | – | – | – |
| Aberdeen . . | 1511 | – | – | 3 | 31 | 72 | 98 | 107 | 538 | 364 | 165 | 75 | 34 | 11 | 6 | 4 | 1 | – | – | – | – | – | 2 |
| Kincardine . . | 245 | – | – | – | 3 | 12 | 18 | 14 | 108 | 60 | 18 | 7 | 3 | 2 | – | – | – | – | – | – | – | – | – |
| Forfar . . | 1459 | – | – | 1 | 8 | 38 | 82 | 104 | 581 | 378 | 121 | 83 | 41 | 14 | 7 | 1 | – | – | – | – | – | – | – |
| Perth . . . | 775 | – | 1 | 3 | 8 | 24 | 52 | 59 | 279 | 205 | 81 | 36 | 18 | 4 | 3 | 1 | 1 | – | – | – | – | – | – |
| Fife . . . | 974 | – | – | – | 3 | 16 | 60 | 88 | 409 | 248 | 80 | 34 | 15 | 8 | 5 | 3 | 1 | 1 | – | – | – | – | 3 |
| Kinross . . | 32 | – | – | – | – | 1 | 3 | 4 | 15 | 6 | 2 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Clackmannan . | 132 | – | – | – | 2 | 5 | 11 | 11 | 56 | 23 | 16 | 3 | 1 | 2 | – | – | – | – | – | – | – | – | 2 |
| Stirling . . | 625 | – | – | 5 | 11 | 37 | 59 | 68 | 224 | 129 | 41 | 19 | 15 | 13 | 3 | – | – | – | – | – | – | – | 1 |
| Dumbarton . | 314 | – | – | 1 | 5 | 18 | 27 | 27 | 124 | 70 | 16 | 12 | 5 | 5 | 2 | 1 | – | – | – | – | – | – | 1 |
| Argyll . . | 358 | – | – | 1 | 1 | 9 | 13 | 22 | 127 | 121 | 37 | 18 | 4 | 2 | 1 | 1 | 1 | – | – | – | – | – | – |
| Bute . . . | 96 | – | – | – | – | 2 | 2 | 2 | 40 | 25 | 13 | 5 | 5 | – | 1 | – | 1 | – | – | – | – | – | – |
| Renfrew . . | 1289 | – | – | 3 | 24 | 67 | 101 | 140 | 490 | 277 | 86 | 53 | 24 | 13 | 8 | 1 | 2 | – | – | – | – | – | – |
| Ayr . . . | 1361 | 2 | 1 | 7 | 24 | 91 | 129 | 136 | 511 | 271 | 95 | 51 | 20 | 12 | 7 | 1 | – | – | – | – | 1 | – | 2 |
| Lanark . . | 4983 | 1 | 1 | 19 | 88 | 250 | 433 | 511 | 1903 | 1094 | 344 | 184 | 89 | 38 | 15 | 6 | 1 | – | – | – | – | – | 6 |
| Linlithgow . . | 242 | – | – | 3 | 11 | 20 | 25 | 35 | 87 | 35 | 11 | 8 | 2 | 1 | 1 | – | – | – | – | – | – | – | 3 |
| Edinburgh . . | 2354 | – | – | 5 | 28 | 88 | 151 | 195 | 849 | 571 | 213 | 125 | 70 | 30 | 15 | 3 | 5 | 1 | – | – | – | – | 5 |
| Haddington . | 239 | – | – | 1 | 1 | 11 | 9 | 19 | 95 | 65 | 15 | 15 | 6 | 1 | 1 | – | – | – | – | – | – | – | – |
| Berwick . . | 181 | – | – | 1 | 1 | 2 | 8 | 13 | 81 | 51 | 10 | 6 | 3 | 2 | 2 | 1 | – | – | – | – | – | – | – |
| Peebles . . | 60 | – | – | 1 | 1 | 2 | 5 | 7 | 23 | 10 | 6 | 2 | – | 2 | 1 | – | – | – | – | – | – | – | – |
| Selkirk . . | 68 | – | – | – | – | 2 | 4 | 7 | 27 | 23 | 3 | 1 | – | – | – | – | 1 | – | – | – | – | – | – |
| Roxburgh . . | 274 | – | – | 1 | 7 | 11 | 13 | 30 | 90 | 62 | 25 | 17 | 12 | 6 | – | – | – | – | – | – | – | – | – |
| Dumfries . . | 475 | – | – | 4 | 3 | 17 | 34 | 34 | 175 | 110 | 54 | 26 | 10 | 6 | 1 | – | – | – | – | – | – | – | 1 |
| Kirkcudbright . | 215 | – | – | – | 1 | 4 | 15 | 20 | 91 | 50 | 20 | 8 | 3 | 1 | 1 | – | – | 1 | – | – | – | – | – |
| Wigtown . . | 240 | – | – | – | 4 | 7 | 9 | 21 | 91 | 62 | 23 | 14 | 3 | 1 | 2 | 1 | – | – | – | – | 1 | – | 2 |

DEATHS at Different Ages in SCOTLAND during the YEAR 1862.—BOTH SEXES.

| | POPULATION. | | BOTH SEXES. | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | ALL AGES. | AGE UNDER | | | | | | | | | | | |
| | | | | MONTHS. | | | | | | | | | | | |
| | 1851. | 1861. | | 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 |
| SCOTLAND . | 2888742 | 3062294 | 67195 | 6014 | 2149 | 4393 | 6215 | 3154 | 1961 | 1311 | 3293 | 1705 | 2263 | 2563 | 2273 |
| Insular . . | 166487 | 160733 | 2975 | 221 | 56 | 125 | 175 | 104 | 53 | 33 | 102 | 60 | 95 | 124 | 102 |
| Mainland . | 1712552 | 1763377 | 32694 | 2876 | 916 | 1712 | 2306 | 1237 | 793 | 532 | 1597 | 930 | 1177 | 1243 | 1102 |
| Towns . . | 1009703 | 1138184 | 31526 | 2917 | 1177 | 2556 | 3734 | 1813 | 1115 | 746 | 1594 | 715 | 991 | 1196 | 1069 |
| Shetland . . | 31078 | 31670 | 484 | 37 | 11 | 11 | 21 | 9 | 3 | 4 | 17 | 11 | 16 | 28 | 12 |
| Orkney . . | 31455 | 32395 | 487 | 20 | 8 | 8 | 3 | 4 | 4 | 4 | 14 | 13 | 17 | 26 | 25 |
| Caithness . | 39782 | 42200 | 702 | 54 | 18 | 29 | 36 | 17 | 12 | 12 | 31 | 19 | 19 | 30 | 18 |
| Sutherland . | 24720 | 24157 | 344 | 33 | 7 | 8 | 12 | 3 | 4 | 1 | 7 | 5 | 4 | 9 | 12 |
| Ross & Cromarty | 83781 | 82427 | 1507 | 115 | 27 | 68 | 99 | 61 | 33 | 15 | 74 | 30 | 38 | 38 | 43 |
| Inverness . | 91954 | 84902 | 1599 | 150 | 30 | 75 | 96 | 42 | 33 | 13 | 44 | 23 | 43 | 60 | 69 |
| Nairn . . | 8076 | 8347 | 144 | 14 | 1 | 5 | 9 | 3 | 5 | 1 | 5 | 3 | 2 | 2 | 6 |
| Elgin . . | 40532 | 44218 | 863 | 73 | 28 | 46 | 48 | 17 | 14 | 8 | 43 | 26 | 22 | 26 | 31 |
| Banff . . | 51353 | 56020 | 918 | 70 | 31 | 41 | 39 | 28 | 15 | 14 | 50 | 27 | 35 | 37 | 28 |
| Aberdeen . | 213461 | 223344 | 4300 | 358 | 125 | 197 | 306 | 153 | 105 | 78 | 207 | 124 | 151 | 155 | 170 |
| Kincardine . | 34944 | 34854 | 563 | 48 | 10 | 23 | 30 | 14 | 13 | 9 | 29 | 12 | 24 | 21 | 20 |
| Forfar . . | 193627 | 206750 | 4885 | 534 | 173 | 387 | 526 | 274 | 165 | 97 | 192 | 88 | 128 | 157 | 146 |
| Perth . . | 137369 | 133198 | 2481 | 209 | 50 | 114 | 147 | 75 | 62 | 42 | 99 | 65 | 70 | 92 | 86 |
| Fife . . . | 153789 | 155021 | 2988 | 235 | 94 | 156 | 205 | 133 | 93 | 63 | 173 | 81 | 110 | 100 | 77 |
| Kinross . . | 9626 | 8731 | 138 | 10 | 7 | 7 | 12 | 1 | – | 3 | 11 | 4 | 1 | 2 | 6 |
| Clackmannan . | 21555 | 20122 | 417 | 37 | 19 | 24 | 38 | 10 | 5 | 5 | 15 | 11 | 24 | 22 | 15 |
| Stirling . . | 83802 | 88138 | 1937 | 167 | 60 | 117 | 159 | 104 | 63 | 37 | 108 | 46 | 67 | 77 | 54 |
| Dumbarton . | 46995 | 54179 | 1110 | 86 | 40 | 70 | 89 | 51 | 33 | 17 | 62 | 40 | 49 | 38 | 56 |
| Argyll . . | 94042 | 83859 | 1563 | 98 | 33 | 47 | 72 | 55 | 25 | 18 | 55 | 36 | 62 | 62 | 59 |
| Bute . . | 16608 | 16331 | 357 | 19 | 8 | 18 | 16 | 11 | 10 | 5 | 17 | 7 | 21 | 14 | 6 |
| Renfrew . . | 157950 | 168746 | 4308 | 381 | 183 | 328 | 482 | 234 | 132 | 87 | 207 | 131 | 157 | 181 | 145 |
| Ayr . . | 189973 | 199063 | 4261 | 400 | 147 | 274 | 418 | 226 | 115 | 68 | 218 | 155 | 196 | 195 | 159 |
| Lanark . . | 533169 | 640444 | 16988 | 1550 | 630 | 1503 | 2253 | 1048 | 621 | 399 | 931 | 448 | 604 | 654 | 550 |
| Linlithgow . | 30590 | 39045 | 938 | 97 | 34 | 91 | 119 | 41 | 36 | 15 | 69 | 24 | 31 | 31 | 24 |
| Edinburgh . | 259493 | 274093 | 6964 | 656 | 228 | 483 | 641 | 347 | 222 | 189 | 346 | 134 | 195 | 270 | 248 |
| Haddington . | 36363 | 37626 | 677 | 74 | 20 | 21 | 46 | 28 | 19 | 16 | 43 | 20 | 19 | 20 | 21 |
| Berwick . . | 36165 | 36488 | 597 | 65 | 18 | 31 | 28 | 18 | 18 | 16 | 27 | 10 | 13 | 27 | 17 |
| Peebles . . | 10804 | 11300 | 204 | 18 | 1 | 13 | 11 | 4 | 3 | 4 | 6 | 6 | 8 | 10 | 2 |
| Selkirk . . | 9802 | 10410 | 172 | 26 | 5 | 11 | 18 | 4 | 2 | 1 | 12 | 3 | 5 | 3 | 3 |
| Roxburgh . | 51225 | 53722 | 1044 | 123 | 26 | 53 | 56 | 44 | 23 | 18 | 47 | 22 | 26 | 51 | 45 |
| Dumfries . . | 78149 | 75904 | 1589 | 131 | 40 | 62 | 79 | 46 | 30 | 27 | 66 | 46 | 48 | 52 | 58 |
| Kirkcudbright | 43121 | 42495 | 818 | 66 | 21 | 38 | 45 | 27 | 14 | 12 | 39 | 15 | 32 | 33 | 36 |
| Wigtown . . | 43389 | 42095 | 838 | 60 | 16 | 34 | 56 | 22 | 29 | 13 | 29 | 20 | 26 | 40 | 26 |

DEATHS at Different Ages in the TOWN DISTRICTS of SCOTLAND, 1862.—BOTH SEXES.

| | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Inverness . | 16496 | 16162 | 322 | 36 | 5 | 19 | 13 | 4 | 2 | 1 | 3 | 3 | 7 | 11 | 17 |
| Aberdeen . | 71973 | 73900 | 1923 | 164 | 68 | 98 | 203 | 89 | 59 | 39 | 87 | 50 | 58 | 70 | 70 |
| Arbroath . | 17238 | 17831 | 435 | 26 | 9 | 29 | 49 | 26 | 20 | 15 | 25 | 7 | 20 | 12 | 10 |
| Dundee . . | 80027 | 91664 | 2599 | 320 | 115 | 259 | 378 | 173 | 88 | 47 | 108 | 45 | 61 | 88 | 79 |
| Forfar . . | 11009 | 10838 | 313 | 39 | 7 | 20 | 23 | 30 | 13 | 7 | 15 | 9 | 8 | 9 | 4 |
| Montrose . | 16037 | 15668 | 412 | 35 | 9 | 24 | 18 | 15 | 7 | 11 | 12 | 5 | 13 | 11 | 21 |
| Perth . . | 23835 | 25293 | 618 | 47 | 11 | 43 | 66 | 26 | 28 | 15 | 22 | 12 | 15 | 23 | 22 |
| Dunfermline . | 13836 | 13506 | 271 | 16 | 10 | 15 | 18 | 6 | 11 | 4 | 19 | 4 | 12 | 10 | 8 |
| Kirkcaldy . | 10636 | 11117 | 254 | 12 | 14 | 23 | 22 | 21 | 11 | 4 | 18 | 5 | 12 | 8 | 9 |
| Stirling . . | 12401 | 14012 | 381 | 43 | 15 | 25 | 35 | 18 | 16 | 12 | 13 | 3 | 4 | 24 | 10 |
| Greenock . | 37436 | 43894 | 1370 | 142 | 52 | 128 | 184 | 85 | 47 | 37 | 70 | 31 | 40 | 49 | 52 |
| Paisley . . | 48071 | 47427 | 1253 | 108 | 61 | 87 | 108 | 51 | 41 | 17 | 49 | 33 | 44 | 57 | 38 |
| Ayr . . | 18845 | 19659 | 534 | 62 | 18 | 31 | 27 | 21 | 19 | 11 | 30 | 16 | 22 | 22 | 28 |
| Kilmarnock . | 21287 | 23556 | 576 | 53 | 19 | 52 | 65 | 32 | 17 | 4 | 30 | 15 | 23 | 27 | 21 |
| Glasgow . . | 329097 | 395503 | 11565 | 1057 | 447 | 1058 | 1601 | 753 | 440 | 288 | 597 | 294 | 407 | 436 | 385 |
| Barony . . | 16050 | 22559 | 789 | 47 | 25 | 59 | 88 | 31 | 22 | 13 | 35 | 16 | 25 | 31 | 29 |
| Govan . . | 14996 | 28584 | 783 | 81 | 34 | 68 | 116 | 53 | 36 | 21 | 61 | 22 | 19 | 32 | 16 |
| Hamilton . . | 11740 | 14047 | 287 | 27 | 11 | 13 | 34 | 11 | 8 | 6 | 11 | 12 | 18 | 9 | 14 |
| Airdrie . . | 14435 | 12922 | 259 | 21 | 8 | 24 | 34 | 9 | 7 | 1 | 19 | 13 | 17 | 11 | 8 |
| Coatbridge, etc. | 13168 | 15303 | 413 | 23 | 18 | 38 | 67 | 44 | 21 | 21 | 53 | 9 | 6 | 16 | 5 |
| Edinburgh . | 161648 | 170444 | 4760 | 411 | 153 | 338 | 456 | 246 | 148 | 134 | 250 | 89 | 137 | 196 | 173 |
| Leith . . | 32219 | 36029 | 872 | 100 | 46 | 71 | 87 | 52 | 38 | 29 | 44 | 12 | 14 | 29 | 29 |
| Dumfries . | 17223 | 18266 | 537 | 47 | 22 | 34 | 42 | 17 | 16 | 9 | 23 | 10 | 9 | 15 | 21 |

DEATHS at Different Ages in SCOTLAND during the YEAR 1862.—BOTH SEXES.

| | BOTH SEXES. | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | AGE UNDER | | | | | | | | | | | | | | | |
| | 35 | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| SCOTLAND . . . | 2066 | 2097 | 1944 | 2002 | 2225 | 2213 | 3026 | 2969 | 3266 | 3059 | 2749 | 1464 | 529 | 169 | 30 | 93 |
| Insular . . . | 82 | 69 | 73 | 79 | 97 | 84 | 143 | 145 | 214 | 239 | 239 | 133 | 64 | 39 | 4 | 21 |
| Mainland . . . | 964 | 966 | 857 | 859 | 1003 | 1135 | 1555 | 1691 | 1918 | 1917 | 1869 | 993 | 374 | 100 | 21 | 51 |
| Towns . . . | 1020 | 1062 | 1014 | 1064 | 1125 | 994 | 1328 | 1133 | 1134 | 903 | 641 | 338 | 91 | 30 | 5 | 21 |
| Shetland . . . | 12 | 15 | 12 | 17 | 14 | 18 | 18 | 24 | 32 | 33 | 42 | 29 | 13 | 11 | 2 | 12 |
| Orkney . . . | 9 | 10 | 12 | 14 | 16 | 9 | 36 | 31 | 52 | 45 | 51 | 38 | 12 | 5 | 1 | – |
| Caithness . . . | 19 | 24 | 15 | 17 | 17 | 32 | 31 | 26 | 52 | 51 | 56 | 39 | 19 | 4 | 3 | 2 |
| Sutherland . . | 18 | 11 | 8 | 10 | 7 | 12 | 11 | 23 | 34 | 31 | 31 | 25 | 13 | 3 | – | 2 |
| Ross and Cromarty . | 37 | 29 | 25 | 23 | 42 | 48 | 75 | 88 | 97 | 135 | 133 | 84 | 31 | 15 | 1 | 3 |
| Inverness . . . | 42 | 34 | 35 | 38 | 68 | 50 | 77 | 85 | 121 | 104 | 154 | 59 | 33 | 14 | 1 | 6 |
| Nairn . . . | 3 | 2 | 4 | 1 | 5 | 5 | 8 | 14 | 10 | 11 | 14 | 7 | 4 | – | – | – |
| Elgin . . . | 23 | 32 | 17 | 22 | 24 | 37 | 41 | 49 | 52 | 54 | 71 | 36 | 18 | 4 | – | 1 |
| Banff . . . | 25 | 20 | 28 | 29 | 29 | 22 | 49 | 42 | 68 | 56 | 87 | 32 | 11 | 2 | 1 | 2 |
| Aberdeen . . . | 141 | 124 | 110 | 120 | 127 | 136 | 211 | 204 | 242 | 263 | 254 | 146 | 69 | 19 | 3 | 2 |
| Kincardine . . | 16 | 16 | 8 | 12 | 24 | 18 | 21 | 38 | 37 | 50 | 35 | 18 | 12 | 5 | – | – |
| Forfar . . . | 148 | 127 | 121 | 144 | 165 | 172 | 228 | 191 | 236 | 198 | 171 | 85 | 25 | 5 | 1 | 1 |
| Perth . . . | 69 | 68 | 62 | 47 | 80 | 115 | 151 | 153 | 167 | 162 | 178 | 79 | 28 | 5 | 2 | 4 |
| Fife . . . . | 77 | 69 | 77 | 89 | 94 | 109 | 138 | 196 | 181 | 194 | 152 | 64 | 17 | 6 | 2 | 3 |
| Kinross . . . | 2 | 2 | 3 | 2 | 4 | 8 | 6 | 11 | 11 | 7 | 8 | 9 | – | 1 | – | – |
| Clackmannan . . | 9 | 16 | 18 | 21 | 17 | 18 | 19 | 23 | 19 | 13 | 12 | 6 | 1 | – | – | – |
| Stirling . . . | 57 | 63 | 51 | 52 | 64 | 71 | 99 | 93 | 96 | 93 | 74 | 41 | 21 | 3 | – | – |
| Dumbarton . . | 40 | 37 | 33 | 29 | 44 | 24 | 61 | 54 | 50 | 35 | 37 | 27 | 6 | 1 | – | 1 |
| Argyll . . . | 39 | 46 | 43 | 47 | 46 | 67 | 74 | 97 | 113 | 137 | 112 | 68 | 32 | 12 | 1 | 7 |
| Bute . . . | 13 | 8 | 10 | 16 | 18 | 15 | 16 | 13 | 23 | 27 | 25 | 12 | 4 | 3 | – | 2 |
| Renfrew . . . | 144 | 144 | 133 | 128 | 139 | 141 | 175 | 160 | 167 | 146 | 91 | 64 | 15 | 6 | 2 | 5 |
| Ayr . . . . | 121 | 112 | 119 | 121 | 113 | 122 | 176 | 163 | 186 | 180 | 148 | 97 | 22 | 5 | – | 5 |
| Lanark . . . | 544 | 606 | 573 | 568 | 599 | 489 | 614 | 493 | 456 | 373 | 277 | 143 | 40 | 14 | 3 | 15 |
| Linlithgow . . | 25 | 29 | 31 | 20 | 23 | 18 | 43 | 28 | 41 | 28 | 21 | 12 | 4 | 1 | – | 2 |
| Edinburgh . . | 253 | 271 | 234 | 253 | 272 | 225 | 341 | 323 | 314 | 241 | 163 | 79 | 23 | 7 | 1 | 5 |
| Haddington . . | 12 | 17 | 12 | 18 | 17 | 32 | 37 | 36 | 48 | 39 | 40 | 10 | 9 | 3 | – | – |
| Berwick . . . | 18 | 12 | 14 | 15 | 14 | 20 | 32 | 43 | 46 | 28 | 37 | 18 | 6 | 3 | 1 | 2 |
| Peebles . . . | 7 | 1 | 9 | 8 | 9 | 10 | 11 | 14 | 15 | 16 | 13 | 2 | 3 | – | – | – |
| Selkirk . . . | 5 | 1 | 3 | 3 | 3 | 5 | 17 | 7 | 10 | 8 | 12 | 3 | 2 | – | – | – |
| Roxburgh . . | 39 | 32 | 19 | 30 | 33 | 39 | 45 | 59 | 72 | 62 | 42 | 23 | 7 | 3 | – | 5 |
| Dumfries . . . | 42 | 54 | 57 | 47 | 49 | 70 | 87 | 96 | 118 | 114 | 96 | 49 | 17 | 4 | 2 | 2 |
| Kirkcudbright . . | 29 | 23 | 25 | 21 | 22 | 32 | 41 | 49 | 46 | 67 | 46 | 28 | 4 | 3 | 3 | 1 |
| Wigtown . . . | 28 | 42 | 23 | 20 | 27 | 24 | 37 | 43 | 54 | 58 | 66 | 32 | 8 | 2 | – | 3 |

DEATHS at Different Ages in the TOWN DISTRICTS of SCOTLAND, 1862.—BOTH SEXES.

| | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Inverness . . . | 5 | 11 | 4 | 13 | 17 | 14 | 20 | 19 | 32 | 22 | 26 | 9 | 7 | 2 | – | – |
| Aberdeen . . . | 58 | 49 | 53 | 66 | 72 | 66 | 89 | 95 | 87 | 88 | 75 | 47 | 17 | 4 | 1 | 1 |
| Arbroath . . . | 12 | 10 | 11 | 13 | 12 | 11 | 29 | 18 | 22 | 20 | 17 | 7 | 3 | 1 | – | 1 |
| Dundee . . . | 75 | 61 | 69 | 88 | 83 | 81 | 96 | 77 | 80 | 50 | 45 | 20 | 11 | 2 | – | – |
| Forfar . . . | 10 | 4 | 5 | 3 | 8 | 15 | 19 | 11 | 26 | 10 | 11 | 6 | 1 | – | – | – |
| Montrose . . . | 17 | 19 | 11 | 8 | 24 | 18 | 29 | 24 | 23 | 30 | 15 | 12 | 1 | – | – | – |
| Perth . . . | 16 | 12 | 21 | 13 | 17 | 27 | 42 | 36 | 35 | 29 | 26 | 9 | 3 | – | – | 2 |
| Dunfermline . . | 10 | 11 | 7 | 9 | 10 | 9 | 15 | 19 | 12 | 14 | 15 | 5 | – | – | – | 2 |
| Kirkcaldy . . . | 4 | 5 | 5 | 9 | 5 | 7 | 12 | 20 | 7 | 11 | 7 | 2 | 1 | – | – | – |
| Stirling . . . | 15 | 12 | 10 | 10 | 10 | 13 | 24 | 14 | 14 | 18 | 13 | 6 | 4 | – | – | – |
| Greenock . . . | 37 | 42 | 53 | 50 | 46 | 36 | 46 | 42 | 37 | 29 | 17 | 8 | 5 | 2 | 1 | 2 |
| Paisley . . . | 47 | 48 | 32 | 32 | 47 | 51 | 54 | 60 | 68 | 54 | 34 | 25 | 4 | 3 | – | – |
| Ayr . . . | 10 | 16 | 15 | 19 | 19 | 21 | 24 | 17 | 26 | 20 | 21 | 19 | – | – | – | – |
| Kilmarnock . . | 19 | 20 | 11 | 25 | 12 | 13 | 25 | 21 | 23 | 23 | 12 | 12 | 1 | – | – | 1 |
| Glasgow . . . | 376 | 403 | 411 | 401 | 437 | 316 | 407 | 300 | 298 | 215 | 133 | 75 | 15 | 8 | 2 | 5 |
| Barony . . . | 23 | 42 | 29 | 31 | 30 | 39 | 43 | 38 | 34 | 32 | 17 | 6 | – | 3 | – | 1 |
| Govan . . . | 29 | 22 | 28 | 27 | 18 | 17 | 24 | 21 | 7 | 7 | 14 | 7 | 1 | – | – | 2 |
| Hamilton . . . | 8 | 13 | 14 | 8 | 8 | 12 | 12 | 12 | 11 | 5 | 4 | 4 | 2 | – | – | – |
| Airdrie . . . | 9 | 9 | 4 | 8 | 9 | 8 | 13 | 4 | 6 | 10 | 5 | 2 | – | – | – | – |
| Coatbridge, etc. . | 9 | 10 | 5 | 14 | 3 | 17 | 7 | 10 | 5 | 7 | 5 | – | – | – | – | – |
| Edinburgh . . | 179 | 184 | 162 | 172 | 197 | 148 | 247 | 218 | 210 | 157 | 91 | 46 | 11 | 4 | 1 | 2 |
| Leith . . . | 31 | 37 | 27 | 26 | 22 | 29 | 25 | 37 | 37 | 23 | 17 | 6 | 2 | – | – | 2 |
| Dumfries . . . | 21 | 22 | 27 | 19 | 19 | 26 | 26 | 20 | 34 | 29 | 21 | 5 | 2 | 1 | – | – |

MALE DEATHS at Different Ages in SCOTLAND during the YEAR 1862.—MALES.

| | MALE POPULATION. | | MALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | | | MONTHS. | | | | | | | | | | | | |
| | 1851. | 1861. | | 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 |
| SCOTLAND . | 1375479 | 1449848 | 33179 | 3468 | 1222 | 2292 | 3210 | 1567 | 932 | 649 | 1702 | 897 | 1163 | 1304 | 1084 |
| Insular . . | 76760 | 73409 | 1445 | 129 | 35 | 75 | 102 | 58 | 25 | 12 | 58 | 24 | 47 | 79 | 59 |
| Mainland . | 829259 | 849381 | 16178 | 1655 | 533 | 901 | 1182 | 615 | 381 | 266 | 839 | 508 | 604 | 650 | 552 |
| Towns . . | 469460 | 527058 | 15556 | 1684 | 654 | 1316 | 1926 | 894 | 526 | 371 | 805 | 365 | 512 | 575 | 473 |
| Shetland . . | 13145 | 13053 | 227 | 27 | 10 | 7 | 13 | 5 | 2 | 2 | 12 | 3 | 8 | 18 | 6 |
| Orkney . . | 14350 | 14924 | 242 | 14 | 6 | 4 | 3 | 2 | 3 | – | 11 | 8 | 10 | 20 | 12 |
| Caithness . | 18809 | 19846 | 359 | 26 | 12 | 14 | 19 | 9 | 7 | 9 | 20 | 14 | 9 | 21 | 10 |
| Sutherland . | 11437 | 11058 | 181 | 21 | 4 | 4 | 5 | – | 3 | 1 | 5 | 4 | 2 | 6 | 5 |
| Ross & Cromarty | 39489 | 38462 | 737 | 62 | 14 | 38 | 45 | 28 | 12 | 6 | 43 | 16 | 22 | 24 | 29 |
| Inverness . | 42814 | 39479 | 777 | 80 | 17 | 44 | 63 | 25 | 16 | 4 | 25 | 9 | 16 | 32 | 37 |
| Nairn . . | 3831 | 3976 | 72 | 11 | – | 3 | 5 | 1 | 1 | 1 | 2 | 2 | 1 | 1 | 4 |
| Elgin . . | 18943 | 20737 | 427 | 45 | 15 | 23 | 25 | 6 | 6 | 5 | 22 | 17 | 13 | 17 | 17 |
| Banff . . | 24195 | 26401 | 449 | 44 | 18 | 25 | 24 | 17 | 4 | 8 | 23 | 12 | 19 | 21 | 13 |
| Aberdeen . | 100935 | 105322 | 2082 | 200 | 68 | 102 | 160 | 79 | 61 | 44 | 95 | 73 | 88 | 78 | 86 |
| Kincardine . | 17188 | 16939 | 291 | 25 | 6 | 12 | 18 | 5 | 3 | 4 | 19 | 6 | 12 | 13 | 11 |
| Forfar . . | 89408 | 93280 | 2391 | 317 | 97 | 189 | 295 | 144 | 83 | 40 | 103 | 51 | 55 | 72 | 52 |
| Perth . . | 65697 | 63169 | 1215 | 120 | 29 | 63 | 68 | 38 | 35 | 25 | 57 | 30 | 38 | 54 | 41 |
| Fife . . . | 73305 | 72714 | 1471 | 131 | 54 | 75 | 119 | 74 | 40 | 32 | 87 | 46 | 61 | 45 | 42 |
| Kinross . . | 4660 | 4150 | 63 | 7 | 3 | 3 | 5 | – | – | 2 | 4 | 2 | 1 | 1 | 1 |
| Clackmannan . | 10634 | 9742 | 212 | 20 | 11 | 12 | 18 | 4 | 1 | 2 | 6 | 6 | 15 | 11 | 9 |
| Stirling . . | 41113 | 43487 | 916 | 85 | 34 | 58 | 75 | 53 | 35 | 16 | 54 | 25 | 29 | 36 | 26 |
| Dumbarton . | 23340 | 26455 | 569 | 53 | 22 | 32 | 46 | 31 | 18 | 8 | 32 | 21 | 24 | 20 | 27 |
| Argyll . . | 46197 | 40914 | 764 | 57 | 16 | 21 | 41 | 30 | 10 | 9 | 34 | 18 | 31 | 37 | 33 |
| Bute . . | 7518 | 7208 | 162 | 13 | 4 | 11 | 7 | 6 | 6 | 2 | 6 | 4 | 10 | 9 | 4 |
| Renfrew . . | 74224 | 79380 | 2157 | 207 | 104 | 174 | 242 | 116 | 72 | 43 | 116 | 67 | 76 | 98 | 69 |
| Ayr . . | 92933 | 97035 | 2146 | 243 | 87 | 143 | 194 | 114 | 58 | 35 | 120 | 80 | 98 | 90 | 70 |
| Lanark . . | 258449 | 308263 | 8504 | 904 | 359 | 781 | 1150 | 507 | 276 | 196 | 476 | 230 | 304 | 308 | 251 |
| Linlithgow . | 15422 | 20069 | 499 | 60 | 21 | 58 | 62 | 20 | 18 | 5 | 33 | 16 | 18 | 14 | 13 |
| Edinburgh . | 119428 | 126429 | 3400 | 376 | 129 | 255 | 318 | 167 | 100 | 95 | 162 | 61 | 111 | 136 | 113 |
| Haddington . | 17592 | 17866 | 302 | 42 | 9 | 9 | 28 | 11 | 6 | 7 | 22 | 12 | 9 | 8 | 10 |
| Berwick . . | 17367 | 17354 | 269 | 29 | 11 | 16 | 12 | 6 | 6 | 9 | 12 | 5 | 5 | 12 | 5 |
| Peebles . . | 5400 | 5603 | 107 | 11 | 1 | 5 | 8 | 1 | 2 | 3 | 2 | 3 | 6 | 3 | 1 |
| Selkirk . . | 4836 | 5069 | 96 | 14 | 3 | 5 | 14 | 2 | 1 | – | 6 | 2 | 4 | 1 | 1 |
| Roxburgh . | 25002 | 26593 | 544 | 67 | 17 | 35 | 24 | 21 | 13 | 11 | 28 | 14 | 14 | 34 | 27 |
| Dumfries . | 37200 | 35687 | 776 | 77 | 22 | 34 | 47 | 22 | 11 | 17 | 35 | 21 | 22 | 28 | 33 |
| Kirkcudbright | 20223 | 19789 | 398 | 45 | 10 | 18 | 28 | 16 | 9 | 3 | 16 | 9 | 16 | 16 | 16 |
| Wigtown . | 20335 | 19395 | 374 | 35 | 9 | 19 | 29 | 7 | 14 | 5 | 14 | 10 | 16 | 20 | 10 |

MALE DEATHS at Different Ages in the TOWN DISTRICTS of SCOTLAND, 1862.

| | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Inverness . | 7401 | 7261 | 155 | 18 | 1 | 11 | 9 | 4 | 1 | – | 2 | 2 | 2 | 8 | 9 |
| Aberdeen . | 31746 | 32554 | 938 | 93 | 35 | 51 | 99 | 42 | 35 | 23 | 38 | 34 | 33 | 40 | 37 |
| Arbroath . | 7866 | 7770 | 204 | 14 | 5 | 16 | 30 | 13 | 9 | 8 | 16 | 1 | 7 | 5 | 2 |
| Dundee . . | 36364 | 40395 | 1289 | 196 | 66 | 130 | 205 | 88 | 41 | 18 | 56 | 26 | 27 | 37 | 26 |
| Forfar . . | 5017 | 4735 | 158 | 33 | 2 | 9 | 17 | 17 | 7 | 3 | 8 | 5 | 3 | 3 | 1 |
| Montrose . | 7061 | 6736 | 191 | 18 | 6 | 9 | 11 | 7 | 6 | 5 | 7 | 3 | 5 | 6 | 9 |
| Perth . . | 11282 | 11564 | 295 | 23 | 8 | 25 | 29 | 16 | 17 | 8 | 15 | 6 | 7 | 12 | 8 |
| Dunfermline . | 6901 | 6447 | 141 | 12 | 8 | 8 | 10 | 1 | 3 | 2 | 11 | 1 | 8 | 7 | 3 |
| Kirkcaldy . | 4906 | 5074 | 129 | 9 | 8 | 12 | 13 | 13 | 4 | 2 | 12 | 1 | 8 | 3 | 3 |
| Stirling . . | 5908 | 6814 | 186 | 23 | 9 | 12 | 16 | 10 | 12 | 7 | 7 | 1 | 3 | 9 | 5 |
| Greenock . | 17905 | 21567 | 703 | 81 | 29 | 63 | 94 | 43 | 28 | 19 | 39 | 12 | 23 | 32 | 27 |
| Paisley . . | 22608 | 21913 | 602 | 54 | 32 | 38 | 62 | 24 | 21 | 7 | 22 | 16 | 23 | 22 | 15 |
| Ayr . . | 8675 | 9094 | 277 | 43 | 11 | 16 | 18 | 14 | 9 | 7 | 17 | 9 | 11 | 9 | 15 |
| Kilmarnock . | 10163 | 11398 | 286 | 29 | 11 | 27 | 30 | 18 | 8 | 2 | 19 | 7 | 12 | 11 | 7 |
| Glasgow . . | 154930 | 185556 | 5696 | 609 | 245 | 546 | 824 | 347 | 196 | 147 | 297 | 158 | 206 | 196 | 163 |
| Barony . . | 8090 | 11221 | 387 | 25 | 16 | 30 | 38 | 22 | 5 | 3 | 24 | 10 | 11 | 12 | 15 |
| Govan . . | 7286 | 13603 | 397 | 43 | 17 | 30 | 63 | 28 | 19 | 9 | 36 | 8 | 11 | 21 | 7 |
| Hamilton . | 5576 | 6798 | 152 | 20 | 6 | 9 | 12 | 5 | 5 | 3 | 3 | 6 | 11 | 5 | 8 |
| Airdrie . . | 7333 | 6242 | 119 | 12 | 6 | 11 | 13 | 4 | 2 | 1 | 10 | 6 | 5 | 2 | 5 |
| Coatbridge, etc. | 7084 | 8155 | 223 | 15 | 11 | 24 | 40 | 25 | 10 | 12 | 26 | 3 | 2 | 6 | 4 |
| Edinburgh . | 72067 | 76013 | 2306 | 237 | 84 | 182 | 221 | 112 | 64 | 63 | 108 | 39 | 82 | 102 | 77 |
| Leith . . | 15482 | 17894 | 441 | 53 | 25 | 39 | 45 | 32 | 15 | 18 | 21 | 5 | 7 | 18 | 12 |
| Dumfries . | 7809 | 8254 | 281 | 24 | 13 | 18 | 27 | 9 | 9 | 4 | 11 | 6 | 5 | 9 | 15 |

MALE DEATHS at Different Ages in SCOTLAND during the YEAR 1862.—MALES.

| | MALES. AGE UNDER | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 35 | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| SCOTLAND . . . | 935 | 991 | 913 | 995 | 1130 | 1083 | 1456 | 1377 | 1490 | 1276 | 1139 | 595 | 192 | 55 | 10 | 52 |
| Insular . . . | 38 | 35 | 33 | 31 | 46 | 40 | 62 | 55 | 99 | 97 | 98 | 54 | 27 | 11 | 3 | 13 |
| Mainland . . . | 458 | 453 | 381 | 415 | 507 | 550 | 753 | 818 | 914 | 805 | 805 | 428 | 138 | 33 | 7 | 27 |
| Towns . . . | 439 | 503 | 499 | 549 | 577 | 493 | 641 | 504 | 477 | 374 | 236 | 113 | 27 | 11 | – | 12 |
| Shetland . . . | 4 | 5 | 2 | 9 | 5 | 8 | 9 | 7 | 13 | 14 | 12 | 12 | 5 | 2 | 1 | 6 |
| Orkney . . . | 3 | 6 | 5 | 7 | 12 | 7 | 15 | 13 | 21 | 12 | 22 | 19 | 6 | – | 1 | – |
| Caithness . . . | 8 | 10 | 7 | 11 | 7 | 15 | 19 | 9 | 28 | 17 | 25 | 22 | 7 | 1 | 2 | 1 |
| Sutherland . . | 12 | 6 | 4 | 5 | 5 | 5 | 7 | 11 | 17 | 15 | 17 | 11 | 3 | 1 | – | 2 |
| Ross and Cromarty . | 14 | 15 | 10 | 13 | 24 | 21 | 35 | 42 | 43 | 76 | 48 | 36 | 12 | 6 | – | 3 |
| Inverness . . . | 17 | 18 | 19 | 16 | 41 | 28 | 36 | 34 | 49 | 39 | 64 | 24 | 16 | 5 | 1 | 2 |
| Nairn . . . | – | – | 2 | – | 3 | 3 | 3 | 6 | 6 | 5 | 9 | 2 | 1 | – | – | – |
| Elgin . . . | 7 | 13 | 9 | 9 | 12 | 19 | 22 | 26 | 28 | 23 | 27 | 14 | 5 | 1 | – | 1 |
| Banff . . . | 12 | 11 | 12 | 15 | 12 | 13 | 18 | 16 | 32 | 21 | 45 | 11 | 2 | 1 | – | – |
| Aberdeen . . . | 63 | 52 | 52 | 49 | 67 | 66 | 91 | 104 | 112 | 111 | 103 | 47 | 25 | 6 | – | – |
| Kincardine . . | 8 | 12 | 6 | 7 | 16 | 13 | 8 | 24 | 16 | 21 | 9 | 10 | 4 | 3 | – | – |
| Forfar . . . | 61 | 59 | 54 | 72 | 71 | 91 | 111 | 80 | 100 | 80 | 74 | 33 | 5 | 1 | 1 | – |
| Perth . . . | 33 | 27 | 23 | 23 | 39 | 53 | 73 | 68 | 79 | 65 | 83 | 32 | 13 | 3 | – | 3 |
| Fife . . . | 37 | 29 | 30 | 47 | 41 | 63 | 67 | 93 | 77 | 79 | 70 | 23 | 6 | 3 | – | – |
| Kinross . . . | – | 2 | 1 | 1 | 1 | 3 | 4 | 8 | 6 | 3 | 2 | 2 | – | 1 | – | – |
| Clackmannan . . | 5 | 7 | 8 | 15 | 8 | 7 | 9 | 14 | 10 | 4 | 6 | 4 | – | – | – | – |
| Stirling . . . | 24 | 30 | 19 | 22 | 32 | 39 | 50 | 40 | 39 | 44 | 25 | 19 | 5 | 2 | – | – |
| Dumbarton . . | 22 | 22 | 14 | 21 | 20 | 13 | 32 | 26 | 23 | 16 | 16 | 8 | 1 | – | – | 1 |
| Argyll . . . | 23 | 27 | 23 | 13 | 28 | 28 | 37 | 42 | 52 | 57 | 46 | 29 | 12 | 6 | 1 | 3 |
| Bute . . . . | 6 | 3 | 2 | 5 | 8 | 9 | 6 | 3 | 8 | 9 | 15 | 3 | 1 | – | – | 2 |
| Renfrew . . . | 55 | 67 | 68 | 62 | 68 | 70 | 77 | 83 | 83 | 64 | 34 | 30 | 6 | 2 | – | 4 |
| Ayr . . . . | 61 | 50 | 59 | 70 | 53 | 57 | 91 | 89 | 88 | 74 | 62 | 44 | 12 | – | – | 4 |
| Lanark . . . | 235 | 283 | 285 | 297 | 324 | 240 | 307 | 239 | 199 | 167 | 110 | 57 | 8 | 4 | – | 7 |
| Linlithgow . . | 13 | 16 | 15 | 8 | 15 | 9 | 20 | 10 | 23 | 12 | 8 | 6 | 3 | 1 | – | 2 |
| Edinburgh . . | 126 | 134 | 116 | 124 | 134 | 99 | 156 | 141 | 151 | 93 | 59 | 32 | 8 | 1 | – | 3 |
| Haddington . . | 3 | 6 | 5 | 5 | 6 | 16 | 12 | 12 | 23 | 13 | 18 | 3 | 6 | 1 | – | – |
| Berwick . . . | 9 | 5 | 5 | 8 | 4 | 10 | 14 | 23 | 24 | 9 | 19 | 8 | 1 | 1 | – | 1 |
| Peebles . . . | 2 | 1 | 7 | 4 | 4 | 5 | 6 | 6 | 9 | 8 | 6 | 1 | 2 | – | – | – |
| Selkirk . . . | 3 | 1 | 2 | 2 | 2 | 3 | 12 | 2 | 4 | 2 | 7 | 1 | 2 | – | – | – |
| Roxburgh . . | 22 | 15 | 10 | 15 | 18 | 18 | 18 | 26 | 36 | 27 | 18 | 11 | 3 | – | – | 2 |
| Dumfries . . . | 23 | 26 | 24 | 24 | 26 | 35 | 46 | 40 | 48 | 47 | 35 | 21 | 6 | 2 | 2 | 2 |
| Kirkcudbright . . | 15 | 11 | 10 | 14 | 9 | 10 | 25 | 24 | 19 | 26 | 20 | 9 | 2 | – | 1 | 1 |
| Wigtown . . . | 9 | 22 | 5 | 2 | 15 | 7 | 20 | 16 | 24 | 23 | 25 | 11 | 4 | 1 | – | 2 |
| DEATHS at Different Ages in the TOWN DISTRICTS of SCOTLAND, 1862.—MALES. | | | | | | | | | | | | | | | | |
| Inverness . . . | 2 | 6 | 3 | 4 | 12 | 9 | 9 | 7 | 12 | 4 | 14 | 4 | 2 | – | – | – |
| Aberdeen . . . | 24 | 23 | 25 | 33 | 36 | 33 | 40 | 45 | 36 | 36 | 29 | 11 | 5 | 2 | – | – |
| Arbroath . . . | 5 | 2 | 5 | 5 | 6 | 5 | 18 | 8 | 8 | 7 | 7 | 2 | – | – | – | – |
| Dundee . . . | 29 | 25 | 28 | 48 | 40 | 41 | 50 | 36 | 24 | 21 | 20 | 7 | 3 | 1 | – | – |
| Forfar . . . | 2 | 2 | 3 | 1 | 2 | 9 | 10 | 1 | 10 | 3 | 4 | 3 | – | – | – | – |
| Montrose . . . | 9 | 12 | 6 | 4 | 7 | 8 | 12 | 11 | 8 | 14 | 4 | 4 | – | – | – | – |
| Perth . . . | 7 | 4 | 10 | 6 | 9 | 12 | 22 | 13 | 8 | 11 | 14 | 4 | – | – | – | 1 |
| Dunfermline . . | 6 | 6 | 1 | 6 | 4 | 7 | 9 | 7 | 7 | 5 | 8 | 1 | – | – | – | – |
| Kirkcaldy . . . | 2 | 2 | 2 | 4 | 2 | 4 | 5 | 7 | 2 | 6 | 3 | 1 | 1 | – | – | – |
| Stirling . . . | 6 | 5 | 5 | 7 | 7 | 8 | 9 | 6 | 6 | 9 | 3 | 1 | – | – | – | – |
| Greenock . . . | 14 | 21 | 27 | 24 | 23 | 18 | 18 | 20 | 22 | 13 | 6 | 2 | 3 | – | – | 2 |
| Paisley . . . | 15 | 22 | 20 | 14 | 24 | 27 | 27 | 31 | 32 | 26 | 13 | 10 | 3 | 2 | – | – |
| Ayr . . . | 6 | 3 | 6 | 13 | 7 | 9 | 13 | 9 | 12 | 5 | 5 | 10 | – | – | – | – |
| Kilmarnock . . | 7 | 8 | 7 | 14 | 4 | 9 | 17 | 9 | 9 | 10 | 5 | 4 | 1 | – | – | 1 |
| Glasgow . . . | 161 | 187 | 202 | 210 | 237 | 142 | 192 | 138 | 123 | 90 | 45 | 25 | 4 | 2 | – | 4 |
| Barony . . . | 9 | 22 | 13 | 17 | 14 | 24 | 20 | 17 | 17 | 14 | 6 | 1 | – | 2 | – | – |
| Govan . . . | 14 | 9 | 15 | 9 | 11 | 10 | 14 | 8 | 3 | 4 | 6 | – | – | – | – | 2 |
| Hamilton . . . | 3 | 8 | 9 | 3 | 3 | 7 | 5 | 8 | 5 | 4 | 1 | 3 | – | – | – | – |
| Airdrie . . . | 2 | 3 | 3 | 5 | 5 | 6 | 8 | 3 | – | 4 | 2 | 1 | – | – | – | – |
| Coatbridge, etc. . | 2 | 5 | 2 | 8 | 2 | 10 | 4 | 6 | 3 | 3 | – | – | – | – | – | – |
| Edinburgh . . | 87 | 95 | 81 | 83 | 102 | 68 | 113 | 88 | 102 | 66 | 30 | 16 | 3 | 1 | – | – |
| Leith . . . . | 17 | 21 | 12 | 17 | 12 | 13 | 12 | 19 | 14 | 7 | 4 | – | 1 | – | – | 2 |
| Dumfries . . . | 10 | 12 | 14 | 14 | 8 | 14 | 14 | 7 | 14 | 12 | 7 | 3 | 1 | 1 | – | – |

FEMALE DEATHS at Different Ages in SCOTLAND during the YEAR 1862.—FEMALES.

| | FEMALE POPULATION. | | FEMALES. | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | ALL AGES. | AGE UNDER | | | | | | | | | | | |
| | | | | MONTHS. | | | | | | | | | | | |
| | 1851. | 1861. | | 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 |
| SCOTLAND . | 1513263 | 1612446 | 34016 | 2546 | 927 | 2101 | 3005 | 1587 | 1029 | 662 | 1591 | 808 | 1100 | 1259 | 1189 |
| Insular . . | 89727 | 87324 | 1530 | 92 | 21 | 50 | 73 | 46 | 28 | 21 | 44 | 36 | 48 | 45 | 43 |
| Mainland . | 883293 | 913996 | 16516 | 1221 | 383 | 811 | 1124 | 622 | 412 | 266 | 758 | 422 | 573 | 593 | 550 |
| Towns . . | 540243 | 611126 | 15970 | 1233 | 523 | 1240 | 1808 | 919 | 589 | 375 | 789 | 350 | 479 | 621 | 596 |
| Shetland . . | 17933 | 18617 | 257 | 10 | 1 | 4 | 8 | 4 | 1 | 2 | 5 | 8 | 8 | 10 | 6 |
| Orkney . . | 17105 | 17471 | 245 | 6 | 2 | 4 | – | 2 | 1 | 4 | 3 | 5 | 7 | 6 | 13 |
| Caithness . | 20973 | 22354 | 243 | 28 | 6 | 15 | 17 | 8 | 5 | 3 | 11 | 5 | 10 | 9 | 8 |
| Sutherland . | 13283 | 13099 | 163 | 12 | 3 | 4 | 7 | 3 | 1 | – | 2 | 1 | 2 | 3 | 7 |
| Ross & Cromarty | 44292 | 43965 | 770 | 53 | 13 | 30 | 54 | 33 | 21 | 9 | 31 | 14 | 16 | 14 | 14 |
| Inverness . | 49140 | 45523 | 822 | 70 | 13 | 31 | 33 | 17 | 17 | 9 | 19 | 14 | 27 | 28 | 32 |
| Nairn . . | 4245 | 4371 | 72 | 3 | 1 | 2 | 4 | 2 | 4 | – | 3 | 1 | 1 | 1 | 2 |
| Elgin . . | 21589 | 23481 | 436 | 28 | 13 | 23 | 23 | 11 | 8 | 3 | 21 | 9 | 9 | 9 | 14 |
| Banff . . | 27158 | 29619 | 469 | 26 | 13 | 16 | 15 | 11 | 11 | 6 | 27 | 15 | 16 | 16 | 15 |
| Aberdeen . | 112526 | 118022 | 2218 | 158 | 57 | 95 | 146 | 74 | 44 | 34 | 112 | 51 | 63 | 77 | 84 |
| Kincardine . | 17756 | 17915 | 272 | 23 | 4 | 11 | 12 | 9 | 10 | 5 | 10 | 6 | 12 | 8 | 9 |
| Forfar . . | 104219 | 113470 | 2494 | 217 | 76 | 198 | 231 | 130 | 82 | 57 | 89 | 37 | 73 | 85 | 94 |
| Perth . . | 71672 | 70029 | 1266 | 89 | 21 | 51 | 79 | 37 | 27 | 17 | 42 | 35 | 32 | 38 | 45 |
| Fife . . | 80484 | 82307 | 1517 | 104 | 40 | 81 | 86 | 59 | 53 | 31 | 86 | 35 | 49 | 55 | 35 |
| Kinross . . | 4966 | 4581 | 75 | 3 | 4 | 4 | 7 | 1 | – | 1 | 7 | 2 | – | 1 | 5 |
| Clackmannan . | 10921 | 10380 | 205 | 17 | 8 | 12 | 20 | 6 | 4 | 3 | 9 | 5 | 9 | 11 | 6 |
| Stirling . . | 42689 | 44651 | 1021 | 82 | 26 | 59 | 84 | 51 | 28 | 21 | 54 | 21 | 38 | 41 | 28 |
| Dumbarton . | 23655 | 27724 | 541 | 33 | 18 | 38 | 43 | 20 | 15 | 9 | 30 | 19 | 25 | 18 | 29 |
| Argyll . . | 47845 | 42945 | 799 | 41 | 17 | 26 | 31 | 25 | 15 | 9 | 21 | 18 | 31 | 25 | 26 |
| Bute . . | 9090 | 9123 | 195 | 6 | 4 | 7 | 9 | 5 | 4 | 3 | 11 | 3 | 11 | 5 | 2 |
| Renfrew . . | 83726 | 89366 | 2151 | 174 | 79 | 154 | 240 | 118 | 60 | 44 | 91 | 64 | 81 | 83 | 76 |
| Ayr . . | 96980 | 102028 | 2115 | 157 | 60 | 131 | 224 | 112 | 57 | 33 | 98 | 75 | 98 | 105 | 89 |
| Lanark . . | 274420 | 332181 | 8494 | 646 | 271 | 722 | 1103 | 541 | 345 | 203 | 455 | 218 | 300 | 346 | 299 |
| Linlithgow . | 15168 | 18976 | 439 | 37 | 13 | 33 | 57 | 21 | 18 | 10 | 36 | 8 | 13 | 17 | 11 |
| Edinburgh . | 140065 | 147664 | 3564 | 280 | 99 | 228 | 323 | 180 | 122 | 94 | 184 | 73 | 84 | 134 | 135 |
| Haddington . | 18771 | 19760 | 375 | 32 | 11 | 12 | 18 | 17 | 13 | 9 | 21 | 8 | 10 | 12 | 11 |
| Berwick . . | 18798 | 19134 | 328 | 36 | 7 | 15 | 16 | 12 | 12 | 7 | 15 | 5 | 8 | 15 | 12 |
| Peebles . . | 5404 | 5697 | 97 | 7 | – | 8 | 3 | 3 | 1 | 1 | 4 | 3 | 2 | 7 | 1 |
| Selkirk . . | 4966 | 5341 | 76 | 12 | 2 | 6 | 4 | 2 | 1 | 1 | 6 | 1 | 1 | 2 | 2 |
| Roxburgh . | 26223 | 27129 | 500 | 56 | 9 | 18 | 32 | 23 | 10 | 7 | 19 | 8 | 12 | 17 | 18 |
| Dumfries . | 40949 | 42217 | 813 | 54 | 18 | 28 | 32 | 24 | 19 | 10 | 31 | 25 | 26 | 24 | 25 |
| Kirkcudbright | 22898 | 22706 | 420 | 21 | 11 | 20 | 17 | 11 | 5 | 9 | 23 | 6 | 16 | 17 | 20 |
| Wigtown . | 23054 | 22700 | 464 | 25 | 7 | 15 | 27 | 15 | 15 | 8 | 15 | 10 | 10 | 20 | 16 |

DEATHS at Different Ages in the TOWN DISTRICTS of SCOTLAND, 1862.—FEMALES.

| | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Inverness . | 9095 | 8901 | 167 | 18 | 4 | 8 | 4 | – | 1 | 1 | 1 | 1 | 5 | 3 | 8 |
| Aberdeen . | 40227 | 41346 | 985 | 71 | 33 | 47 | 104 | 47 | 24 | 16 | 49 | 16 | 25 | 30 | 33 |
| Arbroath . | 9372 | 10061 | 231 | 12 | 4 | 13 | 19 | 13 | 11 | 7 | 9 | 6 | 13 | 7 | 8 |
| Dundee . . | 43663 | 51269 | 1310 | 124 | 49 | 129 | 173 | 85 | 47 | 29 | 52 | 19 | 34 | 51 | 53 |
| Forfar . . | 5992 | 6103 | 155 | 6 | 5 | 11 | 6 | 13 | 6 | 4 | 7 | 4 | 5 | 6 | 3 |
| Montrose . | 8976 | 8932 | 221 | 17 | 3 | 15 | 7 | 8 | 1 | 6 | 5 | 2 | 8 | 5 | 12 |
| Perth . . | 12553 | 13729 | 323 | 24 | 3 | 18 | 37 | 10 | 11 | 7 | 7 | 6 | 8 | 11 | 14 |
| Dunfermline . | 6935 | 7059 | 130 | 4 | 2 | 7 | 8 | 5 | 8 | 2 | 8 | 3 | 4 | 3 | 5 |
| Kirkcaldy . | 5730 | 6043 | 125 | 3 | 6 | 11 | 9 | 8 | 7 | 2 | 6 | 4 | 4 | 5 | 6 |
| Stirling . . | 6493 | 7198 | 195 | 20 | 6 | 13 | 19 | 8 | 4 | 5 | 6 | 2 | 1 | 15 | 5 |
| Greenock . | 19531 | 22327 | 667 | 61 | 23 | 65 | 90 | 42 | 19 | 18 | 31 | 19 | 17 | 17 | 25 |
| Paisley . . | 25463 | 25514 | 651 | 54 | 29 | 49 | 46 | 27 | 20 | 10 | 27 | 17 | 21 | 35 | 23 |
| Ayr . . | 10170 | 10565 | 257 | 19 | 7 | 15 | 9 | 7 | 10 | 4 | 13 | 7 | 11 | 13 | 13 |
| Kilmarnock . | 11124 | 12158 | 290 | 24 | 8 | 25 | 35 | 14 | 9 | 2 | 11 | 8 | 11 | 16 | 14 |
| Glasgow . . | 174167 | 209947 | 5869 | 448 | 202 | 512 | 777 | 406 | 244 | 141 | 300 | 136 | 201 | 240 | 222 |
| Barony . . | 7960 | 11338 | 402 | 22 | 9 | 29 | 50 | 9 | 17 | 10 | 11 | 6 | 14 | 19 | 14 |
| Govan . . | 7710 | 14981 | 386 | 38 | 17 | 38 | 53 | 25 | 17 | 12 | 25 | 14 | 8 | 11 | 9 |
| Hamilton . | 6164 | 7249 | 135 | 7 | 5 | 4 | 22 | 6 | 3 | 3 | 8 | 6 | 7 | 4 | 6 |
| Airdrie . . | 7102 | 6680 | 140 | 9 | 2 | 13 | 21 | 5 | 5 | – | 9 | 7 | 12 | 9 | 3 |
| Coatbridge, etc. | 6084 | 7148 | 190 | 8 | 7 | 14 | 27 | 19 | 11 | 9 | 27 | 6 | 4 | 10 | 1 |
| Edinburgh . | 89581 | 94431 | 2454 | 174 | 69 | 156 | 235 | 134 | 84 | 71 | 142 | 50 | 55 | 94 | 96 |
| Leith . . | 16737 | 18135 | 431 | 47 | 21 | 32 | 42 | 20 | 23 | 11 | 23 | 7 | 7 | 11 | 17 |
| Dumfries . | 9414 | 10012 | 256 | 23 | 9 | 16 | 15 | 8 | 7 | 5 | 12 | 4 | 4 | 6 | 6 |

FEMALE DEATHS at Different Ages in SCOTLAND during the Year 1862.—Females.

| | FEMALES. | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | AGE UNDER | | | | | | | | | | | | | | | |
| | 35 | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| Scotland . . . | 1131 | 1106 | 1031 | 1007 | 1095 | 1130 | 1570 | 1592 | 1776 | 1783 | 1610 | 869 | 337 | 114 | 20 | 41 |
| Insular . . . | 44 | 34 | 40 | 48 | 51 | 44 | 81 | 90 | 115 | 142 | 141 | 79 | 37 | 28 | 1 | 8 |
| Mainland . . . | 506 | 513 | 476 | 444 | 496 | 585 | 802 | 873 | 1004 | 1112 | 1064 | 565 | 236 | 67 | 14 | 24 |
| Towns . . . | 581 | 559 | 515 | 515 | 548 | 501 | 687 | 629 | 657 | 529 | 405 | 225 | 64 | 19 | 5 | 9 |
| Shetland . . . | 8 | 10 | 10 | 8 | 9 | 10 | 9 | 17 | 19 | 19 | 30 | 17 | 8 | 9 | 1 | 6 |
| Orkney . . . | 6 | 4 | 7 | 7 | 4 | 2 | 21 | 18 | 31 | 33 | 29 | 19 | 6 | 5 | – | – |
| Caithness . . . | 11 | 14 | 8 | 6 | 10 | 17 | 12 | 17 | 24 | 34 | 31 | 17 | 12 | 3 | 1 | 1 |
| Sutherland . . | 6 | 5 | 4 | 5 | 2 | 7 | 4 | 12 | 17 | 16 | 14 | 14 | 10 | 2 | – | – |
| Ross and Cromarty . | 23 | 14 | 15 | 10 | 18 | 27 | 40 | 46 | 54 | 59 | 85 | 48 | 19 | 9 | 1 | – |
| Inverness . . . | 25 | 16 | 16 | 22 | 27 | 22 | 41 | 51 | 72 | 65 | 90 | 35 | 17 | 9 | – | 4 |
| Nairn . . . | 3 | 2 | 2 | 1 | 2 | 2 | 5 | 8 | 4 | 6 | 5 | 5 | 3 | – | – | – |
| Elgin . . . | 16 | 19 | 8 | 13 | 12 | 18 | 19 | 23 | 24 | 31 | 44 | 22 | 13 | 3 | – | – |
| Banff . . . | 13 | 9 | 16 | 14 | 17 | 9 | 31 | 26 | 36 | 35 | 42 | 21 | 9 | 1 | 1 | 2 |
| Aberdeen . . . | 78 | 72 | 58 | 71 | 60 | 70 | 120 | 100 | 130 | 152 | 151 | 99 | 44 | 13 | 3 | 2 |
| Kincardine . . | 8 | 4 | 2 | 5 | 8 | 5 | 13 | 14 | 21 | 29 | 26 | 8 | 8 | 2 | – | – |
| Forfar . . . | 87 | 68 | 67 | 72 | 94 | 81 | 117 | 111 | 136 | 118 | 97 | 52 | 20 | 4 | – | 1 |
| Perth . . . . | 36 | 41 | 39 | 24 | 41 | 62 | 78 | 85 | 88 | 78 | 95 | 47 | 15 | 2 | 2 | 1 |
| Fife . . . . | 40 | 40 | 47 | 42 | 53 | 46 | 71 | 103 | 104 | 115 | 82 | 41 | 11 | 3 | 2 | 3 |
| Kinross . . . | 2 | – | 2 | 1 | 3 | 5 | 2 | 3 | 5 | 4 | 6 | 7 | – | – | – | – |
| Clackmannan . . | 4 | 9 | 10 | 6 | 9 | 11 | 10 | 9 | 9 | 9 | 6 | 2 | 1 | – | – | – |
| Stirling . . . | 33 | 33 | 32 | 30 | 32 | 32 | 49 | 53 | 57 | 49 | 49 | 22 | 16 | 1 | – | – |
| Dumbarton . . | 18 | 15 | 19 | 8 | 24 | 11 | 29 | 28 | 27 | 19 | 21 | 19 | 5 | 1 | – | – |
| Argyll . . . | 16 | 19 | 20 | 34 | 18 | 39 | 37 | 55 | 61 | 80 | 66 | 39 | 20 | 6 | – | 4 |
| Bute . . . . | 7 | 5 | 8 | 11 | 10 | 6 | 10 | 10 | 15 | 18 | 10 | 9 | 3 | 3 | – | – |
| Renfrew . . . | 89 | 77 | 65 | 66 | 71 | 71 | 98 | 77 | 84 | 82 | 57 | 34 | 9 | 4 | 2 | 1 |
| Ayr . . . . | 60 | 62 | 60 | 51 | 60 | 65 | 85 | 74 | 98 | 106 | 86 | 53 | 10 | 5 | – | 1 |
| Lanark . . . | 309 | 323 | 288 | 271 | 275 | 249 | 307 | 254 | 257 | 206 | 167 | 86 | 32 | 10 | 3 | 8 |
| Linlithgow . . | 12 | 13 | 16 | 12 | 8 | 9 | 23 | 18 | 18 | 16 | 13 | 6 | 1 | – | – | – |
| Edinburgh . . | 127 | 137 | 118 | 129 | 138 | 126 | 185 | 182 | 163 | 148 | 104 | 47 | 15 | 6 | 1 | 2 |
| Haddington . . | 9 | 11 | 7 | 13 | 11 | 16 | 25 | 24 | 25 | 26 | 22 | 7 | 3 | 2 | – | – |
| Berwick . . . | 9 | 7 | 9 | 7 | 10 | 10 | 18 | 20 | 22 | 19 | 18 | 10 | 5 | 2 | 1 | 1 |
| Peebles . . . | 5 | – | 2 | 4 | 5 | 5 | 5 | 8 | 6 | 8 | 7 | 1 | 1 | – | – | – |
| Selkirk . . . | 2 | – | 1 | 1 | 1 | 2 | 5 | 5 | 6 | 6 | 5 | 2 | – | – | – | – |
| Roxburgh . . . | 17 | 17 | 9 | 15 | 15 | 21 | 27 | 33 | 36 | 35 | 24 | 12 | 4 | 3 | – | 3 |
| Dumfries . . . | 19 | 28 | 33 | 23 | 23 | 35 | 41 | 56 | 70 | 67 | 61 | 28 | 11 | 2 | – | – |
| Kirkcudbright . . | 14 | 12 | 15 | 7 | 13 | 22 | 16 | 25 | 27 | 41 | 26 | 19 | 2 | 3 | 2 | – |
| Wigtown . . . | 19 | 20 | 18 | 18 | 12 | 17 | 17 | 27 | 30 | 35 | 41 | 21 | 4 | 1 | – | 1 |
| DEATHS at Different Ages in the TOWN DISTRICTS of SCOTLAND, 1862.—FEMALES. | | | | | | | | | | | | | | | | |
| Inverness . . . | 3 | 5 | 1 | 9 | 5 | 5 | 11 | 12 | 20 | 18 | 12 | 5 | 5 | 2 | – | – |
| Aberdeen . . . | 34 | 26 | 28 | 33 | 36 | 33 | 49 | 50 | 51 | 52 | 46 | 36 | 12 | 2 | 1 | 1 |
| Arbroath . . . | 7 | 8 | 6 | 8 | 6 | 6 | 11 | 10 | 14 | 13 | 10 | 5 | 3 | 1 | – | 1 |
| Dundee . . . | 46 | 36 | 41 | 40 | 43 | 40 | 46 | 41 | 56 | 29 | 25 | 13 | 8 | 1 | – | – |
| Forfar . . . | 8 | 2 | 2 | 2 | 6 | 6 | 9 | 10 | 16 | 7 | 7 | 3 | 1 | – | – | – |
| Montrose . . . | 8 | 7 | 5 | 4 | 17 | 10 | 17 | 13 | 15 | 16 | 11 | 8 | 1 | – | – | – |
| Perth . . . | 9 | 8 | 11 | 7 | 8 | 15 | 20 | 23 | 27 | 18 | 12 | 5 | 3 | – | – | 1 |
| Dunfermline . . | 4 | 5 | 6 | 3 | 6 | 2 | 6 | 12 | 5 | 9 | 7 | 4 | – | – | – | 2 |
| Kirkcaldy . . | 2 | 3 | 3 | 5 | 3 | 3 | 7 | 13 | 5 | 5 | 4 | 1 | – | – | – | – |
| Stirling . . . | 9 | 7 | 5 | 3 | 3 | 5 | 15 | 8 | 8 | 9 | 10 | 5 | 4 | – | – | – |
| Greenock . . . | 23 | 21 | 26 | 26 | 23 | 18 | 28 | 22 | 15 | 16 | 11 | 6 | 2 | 2 | 1 | – |
| Paisley . . . | 32 | 26 | 12 | 18 | 23 | 24 | 27 | 29 | 36 | 28 | 21 | 15 | 1 | 1 | – | – |
| Ayr . . . . | 4 | 13 | 9 | 6 | 12 | 12 | 11 | 8 | 14 | 15 | 16 | 9 | – | – | – | – |
| Kilmarnock . . | 12 | 12 | 4 | 11 | 8 | 4 | 8 | 12 | 14 | 13 | 7 | 8 | – | – | – | – |
| Glasgow . . . | 215 | 216 | 209 | 191 | 200 | 174 | 215 | 162 | 175 | 125 | 88 | 50 | 11 | 6 | 2 | 1 |
| Barony . . . | 14 | 20 | 16 | 14 | 16 | 15 | 23 | 21 | 17 | 18 | 11 | 5 | – | 1 | – | 1 |
| Govan . . . | 15 | 13 | 13 | 18 | 7 | 7 | 10 | 13 | 4 | 3 | 8 | 7 | 1 | – | – | – |
| Hamilton . . . | 5 | 5 | 5 | 5 | 5 | 5 | 7 | 4 | 6 | 1 | 3 | 1 | 2 | – | – | – |
| Airdrie . . . | 7 | 6 | 1 | 3 | 4 | 2 | 5 | 1 | 6 | 6 | 3 | 1 | – | – | – | – |
| Coatbridge, etc. . | 7 | 5 | 3 | 6 | 1 | 7 | 3 | 4 | 2 | 4 | 5 | – | – | – | – | – |
| Edinburgh . . | 92 | 89 | 81 | 89 | 95 | 80 | 134 | 130 | 108 | 91 | 61 | 30 | 8 | 3 | 1 | 2 |
| Leith . . . . | 14 | 16 | 15 | 9 | 10 | 16 | 13 | 18 | 23 | 16 | 13 | 6 | 1 | – | – | – |
| Dumfries . . . | 11 | 10 | 13 | 5 | 11 | 12 | 12 | 13 | 20 | 17 | 14 | 2 | 1 | – | – | – |

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1862.—BOTH SEXES.

| DISEASES. | SCOTLAND. | Shetland. | Orkney. | Caithness. | Sutherland. | Ross and Cromarty. | Inverness. | Nairn. | Elgin. | Banff. | Aberdeen. | Kincardine. | Forfar. | Perth. | Fife. | Kinross. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| ALL CAUSES | 67195 | 484 | 487 | 702 | 344 | 1507 | 1599 | 144 | 863 | 918 | 4300 | 563 | 4885 | 2481 | 2988 | 138 |
| SPECIFIED CAUSES | 63860 | 378 | 450 | 660 | 299 | 1259 | 1368 | 136 | 794 | 850 | 4159 | 546 | 4727 | 2338 | 2824 | 138 |
| I. Zymotic Class | 13978 | 44 | 34 | 158 | 25 | 279 | 247 | 26 | 143 | 164 | 914 | 107 | 1284 | 448 | 617 | 35 |
| II. Diseases of Uncer. Seat | 2288 | 17 | 19 | 32 | 13 | 50 | 39 | 10 | 35 | 33 | 179 | 16 | 150 | 112 | 135 | 5 |
| III. Tubercular Class | 11429 | 59 | 81 | 97 | 41 | 152 | 179 | 11 | 114 | 133 | 707 | 71 | 725 | 336 | 434 | 12 |
| IV. Brain and Nervous Sys. | 5086 | 21 | 33 | 41 | 25 | 86 | 98 | 16 | 92 | 71 | 336 | 54 | 343 | 218 | 258 | 12 |
| V. Organs of Circulation | 2787 | 7 | 12 | 17 | 4 | 20 | 40 | 5 | 42 | 39 | 187 | 32 | 237 | 128 | 159 | 5 |
| VI. Respiratory Organs | 9194 | 18 | 33 | 70 | 22 | 110 | 157 | 12 | 90 | 107 | 488 | 59 | 674 | 285 | 338 | 21 |
| VII. Organs of Digestion | 4788 | 23 | 23 | 26 | 27 | 57 | 95 | 11 | 65 | 85 | 344 | 42 | 308 | 194 | 215 | 12 |
| VIII. Urinary Organs | 904 | 2 | 7 | 21 | 7 | 16 | 16 | 4 | 23 | 22 | 108 | 9 | 63 | 37 | 32 | 3 |
| IX. Organs of Generation | 481 | 6 | 5 | 6 | 4 | 5 | 10 | – | 6 | 10 | 37 | 9 | 44 | 15 | 22 | 3 |
| X. Organs of Locomotion | 404 | 3 | 6 | 4 | 2 | 11 | 20 | – | 7 | 7 | 35 | 3 | 24 | 19 | 14 | 1 |
| XI. Skin, etc. | 80 | – | – | 3 | 1 | 7 | 2 | – | – | 1 | 7 | 1 | 5 | 3 | 3 | 1 |
| XII. Malformation | 145 | – | 1 | – | – | – | – | 2 | – | – | 8 | 2 | 16 | 6 | 5 | – |
| XIII. Premature Debility | 2986 | 12 | 5 | 23 | 11 | 25 | 45 | 4 | 25 | 31 | 179 | 20 | 293 | 94 | 126 | 7 |
| XIV. Atrophy | 576 | 3 | 3 | 2 | 1 | 8 | 5 | – | 3 | 1 | 23 | 8 | 40 | 17 | 17 | 1 |
| XV. Age | 6559 | 149 | 164 | 141 | 104 | 395 | 375 | 32 | 125 | 126 | 485 | 91 | 398 | 339 | 341 | 14 |
| XVI. Sudden Deaths | 118 | – | – | – | 1 | 4 | 1 | – | – | – | 6 | 2 | 20 | 6 | 6 | 1 |
| XVII. Violent Deaths | 2057 | 14 | 24 | 19 | 11 | 34 | 39 | 3 | 24 | 20 | 116 | 20 | 103 | 81 | 102 | 5 |
| I. Small Pox | 426 | 1 | – | 2 | – | 1 | – | – | 1 | – | – | 1 | 16 | 2 | 10 | 1 |
| Measles | 1404 | 21 | – | 39 | 2 | 70 | 44 | – | – | 2 | 157 | 14 | 323 | 19 | 57 | – |
| Scarlatina | 1281 | – | – | – | – | 3 | 2 | – | 5 | 5 | 47 | 10 | 49 | 54 | 104 | 5 |
| Diphtheria | 997 | – | – | 22 | 2 | 29 | 16 | 3 | 23 | 28 | 137 | 18 | 65 | 46 | 74 | 4 |
| Hooping Cough | 2799 | 1 | – | 1 | 2 | 20 | 33 | 1 | 29 | 42 | 191 | 11 | 315 | 113 | 92 | 12 |
| Croup | 1396 | – | 1 | 7 | 4 | 55 | 22 | 9 | 16 | 15 | 38 | 7 | 115 | 46 | 52 | 3 |
| Thrush | 36 | – | 1 | – | – | – | 3 | – | – | 1 | 3 | – | 10 | 1 | 1 | – |
| Diarrhœa | 1108 | – | 5 | 10 | 3 | 18 | 14 | 1 | 9 | 9 | 66 | 7 | 88 | 22 | 38 | 4 |
| Dysentery | 293 | 5 | – | 6 | 1 | 2 | 8 | 2 | 6 | 11 | 25 | – | 29 | 12 | 15 | – |
| Cholera | 57 | – | – | – | 2 | – | – | – | – | 1 | 2 | – | 3 | – | 2 | – |
| Influenza | 387 | 6 | 9 | 31 | 1 | 27 | 48 | 3 | 5 | 10 | 39 | 6 | 23 | 14 | 12 | 1 |
| Purpura | 51 | 1 | – | – | – | – | – | 1 | 1 | 1 | 4 | – | 5 | 3 | 3 | – |
| Ague | 16 | – | – | – | – | – | – | – | – | – | – | – | 1 | 1 | – | – |
| Worms | 32 | – | – | – | – | – | 1 | – | – | – | – | – | 1 | 1 | 2 | – |
| Infantile Fever | 63 | – | – | 1 | – | 1 | – | – | – | 3 | 1 | – | 5 | – | 1 | – |
| Typhus | 3021 | 5 | 14 | 33 | 3 | 52 | 45 | 6 | 32 | 34 | 166 | 26 | 191 | 98 | 131 | 3 |
| Metria | 130 | 2 | 2 | – | – | – | – | – | 5 | – | 7 | – | 9 | 2 | 7 | 1 |
| Rheumatic Fever | 84 | 1 | – | 2 | 5 | 1 | 3 | – | 3 | 2 | 8 | 3 | 5 | 6 | 2 | – |
| Erysipelas | 249 | – | 2 | 1 | – | – | 7 | – | 7 | – | 14 | 4 | 19 | 6 | 8 | 1 |
| Syphilis | 126 | 1 | – | 3 | – | – | 1 | – | 1 | – | 8 | – | 12 | 1 | 5 | – |
| Noma | 21 | – | – | – | – | – | – | – | – | – | 1 | – | – | 1 | 1 | – |
| Hydrophobia | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| II. Hæmorrhage | 85 | – | 1 | 1 | 1 | – | – | – | 1 | – | 6 | 3 | 5 | 3 | 2 | – |
| Dropsy | 743 | 10 | 8 | 9 | 3 | 21 | 16 | 2 | 9 | 6 | 46 | 2 | 54 | 38 | 64 | 1 |
| Abscess | 121 | – | – | – | 1 | 1 | – | 3 | 1 | 1 | 10 | – | 5 | 3 | 4 | – |
| Ulcer | 55 | – | – | – | – | 3 | 1 | – | – | 4 | 7 | – | 3 | 4 | 1 | – |
| Fistula | 11 | – | – | – | – | – | – | – | – | – | 1 | – | 2 | – | – | – |
| Mortification | 108 | 2 | 1 | 1 | – | 1 | 5 | – | 1 | 3 | 4 | 1 | 7 | 5 | 2 | – |
| Cancer | 1152 | 5 | 9 | 21 | 8 | 24 | 17 | 5 | 23 | 18 | 104 | 10 | 73 | 58 | 61 | 4 |
| Gout | 13 | – | – | – | – | – | – | – | – | 1 | 1 | – | 1 | 1 | 1 | – |
| III. Scrofula | 704 | 2 | 4 | 7 | 2 | 9 | 6 | 1 | 4 | 10 | 81 | 8 | 25 | 22 | 19 | – |
| Tabes Mesenterica | 796 | 2 | 1 | 1 | 2 | – | 4 | – | 10 | 3 | 24 | 4 | 26 | 11 | 31 | 1 |
| Phthisis | 8211 | 52 | 65 | 78 | 33 | 139 | 156 | 8 | 82 | 102 | 503 | 47 | 537 | 273 | 317 | 11 |
| Hydrocephalus | 1718 | 3 | 11 | 11 | 4 | 4 | 13 | 2 | 18 | 18 | 99 | 12 | 137 | 30 | 67 | – |

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1862.—BOTH SEXES.

| DISEASES. | Clackmannan. | Stirling. | Dumbarton. | Argyll. | Bute. | Renfrew. | Ayr. | Lanark. | Linlithgow. | Edinburgh. | Haddington. | Berwick. | Peebles. | Selkirk. | Roxburgh. | Dumfries. | Kirkcudbright. | Wigtown. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| ALL CAUSES . . | 417 | 1937 | 1110 | 1563 | 357 | 4308 | 4261 | 16998 | 938 | 6964 | 677 | 597 | 204 | 172 | 1044 | 1589 | 818 | 838 |
| SPECIFIED CAUSES . | 386 | 1780 | 1019 | 1361 | 318 | 4098 | 4054 | 16529 | 892 | 6855 | 636 | 563 | 200 | 167 | 1006 | 1489 | 770 | 811 |
| Zymotic Class . . | 86 | 419 | 190 | 195 | 50 | 850 | 874 | 3712 | 256 | 1722 | 142 | 121 | 40 | 38 | 227 | 230 | 136 | 165 |
| Uncertain Seat . . | 13 | 50 | 41 | 51 | 18 | 137 | 136 | 458 | 18 | 250 | 33 | 38 | 9 | 8 | 35 | 88 | 25 | 35 |
| Tubercular Class . | 91 | 286 | 228 | 228 | 67 | 912 | 980 | 3341 | 132 | 1096 | 81 | 66 | 25 | 24 | 167 | 254 | 146 | 153 |
| Brain, etc. . . | 39 | 142 | 94 | 104 | 26 | 308 | 307 | 1180 | 55 | 610 | 61 | 48 | 21 | 14 | 109 | 135 | 63 | 66 |
| Heart, etc. . . | 15 | 114 | 54 | 57 | 18 | 127 | 116 | 579 | 42 | 392 | 47 | 53 | 17 | 14 | 57 | 70 | 43 | 38 |
| Respiratory Organs . | 48 | 223 | 116 | 151 | 31 | 576 | 561 | 3162 | 135 | 1051 | 70 | 69 | 27 | 24 | 103 | 197 | 96 | 70 |
| Digestive Organs . | 18 | 153 | 95 | 106 | 18 | 372 | 286 | 1243 | 74 | 430 | 46 | 40 | 16 | 17 | 77 | 127 | 86 | 57 |
| Urinary Organs . . | 3 | 21 | 11 | 20 | 9 | 30 | 52 | 151 | 18 | 119 | 13 | 8 | 2 | 1 | 19 | 18 | 13 | 26 |
| Generative Organs . | 1 | 15 | 6 | 6 | 1 | 22 | 17 | 110 | 2 | 62 | 5 | 7 | 4 | 1 | 13 | 13 | 5 | 9 |
| Locomotive Organs . | 1 | 8 | 5 | 9 | 4 | 20 | 21 | 85 | 4 | 51 | 1 | 7 | – | 1 | 7 | 16 | 6 | 2 |
| Skin . . . . | – | 3 | 2 | 1 | – | 6 | 8 | 8 | 1 | 12 | 1 | – | – | 1 | 1 | 2 | – | – |
| Malformation . . | – | 1 | 2 | 1 | – | 10 | 13 | 36 | 5 | 24 | 4 | 2 | – | 1 | 4 | 1 | – | 1 |
| Premature Debility . | 17 | 83 | 37 | 28 | 5 | 236 | 167 | 903 | 49 | 328 | 35 | 23 | 5 | 12 | 53 | 49 | 31 | 25 |
| Atrophy . . . | 5 | 21 | 13 | 12 | 3 | 59 | 30 | 206 | 7 | 50 | 8 | 2 | – | 2 | 6 | 13 | 5 | 2 |
| Age . . . . | 40 | 195 | 83 | 339 | 56 | 302 | 337 | 802 | 55 | 363 | 68 | 60 | 28 | 8 | 83 | 233 | 101 | 127 |
| Sudden Deaths . . | – | 2 | 3 | 2 | 1 | 7 | 4 | 28 | 2 | 15 | 3 | 1 | – | – | – | 3 | – | – |
| Violent Deaths . | 9 | 44 | 39 | 51 | 11 | 124 | 145 | 525 | 37 | 280 | 18 | 18 | 6 | 1 | 45 | 40 | 14 | 35 |
| Small Pox . . . | – | 40 | 3 | 4 | – | 4 | 2 | 50 | 1 | 258 | 8 | 1 | 3 | – | 13 | 4 | – | – |
| Measles . . . | 2 | 25 | 5 | 12 | – | 160 | 18 | 328 | 1 | 41 | 3 | 14 | 4 | 3 | 4 | 32 | 4 | – |
| Scarlatina . . . | – | 74 | 9 | 3 | 5 | 22 | 39 | 317 | 87 | 300 | 36 | 24 | 2 | 3 | 34 | 25 | 7 | 10 |
| Diphtheria . . | 2 | 16 | 13 | 23 | 8 | 77 | 38 | 209 | 2 | 66 | 1 | 12 | 3 | 3 | 19 | 17 | 14 | 7 |
| Hooping Cough . | 14 | 53 | 13 | 20 | 7 | 87 | 168 | 889 | 42 | 416 | 37 | 21 | 13 | 6 | 17 | 24 | 41 | 68 |
| Croup . . . | 8 | 30 | 28 | 33 | 6 | 115 | 82 | 471 | 17 | 120 | 16 | 13 | 1 | 1 | 22 | 20 | 10 | 13 |
| Thrush . . . | – | – | 1 | 1 | – | 2 | 1 | 5 | 1 | 5 | – | – | – | – | – | – | – | – |
| Diarrhœa . . . | 3 | 43 | 18 | 20 | 5 | 91 | 90 | 368 | 12 | 103 | 11 | 4 | 4 | 8 | 4 | 16 | 8 | 6 |
| Dysentery . . . | 3 | 11 | 6 | 3 | 2 | 16 | 17 | 50 | 4 | 34 | 2 | 3 | 2 | 2 | 2 | 9 | 5 | – |
| Cholera . . . | – | – | – | 2 | – | 4 | 5 | 20 | 2 | 5 | 2 | 1 | 1 | – | 3 | 2 | – | – |
| Influenza . . . | – | 10 | 4 | 10 | – | 13 | 31 | 38 | 1 | 16 | 2 | – | 1 | – | 10 | 7 | 5 | 4 |
| Purpura . . . | – | – | 2 | – | 1 | 3 | 6 | 7 | – | 10 | – | 1 | – | – | – | 1 | 1 | – |
| Ague . . . | – | – | – | 1 | – | 8 | 2 | 3 | – | – | – | – | – | – | – | – | – | – |
| Worms . . . | – | 1 | – | 1 | – | 4 | 3 | 11 | – | 2 | – | – | – | – | 1 | 1 | 1 | 2 |
| Infantile Fever . . | 5 | 3 | – | – | – | 2 | 4 | 7 | 1 | 13 | 1 | 2 | – | – | – | 5 | 2 | 6 |
| Typhus . . . | 46 | 101 | 74 | 51 | 15 | 197 | 336 | 791 | 69 | 242 | 18 | 18 | 3 | 12 | 84 | 53 | 31 | 41 |
| Metria . . . | 1 | 4 | 1 | – | – | 9 | 10 | 27 | 5 | 22 | 2 | 1 | 1 | – | 2 | 3 | 4 | 3 |
| Rheumatic Fever . | 1 | 3 | 1 | – | – | 8 | 2 | 11 | 3 | 8 | – | – | 1 | – | 1 | 1 | 1 | 2 |
| Erysipelas . . . | – | 4 | 7 | 10 | – | 17 | 11 | 66 | 3 | 35 | 3 | 5 | 1 | – | 8 | 6 | 2 | 2 |
| Syphilis . . . | 1 | 1 | 5 | – | 1 | 8 | 8 | 36 | 4 | 24 | – | 1 | – | – | 3 | 2 | – | – |
| Noma . . . | – | – | – | 1 | – | 3 | 1 | 8 | 1 | 2 | – | – | – | – | – | 1 | – | 1 |
| Hydrophobia . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | 1 | – | – |
| Hæmorrhage . . | 1 | 4 | 2 | 1 | – | 6 | 5 | 19 | 3 | 9 | – | 2 | – | – | 1 | 4 | 2 | 3 |
| Dropsy . . . | 6 | 22 | 11 | 16 | 4 | 67 | 48 | 155 | 3 | 49 | 11 | 9 | 1 | 2 | 13 | 21 | 9 | 7 |
| Abscess . . . | – | 1 | 3 | 2 | 1 | 6 | 5 | 37 | 2 | 18 | 2 | 3 | 1 | – | 2 | 4 | 3 | 2 |
| Ulcer . . . | – | 1 | 1 | – | 1 | 3 | 4 | 12 | – | 5 | 2 | 2 | – | – | – | – | – | 1 |
| Fistula . . . | – | – | – | – | – | – | 1 | 4 | – | 2 | – | – | – | – | 1 | – | – | – |
| Mortification . . | 1 | 7 | 3 | 4 | – | 3 | 8 | 23 | 1 | 11 | 1 | 1 | – | – | 1 | 5 | 3 | 3 |
| Cancer . . . | 5 | 15 | 20 | 28 | 12 | 52 | 65 | 207 | 9 | 153 | 16 | 21 | 7 | 6 | 16 | 54 | 8 | 18 |
| Gout . . . | – | – | 1 | – | – | – | – | 1 | – | 3 | 1 | – | – | – | 1 | – | – | 1 |
| Scrofula . . . | 3 | 27 | 11 | 15 | 1 | 35 | 77 | 186 | 17 | 77 | 8 | 5 | 3 | – | 7 | 12 | 13 | 7 |
| Tabes Mesenterica . | 2 | 16 | 20 | 8 | 4 | 56 | 80 | 276 | 9 | 138 | 7 | 3 | 1 | 1 | 23 | 18 | 8 | 6 |
| Phthisis . . . | 79 | 192 | 163 | 183 | 48 | 670 | 664 | 2352 | 81 | 699 | 54 | 50 | 21 | 16 | 105 | 202 | 103 | 126 |
| Hydrocephalus . . | 7 | 51 | 34 | 22 | 14 | 151 | 159 | 527 | 25 | 182 | 12 | 8 | – | 7 | 32 | 22 | 22 | 14 |

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1862.—BOTH SEXES. (*Continued.*)

| DISEASES. | SCOTLAND. | Shetland. | Orkney. | Caithness. | Sutherland. | Ross and Cromarty. | Inverness. | Nairn. | Elgin. | Banff. | Aberdeen. | Kincardine. | Forfar. | Perth. | Fife. | Kinross. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| IV. Cephalitis | 319 | 2 | 1 | – | 2 | 4 | 7 | – | 2 | 6 | 17 | 3 | 18 | 8 | 16 | 1 |
| Apoplexy | 1201 | – | 6 | 5 | 3 | 5 | 15 | 7 | 21 | 20 | 77 | 13 | 81 | 61 | 70 | 5 |
| Paralysis | 1509 | 10 | 13 | 14 | 14 | 41 | 36 | 6 | 46 | 16 | 99 | 21 | 101 | 87 | 100 | 4 |
| Delirium Tremens | 61 | – | – | – | – | – | 1 | – | 1 | 2 | 6 | – | 5 | 3 | 6 | – |
| Chorea | 9 | – | – | – | – | – | – | – | – | – | – | – | – | 1 | 1 | – |
| Epilepsy | 230 | – | 3 | 4 | 1 | 5 | 5 | – | 3 | 5 | 14 | 2 | 11 | 8 | 14 | 1 |
| Tetanus | 49 | 1 | – | 1 | – | 5 | 2 | – | – | – | 3 | 1 | 2 | 2 | 1 | – |
| Insanity | 96 | – | 2 | 2 | – | 3 | 6 | – | 2 | 1 | 10 | 1 | 7 | 7 | 3 | – |
| Convulsions | 697 | 5 | 3 | 7 | 1 | 17 | 11 | 1 | 8 | 9 | 38 | 7 | 59 | 18 | 22 | – |
| Brain Disease | 915 | 3 | 5 | 8 | 4 | 6 | 15 | 2 | 9 | 12 | 72 | 6 | 59 | 23 | 25 | 1 |
| V. Pericarditis | 84 | 1 | 1 | – | – | 1 | 2 | – | – | 1 | 5 | – | 3 | 4 | 7 | – |
| Aneurism | 89 | – | – | – | – | 1 | 1 | – | 3 | 1 | 9 | – | 7 | 4 | 3 | 1 |
| Heart Disease | 2614 | 6 | 11 | 17 | 4 | 18 | 37 | 5 | 39 | 37 | 173 | 32 | 227 | 120 | 149 | 4 |
| VI. Laryngitis | 170 | 1 | – | 1 | – | 2 | 3 | – | 2 | 6 | 11 | – | 13 | 5 | 2 | – |
| Bronchitis | 5764 | 6 | 11 | 38 | 6 | 32 | 51 | 6 | 50 | 54 | 309 | 43 | 428 | 181 | 204 | 11 |
| Pleurisy | 291 | 1 | 2 | 3 | 3 | 8 | 33 | – | 2 | 5 | 19 | 1 | 18 | 12 | 8 | 1 |
| Pneumonia | 1932 | 2 | 10 | 17 | 1 | 23 | 26 | 5 | 26 | 29 | 102 | 13 | 129 | 51 | 80 | 7 |
| Asthma | 698 | 8 | 6 | 10 | 11 | 41 | 41 | 1 | 8 | 7 | 29 | 1 | 58 | 33 | 29 | 1 |
| Lung Disease | 339 | – | 4 | 1 | 1 | 4 | 3 | – | 2 | 6 | 18 | 1 | 28 | 3 | 15 | 1 |
| VII. Teething | 1106 | 4 | – | 1 | 3 | 10 | 18 | 1 | 18 | 15 | 93 | 5 | 95 | 39 | 40 | 1 |
| Quinsey | 63 | 1 | – | – | – | 5 | 3 | – | – | 2 | 5 | 1 | 3 | 6 | 2 | – |
| Gastritis | 165 | – | 1 | 2 | 1 | 3 | 3 | 1 | 3 | 3 | 9 | 1 | 10 | 12 | 12 | – |
| Enteritis | 892 | – | – | 7 | – | 6 | 13 | 1 | 9 | 10 | 29 | 8 | 32 | 33 | 34 | 4 |
| Peritonitis | 227 | – | 1 | 1 | 1 | 2 | 5 | 2 | 4 | 7 | 16 | 5 | 14 | 5 | 11 | 1 |
| Ascites | 64 | – | – | – | 2 | 1 | 6 | – | 2 | – | 3 | – | 3 | 6 | 6 | – |
| Ulceration of Intestines | 175 | 1 | 1 | 1 | – | 3 | – | 2 | 4 | 3 | 20 | 3 | 13 | 4 | 8 | – |
| Hernia | 114 | – | 1 | – | 2 | 2 | 2 | – | 3 | 3 | 9 | 2 | 9 | 4 | 10 | – |
| Ileus | 268 | 5 | 2 | 1 | 3 | 2 | 6 | 2 | 3 | 9 | 47 | 4 | 16 | 9 | 10 | – |
| Intussusception | 49 | – | – | – | – | 1 | – | 1 | – | 1 | 3 | 1 | [illegible] | 3 | 2 | – |
| Stricture of Intestines | 23 | – | – | – | – | – | 2 | – | – | – | 2 | – | 1 | – | 2 | 1 |
| Stomach Disease | 682 | 7 | 7 | 6 | 3 | 13 | 17 | – | 9 | 16 | 46 | 4 | 48 | 26 | 32 | 3 |
| Pancreas Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hepatitis | 153 | 2 | 2 | 3 | – | 1 | 3 | – | – | 3 | 7 | 2 | 8 | 7 | 4 | – |
| Jaundice | 175 | 1 | 2 | 2 | 5 | 2 | 5 | – | 2 | 5 | 15 | 2 | 13 | 12 | 5 | – |
| Liver Disease | 611 | 2 | 6 | 2 | 7 | 6 | 11 | 1 | 7 | 8 | 37 | 4 | 38 | 28 | 36 | 2 |
| Spleen Disease | 21 | – | – | – | – | – | 1 | – | 1 | – | 3 | – | 1 | – | 1 | – |
| VIII. Nephritis | 41 | – | – | 1 | – | – | 1 | – | 1 | – | 1 | – | 2 | 1 | – | – |
| Nephria | 239 | – | 3 | 3 | – | – | 2 | 2 | 6 | 6 | 12 | 1 | 17 | 9 | 6 | – |
| Ischuria | 41 | – | – | 2 | 1 | 1 | 3 | – | 1 | 2 | 7 | 1 | 1 | 2 | 1 | – |
| Diabetes | 74 | 1 | – | 2 | 1 | – | 1 | – | – | – | 10 | 1 | 6 | 3 | 4 | – |
| Stone | 78 | – | 3 | 5 | 4 | 9 | 3 | 1 | 2 | 3 | 9 | 1 | 6 | 1 | 2 | – |
| Cystitis | 66 | 1 | – | 1 | – | 1 | – | – | 1 | – | 7 | 1 | 5 | 2 | 5 | 2 |
| Stricture of Urethra | 6 | – | – | – | – | – | – | – | – | 1 | – | – | – | – | 1 | – |
| Kidney Disease | 359 | – | 1 | 7 | 1 | 5 | 6 | 1 | 12 | 10 | 62 | 4 | 26 | 19 | 13 | 1 |
| IX. Paramenia | 29 | – | 1 | – | – | – | – | – | – | 1 | 1 | 1 | 4 | 2 | – | – |
| Ovarian Dropsy | 69 | – | – | 2 | – | – | 2 | – | 4 | 1 | 4 | 2 | 5 | 1 | 4 | – |
| Childbirth | 305 | 6 | 3 | 2 | 4 | 5 | 7 | – | 1 | 7 | 27 | 3 | 29 | 11 | 11 | – |
| Organs of Generation | 78 | – | 1 | 2 | – | – | 1 | – | 1 | 1 | 5 | 3 | 6 | 1 | 7 | 3 |
| X. Arthritis | 27 | – | 1 | – | – | – | – | – | – | 1 | 3 | – | 3 | 3 | – | – |
| Rheumatism | 164 | 2 | 2 | 2 | 2 | 9 | 16 | – | 2 | 3 | 11 | 1 | 11 | 9 | 3 | 1 |
| Joint and Bone Disease | 213 | 1 | 3 | 2 | – | 2 | 4 | – | 5 | 3 | 21 | 2 | 10 | 7 | 11 | – |
| XI. Carbuncle | 19 | – | – | 2 | – | 2 | 1 | – | – | 1 | 1 | – | – | 1 | 2 | – |
| Phlegmon | 8 | – | – | – | – | – | – | – | – | – | – | – | 3 | 1 | – | – |
| Skin Disease | 53 | – | – | 1 | 1 | 5 | 1 | – | – | – | 6 | 1 | 2 | 1 | 1 | 1 |
| XII. Cyanosis | 49 | – | 1 | – | – | – | – | – | – | – | 2 | 1 | 8 | 4 | – | – |
| Spina Bifida | 34 | – | – | – | – | – | – | – | – | – | – | 1 | 4 | 2 | 3 | – |
| Other Malformations | 62 | – | – | – | – | – | – | 2 | – | – | 6 | – | 4 | – | 2 | – |
| XVII. Intemperance | 53 | – | 1 | – | 1 | – | – | – | – | 1 | 4 | – | 3 | – | – | – |
| Privation | 7 | – | – | – | – | – | – | – | – | – | – | – | 1 | 1 | – | – |
| Want of Breast Milk | 62 | – | – | – | – | 1 | – | – | – | – | 8 | – | 6 | – | 1 | 1 |
| Neglect | 3 | – | – | – | – | – | – | – | – | – | – | – | 1 | – | – | – |
| Cold | 34 | – | 1 | – | 1 | – | 3 | – | – | – | 2 | – | – | 2 | 3 | – |
| Poison | 54 | – | – | 2 | – | – | – | – | – | – | – | – | 4 | 2 | 3 | – |
| Burns and Scalds | 324 | 4 | 2 | 4 | 1 | 6 | 3 | 1 | 7 | 2 | 17 | 2 | 17 | 18 | 14 | 1 |
| Hanging, etc. | 46 | – | 1 | – | – | – | 1 | – | – | 1 | 2 | – | 4 | 2 | 10 | – |
| Suffocation | 101 | – | – | – | – | 1 | – | – | 1 | 2 | 10 | 3 | 5 | 2 | 4 | – |
| Drowning | 436 | 8 | 17 | 3 | 6 | 13 | 18 | 1 | 3 | 7 | 26 | 5 | 16 | 13 | 18 | 2 |
| Fracture and Contusion | 769 | 2 | 2 | 8 | 2 | 9 | 10 | 1 | 8 | 6 | 34 | 8 | 32 | 33 | 36 | 1 |
| Wounds | 74 | – | – | 2 | – | 2 | 2 | – | 4 | – | 2 | 1 | 6 | 3 | 6 | – |
| Other Violent Causes | 94 | – | – | – | – | 2 | 2 | – | 1 | 1 | 11 | 1 | 8 | 5 | 7 | – |
| Not Specified | 3335 | 106 | 37 | 42 | 45 | 248 | 231 | 8 | 69 | 68 | 141 | 17 | 158 | 143 | 164 | – |

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1862.—BOTH SEXES. (*Continued.*)

| DISEASES. | Clackmannan. | Stirling. | Dumbarton. | Argyll. | Bute. | Renfrew. | Ayr. | Lanark. | Linlithgow. | Edinburgh. | Haddington. | Berwick. | Peebles. | Selkirk. | Roxburgh. | Dumfries. | Kirkcudbright. | Wigtown. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Cephalitis | 2 | 8 | 3 | 11 | 4 | 22 | 18 | 86 | 6 | 42 | 2 | 1 | 2 | 1 | 2 | 11 | 4 | 7 |
| Apoplexy | 10 | 26 | 26 | 20 | 9 | 78 | 92 | 275 | 10 | 127 | 24 | 7 | 4 | 4 | 34 | 28 | 25 | 13 |
| Paralysis | 16 | 50 | 33 | 33 | 7 | 83 | 80 | 242 | 12 | 156 | 23 | 18 | 8 | 5 | 44 | 53 | 13 | 25 |
| Delirium Tremens | 2 | 1 | – | – | – | 3 | 1 | 11 | 3 | 11 | – | – | 1 | 1 | – | 2 | – | 1 |
| Chorea | – | – | – | – | – | 1 | – | 2 | – | 1 | – | – | – | – | 1 | 1 | – | 1 |
| Epilepsy | – | 3 | 3 | 6 | – | 12 | 13 | 52 | 1 | 41 | 3 | 4 | – | 2 | 2 | 6 | 3 | 3 |
| Tetanus | – | 1 | – | 3 | – | – | 3 | 13 | – | 9 | – | 1 | – | – | – | – | – | 1 |
| Insanity | – | 2 | 1 | 2 | – | 4 | 2 | 14 | – | 18 | – | 1 | – | 1 | – | 7 | – | – |
| Convulsions | 3 | 18 | 11 | 14 | – | 33 | 44 | 232 | 8 | 82 | 3 | 6 | 3 | – | 13 | 13 | 4 | 4 |
| Brain Disease | 6 | 33 | 17 | 15 | 6 | 72 | 54 | 253 | 15 | 123 | 6 | 10 | 3 | – | 13 | 14 | 14 | 11 |
| Pericarditis | – | 4 | 3 | 2 | – | 1 | 4 | 27 | 1 | 5 | 1 | 2 | – | – | 5 | 3 | – | 1 |
| Aneurism | – | 1 | – | 1 | – | 3 | 1 | 14 | 3 | 26 | 1 | 2 | 3 | – | 2 | 2 | – | – |
| Heart Disease | 15 | 109 | 51 | 54 | 18 | 123 | 111 | 538 | 38 | 361 | 45 | 49 | 14 | 14 | 50 | 65 | 43 | 37 |
| Laryngitis | 1 | 2 | 5 | 3 | – | 6 | 15 | 50 | 2 | 23 | 1 | 1 | 1 | – | – | 10 | 3 | 1 |
| Bronchitis | 29 | 124 | 61 | 90 | 20 | 411 | 357 | 2082 | 97 | 708 | 39 | 38 | 18 | 19 | 59 | 94 | 50 | 38 |
| Pleurisy | 2 | 5 | 4 | 1 | – | 11 | 15 | 57 | 3 | 35 | 2 | 4 | 2 | 1 | 10 | 14 | 5 | 4 |
| Pneumonia | 10 | 39 | 25 | 36 | 9 | 106 | 107 | 695 | 31 | 174 | 20 | 18 | 5 | 4 | 29 | 54 | 31 | 18 |
| Asthma | 4 | 29 | 11 | 17 | 1 | 30 | 43 | 169 | 1 | 69 | 3 | 3 | – | – | 4 | 19 | 7 | 4 |
| Lung Disease | 2 | 24 | 10 | 4 | 1 | 12 | 24 | 109 | 1 | 42 | 5 | 5 | 1 | – | 1 | 6 | – | 5 |
| Teething | 8 | 33 | 20 | 17 | 5 | 122 | 43 | 373 | 32 | 71 | 3 | 2 | – | 2 | 9 | 11 | 9 | 3 |
| Quinsey | – | – | 3 | 2 | – | 3 | 3 | 20 | – | 2 | – | – | – | – | 1 | 1 | – | – |
| Gastritis | 1 | 3 | 2 | 7 | – | 12 | 14 | 33 | 1 | 8 | 1 | 1 | – | – | – | 15 | 3 | 3 |
| Enteritis | 4 | 28 | 16 | 9 | 1 | 88 | 77 | 304 | 18 | 67 | 11 | 3 | 1 | 2 | 14 | 32 | 17 | 14 |
| Peritonitis | 1 | 4 | 1 | 3 | – | 11 | 12 | 56 | 5 | 21 | 3 | 5 | 3 | 3 | 7 | 3 | 12 | 2 |
| Ascites | – | 1 | 1 | 6 | – | – | 3 | 13 | – | 6 | – | 2 | – | – | – | 1 | 2 | – |
| Ulceration of Intestines | – | 5 | 9 | 5 | 2 | 10 | 7 | 25 | – | 28 | – | 6 | 1 | 1 | – | 6 | 2 | 5 |
| Hernia | – | 4 | 5 | – | – | 10 | 4 | 18 | – | 13 | 2 | 1 | 1 | – | 3 | 3 | 1 | 2 |
| Ileus | – | 7 | 2 | 3 | – | 11 | 18 | 55 | 3 | 26 | 1 | 1 | 1 | 1 | 9 | 6 | 3 | 2 |
| Intussusception | – | 1 | 2 | 4 | – | 1 | 6 | 9 | 1 | 5 | 3 | 1 | – | – | – | – | – | – |
| Stricture of Intestines | – | 1 | – | – | – | 1 | 1 | 4 | – | 7 | – | – | – | – | – | 1 | – | – |
| Stomach Disease | 1 | 31 | 12 | 29 | 6 | 31 | 38 | 130 | 3 | 74 | 7 | 10 | 5 | 6 | 14 | 19 | 19 | 10 |
| Pancreas Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hepatitis | – | 6 | 3 | 6 | – | 16 | 9 | 37 | 2 | 10 | 1 | 1 | – | – | 5 | 7 | 3 | 5 |
| Jaundice | – | 6 | 4 | – | 1 | 7 | 13 | 33 | – | 25 | 4 | 3 | 1 | 1 | 1 | 3 | 2 | – |
| Liver Disease | 3 | 23 | 14 | 15 | 3 | 49 | 37 | 129 | 9 | 64 | 10 | 3 | 2 | 1 | 14 | 16 | 13 | 11 |
| Spleen Disease | – | – | 1 | – | – | – | 1 | 4 | – | 3 | – | 1 | 1 | – | – | 3 | – | – |
| Nephritis | – | 1 | 2 | 3 | 1 | 1 | 4 | 9 | – | 7 | – | 1 | – | – | 1 | 1 | 1 | 2 |
| Nephria | 2 | 4 | – | 4 | 6 | 5 | 10 | 59 | 11 | 44 | 4 | 1 | 1 | 1 | 2 | 6 | 4 | 8 |
| Ischuria | – | 1 | – | – | – | – | 4 | 6 | – | 2 | 1 | – | – | – | 3 | 1 | 1 | – |
| Diabetes | – | 1 | 2 | 1 | – | – | 9 | 12 | 1 | 8 | 1 | 1 | – | – | 5 | 2 | – | 2 |
| Stone | – | 2 | 2 | – | – | 2 | 6 | 8 | 1 | 5 | – | 1 | – | – | – | – | 1 | 1 |
| Cystitis | – | 3 | – | 1 | 1 | 5 | 1 | 11 | – | 9 | 1 | – | – | – | 1 | – | 2 | 5 |
| Stricture of Urethra | – | – | 1 | – | – | – | – | – | – | 2 | – | – | – | – | – | – | – | 1 |
| Kidney Disease | 1 | 9 | 4 | 11 | 1 | 17 | 18 | 46 | 5 | 42 | 6 | 4 | 1 | – | 7 | 8 | 4 | 7 |
| Paramenia | – | 1 | – | – | – | – | – | 7 | 1 | 6 | – | – | – | – | 2 | 2 | – | – |
| Ovarian Dropsy | – | 4 | – | 2 | – | 2 | – | 11 | – | 15 | 1 | 3 | – | – | 1 | 4 | – | 1 |
| Childbirth | 1 | 7 | 5 | 4 | 1 | 16 | 12 | 73 | 1 | 29 | 3 | 4 | 4 | 1 | 10 | 6 | 5 | 7 |
| Organs of Generation | – | 3 | 1 | – | – | 4 | 5 | 19 | – | 12 | 1 | – | – | – | – | 1 | – | 1 |
| Arthritis | – | 3 | – | – | – | 2 | 2 | 3 | – | 2 | – | 1 | – | 1 | – | 2 | – | – |
| Rheumatism | – | 1 | 2 | 8 | 1 | 6 | 5 | 31 | 2 | 18 | – | 2 | – | – | 1 | 9 | 4 | – |
| Joint Disease | 1 | 4 | 3 | 1 | 3 | 12 | 14 | 51 | 2 | 31 | 1 | 4 | – | – | 6 | 5 | 2 | 2 |
| Carbuncle | – | – | – | – | – | 1 | 1 | 2 | – | 4 | 1 | – | – | – | – | – | – | – |
| Phlegmon | – | – | – | – | – | 1 | – | 1 | 1 | 1 | – | – | – | – | – | – | – | – |
| Skin Disease | – | 3 | 2 | 1 | – | 4 | 7 | 5 | – | 7 | – | – | – | 1 | 1 | 2 | – | – |
| Cyanosis | – | 1 | 1 | – | – | 1 | 7 | 9 | 1 | 9 | – | – | – | 1 | 2 | 1 | – | – |
| Spina Bifida | – | – | – | 1 | – | 4 | – | 8 | 2 | 5 | – | 2 | – | – | 2 | – | – | – |
| Other Malformations | – | – | 1 | – | – | 5 | 6 | 19 | 2 | 10 | 4 | – | – | – | – | – | – | 1 |
| Intemperance | – | 2 | 1 | – | – | 1 | 4 | 18 | 1 | 8 | 2 | – | 1 | – | 3 | 2 | – | – |
| Privation | – | 1 | – | – | – | 1 | – | 1 | – | 2 | – | – | – | – | – | – | – | – |
| Want of Breast Milk | – | – | – | – | – | 1 | 3 | 29 | 1 | 9 | – | – | – | – | 2 | – | – | – |
| Neglect | – | – | – | – | – | – | – | 2 | – | – | – | – | – | – | – | – | – | – |
| Cold | – | – | – | 3 | – | 1 | 1 | 6 | 1 | 4 | 1 | 1 | 1 | – | – | 2 | 1 | – |
| Poison | – | 1 | – | 1 | – | 3 | 8 | 16 | 1 | 6 | 1 | 1 | 1 | – | 1 | 1 | – | 2 |
| Burns and Scalds | 1 | 15 | 6 | 4 | – | 22 | 31 | 80 | 4 | 34 | 2 | 4 | 1 | – | 9 | 5 | 1 | 6 |
| Hanging, etc. | – | – | – | – | – | 3 | 2 | 11 | – | 4 | 2 | – | – | – | – | 3 | – | – |
| Suffocation | – | – | 1 | 1 | 1 | 5 | 3 | 21 | 2 | 29 | – | 1 | – | – | 2 | 3 | – | 4 |
| Drowning | – | 8 | 14 | 30 | 6 | 34 | 29 | 89 | 2 | 28 | 5 | 4 | – | 1 | 8 | 9 | 2 | 11 |
| Fracture and Contusion | 8 | 16 | 13 | 9 | 3 | 46 | 56 | 215 | 22 | 133 | 3 | 6 | 2 | – | 18 | 12 | 6 | 9 |
| Wounds | – | 1 | 1 | 2 | 1 | 5 | 6 | 14 | 1 | 9 | 1 | – | – | – | 2 | 1 | 1 | 1 |
| Other Violent Causes | – | – | 3 | 1 | – | 2 | 2 | 23 | 2 | 14 | 1 | 1 | – | – | – | 2 | 3 | 2 |
| Not Specified | 31 | 157 | 91 | 202 | 39 | 210 | 207 | 469 | 46 | 109 | 41 | 34 | 4 | 5 | 38 | 100 | 48 | 27 |

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1862.—MALES.

| DISEASES. | SCOTLAND. | Shetland. | Orkney. | Caithness. | Sutherland. | Ross and Cromarty. | Inverness. | Nairn. | Elgin. | Banff. | Aberdeen. | Kincardine. | Forfar. | Perth. | Fife. | Kinross. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| ALL CAUSES | 33179 | 227 | 242 | 359 | 181 | 737 | 777 | 72 | 427 | 449 | 2082 | 291 | 2391 | 1215 | 1471 | 63 |
| SPECIFIED CAUSES | 31408 | 166 | 220 | 333 | 157 | 621 | 663 | 69 | 386 | 410 | 2019 | 281 | 2308 | 1140 | 1391 | 63 |
| I. Zymotic Class | 6745 | 24 | 11 | 79 | 13 | 134 | 127 | 13 | 59 | 82 | 453 | 56 | 651 | 216 | 307 | 15 |
| II. Diseases of Uncer. Seat | 864 | 5 | 5 | 15 | 6 | 23 | 13 | 4 | 16 | 11 | 67 | 6 | 57 | 39 | 46 | 2 |
| III. Tubercular Class | 5542 | 31 | 46 | 54 | 22 | 80 | 86 | 5 | 59 | 66 | 339 | 40 | 328 | 163 | 219 | 4 |
| IV. Brain and Nervous Sys. | 2699 | 12 | 17 | 21 | 16 | 53 | 53 | 8 | 51 | 42 | 175 | 24 | 161 | 127 | 135 | 6 |
| V. Organs of Circulation | 1432 | 2 | 8 | 5 | 3 | 10 | 22 | 4 | 23 | 23 | 97 | 22 | 96 | 75 | 85 | 2 |
| VI. Respiratory Organs | 4694 | 12 | 21 | 32 | 8 | 62 | 76 | 7 | 46 | 52 | 250 | 30 | 368 | 130 | 167 | 11 |
| VII. Organs of Digestion | 2459 | 11 | 15 | 18 | 17 | 28 | 54 | 6 | 33 | 29 | 176 | 25 | 161 | 95 | 109 | 8 |
| VIII. Urinary Organs | 617 | 2 | 3 | 20 | 7 | 15 | 16 | 3 | 16 | 15 | 78 | 8 | 47 | 28 | 22 | 3 |
| IX. Organs of Generation | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| X. Organs of Locomotion | 229 | 2 | 2 | 4 | – | 8 | 8 | – | 4 | 5 | 22 | 1 | 12 | 7 | 7 | 1 |
| XI. Skin, etc. | 51 | – | – | 2 | – | 5 | 2 | – | – | – | 6 | – | 3 | 2 | 3 | 1 |
| XII. Malformation | 75 | – | 1 | – | – | – | – | 2 | – | – | 2 | 1 | 13 | 3 | 1 | – |
| XIII. Premature Debility | 1701 | 8 | 4 | 10 | 8 | 15 | 23 | 4 | 12 | 21 | 92 | 11 | 166 | 60 | 69 | 5 |
| XIV. Atrophy | 263 | 1 | 3 | 2 | – | 1 | 3 | – | – | 1 | 9 | 4 | 25 | 7 | 7 | – |
| XV. Age | 2482 | 46 | 63 | 57 | 47 | 160 | 146 | 11 | 51 | 50 | 176 | 35 | 143 | 127 | 135 | 3 |
| XVI. Sudden Deaths | 58 | – | – | – | 1 | 2 | – | – | – | – | 2 | 2 | 8 | 3 | 1 | – |
| XVII. Violent Deaths | 1496 | 10 | 21 | 14 | 9 | 25 | 34 | 2 | 16 | 13 | 75 | 16 | 69 | 58 | 78 | 2 |
| I. Small Pox | 209 | 1 | – | 2 | – | 1 | – | – | 1 | – | – | 1 | 5 | 1 | 1 | – |
| Measles | 710 | 12 | – | 18 | 2 | 28 | 26 | – | – | 1 | 88 | 7 | 169 | 12 | 40 | – |
| Scarlatina | 669 | – | – | – | – | 2 | 1 | – | 3 | 2 | 30 | 6 | 27 | 25 | 52 | 2 |
| Diphtheria | 469 | – | – | 13 | 1 | 16 | 9 | 1 | 12 | 9 | 61 | 10 | 37 | 25 | 37 | 2 |
| Hooping Cough | 1295 | 1 | – | 1 | – | 7 | 15 | 1 | 10 | 22 | 89 | 4 | 166 | 48 | 37 | 4 |
| Croup | 722 | – | – | 4 | 2 | 29 | 14 | 4 | 12 | 10 | 20 | 3 | 59 | 23 | 25 | 2 |
| Thrush | 19 | – | – | – | – | – | 2 | – | – | 1 | 3 | – | 7 | – | – | – |
| Diarrhœa | 539 | – | 3 | 5 | 1 | 11 | 8 | – | 3 | 6 | 33 | 5 | 40 | 10 | 20 | 2 |
| Dysentery | 128 | 2 | – | 4 | 1 | 2 | 2 | – | 1 | 3 | 9 | – | 17 | 8 | 7 | – |
| Cholera | 31 | – | – | – | 1 | – | – | – | – | – | 1 | – | 2 | – | – | – |
| Influenza | 168 | 4 | 3 | 13 | 1 | 10 | 24 | 2 | 2 | 6 | 20 | 1 | 8 | 4 | 5 | 1 |
| Purpura | 29 | 1 | – | – | – | – | – | 1 | 1 | 1 | 3 | – | 3 | 2 | 1 | – |
| Ague | 7 | – | – | – | – | – | – | – | – | – | – | – | 1 | – | – | – |
| Worms | 16 | – | – | – | – | – | – | – | – | – | – | – | 1 | 1 | 1 | – |
| Infantile Fever | 28 | – | – | – | – | 1 | – | – | – | 2 | 1 | – | 2 | – | 1 | – |
| Typhus | 1484 | 2 | 4 | 16 | 3 | 27 | 20 | 4 | 11 | 17 | 82 | 16 | 86 | 51 | 72 | 2 |
| Metria | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rheumatic Fever | 49 | 1 | – | 2 | 1 | – | 2 | – | 1 | 2 | 5 | 1 | 3 | 3 | 2 | – |
| Erysipelas | 108 | – | 1 | – | – | – | 4 | – | 2 | – | 4 | 2 | 11 | 3 | 3 | – |
| Syphilis | 57 | – | – | 1 | – | – | – | – | – | – | 3 | – | 7 | – | 2 | – |
| Noma | 7 | – | – | – | – | – | – | – | – | – | 1 | – | – | – | 1 | – |
| Hydrophobia | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| II. Hæmorrhage | 47 | – | – | 1 | – | – | – | – | 1 | – | 2 | 2 | 4 | 1 | 2 | – |
| Dropsy | 282 | 2 | 2 | 5 | 2 | 11 | 2 | 1 | 5 | 1 | 18 | – | 18 | 13 | 27 | 1 |
| Abscess | 67 | – | – | – | 1 | 1 | – | 1 | 1 | 1 | 6 | – | 2 | 3 | 2 | – |
| Ulcer | 27 | – | – | – | – | 1 | – | – | – | – | 6 | – | 2 | 3 | – | – |
| Fistula | 8 | – | – | – | – | – | – | – | – | – | 1 | – | 1 | – | – | – |
| Mortification | 59 | – | – | 1 | – | 1 | 3 | – | 1 | 3 | 3 | – | 6 | 1 | 1 | – |
| Cancer | 367 | 3 | 3 | 8 | 3 | 9 | 8 | 2 | 8 | 5 | 30 | 4 | 23 | 17 | 13 | 1 |
| Gout | 7 | – | – | – | – | – | – | – | – | 1 | 1 | – | 1 | 1 | 1 | – |
| III. Scrofula | 406 | 2 | 4 | 3 | 1 | 4 | 2 | 1 | 2 | 6 | 48 | 7 | 17 | 15 | 10 | – |
| Tabes Mesenterica | 435 | 2 | – | 1 | 2 | – | 3 | – | 5 | 3 | 12 | 3 | 15 | 6 | 21 | 1 |
| Phthisis | 3760 | 25 | 32 | 43 | 18 | 74 | 73 | 3 | 40 | 44 | 220 | 25 | 224 | 123 | 156 | 3 |
| Hydrocephalus | 941 | 2 | 10 | 7 | 1 | 2 | 8 | 1 | 12 | 13 | 59 | 5 | 72 | 19 | 32 | – |

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1862.—MALES.

| DISEASES. | Clackmannan. | Stirling. | Dumbarton. | Argyll. | Bute. | Renfrew. | Ayr. | Lanark. | Linlithgow. | Edinburgh. | Haddington. | Berwick. | Peebles. | Selkirk. | Roxburgh. | Dumfries. | Kirkcudbright. | Wigtown. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| ALL CAUSES | 212 | 916 | 569 | 764 | 162 | 2157 | 2146 | 8504 | 499 | 3400 | 302 | 269 | 107 | 96 | 544 | 776 | 398 | 374 |
| SPECIFIED CAUSES | 195 | 837 | 519 | 668 | 141 | 2037 | 2024 | 8241 | 475 | 3336 | 280 | 251 | 106 | 95 | 526 | 717 | 368 | 365 |
| Zymotic Class | 34 | 205 | 87 | 95 | 21 | 401 | 399 | 1813 | 123 | 780 | 58 | 47 | 20 | 22 | 138 | 115 | 67 | 80 |
| Uncertain Seat | 5 | 19 | 15 | 19 | 4 | 49 | 61 | 178 | 7 | 82 | 13 | 15 | 4 | 5 | 15 | 33 | 15 | 10 |
| Tubercular Class | 51 | 131 | 115 | 118 | 36 | 444 | 474 | 1553 | 73 | 565 | 35 | 33 | 9 | 15 | 91 | 125 | 69 | 63 |
| Brain, etc. | 24 | 62 | 58 | 49 | 14 | 178 | 160 | 660 | 30 | 312 | 23 | 25 | 14 | 10 | 47 | 75 | 27 | 30 |
| Heart, etc. | 10 | 62 | 32 | 28 | 4 | 64 | 63 | 298 | 21 | 207 | 22 | 26 | 10 | 6 | 33 | 34 | 15 | 20 |
| Respiratory Organs | 23 | 108 | 57 | 73 | 16 | 293 | 306 | 1618 | 81 | 523 | 32 | 32 | 17 | 11 | 55 | 109 | 44 | 24 |
| Digestive Organs | 8 | 74 | 52 | 62 | 8 | 205 | 145 | 661 | 38 | 189 | 13 | 16 | 8 | 11 | 42 | 66 | 49 | 27 |
| Urinary Organs | 2 | 12 | 6 | 14 | 5 | 18 | 34 | 98 | 12 | 77 | 6 | 5 | 2 | – | 13 | 6 | 8 | 16 |
| Generative Organs | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Locomotive Organs | – | 3 | 4 | 4 | 1 | 16 | 11 | 49 | 3 | 34 | 1 | 6 | – | 1 | 4 | 7 | 2 | – |
| Skin | – | 1 | 1 | – | – | 5 | 5 | 6 | – | 7 | – | – | – | – | 1 | 1 | – | – |
| Malformation | – | – | 2 | 1 | – | 6 | 4 | 20 | – | 12 | 2 | 1 | – | – | 2 | 1 | – | 1 |
| Premature Debility | 12 | 42 | 19 | 17 | 3 | 122 | 96 | 519 | 33 | 198 | 23 | 9 | 3 | 8 | 28 | 21 | 23 | 17 |
| Atrophy | 3 | 10 | 7 | 3 | – | 26 | 19 | 90 | 2 | 19 | 5 | 1 | – | 1 | 3 | 7 | 2 | 2 |
| Age | 17 | 72 | 31 | 142 | 19 | 111 | 138 | 269 | 23 | 140 | 31 | 23 | 14 | 4 | 29 | 84 | 38 | 47 |
| Sudden Deaths | – | – | 1 | 1 | 1 | 4 | 3 | 12 | 2 | 12 | 2 | – | – | – | – | 1 | – | – |
| Violent Deaths | 6 | 36 | 32 | 42 | 9 | 95 | 106 | 396 | 27 | 179 | 14 | 12 | 5 | 1 | 25 | 32 | 9 | 28 |
| Small Pox | – | 17 | 2 | – | – | 2 | 2 | 24 | 1 | 135 | 1 | – | 2 | – | 8 | 2 | – | – |
| Measles | 1 | 14 | 3 | 7 | – | 79 | 7 | 154 | – | 14 | – | 2 | 2 | 1 | 2 | 17 | 4 | – |
| Scarlatina | – | 43 | 4 | 1 | 2 | 7 | 20 | 172 | 47 | 152 | 20 | 13 | 1 | 3 | 21 | 10 | 2 | 1 |
| Diphtheria | – | 6 | 7 | 10 | 4 | 32 | 17 | 95 | 2 | 29 | 1 | 4 | 1 | 2 | 12 | 7 | 3 | 4 |
| Hooping Cough | 4 | 23 | 6 | 8 | 4 | 39 | 73 | 410 | 21 | 189 | 15 | 7 | 6 | 4 | 9 | 18 | 19 | 35 |
| Croup | 2 | 17 | 18 | 25 | 3 | 61 | 36 | 246 | 7 | 47 | 6 | 5 | – | – | 13 | 12 | 8 | 9 |
| Thrush | – | – | – | – | – | 1 | 1 | 1 | 1 | 2 | – | – | – | – | – | – | – | – |
| Diarrhœa | 2 | 18 | 8 | 12 | 4 | 43 | 42 | 181 | 8 | 45 | 2 | 3 | 3 | 4 | 2 | 8 | 4 | 3 |
| Dysentery | 3 | 3 | 1 | – | – | 11 | 9 | 23 | 3 | 10 | 1 | 2 | – | – | 1 | 3 | 2 | – |
| Cholera | – | – | – | 1 | – | 3 | 5 | 11 | – | 3 | 1 | – | – | – | 2 | 1 | – | – |
| Influenza | – | 5 | 2 | 1 | – | 8 | 12 | 18 | 1 | 6 | 1 | – | 1 | – | 5 | 3 | – | 1 |
| Purpura | – | – | 1 | – | – | 3 | 4 | 1 | – | 4 | – | 1 | – | – | – | 1 | 1 | – |
| Ague | – | – | – | – | – | 2 | 2 | 2 | – | – | – | – | – | – | – | – | – | – |
| Worms | – | – | – | – | – | 1 | – | 7 | – | – | – | – | – | – | 1 | 1 | 1 | 2 |
| Infantile Fever | 2 | 1 | – | – | – | – | 3 | 3 | 1 | 5 | 1 | 1 | – | – | – | 3 | 1 | – |
| Typhus | 19 | 56 | 33 | 23 | 3 | 94 | 154 | 413 | 24 | 110 | 8 | 7 | 2 | 8 | 54 | 22 | 19 | 22 |
| Metria | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rheumatic Fever | 1 | 1 | – | – | – | 5 | 2 | 7 | 2 | 3 | – | – | 1 | – | 1 | 1 | 1 | 1 |
| Erysipelas | – | 1 | 2 | 6 | – | 5 | 7 | 24 | 2 | 15 | 1 | 2 | 1 | – | 5 | 3 | 2 | 2 |
| Syphilis | – | – | – | – | 1 | 4 | 3 | 19 | 3 | 10 | – | – | – | – | 2 | 2 | – | – |
| Noma | – | – | – | 1 | – | 1 | – | 2 | – | 1 | – | – | – | – | – | – | – | – |
| Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | 1 | – | – |
| Hæmorrhage | 1 | 1 | 2 | – | – | 3 | 4 | 12 | 2 | 4 | – | – | – | – | – | 2 | 2 | 1 |
| Dropsy | 1 | 10 | 3 | 7 | 1 | 23 | 23 | 61 | 1 | 14 | 5 | 7 | – | 1 | 5 | 5 | 5 | 2 |
| Abscess | – | – | 2 | 1 | – | 2 | 5 | 20 | – | 12 | 1 | 2 | – | – | 1 | 1 | 2 | – |
| Ulcer | – | 1 | – | – | 1 | 1 | 3 | 5 | – | 3 | – | – | – | – | – | – | – | 1 |
| Fistula | – | – | – | – | – | – | – | 3 | – | 2 | – | – | – | – | 1 | – | – | – |
| Mortification | 1 | 2 | 2 | 3 | – | 2 | 4 | 11 | – | 5 | 1 | 1 | – | – | 1 | 3 | 2 | 1 |
| Cancer | 2 | 5 | 6 | 8 | 2 | 18 | 22 | 66 | 4 | 42 | 5 | 5 | 4 | 4 | 6 | 22 | 4 | 5 |
| Gout | – | – | – | – | – | – | – | – | – | – | 1 | – | – | – | 1 | – | – | – |
| Scrofula | 2 | 14 | 8 | 10 | 1 | 19 | 47 | 101 | 13 | 41 | 2 | 5 | – | – | 3 | 5 | 8 | 5 |
| Tabes Mesenterica | 2 | 12 | 7 | 5 | 1 | 28 | 43 | 153 | 4 | 73 | 4 | – | 1 | – | 13 | 9 | 4 | 2 |
| Phthisis | 43 | 84 | 83 | 93 | 25 | 305 | 296 | 1024 | 40 | 353 | 23 | 23 | 8 | 11 | 54 | 98 | 45 | 49 |
| Hydrocephalus | 4 | 21 | 17 | 10 | 9 | 92 | 88 | 275 | 16 | 98 | 6 | 5 | – | 4 | 21 | 13 | 12 | 7 |

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1862.—MALES. (*Continued.*)

| DISEASES. | SCOTLAND. | Shetland. | Orkney. | Caithness. | Sutherland. | Ross and Cromarty. | Inverness. | Nairn. | Elgin. | Banff. | Aberdeen. | Kincardine. | Forfar. | Perth. | Fife. | Kinross. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| IV. Cephalitis | 183 | – | 1 | – | 1 | 3 | 4 | – | 2 | 3 | 11 | 1 | 9 | 5 | 12 | 1 |
| Apoplexy | 602 | – | 3 | 2 | 2 | 3 | 8 | 5 | 7 | 9 | 35 | 7 | 32 | 29 | 33 | 2 |
| Paralysis | 735 | 6 | 6 | 6 | 9 | 23 | 15 | 2 | 25 | 8 | 44 | 9 | 44 | 52 | 49 | 2 |
| Delirium Tremens | 51 | – | – | – | – | – | 1 | – | 1 | 1 | 6 | – | 5 | 3 | 4 | – |
| Chorea | 6 | – | – | – | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Epilepsy | 137 | – | 1 | 2 | 1 | 5 | 4 | – | 3 | 4 | 9 | – | 7 | 3 | 8 | 1 |
| Tetanus | 33 | – | – | 1 | – | 3 | 2 | – | – | – | 2 | 1 | 1 | 2 | – | – |
| Insanity | 42 | – | 2 | 1 | – | 1 | 2 | – | 2 | – | 6 | – | 3 | 1 | 1 | – |
| Convulsions | 406 | 3 | 1 | 2 | 1 | 9 | 6 | – | 5 | 6 | 20 | 4 | 29 | 16 | 11 | – |
| Brain Disease | 504 | 3 | 3 | 7 | 2 | 6 | 11 | 1 | 6 | 11 | 42 | 2 | 31 | 16 | 16 | – |
| V. Pericarditis | 50 | – | 1 | – | – | – | 2 | – | – | – | 2 | – | 1 | 2 | 4 | – |
| Aneurism | 58 | – | – | – | – | – | 1 | – | 2 | 1 | 6 | – | 3 | 3 | 2 | 1 |
| Heart Disease | 1324 | 2 | 7 | 5 | 3 | 10 | 19 | 4 | 21 | 22 | 89 | 22 | 92 | 70 | 79 | 1 |
| VI. Laryngitis | 103 | – | – | – | – | 2 | 2 | – | 1 | 3 | 9 | – | 9 | 3 | 2 | – |
| Bronchitis | 2802 | 4 | 4 | 11 | 2 | 20 | 20 | 4 | 23 | 24 | 151 | 17 | 227 | 73 | 89 | 6 |
| Pleurisy | 164 | 1 | 2 | 2 | 2 | 4 | 19 | – | – | 3 | 9 | 1 | 11 | 6 | 6 | 1 |
| Pneumonia | 1115 | 1 | 8 | 11 | – | 14 | 17 | 3 | 18 | 15 | 62 | 12 | 74 | 33 | 53 | 3 |
| Asthma | 328 | 6 | 3 | 8 | 3 | 19 | 16 | – | 3 | 4 | 12 | – | 27 | 14 | 9 | 1 |
| Lung Disease | 182 | – | 4 | – | 1 | 3 | 2 | – | 1 | 3 | 7 | – | 20 | 1 | 8 | – |
| VII. Teething | 601 | 2 | – | 1 | – | 5 | 12 | 1 | 10 | 9 | 49 | 2 | 55 | 21 | 26 | 1 |
| Quinsey | 31 | – | – | – | – | 1 | 1 | – | – | 1 | 2 | 1 | 3 | 4 | 1 | – |
| Gastritis | 75 | – | – | – | 1 | 2 | 2 | – | 1 | 1 | 2 | 1 | 7 | 4 | 5 | – |
| Enteritis | 498 | – | – | 3 | – | 4 | 10 | 1 | 4 | 4 | 17 | 5 | 16 | 17 | 20 | 3 |
| Peritonitis | 96 | – | – | 1 | 1 | 1 | 2 | – | 2 | 1 | 7 | 2 | 6 | 3 | 5 | 1 |
| Ascites | 17 | – | – | – | – | – | 1 | – | 1 | – | – | – | 1 | 1 | 2 | – |
| Ulceration of Intestines | 94 | – | 1 | – | – | 2 | – | 1 | 3 | 2 | 12 | 2 | 5 | 3 | 5 | – |
| Hernia | 58 | – | 1 | – | 2 | 2 | – | – | 1 | 1 | 5 | 1 | 5 | 1 | 5 | – |
| Ileus | 131 | 3 | 1 | 1 | 3 | – | 4 | 1 | 2 | 1 | 25 | 3 | 6 | 3 | 6 | – |
| Intussusception | 25 | – | – | – | – | – | – | 1 | – | – | 1 | 1 | 4 | 2 | – | – |
| Stricture of Intestines | 14 | – | – | – | – | – | 1 | – | – | – | – | – | – | – | 1 | – |
| Stomach Disease | 324 | 4 | 5 | 6 | 2 | 7 | 8 | – | 3 | 4 | 19 | 3 | 32 | 11 | 9 | 2 |
| Pancreas Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hepatitis | 74 | 1 | 1 | 2 | – | – | 2 | – | – | – | 5 | 1 | 2 | 3 | 3 | – |
| Jaundice | 95 | – | 1 | 2 | 2 | 2 | 3 | – | 1 | 2 | 11 | – | 2 | 11 | 4 | – |
| Liver Disease | 317 | 1 | 5 | 2 | 6 | 2 | 8 | 1 | 4 | 3 | 20 | 3 | 17 | 11 | 16 | 1 |
| Spleen Disease | 9 | – | – | – | – | – | – | – | 1 | – | 1 | – | – | – | 1 | – |
| VIII. Nephritis | 21 | – | – | 1 | – | – | 1 | – | 1 | – | 1 | – | 1 | – | – | – |
| Nephria | 137 | – | 2 | 3 | – | – | 2 | 2 | 3 | 3 | 8 | 1 | 8 | 7 | 2 | – |
| Ischuria | 36 | – | – | 2 | 1 | 1 | 3 | – | 1 | 1 | 5 | 1 | 1 | 2 | 1 | – |
| Diabetes | 43 | 1 | – | 2 | 1 | – | 1 | – | – | – | 7 | 1 | 6 | 2 | 1 | – |
| Stone | 70 | – | 1 | 5 | 4 | 9 | 3 | 1 | 2 | 3 | 9 | 1 | 5 | 1 | 2 | – |
| Cystitis | 52 | 1 | – | 1 | – | 1 | – | – | 1 | – | 4 | 1 | 5 | 2 | 5 | 2 |
| Stricture of Urethra | 5 | – | – | – | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Kidney Disease | 253 | – | – | 6 | 1 | 4 | 6 | – | 8 | 8 | 44 | 3 | 21 | 14 | 10 | 1 |
| IX. Paramenia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ovarian Dropsy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Childbirth | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Organs of Generation | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| X. Arthritis | 17 | – | – | – | – | – | – | – | – | 1 | 2 | – | – | 2 | – | – |
| Rheumatism | 78 | 1 | 2 | 2 | – | 6 | 5 | – | 1 | 1 | 4 | 1 | 6 | 1 | 1 | 1 |
| Joint and Bone Disease | 134 | 1 | – | 2 | – | 2 | 3 | – | 3 | 3 | 16 | – | 6 | 4 | 6 | – |
| XI. Carbuncle | 12 | – | – | 1 | – | 1 | 1 | – | – | – | 1 | – | – | – | 2 | – |
| Phlegmon | 7 | – | – | – | – | – | – | – | – | – | – | – | 3 | 1 | – | – |
| Skin Disease | 32 | – | – | 1 | – | 4 | 1 | – | – | – | 5 | – | – | 1 | 1 | 1 |
| XII. Cyanosis | 26 | – | 1 | – | – | – | – | – | – | – | 1 | – | 6 | 2 | – | – |
| Spina Bifida | 20 | – | – | – | – | – | – | – | – | – | – | 1 | 3 | 1 | 1 | – |
| Other Malformations | 29 | – | – | – | – | – | – | 2 | – | – | 1 | – | 4 | – | – | – |
| XVII. Intemperance | 39 | – | 1 | – | 1 | – | – | – | – | 1 | 3 | – | 2 | – | – | – |
| Privation | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Want of Breast Milk | 33 | – | – | – | – | 1 | – | – | – | – | 5 | – | 3 | – | 1 | – |
| Neglect | 1 | – | – | – | – | – | – | – | – | – | – | – | 1 | – | – | – |
| Cold | 21 | – | 1 | – | – | – | 2 | – | – | – | 1 | – | – | 2 | 3 | – |
| Poison | 29 | – | – | 1 | – | – | – | – | – | – | – | – | 2 | 1 | 2 | – |
| Burns and Scalds | 149 | 1 | – | – | 1 | 2 | 1 | – | 4 | – | 9 | 1 | 7 | 7 | 5 | – |
| Hanging, etc. | 34 | – | – | – | – | – | – | – | – | 1 | 2 | – | 3 | 1 | 5 | – |
| Suffocation | 63 | – | – | – | – | – | – | – | 1 | – | 5 | 2 | 2 | 2 | 3 | – |
| Drowning | 367 | 8 | 17 | 3 | 5 | 11 | 17 | 1 | 1 | 7 | 21 | 4 | 13 | 10 | 17 | 2 |
| Fracture and Contusion | 625 | 1 | 2 | 8 | 2 | 7 | 10 | 1 | 7 | 4 | 20 | 7 | 26 | 28 | 32 | – |
| Wounds | 60 | – | – | 2 | – | 2 | 2 | – | 3 | – | 2 | 1 | 5 | 2 | 5 | – |
| Other Violent Causes | 72 | – | – | – | – | 2 | 2 | – | – | – | 7 | 1 | 5 | 5 | 5 | – |
| Not Specified | 1771 | 61 | 22 | 26 | 24 | 116 | 114 | 3 | 41 | 39 | 63 | 10 | 83 | 75 | 80 | – |

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1862.—MALES. (*Continued.*)

| DISEASES. | Clackmannan. | Stirling. | Dumbarton. | Argyll. | Bute. | Renfrew. | Ayr. | Lanark. | Linlithgow. | Edinburgh. | Haddington. | Berwick. | Peebles. | Selkirk. | Roxburgh. | Dumfries. | Kirkcudbright. | Wigtown. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Cephalitis | 1 | 8 | 2 | 6 | 2 | 15 | 8 | 49 | 2 | 20 | 1 | – | 2 | – | 2 | 6 | 2 | 4 |
| Apoplexy | 5 | 6 | 12 | 7 | 3 | 45 | 51 | 165 | 5 | 62 | 10 | 2 | 3 | 3 | 14 | 17 | 11 | 4 |
| Paralysis | 10 | 20 | 15 | 14 | 4 | 48 | 35 | 120 | 5 | 73 | 4 | 11 | 6 | 4 | 20 | 29 | 6 | 11 |
| Delirium Tremens | 2 | 1 | – | – | – | 2 | – | 7 | 3 | 11 | – | – | – | 1 | – | 2 | – | 1 |
| Chorea | – | – | – | – | – | – | – | 1 | – | 1 | – | – | – | – | 1 | 1 | – | 1 |
| Epilepsy | – | 1 | 3 | 4 | – | 7 | 10 | 28 | 1 | 25 | 1 | 3 | – | 1 | – | 2 | 3 | – |
| Tetanus | – | – | – | 3 | – | – | 3 | 10 | – | 3 | – | 1 | – | – | – | – | – | 1 |
| Insanity | – | – | 1 | – | – | 3 | – | 7 | – | 7 | – | – | – | 1 | – | 4 | – | – |
| Convulsions | 2 | 12 | 10 | 9 | – | 17 | 27 | 148 | 4 | 44 | 2 | 2 | 1 | – | 4 | 7 | 1 | 3 |
| Brain Disease | 4 | 14 | 15 | 6 | 5 | 41 | 26 | 125 | 10 | 66 | 5 | 6 | 2 | – | 6 | 7 | 4 | 5 |
| Pericarditis | – | 4 | – | – | – | 1 | 3 | 17 | – | 4 | – | 2 | – | – | 4 | 2 | – | 1 |
| Aneurism | – | – | – | 1 | – | 2 | 1 | 8 | 2 | 19 | 1 | 1 | 1 | – | 2 | 1 | – | – |
| Heart Disease | 10 | 58 | 32 | 27 | 4 | 61 | 59 | 273 | 19 | 184 | 21 | 23 | 9 | 6 | 27 | 31 | 15 | 19 |
| Laryngitis | 1 | 1 | 3 | 3 | – | 3 | 8 | 28 | 2 | 14 | 1 | – | 1 | – | – | 6 | 1 | – |
| Bronchitis | 12 | 59 | 26 | 38 | 12 | 203 | 201 | 1031 | 55 | 344 | 18 | 12 | 11 | 8 | 28 | 42 | 16 | 11 |
| Pleurisy | 2 | 3 | 2 | – | – | 7 | 10 | 34 | 2 | 13 | 1 | 3 | 1 | 1 | 7 | 7 | 4 | – |
| Pneumonia | 6 | 22 | 14 | 19 | 3 | 60 | 56 | 381 | 21 | 97 | 8 | 12 | 4 | 2 | 18 | 41 | 19 | 8 |
| Asthma | 2 | 15 | 6 | 10 | – | 15 | 21 | 83 | – | 29 | 1 | 2 | – | – | 2 | 10 | 4 | 3 |
| Lung Disease | – | 8 | 6 | 3 | 1 | 5 | 10 | 61 | 1 | 26 | 3 | 3 | – | – | – | 3 | – | 2 |
| Teething | 4 | 17 | 13 | 11 | 3 | 67 | 19 | 193 | 20 | 36 | 1 | – | – | 2 | 6 | 6 | 6 | 3 |
| Quinsey | – | – | 3 | 1 | – | 2 | 2 | 7 | – | 1 | – | – | – | – | – | 1 | – | – |
| Gastritis | – | 1 | – | 4 | – | 4 | 6 | 20 | – | 4 | – | 1 | – | – | – | 7 | 1 | 1 |
| Enteritis | 2 | 16 | 9 | 6 | – | 57 | 38 | 171 | 9 | 36 | 3 | 3 | 1 | 2 | 9 | 15 | 12 | 5 |
| Peritonitis | – | – | – | 2 | – | 3 | 6 | 27 | 2 | 7 | – | 2 | 1 | 1 | 6 | – | 6 | 1 |
| Ascites | – | 1 | – | 1 | – | – | 1 | 8 | – | – | – | – | – | – | – | – | – | – |
| Ulceration of Intestines | – | 4 | 5 | 4 | 1 | 6 | 3 | 14 | – | 11 | – | 2 | – | – | – | 2 | 2 | 4 |
| Hernia | – | 1 | 2 | – | – | 8 | 3 | 9 | – | 3 | 2 | 1 | – | – | 2 | 2 | – | 1 |
| Ileus | – | 3 | 1 | 1 | – | 8 | 11 | 23 | 3 | 8 | 1 | 1 | – | – | 5 | 3 | 3 | 1 |
| Intussusception | – | 1 | 1 | 2 | – | 1 | 2 | 4 | 1 | 2 | 1 | 1 | – | – | – | – | – | – |
| Stricture of Intestines | – | 1 | – | – | – | – | 1 | 4 | – | 5 | – | – | – | – | – | 1 | – | – |
| Stomach Disease | – | 15 | 8 | 17 | 3 | 11 | 18 | 66 | – | 32 | – | 3 | 4 | 4 | 7 | 10 | 8 | 3 |
| Pancreas Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hepatitis | – | 3 | 2 | 3 | – | 8 | 7 | 17 | – | 3 | 1 | 1 | – | – | 2 | 5 | – | 2 |
| Jaundice | – | 2 | 2 | – | 1 | 5 | 5 | 19 | – | 12 | 2 | – | 1 | 1 | – | 3 | 1 | – |
| Liver Disease | 2 | 9 | 6 | 10 | – | 25 | 23 | 77 | 3 | 27 | 2 | 1 | 1 | 1 | 5 | 9 | 10 | 6 |
| Spleen Disease | – | – | – | – | – | – | – | 2 | – | 2 | – | – | – | – | – | 2 | – | – |
| Nephritis | – | – | 2 | 2 | – | 1 | – | 2 | – | 6 | – | 1 | – | – | – | – | – | 2 |
| Nephria | 1 | 2 | – | 3 | 4 | 2 | 7 | 40 | 6 | 21 | 2 | – | 1 | – | 1 | 1 | 2 | 3 |
| Ischuria | – | 1 | – | – | – | – | 3 | 6 | – | 2 | – | – | – | – | 3 | 1 | 1 | – |
| Diabetes | – | – | 1 | 1 | – | – | 4 | 4 | 1 | 4 | 1 | – | – | – | 4 | – | – | 1 |
| Stone | – | 2 | – | – | – | 1 | 5 | 7 | 1 | 5 | – | 1 | – | – | – | – | 1 | 1 |
| Cystitis | – | 3 | – | – | 1 | 4 | 1 | 8 | – | 7 | – | – | – | – | – | – | 2 | 3 |
| Stricture of Urethra | – | – | 1 | – | – | – | – | – | – | 2 | – | – | – | – | – | – | – | 1 |
| Kidney Disease | 1 | 4 | 2 | 8 | – | 10 | 14 | 31 | 4 | 30 | 3 | 3 | 1 | – | 5 | 4 | 2 | 5 |
| Paramenia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ovarian Dropsy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Childbirth | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Organs of Generation | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Arthritis | – | 2 | – | – | – | 2 | 1 | 2 | – | 2 | – | 1 | – | 1 | – | 1 | – | – |
| Rheumatism | – | – | 2 | 3 | – | 4 | 2 | 15 | 1 | 11 | – | 1 | – | – | 1 | 4 | 2 | – |
| Joint Disease | – | 1 | 2 | 1 | 1 | 10 | 8 | 32 | 2 | 21 | 1 | 4 | – | – | 3 | 2 | – | – |
| Carbuncle | – | – | – | – | – | 1 | – | 2 | – | 3 | – | – | – | – | – | – | – | – |
| Phlegmon | – | – | – | – | – | 1 | – | 1 | – | 1 | – | – | – | – | 1 | – | – | – |
| Skin Disease | – | 1 | 1 | – | – | 3 | 5 | 3 | – | 3 | – | – | – | – | 1 | 1 | – | – |
| Cyanosis | – | – | 1 | – | – | – | 2 | 5 | – | 5 | – | – | – | – | 2 | 1 | – | – |
| Spina Bifida | – | – | – | 1 | – | 4 | – | 5 | – | 3 | – | 1 | – | – | – | – | – | – |
| Other Malformations | – | – | 1 | – | – | 2 | 2 | 10 | – | 4 | 2 | – | – | – | – | – | – | 1 |
| Intemperance | – | 2 | 1 | – | – | – | 3 | 14 | 1 | 4 | 2 | – | 1 | – | 2 | 1 | – | – |
| Privation | – | – | – | – | – | 1 | – | 1 | – | 1 | – | – | – | – | – | – | – | – |
| Want of Breast Milk | – | – | – | – | – | – | 2 | 17 | – | 3 | – | – | – | – | 1 | – | – | – |
| Neglect | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cold | – | – | – | 2 | – | – | – | 5 | 1 | 1 | – | – | 1 | – | – | 1 | 1 | – |
| Poison | – | 1 | – | 1 | – | 2 | 5 | 7 | – | 4 | – | 1 | – | – | 1 | 1 | – | – |
| Burns and Scalds | 1 | 9 | 2 | 3 | – | 14 | 16 | 39 | 2 | 14 | – | 2 | 1 | – | 1 | 3 | – | 4 |
| Hanging, etc. | – | – | – | – | – | 3 | 2 | 9 | – | 4 | 2 | – | – | – | – | 2 | – | – |
| Suffocation | – | – | 1 | 1 | – | 3 | 3 | 15 | 2 | 16 | – | 1 | – | – | – | 2 | – | 4 |
| Drowning | – | 8 | 12 | 29 | 6 | 31 | 18 | 70 | 2 | 21 | 5 | 3 | – | 1 | 4 | 8 | 1 | 11 |
| Fracture and Contusion | 5 | 15 | 13 | 4 | 2 | 36 | 50 | 191 | 16 | 91 | 3 | 4 | 2 | – | 15 | 11 | 5 | 7 |
| Wounds | – | 1 | 1 | 1 | 1 | 3 | 6 | 9 | 1 | 8 | 1 | – | – | – | 1 | 1 | 1 | 1 |
| Other Violent Causes | – | – | 2 | 1 | – | 2 | 1 | 19 | 2 | 12 | 1 | 1 | – | – | – | 2 | 1 | 1 |
| Not Specified | 17 | 79 | 50 | 96 | 21 | 120 | 122 | 263 | 24 | 64 | 22 | 18 | 1 | 1 | 18 | 59 | 30 | 9 |

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1862.—FEMALES.

| DISEASES. | SCOTLAND. | Shetland. | Orkney. | Caithness. | Sutherland. | Ross and Cromarty. | Inverness. | Nairn. | Elgin. | Banff. | Aberdeen. | Kincardine. | Forfar. | Perth. | Fife. | Kinross. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| ALL CAUSES | 34016 | 257 | 245 | 343 | 163 | 770 | 822 | 72 | 436 | 469 | 2218 | 272 | 2494 | 1266 | 1517 | 75 |
| SPECIFIED CAUSES | 32452 | 212 | 230 | 327 | 142 | 638 | 705 | 67 | 408 | 440 | 2140 | 265 | 2419 | 1198 | 1433 | 75 |
| I. Zymotic Class | 7233 | 20 | 23 | 79 | 12 | 145 | 120 | 13 | 84 | 82 | 461 | 51 | 633 | 232 | 310 | 20 |
| II. Diseases of Uncer. Seat | 1424 | 12 | 14 | 17 | 7 | 27 | 26 | 6 | 19 | 22 | 112 | 10 | 93 | 73 | 89 | 3 |
| III. Tubercular Class | 5887 | 28 | 35 | 43 | 19 | 72 | 93 | 6 | 55 | 67 | 368 | 31 | 397 | 173 | 215 | 8 |
| IV. Brain and Nervous Sys. | 2387 | 9 | 16 | 20 | 9 | 33 | 45 | 8 | 41 | 29 | 161 | 30 | 182 | 91 | 123 | 6 |
| V. Organs of Circulation | 1355 | 5 | 4 | 12 | 1 | 10 | 18 | 1 | 19 | 16 | 90 | 10 | 141 | 53 | 74 | 3 |
| VI. Respiratory Organs | 4500 | 6 | 12 | 38 | 14 | 48 | 81 | 5 | 44 | 55 | 238 | 29 | 306 | 155 | 171 | 10 |
| VII. Organs of Digestion | 2329 | 12 | 8 | 8 | 10 | 29 | 41 | 5 | 32 | 56 | 168 | 17 | 147 | 99 | 106 | 4 |
| VIII. Urinary Organs | 287 | – | 4 | 1 | – | 1 | – | 1 | 7 | 7 | 30 | 1 | 16 | 9 | 10 | – |
| IX. Organs of Generation | 480 | 6 | 5 | 6 | 4 | 5 | 10 | – | 6 | 10 | 37 | 9 | 44 | 15 | 22 | 3 |
| X. Organs of Locomotion | 175 | 1 | 4 | – | 2 | 3 | 12 | – | 3 | 2 | 13 | 2 | 12 | 12 | 7 | – |
| XI. Skin, etc. | 29 | – | – | 1 | 1 | 2 | – | – | – | 1 | 1 | 1 | 2 | 1 | – | – |
| XII. Malformation | 70 | – | – | – | – | – | – | – | – | – | 6 | 1 | 3 | 3 | 4 | – |
| XIII. Premature Debility | 1285 | 4 | 1 | 13 | 3 | 10 | 22 | – | 13 | 10 | 87 | 9 | 127 | 34 | 57 | 2 |
| XIV. Atrophy | 313 | 2 | – | – | 1 | 7 | 2 | – | 3 | – | 14 | 4 | 15 | 10 | 10 | 1 |
| XV. Age | 4077 | 103 | 101 | 84 | 57 | 235 | 229 | 21 | 74 | 76 | 309 | 56 | 255 | 212 | 206 | 11 |
| XVI. Sudden Deaths | 60 | – | – | – | – | 2 | 1 | – | – | – | 4 | – | 12 | 3 | 5 | 1 |
| XVII. Violent Deaths | 561 | 4 | 3 | 5 | 2 | 9 | 5 | 1 | 8 | 7 | 41 | 4 | 34 | 23 | 24 | 3 |
| I. Small Pox | 217 | – | – | – | – | – | – | – | – | – | – | – | 11 | 1 | 9 | 1 |
| Measles | 694 | 9 | – | 21 | – | 42 | 18 | – | – | 1 | 69 | 7 | 154 | 7 | 17 | – |
| Scarlatina | 612 | – | – | – | – | 1 | 1 | – | 2 | 3 | 17 | 4 | 22 | 29 | 52 | 3 |
| Diphtheria | 528 | – | – | 9 | 1 | 13 | 7 | 2 | 11 | 19 | 76 | 8 | 28 | 21 | 37 | 2 |
| Hooping Cough | 1504 | – | – | – | 2 | 13 | 18 | – | 19 | 20 | 102 | 7 | 149 | 65 | 55 | 8 |
| Croup | 674 | – | 1 | 3 | 2 | 26 | 8 | 5 | 4 | 5 | 18 | 4 | 56 | 23 | 27 | 1 |
| Thrush | 17 | – | 1 | – | – | – | 1 | – | – | – | – | – | 3 | 1 | 1 | – |
| Diarrhœa | 569 | – | 2 | 5 | 2 | 7 | 6 | 1 | 6 | 3 | 33 | 2 | 48 | 12 | 18 | 2 |
| Dysentery | 165 | 3 | – | 2 | – | – | 6 | 2 | 5 | 8 | 16 | – | 12 | 4 | 8 | – |
| Cholera | 26 | – | – | – | 1 | – | – | – | – | 1 | 1 | – | 1 | – | 2 | – |
| Influenza | 219 | 2 | 6 | 18 | – | 17 | 24 | 1 | 3 | 4 | 19 | 5 | 15 | 10 | 7 | – |
| Purpura | 22 | – | – | – | – | – | – | – | – | – | 1 | – | 2 | 1 | 2 | – |
| Ague | 9 | – | – | – | – | – | – | – | – | – | – | – | – | 1 | – | – |
| Worms | 16 | – | – | – | – | – | 1 | – | – | – | – | – | – | – | 1 | – |
| Infantile Fever | 35 | – | – | 1 | – | – | – | – | – | 1 | – | – | 3 | – | – | – |
| Typhus | 1537 | 3 | 10 | 17 | – | 25 | 25 | 2 | 21 | 17 | 84 | 10 | 105 | 47 | 59 | 1 |
| Metria | 130 | 2 | 2 | – | – | – | – | – | 5 | – | 7 | – | 9 | 2 | 7 | 1 |
| Rheumatic Fever | 35 | – | – | – | 4 | 1 | 1 | – | 2 | – | 3 | 2 | 2 | 3 | – | – |
| Erysipelas | 141 | – | 1 | 1 | – | – | 3 | – | 5 | – | 10 | 2 | 8 | 3 | 5 | 1 |
| Syphilis | 69 | 1 | – | 2 | – | – | 1 | – | 1 | – | 5 | – | 5 | 1 | 3 | – |
| Noma | 14 | – | – | – | – | – | – | – | – | – | – | – | – | 1 | – | – |
| Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| II. Hæmorrhage | 38 | – | 1 | – | 1 | – | – | – | – | – | 4 | 1 | 1 | 2 | – | – |
| Dropsy | 461 | 8 | 6 | 4 | 1 | 10 | 14 | 1 | 4 | 5 | 28 | 2 | 36 | 25 | 37 | – |
| Abscess | 54 | – | – | – | – | – | – | 2 | – | – | 4 | – | 3 | – | 2 | – |
| Ulcer | 28 | – | – | – | – | 2 | 1 | – | – | 4 | 1 | – | 1 | 1 | 1 | – |
| Fistula | 3 | – | – | – | – | – | – | – | – | – | – | – | 1 | – | – | – |
| Mortification | 49 | 2 | 1 | – | – | – | 2 | – | – | – | 1 | 1 | 1 | 4 | 1 | – |
| Cancer | 785 | 2 | 6 | 13 | 5 | 15 | 9 | 3 | 15 | 13 | 74 | 6 | 50 | 41 | 48 | 3 |
| Gout | 6 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| III. Scrofula | 298 | – | – | 4 | 1 | 5 | 4 | – | 2 | 4 | 33 | 1 | 8 | 7 | 9 | – |
| Tabes Mesenterica | 361 | – | 1 | – | – | – | 1 | – | 5 | – | 12 | 1 | 11 | 5 | 10 | – |
| Phthisis | 4451 | 27 | 33 | 35 | 15 | 65 | 83 | 5 | 42 | 58 | 283 | 22 | 313 | 150 | 161 | 8 |
| Hydrocephalus | 777 | 1 | 1 | 4 | 3 | 2 | 5 | 1 | 6 | 5 | 40 | 7 | 65 | 11 | 35 | – |

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1862.—FEMALES.

| DISEASES. | Clackmannan. | Stirling. | Dumbarton. | Argyll. | Bute. | Renfrew. | Ayr. | Lanark. | Linlithgow. | Edinburgh. | Haddington. | Berwick. | Peebles. | Selkirk. | Roxburgh. | Dumfries. | Kirkcudbright. | Wigtown. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| ALL CAUSES | 205 | 1021 | 541 | 799 | 195 | 2151 | 2115 | 8494 | 439 | 3564 | 375 | 328 | 97 | 76 | 500 | 813 | 420 | 464 |
| SPECIFIED CAUSES | 191 | 943 | 500 | 693 | 177 | 2061 | 2030 | 8288 | 417 | 3519 | 356 | 312 | 94 | 72 | 480 | 772 | 402 | 446 |
| Zymotic Class | 52 | 214 | 103 | 100 | 29 | 449 | 475 | 1899 | 133 | 942 | 84 | 74 | 20 | 16 | 89 | 115 | 69 | 85 |
| Uncertain Seat | 8 | 31 | 26 | 32 | 14 | 88 | 75 | 280 | 11 | 168 | 20 | 23 | 5 | 3 | 20 | 55 | 10 | 25 |
| Tubercular Class | 40 | 155 | 113 | 110 | 31 | 468 | 506 | 1788 | 59 | 531 | 46 | 33 | 16 | 9 | 76 | 129 | 77 | 90 |
| Brain, etc. | 15 | 80 | 36 | 55 | 12 | 130 | 147 | 520 | 25 | 298 | 38 | 23 | 7 | 4 | 62 | 60 | 36 | 36 |
| Heart, etc. | 5 | 52 | 22 | 29 | 14 | 63 | 53 | 281 | 21 | 185 | 25 | 27 | 7 | 8 | 24 | 36 | 28 | 18 |
| Respiratory Organs | 25 | 115 | 59 | 78 | 15 | 283 | 255 | 1544 | 54 | 528 | 38 | 37 | 10 | 13 | 48 | 88 | 52 | 46 |
| Digestive Organs | 10 | 79 | 43 | 44 | 10 | 167 | 141 | 582 | 36 | 241 | 33 | 24 | 8 | 6 | 35 | 61 | 37 | 30 |
| Urinary Organs | 1 | 9 | 5 | 6 | 4 | 12 | 18 | 53 | 6 | 42 | 7 | 3 | – | 1 | 6 | 12 | 5 | 10 |
| Generative Organs | 1 | 15 | 6 | 6 | 1 | 22 | 17 | 109 | 2 | 62 | 5 | 7 | 4 | 1 | 13 | 13 | 5 | 9 |
| Locomotive Organs | 1 | 5 | 1 | 5 | 3 | 4 | 10 | 36 | 1 | 17 | – | 1 | – | – | 3 | 9 | 4 | 2 |
| Skin | – | 2 | 1 | 1 | – | 1 | 3 | 2 | 1 | 5 | 1 | – | – | 1 | – | 1 | – | – |
| Malformation | – | 1 | – | – | – | 4 | 9 | 16 | 5 | 12 | 2 | 1 | – | 1 | 2 | – | – | – |
| Premature Debility | 5 | 41 | 18 | 11 | 2 | 114 | 71 | 384 | 16 | 130 | 12 | 14 | 2 | 4 | 25 | 28 | 8 | 8 |
| Atrophy | 2 | 11 | 6 | 9 | 3 | 33 | 11 | 116 | 5 | 31 | 3 | 1 | – | 1 | 3 | 6 | 3 | – |
| Age | 23 | 123 | 52 | 197 | 37 | 191 | 199 | 533 | 32 | 223 | 37 | 37 | 14 | 4 | 54 | 149 | 63 | 80 |
| Sudden Deaths | – | 2 | 2 | 1 | – | 3 | 1 | 16 | – | 3 | 1 | 1 | – | – | – | 2 | – | – |
| Violent Deaths | 3 | 8 | 7 | 9 | 2 | 29 | 39 | 129 | 10 | 101 | 4 | 6 | 1 | – | 20 | 8 | 5 | 7 |
| Small Pox | – | 23 | 1 | 4 | – | 2 | – | 26 | – | 123 | 7 | 1 | 1 | – | 5 | 2 | – | – |
| Measles | 1 | 11 | 2 | 5 | – | 81 | 11 | 174 | 1 | 27 | 3 | 12 | 2 | 2 | 2 | 15 | – | – |
| Scarlatina | – | 31 | 5 | 2 | 3 | 15 | 19 | 145 | 40 | 148 | 16 | 11 | 1 | – | 13 | 15 | 5 | 9 |
| Diphtheria | 2 | 10 | 6 | 13 | 4 | 45 | 21 | 114 | – | 37 | – | 8 | 2 | 1 | 7 | 10 | 11 | 3 |
| Hooping Cough | 10 | 30 | 7 | 12 | 3 | 48 | 95 | 479 | 21 | 227 | 22 | 14 | 7 | 2 | 8 | 6 | 22 | 33 |
| Croup | 6 | 13 | 10 | 8 | 3 | 54 | 46 | 225 | 10 | 73 | 10 | 8 | 1 | 1 | 9 | 8 | 2 | 4 |
| Thrush | – | – | 1 | 1 | – | 1 | – | 4 | – | 3 | – | – | – | – | – | – | – | – |
| Diarrhœa | 1 | 25 | 10 | 8 | 1 | 48 | 48 | 187 | 4 | 58 | 9 | 1 | 1 | 4 | 2 | 8 | 4 | 3 |
| Dysentery | – | 8 | 5 | 3 | 2 | 5 | 8 | 27 | 1 | 24 | 1 | 1 | 2 | 2 | 1 | 6 | 3 | – |
| Cholera | – | – | – | 1 | – | 1 | – | 9 | 2 | 2 | 1 | 1 | 1 | – | 1 | 1 | – | – |
| Influenza | – | 5 | 2 | 9 | – | 5 | 19 | 20 | – | 10 | 1 | – | – | – | 5 | 4 | 5 | 3 |
| Purpura | – | – | 1 | – | 1 | – | 2 | 6 | – | 6 | – | – | – | – | – | – | – | – |
| Ague | – | – | – | 1 | – | 6 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Worms | – | 1 | – | 1 | – | 3 | 3 | 4 | – | 2 | – | – | – | – | – | – | – | – |
| Infantile Fever | 3 | 2 | – | – | – | 2 | 1 | 4 | – | 8 | – | 1 | – | – | – | 2 | 1 | 6 |
| Typhus | 27 | 45 | 41 | 28 | 12 | 103 | 182 | 378 | 45 | 132 | 10 | 11 | 1 | 4 | 30 | 31 | 12 | 19 |
| Metria | 1 | 4 | 1 | – | – | 9 | 10 | 27 | 5 | 22 | 2 | 1 | 1 | – | 2 | 3 | 4 | 3 |
| Rheumatic Fever | – | 2 | 1 | – | – | 3 | – | 4 | 1 | 5 | – | – | – | – | – | – | – | 1 |
| Erysipelas | – | 3 | 5 | 4 | – | 12 | 4 | 42 | 1 | 20 | 2 | 3 | – | – | 3 | 3 | – | – |
| Syphilis | 1 | 1 | 5 | – | – | 4 | 5 | 17 | 1 | 14 | – | 1 | – | – | 1 | – | – | – |
| Noma | – | – | – | – | – | 2 | 1 | 6 | 1 | 1 | – | – | – | – | – | 1 | – | 1 |
| Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmorrhage | – | 3 | – | 1 | – | 3 | 1 | 7 | 1 | 5 | – | 2 | – | – | 1 | 2 | – | 2 |
| Dropsy | 5 | 12 | 8 | 9 | 3 | 44 | 25 | 94 | 2 | 35 | 6 | 2 | 1 | 1 | 8 | 16 | 4 | 5 |
| Abscess | – | 1 | 1 | 1 | 1 | 4 | – | 17 | 2 | 6 | 1 | 1 | 1 | – | 1 | 3 | 1 | 2 |
| Ulcer | – | – | 1 | – | – | 2 | 1 | 7 | – | 2 | 2 | 2 | – | – | – | – | – | – |
| Fistula | – | – | – | – | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – |
| Mortification | – | 5 | 1 | 1 | – | 1 | 4 | 12 | 1 | 6 | – | – | – | – | – | 2 | 1 | 2 |
| Cancer | 3 | 10 | 14 | 20 | 10 | 34 | 43 | 141 | 5 | 111 | 11 | 16 | 3 | 2 | 10 | 32 | 4 | 13 |
| Gout | – | – | 1 | – | – | – | – | 1 | – | 3 | – | – | – | – | – | – | – | 1 |
| Scrofula | 1 | 13 | 3 | 5 | – | 16 | 30 | 85 | 4 | 36 | 6 | – | 3 | – | 4 | 7 | 5 | 2 |
| Tabes Mesenterica | – | 4 | 13 | 3 | 3 | 28 | 37 | 123 | 5 | 65 | 3 | 3 | – | 1 | 10 | 9 | 4 | 4 |
| Phthisis | 36 | 108 | 80 | 90 | 23 | 365 | 368 | 1328 | 41 | 346 | 31 | 27 | 13 | 5 | 51 | 104 | 58 | 77 |
| Hydrocephalus | 3 | 30 | 17 | 12 | 5 | 59 | 71 | 252 | 9 | 84 | 6 | 3 | – | 3 | 11 | 9 | 10 | 7 |

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1862.—FEMALES. (*Continued.*)

| DISEASES. | SCOTLAND. | Shetland. | Orkney. | Caithness. | Sutherland. | Ross and Cromarty. | Inverness. | Nairn. | Elgin. | Banff. | Aberdeen. | Kincardine. | Forfar. | Perth. | Fife. | Kinross. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| IV. Cephalitis | 136 | 2 | – | – | 1 | 1 | 3 | – | – | 3 | 6 | 2 | 9 | 3 | 4 | – |
| Apoplexy | 599 | – | 3 | 3 | 1 | 2 | 7 | 2 | 14 | 11 | 42 | 6 | 49 | 32 | 37 | 3 |
| Paralysis | 774 | 4 | 7 | 8 | 5 | 18 | 21 | 4 | 21 | 8 | 55 | 12 | 57 | 35 | 51 | 2 |
| Delirium Tremens | 10 | – | – | – | – | – | – | – | – | 1 | – | – | – | – | 2 | – |
| Chorea | 3 | – | – | – | – | – | – | – | – | – | – | – | – | 1 | – | – |
| Epilepsy | 93 | – | 2 | 2 | – | – | 1 | – | – | 1 | 5 | 2 | 4 | 5 | 6 | – |
| Tetanus | 16 | 1 | – | – | – | 2 | – | – | – | – | 1 | – | 1 | – | 1 | – |
| Insanity | 54 | – | – | 1 | – | 2 | 4 | – | – | 1 | 4 | 1 | 4 | 6 | 2 | – |
| Convulsions | 291 | 2 | 2 | 5 | – | 8 | 5 | 1 | 3 | 3 | 18 | 3 | 30 | 2 | 11 | – |
| Brain Disease | 411 | – | 2 | 1 | 2 | – | 4 | 1 | 3 | 1 | 30 | 4 | 28 | 7 | 9 | 1 |
| V. Pericarditis | 34 | 1 | – | – | – | 1 | – | – | – | 1 | 3 | – | 2 | 2 | 3 | – |
| Aneurism | 31 | – | – | – | – | 1 | – | – | 1 | – | 3 | – | 4 | 1 | 1 | – |
| Heart Disease | 1290 | 4 | 4 | 12 | 1 | 8 | 18 | 1 | 18 | 15 | 84 | 10 | 135 | 50 | 70 | 3 |
| VI. Laryngitis | 67 | 1 | – | 1 | – | – | 1 | – | 1 | 3 | 2 | – | 4 | 2 | – | – |
| Bronchitis | 2962 | 2 | 7 | 27 | 4 | 12 | 31 | 2 | 27 | 30 | 158 | 26 | 201 | 108 | 115 | 5 |
| Pleurisy | 127 | – | – | 1 | 1 | 4 | 14 | – | 2 | 2 | 10 | – | 7 | 6 | 2 | – |
| Pneumonia | 817 | 1 | 2 | 6 | 1 | 9 | 9 | 2 | 8 | 14 | 40 | 1 | 55 | 18 | 27 | 4 |
| Asthma | 370 | 2 | 3 | 2 | 8 | 22 | 25 | 1 | 5 | 3 | 17 | 1 | 31 | 19 | 20 | – |
| Lung Disease | 157 | – | – | 1 | – | 1 | 1 | – | 1 | 3 | 11 | 1 | 8 | 2 | 7 | 1 |
| VII. Teething | 505 | 2 | – | – | 3 | 5 | 6 | – | 8 | 6 | 44 | 3 | 40 | 18 | 14 | – |
| Quinsey | 32 | 1 | – | – | – | 4 | 2 | – | – | 1 | 3 | – | – | 2 | 1 | – |
| Gastritis | 90 | – | 1 | 2 | – | 1 | 1 | 1 | 2 | 2 | 7 | – | 3 | 8 | 7 | – |
| Enteritis | 394 | – | – | 4 | – | 2 | 3 | – | 5 | 6 | 12 | 3 | 16 | 16 | 14 | 1 |
| Peritonitis | 131 | – | 1 | – | – | 1 | 3 | 2 | 2 | 6 | 9 | 3 | 8 | 2 | 6 | – |
| Ascites | 47 | – | – | – | 2 | 1 | 5 | – | 1 | – | 3 | – | 2 | 5 | 4 | – |
| Ulceration of Intestines | 81 | 1 | – | 1 | – | 1 | – | 1 | 1 | 1 | 8 | 1 | 8 | 1 | 3 | – |
| Hernia | 56 | – | – | – | – | – | 2 | – | 2 | 2 | 4 | 1 | 4 | 3 | 5 | – |
| Ileus | 137 | 2 | 1 | – | – | 2 | 2 | 1 | 1 | 8 | 22 | 1 | 10 | 6 | 4 | – |
| Intussusception | 24 | – | – | – | – | 1 | – | – | – | 1 | 2 | – | – | 1 | 2 | – |
| Stricture of Intestines | 9 | – | – | – | – | – | 1 | – | – | – | 2 | – | 1 | – | 1 | 1 |
| Stomach Disease | 358 | 3 | 2 | – | 1 | 6 | 9 | – | 6 | 12 | 27 | 1 | 16 | 15 | 23 | 1 |
| Pancreas Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hepatitis | 79 | 1 | 1 | 1 | – | 1 | 1 | – | – | 3 | 2 | 1 | 6 | 4 | 1 | – |
| Jaundice | 80 | 1 | 1 | – | 3 | – | 2 | – | 1 | 3 | 4 | 2 | 11 | 1 | 1 | – |
| Liver Disease | 294 | 1 | 1 | – | 1 | 4 | 3 | – | 3 | 5 | 17 | 1 | 21 | 17 | 20 | 1 |
| Spleen Disease | 12 | – | – | – | – | – | 1 | – | – | – | 2 | – | 1 | – | – | – |
| VIII. Nephritis | 20 | – | – | – | – | – | – | – | – | – | – | – | 1 | 1 | – | – |
| Nephria | 102 | – | 1 | – | – | – | – | – | 3 | 3 | 4 | – | 9 | 2 | 4 | – |
| Ischuria | 5 | – | – | – | – | – | – | – | – | 1 | 2 | – | – | – | – | – |
| Diabetes | 31 | – | – | – | – | – | – | – | – | – | 3 | – | – | 1 | 3 | – |
| Stone | 8 | – | 2 | – | – | – | – | – | – | – | – | – | 1 | – | – | – |
| Cystitis | 14 | – | – | – | – | – | – | – | – | – | 3 | – | – | – | – | – |
| Stricture of Urethra | 1 | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| Kidney Disease | 106 | – | 1 | 1 | – | 1 | – | 1 | 4 | 2 | 18 | 1 | 5 | 5 | 3 | – |
| IX. Paramenia | 29 | – | 1 | – | – | – | – | – | – | 1 | 1 | 1 | 4 | 2 | – | – |
| Ovarian Dropsy | 69 | – | – | 2 | – | – | 2 | – | 4 | 1 | 4 | 2 | 5 | 1 | 4 | – |
| Childbirth | 305 | 6 | 3 | 2 | 4 | 5 | 7 | – | 1 | 7 | 27 | 3 | 29 | 11 | 11 | – |
| Organs of Generation | 77 | – | 1 | 2 | – | – | 1 | – | 1 | 1 | 5 | 3 | 6 | 1 | 7 | 3 |
| X. Arthritis | 10 | – | 1 | – | – | – | – | – | – | – | 1 | – | 3 | 1 | – | – |
| Rheumatism | 86 | 1 | – | – | 2 | 3 | 11 | – | 1 | 2 | 7 | – | 5 | 8 | 2 | – |
| Joint and Bone Disease | 79 | – | 3 | – | – | – | 1 | – | 2 | – | 5 | 2 | 4 | 3 | 5 | – |
| XI. Carbuncle | 7 | – | – | 1 | – | 1 | – | – | – | 1 | – | – | – | 1 | – | – |
| Phlegmon | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Skin Disease | 21 | – | – | – | 1 | 1 | – | – | – | – | 1 | 1 | 2 | – | – | – |
| XII. Cyanosis | 23 | – | – | – | – | – | – | – | – | – | 1 | 1 | 2 | 2 | – | – |
| Spina Bifida | 14 | – | – | – | – | – | – | – | – | – | – | – | 1 | 1 | 2 | – |
| Other Malformations | 33 | – | – | – | – | – | – | – | – | – | 5 | – | – | – | 2 | – |
| XVII. Intemperance | 14 | – | – | – | – | – | – | – | – | – | 1 | – | 1 | – | – | – |
| Privation | 4 | – | – | – | – | – | – | – | – | – | – | – | 1 | 1 | – | – |
| Want of Breast Milk | 29 | – | – | – | – | – | – | – | – | – | 3 | – | 3 | – | – | 1 |
| Neglect | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cold | 13 | – | – | – | 1 | – | 1 | – | – | – | 1 | – | – | – | – | – |
| Poison | 25 | – | – | 1 | – | – | – | – | – | – | – | – | 2 | 1 | 1 | – |
| Burns and Scalds | 175 | 3 | 2 | 4 | – | 4 | 2 | 1 | 3 | 2 | 8 | 1 | 10 | 11 | 9 | 1 |
| Hanging, etc. | 12 | – | 1 | – | – | – | 1 | – | – | – | – | – | 1 | 1 | 5 | – |
| Suffocation | 38 | – | – | – | – | 1 | – | – | – | 2 | 5 | 1 | 3 | – | 1 | – |
| Drowning | 69 | – | – | – | 1 | 2 | 1 | – | 2 | – | 5 | 1 | 3 | 3 | 1 | – |
| Fracture and Contusion | 144 | 1 | – | – | – | 2 | – | – | 1 | 2 | 14 | 1 | 6 | 5 | 4 | 1 |
| Wounds | 14 | – | – | – | – | – | – | – | 1 | – | – | – | 1 | 1 | 1 | – |
| Other Violent Causes | 22 | – | – | – | – | – | – | – | 1 | 1 | 4 | – | 3 | – | 2 | – |
| Not Specified | 1561 | 45 | 15 | 16 | 21 | 132 | 117 | 5 | 28 | 29 | 78 | 7 | 75 | 68 | 84 | – |

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1862.—FEMALES. (*Continued.*)

| DISEASES. | Clackmannan. | Stirling. | Dunbarton. | Argyll. | Bute. | Renfrew. | Ayr. | Lanark. | Linlithgow. | Edinburgh. | Haddington. | Berwick. | Peebles. | Selkirk. | Roxburgh. | Dumfries. | Kirkcudbright. | Wigtown. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Cephalitis | 1 | – | 1 | 5 | 2 | 7 | 10 | 37 | 4 | 22 | 1 | 1 | – | 1 | – | 5 | 2 | 3 |
| Apoplexy | 5 | 20 | 14 | 13 | 6 | 33 | 41 | 110 | 5 | 65 | 14 | 5 | 1 | 1 | 20 | 11 | 14 | 9 |
| Paralysis | 6 | 30 | 18 | 19 | 3 | 35 | 45 | 122 | 7 | 83 | 19 | 7 | 2 | 1 | 24 | 24 | 7 | 14 |
| Delirium Tremens | – | – | – | – | – | 1 | 1 | 4 | – | – | – | – | 1 | – | – | – | – | – |
| Chorea | – | – | – | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Epilepsy | – | 2 | – | 2 | – | 5 | 3 | 24 | – | 16 | 2 | 1 | – | 1 | 2 | 4 | – | 3 |
| Tetanus | – | 1 | – | – | – | – | – | 3 | – | 6 | – | – | – | – | – | – | – | – |
| Insanity | – | 2 | – | 2 | – | 1 | 2 | 7 | – | 11 | – | 1 | – | – | – | 3 | – | – |
| Convulsions | 1 | 6 | 1 | 5 | – | 16 | 17 | 84 | 4 | 38 | 1 | 4 | 2 | – | 9 | 6 | 3 | 1 |
| Brain Disease | 2 | 19 | 2 | 9 | 1 | 31 | 28 | 128 | 5 | 57 | 1 | 4 | 1 | – | 7 | 7 | 10 | 6 |
| Pericarditis | – | – | 3 | 2 | – | – | 1 | 10 | 1 | 1 | 1 | – | – | – | 1 | 1 | – | – |
| Aneurism | – | 1 | – | – | – | 1 | – | 6 | 1 | 7 | – | 1 | 2 | – | – | 1 | – | – |
| Heart Disease | 5 | 51 | 19 | 27 | 14 | 62 | 52 | 265 | 19 | 177 | 24 | 26 | 5 | 8 | 23 | 34 | 28 | 18 |
| Laryngitis | – | 1 | 2 | – | – | 3 | 7 | 22 | – | 9 | – | 1 | – | – | – | 4 | 2 | 1 |
| Bronchitis | 17 | 65 | 35 | 52 | 8 | 208 | 156 | 1051 | 42 | 364 | 21 | 26 | 7 | 11 | 31 | 52 | 34 | 27 |
| Pleurisy | – | 2 | 2 | 1 | – | 4 | 5 | 23 | 1 | 22 | 1 | 1 | 1 | – | 3 | 7 | 1 | 4 |
| Pneumonia | 4 | 17 | 11 | 17 | 6 | 46 | 51 | 314 | 10 | 77 | 12 | 6 | 1 | 2 | 11 | 13 | 12 | 10 |
| Asthma | 2 | 14 | 5 | 7 | 1 | 15 | 22 | 86 | 1 | 40 | 2 | 1 | – | – | 2 | 9 | 3 | 1 |
| Lung Disease | 2 | 16 | 4 | 1 | – | 7 | 14 | 48 | – | 16 | 2 | 2 | 1 | – | 1 | 3 | – | 3 |
| Teething | 4 | 16 | 7 | 6 | 2 | 55 | 24 | 180 | 12 | 35 | 2 | 2 | – | – | 3 | 5 | 3 | – |
| Quinsey | – | – | – | 1 | – | 1 | 1 | 13 | – | 1 | – | – | – | – | 1 | – | – | – |
| Gastritis | 1 | 2 | 2 | 3 | – | 8 | 8 | 13 | 1 | 4 | 1 | – | – | – | – | 8 | 2 | 2 |
| Enteritis | 2 | 12 | 7 | 3 | 1 | 31 | 39 | 133 | 9 | 31 | 8 | – | – | – | 5 | 17 | 5 | 9 |
| Peritonitis | 1 | 4 | 1 | 1 | – | 8 | 6 | 29 | 3 | 14 | 3 | 3 | 2 | 2 | 1 | 3 | 6 | 1 |
| Ascites | – | – | 1 | 5 | – | – | 2 | 5 | – | 6 | – | 2 | – | – | – | 1 | 2 | – |
| Ulceration of Intestines | – | 1 | 4 | 1 | 1 | 4 | 4 | 11 | – | 17 | – | 4 | 1 | 1 | – | 4 | – | 1 |
| Hernia | – | 3 | 3 | – | – | 2 | 1 | 9 | – | 10 | – | – | 1 | – | 1 | 1 | 1 | 1 |
| Ileus | – | 4 | 1 | 2 | – | 3 | 7 | 32 | – | 18 | – | – | 1 | 1 | 4 | 3 | – | 1 |
| Intussusception | – | – | 1 | 2 | – | – | 4 | 5 | – | 3 | 2 | – | – | – | – | – | – | – |
| Stricture of Intestines | – | – | – | – | – | 1 | – | – | – | 2 | – | – | – | – | – | – | – | – |
| Stomach Disease | 1 | 16 | 4 | 12 | 3 | 20 | 20 | 64 | 3 | 42 | 7 | 7 | 1 | 2 | 7 | 9 | 11 | 7 |
| Pancreas Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hepatitis | – | 3 | 1 | 3 | – | 8 | 2 | 20 | 2 | 7 | – | – | – | – | 3 | 2 | 3 | 3 |
| Jaundice | – | 4 | 2 | – | – | 2 | 8 | 14 | – | 13 | 2 | 3 | – | – | 1 | – | 1 | – |
| Liver Disease | 1 | 14 | 8 | 5 | 3 | 24 | 14 | 52 | 6 | 37 | 8 | 2 | 1 | – | 9 | 7 | 3 | 5 |
| Spleen Disease | – | – | 1 | – | – | – | 1 | 2 | – | 1 | – | 1 | 1 | – | – | 1 | – | – |
| Nephritis | – | 1 | – | 1 | 1 | – | 4 | 7 | – | 1 | – | – | – | – | 1 | 1 | 1 | – |
| Nephria | 1 | 2 | – | 1 | 2 | 3 | 3 | 19 | 5 | 23 | 2 | 1 | – | 1 | 1 | 5 | 2 | 5 |
| Ischuria | – | – | – | – | – | – | 1 | – | – | – | 1 | – | – | – | – | – | – | – |
| Diabetes | – | 1 | 1 | – | – | – | 5 | 8 | – | 4 | – | 1 | – | – | 1 | 2 | – | 1 |
| Stone | – | – | 2 | – | – | 1 | 1 | 1 | – | – | – | – | – | – | – | – | – | – |
| Cystitis | – | – | – | 1 | – | 1 | – | 3 | – | 2 | 1 | – | – | – | 1 | – | – | 2 |
| Stricture of Urethra | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Kidney Disease | – | 5 | 2 | 3 | 1 | 7 | 4 | 15 | 1 | 12 | 3 | 1 | – | – | 2 | 4 | 2 | 2 |
| Paramenia | – | 1 | – | – | – | – | – | 7 | 1 | 6 | – | – | – | – | 2 | 2 | – | – |
| Ovarian Dropsy | – | 4 | – | 2 | – | 2 | – | 11 | – | 15 | 1 | 3 | – | – | 1 | 4 | – | 1 |
| Childbirth | 1 | 7 | 5 | 4 | 1 | 16 | 12 | 73 | 1 | 29 | 3 | 4 | 4 | 1 | 10 | 6 | 5 | 7 |
| Organs of Generation | – | 3 | 1 | – | – | 4 | 5 | 18 | – | 12 | 1 | – | – | – | – | 1 | – | 1 |
| Arthritis | – | 1 | – | – | – | – | 1 | 1 | – | – | – | – | – | – | – | 1 | – | – |
| Rheumatism | – | 1 | – | 5 | 1 | 2 | 3 | 16 | 1 | 7 | – | 1 | – | – | – | 5 | 2 | – |
| Joint Disease | 1 | 3 | 1 | – | 2 | 2 | 6 | 19 | – | 10 | – | – | – | – | 3 | 3 | 2 | 2 |
| Carbuncle | – | – | – | – | – | – | 1 | – | – | 1 | 1 | – | – | – | – | – | – | – |
| Phlegmon | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Skin Disease | – | 2 | 1 | 1 | – | 1 | 2 | 2 | – | 4 | – | – | – | 1 | – | 1 | – | – |
| Cyanosis | – | 1 | – | – | – | 1 | 5 | 4 | 1 | 4 | – | – | – | 1 | – | – | – | – |
| Spina Bifida | – | – | – | – | – | – | – | 3 | 2 | 2 | – | 1 | – | – | 2 | – | – | – |
| Other Malformations | – | – | – | – | – | 3 | 4 | 9 | 2 | 6 | 2 | – | – | – | – | – | – | – |
| Intemperance | – | – | – | – | – | 1 | 1 | 4 | – | 4 | – | – | – | – | 1 | 1 | – | – |
| Privation | – | 1 | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Want of Breast Milk | – | – | – | – | – | 1 | 1 | 12 | 1 | 6 | – | – | – | – | 1 | – | – | – |
| Neglect | – | – | – | – | – | – | – | 2 | – | – | – | – | – | – | – | – | – | – |
| Cold | – | – | – | 1 | – | 1 | 1 | 1 | – | 3 | 1 | 1 | – | – | – | 1 | – | – |
| Poison | – | – | – | – | – | 1 | 3 | 9 | 1 | 2 | 1 | – | 1 | – | – | – | – | 2 |
| Burns and Scalds | – | 6 | 4 | 1 | – | 8 | 15 | 41 | 2 | 20 | 2 | 2 | – | – | 8 | 2 | 1 | 2 |
| Hanging, etc. | – | – | – | – | – | – | – | 2 | – | – | – | – | – | – | – | 1 | – | – |
| Suffocation | – | – | – | – | 1 | 2 | – | 6 | – | 13 | – | – | – | – | 2 | 1 | – | – |
| Drowning | – | – | 2 | 1 | – | 3 | 11 | 19 | – | 7 | – | 1 | – | – | 4 | 1 | 1 | – |
| Fracture and Contusion | 3 | 1 | – | 5 | 1 | 10 | 6 | 24 | 6 | 42 | – | 2 | – | – | 3 | 1 | 1 | 2 |
| Wounds | – | – | – | 1 | – | 2 | – | 5 | – | 1 | – | – | – | – | 1 | – | – | – |
| Other Violent Causes | – | – | 1 | – | – | – | 1 | 4 | – | 2 | – | – | – | – | – | – | 2 | 1 |
| Not Specified | 14 | 78 | 41 | 106 | 18 | 96 | 85 | 206 | 22 | 45 | 19 | 16 | 3 | 4 | 20 | 41 | 18 | 18 |

CAUSES of DEATH in the TOWNS of SCOTLAND during the YEAR 1862.—BOTH SEXES.

| DISEASES. | Glasgow. | Barony. | Govan. | Edinburgh. | Dundee. | Aberdeen. | Paisley. | Greenock. | Leith. | Perth. |
|---|---|---|---|---|---|---|---|---|---|---|
| ALL CAUSES | 11565 | 789 | 783 | 4760 | 2599 | 1923 | 1253 | 1370 | 872 | 618 |
| SPECIFIED CAUSES | 11403 | 731 | 761 | 4733 | 2551 | 1916 | 1214 | 1315 | 859 | 603 |
| I. Zymotic Class | 2497 | 116 | 195 | 1171 | 769 | 424 | 206 | 313 | 291 | 149 |
| II. Diseases of Uncertain Seat | 296 | 26 | 14 | 184 | 80 | 74 | 54 | 40 | 26 | 22 |
| III. Tubercular Class | 2340 | 141 | 164 | 803 | 411 | 347 | 235 | 286 | 111 | 89 |
| IV. Brain and Nervous System | 807 | 57 | 68 | 418 | 146 | 163 | 102 | 104 | 68 | 58 |
| V. Organs of Circulation | 424 | 21 | 15 | 263 | 83 | 85 | 35 | 37 | 51 | 38 |
| VI. Respiratory Organs | 2290 | 191 | 110 | 749 | 415 | 255 | 182 | 162 | 117 | 81 |
| VII. Organs of Digestion | 872 | 43 | 59 | 280 | 141 | 174 | 124 | 113 | 48 | 44 |
| VIII. Urinary Organs | 98 | 11 | 9 | 93 | 33 | 51 | 7 | 15 | 8 | 4 |
| IX. Organs of Generation | 58 | 7 | 11 | 41 | 26 | 13 | 9 | 6 | 4 | 6 |
| X. Organs of Locomotion | 54 | 6 | 5 | 38 | 11 | 18 | 8 | 5 | 6 | 3 |
| XI. Skin, etc. | 4 | – | 2 | 7 | 4 | 3 | 1 | 4 | 2 | 1 |
| XII. Malformation | 23 | 1 | 4 | 18 | 2 | 3 | 4 | 4 | 2 | 2 |
| XIII. Premature Debility | 660 | 30 | 52 | 210 | 186 | 96 | 63 | 90 | 51 | 28 |
| XIV. Atrophy | 158 | 5 | 5 | 35 | 28 | 13 | 21 | 27 | 6 | 6 |
| XV. Age | 472 | 53 | 21 | 218 | 144 | 132 | 134 | 59 | 37 | 54 |
| XVI. Sudden Deaths | 19 | – | – | 12 | 14 | 1 | 1 | 6 | – | 3 |
| XVII. Violent Deaths | 331 | 23 | 27 | 193 | 58 | 64 | 28 | 44 | 31 | 15 |
| I. Small Pox | 27 | 1 | 1 | 171 | 16 | – | 1 | 2 | 77 | 1 |
| Measles | 275 | 3 | 20 | 30 | 240 | 156 | 15 | 99 | 5 | 5 |
| Scarlatina | 112 | 4 | 41 | 232 | 24 | 21 | 4 | 2 | 30 | 16 |
| Diphtheria | 139 | 6 | 26 | 42 | 27 | 16 | 10 | 32 | 10 | 7 |
| Hooping Cough | 681 | 17 | 26 | 280 | 213 | 80 | 30 | 16 | 81 | 60 |
| Croup | 327 | 16 | 26 | 89 | 77 | 12 | 30 | 43 | 15 | 16 |
| Thrush | 4 | – | – | 5 | 4 | – | – | 2 | – | – |
| Diarrhœa | 205 | 31 | 19 | 67 | 53 | 33 | 20 | 32 | 11 | 5 |
| Dysentery | 39 | 1 | 1 | 22 | 18 | 12 | 4 | 5 | 7 | 1 |
| Cholera | 14 | – | – | 2 | 1 | 2 | 1 | 1 | – | – |
| Influenza | 22 | – | – | 9 | 9 | 9 | 2 | 1 | – | 2 |
| Purpura | 3 | – | 1 | 8 | 3 | 1 | 2 | – | 1 | 2 |
| Ague | 3 | – | – | – | – | – | 7 | 1 | – | – |
| Worms | 7 | – | 1 | 1 | 1 | – | 2 | – | 1 | – |
| Infantile Fever | 5 | – | 1 | 10 | 3 | – | – | 1 | 1 | – |
| Typhus | 533 | 31 | 30 | 147 | 64 | 61 | 60 | 63 | 39 | 33 |
| Metria | 18 | 3 | – | 16 | 1 | 3 | 6 | 2 | 3 | – |
| Rheumatic Fever | 9 | – | – | 5 | 1 | 4 | 3 | 2 | 1 | 1 |
| Erysipelas | 44 | 2 | 2 | 18 | 7 | 5 | 4 | 4 | 6 | – |
| Syphilis | 27 | – | – | 15 | 7 | 8 | 3 | 5 | 3 | – |
| Noma | 3 | 1 | – | 2 | – | 1 | 2 | – | – | – |
| Hydrophobia | – | – | – | – | – | – | – | – | – | – |
| II. Hæmorrhage | 13 | – | 2 | 5 | 1 | 1 | 1 | 2 | 2 | – |
| Dropsy | 87 | 13 | 2 | 33 | 38 | 20 | 31 | 14 | 9 | 7 |
| Abscess | 24 | 3 | – | 16 | 2 | 5 | 6 | – | 1 | – |
| Ulcer | 11 | – | – | 4 | 3 | 4 | 1 | 2 | 1 | 1 |
| Fistula | 3 | – | – | 1 | – | 1 | – | – | – | – |
| Mortification | 19 | 1 | 1 | 7 | 3 | 2 | 1 | 1 | 3 | 1 |
| Cancer | 138 | 9 | 9 | 118 | 33 | 41 | 14 | 21 | 10 | 13 |
| Gout | 1 | – | – | – | – | – | – | – | – | – |
| III. Scrofula | 109 | 15 | 7 | 60 | 10 | 22 | 8 | 11 | 10 | 9 |
| Tabes Mesenterica | 182 | 4 | 19 | 92 | 15 | 15 | 18 | 18 | 21 | 4 |
| Phthisis | 1670 | 111 | 96 | 514 | 304 | 244 | 173 | 210 | 60 | 65 |
| Hydrocephalus | 379 | 11 | 42 | 137 | 82 | 66 | 36 | 47 | 20 | 11 |

CAUSES of DEATH in the TOWNS of SCOTLAND during the YEAR 1862.—BOTH SEXES.

| DISEASES. | Inverness. | Arbroath. | Forfar. | Montrose. | Dunfermline. | Kirkcaldy. | Stirling. | Ayr. | Kilmarnock. | Hamilton. | Airdrie. | Coatbridge, etc. | Dumfries. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| ALL CAUSES | 322 | 435 | 313 | 412 | 271 | 254 | 381 | 534 | 576 | 287 | 259 | 413 | 537 |
| SPECIFIED CAUSES | 317 | 429 | 303 | 397 | 260 | 244 | 275 | 510 | 573 | 256 | 244 | 403 | 524 |
| Zymotic Class | 42 | 132 | 81 | 83 | 48 | 59 | 106 | 138 | 122 | 38 | 64 | 200 | 90 |
| Uncertain Seat | 10 | 7 | 6 | 20 | 13 | 16 | 10 | 12 | 19 | 8 | 11 | 10 | 25 |
| Tubercular Class | 37 | 72 | 43 | 75 | 56 | 39 | 54 | 103 | 159 | 68 | 56 | 56 | 95 |
| Brain, etc. | 38 | 37 | 35 | 55 | 27 | 14 | 36 | 33 | 46 | 16 | 14 | 16 | 56 |
| Heart, etc. | 19 | 31 | 29 | 21 | 19 | 14 | 32 | 13 | 18 | 9 | 1 | 9 | 26 |
| Respiratory Organs | 41 | 47 | 38 | 44 | 35 | 36 | 47 | 73 | 92 | 45 | 49 | 47 | 85 |
| Digestive Organs | 37 | 28 | 20 | 21 | 13 | 26 | 29 | 36 | 32 | 18 | 17 | 21 | 52 |
| Urinary Organs | 5 | 6 | – | 8 | 1 | 4 | 6 | 7 | 5 | 6 | 2 | 1 | 8 |
| Generative Organs | 3 | 3 | 1 | 1 | 2 | – | 3 | 1 | 3 | 2 | – | 2 | 2 |
| Locomotive Organs | 2 | 2 | 1 | 2 | 1 | 1 | 1 | 2 | 1 | 2 | 1 | 1 | 4 |
| Skin | 1 | – | – | – | – | – | 1 | 1 | 1 | – | – | 1 | – |
| Malformation | – | 4 | 6 | – | 2 | – | – | 2 | 1 | – | – | 1 | – |
| Premature Debility | 21 | 18 | 16 | 17 | 12 | 10 | 21 | 18 | 23 | 13 | 5 | 11 | 27 |
| Atrophy | 2 | 2 | – | 3 | 2 | 2 | 3 | 2 | 2 | 4 | 1 | 2 | 4 |
| Age | 53 | 34 | 24 | 38 | 23 | 19 | 17 | 50 | 34 | 19 | 19 | 10 | 40 |
| Sudden Deaths | – | 1 | – | 2 | – | – | – | – | 1 | 2 | – | – | 1 |
| Violent Deaths | 6 | 5 | 3 | 7 | 6 | 4 | 9 | 19 | 14 | 6 | 4 | 15 | 9 |
| Small Pox | – | – | – | – | – | – | 3 | 1 | – | – | 9 | 2 | – |
| Measles | – | 61 | 9 | 1 | 3 | 13 | 14 | – | – | – | – | – | 18 |
| Scarlatina | 1 | – | 1 | 15 | 1 | 3 | 15 | – | – | – | – | 130 | 4 |
| Diphtheria | – | 1 | 2 | 3 | 3 | 10 | 5 | 12 | 3 | 1 | 2 | 3 | – |
| Hooping Cough | 3 | 12 | 41 | 16 | 10 | 5 | 19 | 12 | 55 | 10 | 14 | 30 | 15 |
| Croup | 11 | 12 | 5 | 6 | 2 | – | 6 | 11 | 14 | 5 | 4 | 7 | 7 |
| Thrush | 1 | – | 2 | – | 1 | – | – | – | – | – | – | – | – |
| Diarrhœa | 7 | 5 | 2 | 13 | 1 | 5 | 23 | 11 | 6 | 8 | 13 | 11 | 11 |
| Dysentery | 1 | 2 | 1 | 4 | 6 | 1 | 2 | 2 | 2 | 1 | – | 1 | 6 |
| Cholera | – | – | – | – | – | – | – | – | 1 | – | 2 | – | – |
| Influenza | – | 2 | – | – | 5 | – | 3 | 1 | 1 | – | 1 | 2 | – |
| Purpura | – | 1 | – | – | – | – | – | – | 1 | – | – | 1 | – |
| Ague | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Worms | – | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Infantile Fever | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Typhus | 13 | 33 | 18 | 20 | 16 | 20 | 12 | 82 | 33 | 10 | 17 | 10 | 23 |
| Metria | – | 1 | – | 2 | – | – | 1 | 1 | – | 1 | – | – | 1 |
| Rheumatic Fever | – | 1 | – | – | – | – | 1 | – | – | – | – | – | – |
| Erysipelas | 4 | 1 | – | 1 | – | 1 | 2 | 1 | 4 | 2 | – | 1 | 3 |
| Syphilis | 1 | – | – | 2 | – | 1 | – | 3 | 2 | – | – | – | 1 |
| Noma | – | – | – | – | – | – | – | 1 | – | – | 2 | 1 | 1 |
| Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmorrhage | – | – | – | 3 | – | – | – | – | 1 | – | – | – | – |
| Dropsy | 4 | 4 | 1 | 1 | 9 | 8 | 6 | 4 | 2 | 2 | 4 | 5 | 6 |
| Abscess | – | – | 1 | 2 | – | – | – | – | – | 1 | 1 | – | 3 |
| Ulcer | 1 | – | – | – | – | – | – | 3 | 1 | – | – | – | – |
| Fistula | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| Mortification | 2 | – | – | 1 | – | – | 2 | – | – | – | – | – | – |
| Cancer | 3 | 3 | 4 | 13 | 4 | 8 | 2 | 4 | 15 | 5 | 6 | 5 | 16 |
| Gout | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scrofula | – | 2 | – | 4 | 4 | – | 4 | 10 | 8 | 1 | 3 | 7 | 7 |
| Tabes Mesenterica | – | – | 2 | 1 | 3 | 8 | 4 | 11 | 7 | – | 11 | 6 | 6 |
| Phthisis | 35 | 59 | 29 | 61 | 39 | 25 | 43 | 73 | 99 | 51 | 40 | 30 | 71 |
| Hydrocephalus | 2 | 11 | 12 | 9 | 10 | 6 | 3 | 9 | 45 | 16 | 2 | 13 | 11 |

CAUSES of DEATH in the TOWNS of SCOTLAND during the YEAR 1862.—BOTH SEXES. (*Contd.*)

| DISEASES. | Glasgow. | Barony. | Govan. | Edinburgh. | Dundee. | Aberdeen. | Paisley. | Greenock. | Leith. | Perth. |
|---|---|---|---|---|---|---|---|---|---|---|
| IV. Cephalitis | 57 | 3 | 3 | 24 | 7 | 8 | 7 | 8 | 8 | 4 |
| Apoplexy | 158 | 15 | 19 | 87 | 37 | 29 | 27 | 25 | 16 | 20 |
| Paralysis | 156 | 18 | 16 | 106 | 38 | 46 | 33 | 28 | 19 | 17 |
| Delirium Tremens | 9 | – | – | 5 | 4 | 5 | 2 | 1 | 3 | – |
| Chorea | 1 | – | – | 1 | – | – | – | 1 | – | – |
| Epilepsy | 31 | 5 | 4 | 20 | 4 | 5 | 4 | 5 | 4 | – |
| Tetanus | 10 | – | 1 | 5 | – | 1 | – | – | 1 | 1 |
| Insanity | 9 | 2 | 1 | 17 | 1 | 8 | 2 | – | – | 4 |
| Convulsions | 189 | 4 | 11 | 68 | 37 | 26 | 4 | 10 | 7 | 5 |
| Brain Disease | 187 | 10 | 13 | 85 | 18 | 35 | 23 | 26 | 10 | 7 |
| V. Pericarditis | 16 | 1 | 2 | 2 | 1 | – | 1 | – | 1 | |
| Aneurism | 7 | 1 | – | 22 | 3 | 5 | 2 | 1 | 3 | 3 |
| Heart Disease | 401 | 19 | 13 | 239 | 79 | 80 | 32 | 36 | 47 | 35 |
| VI. Laryngitis | 42 | 3 | 1 | 18 | 5 | 5 | 3 | – | 3 | 2 |
| Bronchitis | 1553 | 100 | 74 | 520 | 258 | 181 | 135 | 113 | 59 | 63 |
| Pleurisy | 32 | 6 | 3 | 22 | 11 | 10 | 2 | 8 | 3 | 1 |
| Pneumonia | 465 | 65 | 25 | 111 | 90 | 40 | 32 | 30 | 40 | 11 |
| Asthma | 117 | 7 | 5 | 46 | 39 | 13 | 9 | 6 | 7 | 4 |
| Lung Disease | 81 | 10 | 2 | 32 | 12 | 6 | 1 | 5 | 5 | – |
| VII. Teething | 308 | 12 | 16 | 44 | 64 | 62 | 47 | 46 | 9 | 21 |
| Quinsey | 15 | – | 3 | 1 | 2 | 2 | – | 1 | – | 1 |
| Gastritis | 25 | – | – | 6 | 7 | 3 | 5 | 2 | 1 | 2 |
| Enteritis | 190 | 10 | 17 | 39 | 13 | 13 | 36 | 20 | 10 | – |
| Peritonitis | 26 | 6 | 2 | 11 | 8 | 7 | 3 | 4 | 4 | 2 |
| Ascites | 5 | – | 1 | 4 | 2 | 2 | – | – | – | 3 |
| Ulceration of Intestines | 15 | – | 3 | 17 | 4 | 10 | 2 | 2 | 3 | 1 |
| Hernia | 13 | – | – | 11 | 4 | 5 | 3 | 1 | – | 1 |
| Ileus | 40 | 1 | 1 | 20 | 6 | 28 | 2 | 4 | 2 | 1 |
| Intussusception | 6 | – | – | 2 | 1 | 1 | – | 1 | – | 1 |
| Stricture of Intestines | 3 | – | 1 | 4 | 1 | 1 | 1 | – | 2 | – |
| Stomach Disease | 94 | 3 | 6 | 52 | 14 | 14 | 8 | 8 | 7 | 4 |
| Pancreas Disease | – | – | – | – | – | – | – | – | – | – |
| Hepatitis | 20 | 2 | 4 | 6 | 2 | 2 | 6 | 4 | – | 1 |
| Jaundice | 18 | 1 | 1 | 17 | 4 | 7 | 2 | 2 | 3 | 1 |
| Liver Disease | 93 | 7 | 3 | 45 | 9 | 15 | 9 | 18 | 7 | 5 |
| Spleen Disease | 1 | 1 | 1 | 1 | – | 2 | – | – | – | – |
| VIII. Nephritis | 6 | 1 | 1 | 5 | – | – | – | 1 | – | – |
| Nephria | 40 | 6 | 4 | 36 | 12 | 6 | 2 | 2 | 3 | – |
| Ischuria | 5 | – | – | 2 | 1 | 2 | – | – | – | – |
| Diabetes | 8 | – | 3 | 8 | 2 | 5 | – | – | – | – |
| Stone | 6 | – | – | 5 | 4 | 3 | – | 1 | – | – |
| Cystitis | 7 | – | – | 5 | 1 | 4 | 2 | 2 | 3 | 1 |
| Stricture of Urethra | – | – | – | 2 | – | – | – | – | – | – |
| Kidney Disease | 26 | 4 | 1 | 30 | 13 | 31 | 3 | 9 | 2 | 3 |
| IX. Paramenia | 5 | – | – | 4 | 2 | – | – | – | – | – |
| Ovarian Dropsy | 7 | – | 1 | 10 | 2 | 4 | – | 2 | 1 | – |
| Childbirth | 36 | 5 | 8 | 19 | 20 | 7 | 8 | 3 | 3 | 6 |
| Organs of Generation | 10 | 2 | 2 | 8 | 2 | 2 | 1 | 1 | – | – |
| X. Arthritis | 2 | – | – | 2 | 1 | 2 | 1 | 1 | – | – |
| Rheumatism | 20 | 2 | 3 | 13 | 5 | 5 | 2 | 2 | 2 | 2 |
| Joint and Bone Disease | 32 | 4 | 2 | 23 | 5 | 11 | 5 | 2 | 4 | 1 |
| XI. Carbuncle | 2 | – | – | 2 | – | – | – | – | – | – |
| Phlegmon | 1 | – | – | 1 | 2 | – | – | 1 | – | 1 |
| Skin Disease | 1 | – | 2 | 4 | 2 | 3 | 1 | 3 | 2 | – |
| XII. Cyanosis | 6 | 1 | – | 6 | – | 2 | – | – | – | 1 |
| Spina Bifida | 6 | – | – | 2 | 2 | – | 2 | 1 | 2 | 1 |
| Other Malformations | 11 | – | 4 | 10 | – | 1 | 2 | 3 | – | – |
| XVII. Intemperance | 14 | – | 1 | 6 | 2 | 4 | – | – | 1 | – |
| Privation | 1 | – | – | 2 | 1 | – | – | 1 | – | – |
| Want of Breast Milk | 26 | – | – | 8 | 4 | 8 | – | – | 1 | – |
| Neglect | 2 | – | – | – | 1 | – | – | – | – | – |
| Cold | 1 | – | – | 1 | – | – | – | – | 1 | – |
| Poison | 12 | 1 | – | 6 | 3 | – | 1 | 2 | – | – |
| Burns and Scalds | 57 | 4 | 7 | 23 | 15 | 5 | 7 | 6 | 2 | 2 |
| Hanging, etc. | 9 | 1 | – | 3 | 3 | 2 | – | 2 | – | 1 |
| Suffocation | 16 | – | – | 24 | 2 | 7 | 3 | 1 | 4 | – |
| Drowning | 61 | 8 | 6 | 8 | 9 | 11 | 5 | 9 | 8 | 3 |
| Fracture and Contusion | 104 | 9 | 10 | 97 | 14 | 21 | 10 | 21 | 11 | 8 |
| Wounds | 10 | – | 1 | 4 | 2 | 1 | 2 | 1 | 1 | – |
| Other Violent Causes | 18 | – | 2 | 11 | 2 | 5 | – | 1 | 2 | 1 |
| Not Specified | 162 | 58 | 22 | 27 | 48 | 7 | 39 | 55 | 13 | 15 |

CAUSES of DEATH in the TOWNS of SCOTLAND during the YEAR 1862.—BOTH SEXES. (*Contd.*)

| DISEASES. | Inverness. | Arbroath. | Forfar. | Montrose. | Dunfermline. | Kirkcaldy. | Stirling. | Ayr. | Kilmarnock. | Hamilton. | Airdrie. | Coatbridge, etc. | Dumfries. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Cephalitis | – | 7 | – | 1 | 1 | – | 1 | 3 | 3 | 2 | 2 | 2 | 3 |
| Apoplexy | 4 | 8 | 5 | 15 | 7 | 3 | 3 | 11 | 11 | 3 | 6 | 7 | 16 |
| Paralysis | 13 | 6 | 15 | 14 | 11 | 7 | 12 | 7 | 12 | 3 | 3 | 2 | 15 |
| Delirium Tremens | – | – | – | – | – | – | 1 | – | – | – | – | – | 1 |
| Chorea | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Epilepsy | 2 | – | 1 | 5 | 2 | – | – | 1 | 3 | – | 2 | – | 3 |
| Tetanus | – | – | – | 1 | – | – | – | 2 | – | – | – | – | – |
| Insanity | 1 | – | – | 6 | 1 | – | – | – | – | – | – | – | 7 |
| Convulsions | 7 | 6 | 9 | 1 | 3 | 1 | 6 | 8 | 7 | 3 | – | 2 | 7 |
| Brain Disease | 11 | 10 | 5 | 12 | 2 | 3 | 13 | 1 | 10 | 5 | 1 | 3 | 3 |
| Pericarditis | 2 | 1 | 1 | – | – | 1 | – | 1 | – | 1 | – | 1 | 1 |
| Aneurism | – | – | – | – | 1 | – | – | – | – | 1 | – | – | – |
| Heart Disease | 17 | 30 | 28 | 21 | 18 | 13 | 32 | 12 | 18 | 7 | 1 | 8 | 25 |
| Laryngitis | – | 2 | – | 1 | – | – | – | 1 | 1 | 1 | – | – | 5 |
| Bronchitis | 19 | 26 | 28 | 35 | 21 | 24 | 37 | 42 | 75 | 30 | 32 | 35 | 39 |
| Pleurisy | 2 | – | – | 3 | 1 | – | – | 3 | 1 | 3 | – | 2 | 2 |
| Pneumonia | 10 | 8 | 5 | 3 | 8 | 4 | 5 | 15 | 8 | 10 | 11 | 5 | 27 |
| Asthma | 9 | 9 | – | 1 | 3 | 6 | 3 | 8 | 7 | – | 4 | 4 | 8 |
| Lung Disease | 1 | 2 | 5 | 1 | 2 | 2 | 2 | 4 | – | 1 | 2 | 1 | 4 |
| Teething | 11 | 8 | 2 | 3 | 3 | 9 | 7 | 11 | 5 | 4 | 4 | 2 | 3 |
| Quinsey | – | 1 | – | – | – | – | – | 1 | – | – | – | – | – |
| Gastritis | – | – | – | – | – | 1 | – | 3 | 1 | 1 | – | 2 | 6 |
| Enteritis | 3 | 4 | 1 | 4 | 4 | 3 | 7 | 1 | 10 | 3 | 4 | 7 | 12 |
| Peritonitis | 2 | – | 1 | 3 | – | 4 | 1 | 2 | 3 | 3 | 3 | 1 | – |
| Ascites | 2 | – | – | – | – | 1 | – | 1 | – | 1 | – | – | – |
| Ulceration of Intestines | – | 2 | 4 | 1 | – | 1 | – | – | 1 | 1 | – | 1 | 2 |
| Hernia | 2 | – | – | 1 | 1 | 1 | 1 | – | 1 | – | – | 1 | 3 |
| Ileus | – | 2 | 1 | 1 | 2 | – | 2 | 2 | 1 | – | 2 | 2 | 2 |
| Intussusception | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| Stricture of Intestines | 1 | – | – | – | – | – | – | – | 1 | – | – | – | – |
| Stomach Disease | 9 | 3 | 2 | 2 | 2 | 3 | 4 | 6 | 2 | 2 | – | 3 | 12 |
| Pancreas Disease | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hepatitis | – | 1 | 1 | 1 | – | – | 3 | 1 | 2 | 1 | – | 1 | 2 |
| Jaundice | 1 | 1 | 1 | 1 | – | – | 1 | 1 | 1 | 1 | – | 1 | 1 |
| Liver Disease | 6 | 6 | 7 | 4 | 1 | 2 | 2 | 6 | 4 | 1 | 4 | – | 9 |
| Spleen Disease | – | – | – | – | – | 1 | – | 1 | – | – | – | – | – |
| Nephritis | 1 | – | – | 1 | – | – | – | 2 | – | – | – | – | 2 |
| Nephria | 2 | 2 | – | – | – | – | 3 | – | 1 | 3 | 1 | 1 | 3 |
| Ischuria | 1 | – | – | – | – | – | – | – | – | 1 | – | – | – |
| Diabetes | – | 2 | – | – | – | 1 | – | 1 | – | – | – | – | – |
| Stone | – | – | – | 2 | – | – | – | – | – | – | – | – | – |
| Cystitis | – | – | – | 3 | 1 | 1 | 1 | 1 | – | – | – | – | – |
| Stricture of Urethra | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Kidney Disease | 1 | 2 | – | 2 | – | 2 | 2 | 3 | 4 | 2 | 1 | – | 3 |
| Paramenia | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Ovarian Dropsy | 2 | – | – | – | – | – | 1 | – | – | – | – | – | 1 |
| Childbirth | – | 3 | – | 1 | 1 | – | 1 | – | 3 | 2 | – | 2 | 1 |
| Organs of Generation | 1 | – | – | – | 1 | – | 1 | 1 | – | – | – | – | – |
| Arthritis | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Rheumatism | 2 | 1 | 1 | 1 | – | – | – | 1 | – | – | – | – | 2 |
| Joint Disease | – | 1 | – | 1 | 1 | 1 | 1 | 1 | 1 | 2 | 1 | 1 | 1 |
| Carbuncle | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmon | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Skin Disease | – | – | – | – | – | – | 1 | 1 | 1 | – | – | 1 | – |
| Cyanosis | – | 2 | 5 | – | – | – | – | 2 | – | – | – | – | – |
| Spina Bifida | – | – | 1 | – | 2 | – | – | – | – | – | – | – | – |
| Other Malformations | – | 2 | – | – | – | – | – | – | 1 | – | – | 1 | – |
| Intemperance | – | – | – | – | – | – | – | – | – | 1 | – | – | 1 |
| Privation | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Want of Breast Milk | – | – | 1 | – | – | – | – | 1 | 1 | – | – | 2 | – |
| Neglect | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cold | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Poison | – | – | 1 | – | 1 | – | 1 | 1 | 2 | – | – | 1 | – |
| Burns and Scalds | – | – | – | – | – | 1 | 5 | 5 | 4 | – | – | 2 | 1 |
| Hanging, etc. | 1 | – | – | – | 1 | – | – | 1 | 1 | – | – | – | 1 |
| Suffocation | – | – | – | 1 | 1 | – | – | 1 | – | – | – | – | – |
| Drowning | 2 | 2 | 1 | 1 | – | 1 | 1 | 2 | 1 | 1 | – | 3 | 1 |
| Fracture and Contusion | 2 | 1 | – | 2 | 3 | 1 | 2 | 7 | 5 | 4 | 3 | 7 | 4 |
| Wounds | 1 | – | – | 2 | – | – | – | – | – | – | – | – | – |
| Other Violent Causes | – | 2 | – | 1 | – | 1 | – | 1 | – | – | 1 | – | – |
| Not Specified | 5 | 6 | 10 | 15 | 11 | 10 | 6 | 24 | 3 | 31 | 15 | 10 | 13 |

CAUSES of DEATH in the TOWNS of SCOTLAND during the YEAR 1862.—MALES.

| DISEASES. | Glasgow. | Barony. | Govan. | Edinburgh. | Dundee. | Aberdeen. | Paisley. | Greenock. | Leith. | Perth. |
|---|---|---|---|---|---|---|---|---|---|---|
| ALL CAUSES | 5696 | 387 | 397 | 2306 | 1289 | 938 | 602 | 703 | 441 | 295 |
| SPECIFIED CAUSES | 5602 | 356 | 387 | 2290 | 1260 | 937 | 580 | 673 | 435 | 289 |
| I. Zymotic Class | 1225 | 54 | 104 | 517 | 406 | 206 | 85 | 156 | 143 | 71 |
| II. Diseases of Uncertain Seat | 121 | 8 | 4 | 62 | 31 | 29 | 21 | 18 | 8 | 7 |
| III. Tubercular Class | 1066 | 63 | 83 | 429 | 179 | 165 | 107 | 142 | 57 | 46 |
| IV. Brain and Nervous System | 449 | 31 | 37 | 211 | 70 | 94 | 68 | 53 | 38 | 37 |
| V. Organs of Circulation | 208 | 15 | 6 | 136 | 38 | 49 | 15 | 24 | 28 | 22 |
| VI. Respiratory Organs | 1127 | 95 | 58 | 369 | 217 | 124 | 93 | 82 | 62 | 35 |
| VII. Organs of Digestion | 477 | 23 | 27 | 120 | 76 | 81 | 67 | 57 | 21 | 21 |
| VIII. Urinary Organs | 61 | 5 | 5 | 60 | 21 | 37 | 6 | 7 | 6 | 3 |
| IX. Organs of Generation | – | – | – | – | – | – | – | – | – | – |
| X. Organs of Locomotion | 35 | 3 | 2 | 24 | 5 | 14 | 7 | 3 | 4 | 1 |
| XI. Skin, etc. | 4 | – | 1 | 4 | 2 | 3 | – | 4 | – | 1 |
| XII. Malformation | 11 | 1 | 3 | 8 | 1 | 2 | 3 | 2 | 1 | 1 |
| XIII. Premature Debility | 377 | 15 | 27 | 126 | 112 | 52 | 31 | 47 | 31 | 15 |
| XIV. Atrophy | 65 | 3 | 2 | 14 | 17 | 3 | 7 | 14 | 3 | 1 |
| XV. Age | 141 | 18 | 5 | 82 | 48 | 39 | 51 | 24 | 8 | 17 |
| XVI. Sudden Deaths | 10 | – | – | 10 | 4 | 1 | 1 | 3 | – | 2 |
| XVII. Violent Deaths | 225 | 22 | 23 | 118 | 33 | 38 | 18 | 37 | 25 | 9 |
| I. Small Pox | 13 | – | – | 86 | 5 | – | – | 1 | 44 | – |
| Measles | 134 | 2 | 10 | 8 | 125 | 88 | 8 | 52 | 1 | 1 |
| Scarlatina | 63 | 2 | 24 | 115 | 13 | 17 | – | – | 14 | 6 |
| Diphtheria | 63 | 2 | 12 | 18 | 17 | 7 | 4 | 12 | 4 | 4 |
| Hooping Cough | 308 | 9 | 10 | 126 | 113 | 26 | 12 | 8 | 44 | 24 |
| Croup | 167 | 9 | 17 | 34 | 42 | 5 | 13 | 24 | 5 | 10 |
| Thrush | – | – | – | 2 | 3 | – | – | 1 | – | – |
| Diarrhœa | 104 | 10 | 14 | 29 | 25 | 15 | 9 | 16 | 4 | 3 |
| Dysentery | 17 | – | 1 | 6 | 12 | 3 | 2 | 4 | 3 | 1 |
| Cholera | 8 | – | – | 1 | 1 | 1 | – | 1 | – | – |
| Influenza | 8 | – | – | 3 | 4 | 6 | 2 | 1 | – | – |
| Purpura | – | – | – | 2 | 2 | – | 2 | – | 1 | 1 |
| Ague | 2 | – | – | – | – | – | 2 | – | – | – |
| Worms | 5 | – | 1 | – | 1 | – | – | – | – | – |
| Infantile Fever | 2 | – | – | 3 | 1 | – | – | – | 1 | – |
| Typhus | 292 | 18 | 14 | 63 | 33 | 30 | 26 | 31 | 20 | 20 |
| Metria | – | – | – | – | – | – | – | – | – | – |
| Rheumatic Fever | 7 | – | – | 3 | – | 2 | 2 | 2 | – | 1 |
| Erysipelas | 16 | 1 | 1 | 10 | 4 | 2 | 1 | – | 2 | – |
| Syphilis | 16 | – | – | 7 | 5 | 3 | 1 | 3 | – | – |
| Noma | – | 1 | – | 1 | – | 1 | 1 | – | – | – |
| Hydrophobia | – | – | – | – | – | – | – | – | – | – |
| II. Hæmorrhage | 10 | – | 1 | 3 | 1 | 1 | – | 2 | – | – |
| Dropsy | 32 | 4 | 1 | 9 | 13 | 9 | 12 | 7 | 2 | 4 |
| Abscess | 14 | 2 | – | 10 | 2 | 2 | 2 | – | 1 | – |
| Ulcer | 4 | – | – | 2 | 2 | 3 | – | 1 | 1 | 1 |
| Fistula | 3 | – | – | 1 | – | 1 | – | – | – | – |
| Mortification | 11 | – | – | 4 | 2 | 2 | 1 | 1 | 1 | – |
| Cancer | 47 | 2 | 2 | 33 | 11 | 11 | 6 | 7 | 3 | 2 |
| Gout | – | – | – | – | – | – | – | – | – | – |
| III. Scrofula | 59 | 10 | 4 | 35 | 7 | 14 | 4 | 6 | 4 | 8 |
| Tabes Mesenterica | 101 | 3 | 8 | 49 | 9 | 7 | 10 | 7 | 10 | 2 |
| Phthisis | 711 | 43 | 48 | 271 | 120 | 104 | 72 | 99 | 33 | 26 |
| Hydrocephalus | 195 | 7 | 23 | 74 | 43 | 40 | 21 | 30 | 10 | 10 |

CAUSES of DEATH in the TOWNS of SCOTLAND during the YEAR 1862.—MALES.

| DISEASES. | Inverness. | Arbroath. | Forfar. | Montrose. | Dunfermline. | Kirkcaldy. | Stirling. | Ayr. | Kilmarnock. | Hamilton. | Airdrie. | Coatbridge, etc. | Dumfries. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| ALL CAUSES | 155 | 204 | 158 | 191 | 141 | 129 | 186 | 277 | 286 | 152 | 119 | 223 | 281 |
| SPECIFIED CAUSES | 152 | 201 | 153 | 182 | 135 | 126 | 181 | 261 | 283 | 135 | 111 | 216 | 275 |
| Zymotic Class | 23 | 68 | 39 | 36 | 22 | 31 | 53 | 63 | 57 | 14 | 22 | 106 | 53 |
| Uncertain Seat | 2 | 2 | 2 | 9 | 5 | 4 | 2 | 4 | 11 | 2 | 1 | 3 | 11 |
| Tubercular Class | 15 | 27 | 21 | 37 | 29 | 19 | 28 | 56 | 76 | 36 | 26 | 26 | 49 |
| Brain, etc. | 22 | 19 | 20 | 24 | 18 | 6 | 20 | 19 | 23 | 9 | 7 | 8 | 33 |
| Heart, etc. | 10 | 10 | 11 | 4 | 11 | 6 | 16 | 7 | 11 | 7 | – | 6 | 13 |
| Respiratory Organs | 21 | 26 | 21 | 23 | 15 | 25 | 23 | 42 | 52 | 25 | 30 | 29 | 46 |
| Digestive Organs | 16 | 13 | 13 | 6 | 8 | 12 | 10 | 20 | 11 | 8 | 8 | 11 | 29 |
| Urinary Organs | 5 | 6 | – | 7 | 1 | 3 | 4 | 5 | 5 | 6 | 2 | 1 | 1 |
| Generative Organs | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Locomotive Organs | – | 1 | 1 | 1 | 1 | 1 | – | 1 | 1 | – | 1 | – | 2 |
| Skin | 1 | – | – | – | – | – | – | 1 | 1 | – | – | 1 | – |
| Malformation | – | 3 | 6 | – | 1 | – | – | 1 | – | – | – | 1 | – |
| Premature Debility | 10 | 10 | 12 | 8 | 8 | 7 | 12 | 12 | 13 | 11 | 2 | 9 | 12 |
| Atrophy | 1 | 1 | – | 1 | 2 | 1 | 1 | 2 | 2 | 2 | 1 | – | 4 |
| Age | 21 | 10 | 5 | 17 | 9 | 7 | 4 | 14 | 9 | 9 | 7 | 4 | 14 |
| Sudden Deaths | – | 1 | – | 2 | – | – | – | – | – | – | – | – | 1 |
| Violent Deaths | 5 | 4 | 2 | 7 | 5 | 4 | 8 | 14 | 11 | 6 | 4 | 11 | 7 |
| Small Pox | – | – | – | – | – | – | – | 1 | – | – | 4 | 2 | – |
| Measles | – | 31 | 4 | – | 1 | 9 | 7 | – | – | – | – | – | 13 |
| Scarlatina | 1 | – | – | 7 | 1 | 2 | 8 | – | – | – | – | 69 | – |
| Diphtheria | – | 1 | 1 | 3 | 2 | 6 | 2 | 7 | 1 | – | – | 2 | – |
| Hooping Cough | 1 | 8 | 23 | 8 | 3 | 1 | 8 | 6 | 26 | 4 | 6 | 16 | 9 |
| Croup | 7 | 7 | 1 | 3 | 1 | – | 5 | 4 | 9 | 2 | 2 | 4 | 4 |
| Thrush | 1 | – | 2 | – | – | – | – | – | – | – | – | – | – |
| Diarrhœa | 4 | 1 | 1 | 6 | 1 | 2 | 11 | 4 | 3 | 5 | 3 | 6 | 5 |
| Dysentery | – | 2 | 1 | 2 | 1 | 1 | – | 1 | 1 | 1 | – | 1 | 2 |
| Cholera | – | – | – | – | – | – | – | – | 1 | – | 1 | – | – |
| Influenza | – | 1 | – | – | 3 | – | 2 | 1 | – | – | 1 | – | – |
| Purpura | – | – | – | – | – | – | – | – | 1 | – | – | 1 | – |
| Ague | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Worms | – | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Infantile Fever | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Typhus | 7 | 15 | 6 | 5 | 9 | 9 | 10 | 36 | 12 | 2 | 5 | 3 | 17 |
| Metria | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rheumatic Fever | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Erysipelas | 2 | 1 | – | 1 | – | – | – | 1 | 3 | – | – | – | 2 |
| Syphilis | – | – | – | 1 | – | 1 | – | 2 | – | – | – | – | 1 |
| Noma | – | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmorrhage | – | – | – | 2 | – | – | – | – | 1 | – | – | – | – |
| Dropsy | 1 | 1 | 1 | – | 5 | 4 | 2 | 2 | 2 | 2 | 1 | 2 | 2 |
| Abscess | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ulcer | – | – | – | – | – | – | – | 2 | 1 | – | – | – | – |
| Fistula | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mortification | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Cancer | – | 1 | 1 | 6 | – | – | – | – | 7 | – | – | 1 | 9 |
| Gout | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scrofula | – | 2 | – | 2 | 1 | – | 2 | 7 | 5 | – | 2 | 4 | 3 |
| Tabes Mesenterica | – | – | 1 | 1 | 1 | 5 | 3 | 7 | 3 | – | 6 | 3 | 3 |
| Phthisis | 14 | 19 | 14 | 27 | 23 | 11 | 22 | 36 | 42 | 30 | 17 | 13 | 38 |
| Hydrocephalus | 1 | 6 | 6 | 7 | 4 | 3 | 1 | 6 | 26 | 6 | 1 | 6 | 5 |

CAUSES of DEATH in the TOWNS of SCOTLAND during the YEAR 1862.—MALES. (*Contd.*)

| DISEASES. | Glasgow. | Barony. | Govan. | Edinburgh. | Dundee. | Aberdeen. | Paisley. | Greenock. | Leith. | Perth. |
|---|---|---|---|---|---|---|---|---|---|---|
| IV. Cephalitis | 34 | 2 | 1 | 11 | 1 | 6 | 5 | 7 | 4 | 3 |
| Apoplexy | 95 | 10 | 13 | 44 | 18 | 12 | 17 | 12 | 9 | 10 |
| Paralysis | 77 | 6 | 9 | 50 | 15 | 28 | 23 | 13 | 8 | 12 |
| Delirium Tremens | 6 | – | – | 5 | 4 | 5 | 1 | 1 | 3 | – |
| Chorea | – | – | – | 1 | – | – | – | – | – | – |
| Epilepsy | 14 | 4 | 3 | 13 | 2 | 4 | 3 | 2 | 3 | – |
| Tetanus | 7 | – | 1 | 1 | – | – | – | – | 1 | 1 |
| Insanity | 3 | 2 | – | 7 | 1 | 4 | 2 | – | – | 1 |
| Convulsions | 123 | 1 | 4 | 33 | 20 | 14 | 2 | 5 | 5 | 5 |
| Brain Disease | 90 | 6 | 6 | 46 | 9 | 21 | 15 | 13 | 5 | 5 |
| V. Pericarditis | 8 | 1 | 2 | 1 | 1 | – | 1 | – | 1 | – |
| Aneurism | 5 | 1 | – | 15 | 1 | 4 | 1 | 1 | 3 | 2 |
| Heart Disease | 195 | 13 | 4 | 120 | 36 | 45 | 13 | 23 | 24 | 20 |
| VI. Laryngitis | 22 | 2 | 1 | 11 | 2 | 4 | 1 | – | 1 | 2 |
| Bronchitis | 729 | 48 | 43 | 248 | 131 | 85 | 68 | 52 | 32 | 23 |
| Pleurisy | 20 | 4 | 1 | 9 | 6 | 6 | 2 | 4 | – | 1 |
| Pneumonia | 261 | 33 | 10 | 62 | 50 | 20 | 17 | 21 | 23 | 7 |
| Asthma | 50 | 4 | 2 | 19 | 20 | 6 | 5 | 2 | 3 | 2 |
| Lung Disease | 45 | 4 | 1 | 20 | 8 | 3 | – | 3 | 3 | – |
| VII. Teething | 165 | 6 | 7 | 19 | 37 | 33 | 26 | 20 | 6 | 12 |
| Quinsey | 7 | – | – | – | 2 | 2 | – | 1 | – | 1 |
| Gastritis | 13 | – | – | 2 | 5 | – | 2 | – | 1 | – |
| Enteritis | 112 | 7 | 9 | 21 | 8 | 7 | 20 | 14 | 3 | – |
| Peritonitis | 11 | 3 | 1 | 3 | 3 | 2 | 1 | 1 | 1 | 1 |
| Ascites | 2 | – | 1 | – | 1 | – | – | – | – | 1 |
| Ulceration of Intestines | 10 | – | – | 8 | 1 | 3 | 1 | 2 | 3 | 1 |
| Hernia | 7 | – | – | 3 | 2 | 2 | 3 | 1 | – | – |
| Ileus | 16 | – | 1 | 7 | 2 | 12 | 2 | 3 | 1 | – |
| Intussusception | 2 | – | – | – | 1 | – | – | 1 | – | 1 |
| Stricture of Intestines | 3 | – | 1 | 3 | – | – | – | – | 1 | – |
| Stomach Disease | 49 | 2 | 2 | 28 | 8 | 4 | 2 | 2 | 1 | 2 |
| Pancreas Disease | – | – | – | – | – | – | – | – | – | – |
| Hepatitis | 10 | 1 | 1 | 1 | 1 | 1 | 4 | 2 | – | 1 |
| Jaundice | 10 | – | 1 | 8 | – | 5 | 2 | 2 | 2 | 1 |
| Liver Disease | 59 | 4 | 2 | 17 | 5 | 10 | 4 | 8 | 2 | – |
| Spleen Disease | 1 | – | 1 | – | – | – | – | – | – | – |
| VIII. Nephritis | 1 | – | – | 4 | – | – | – | 1 | – | – |
| Nephria | 26 | 3 | 4 | 18 | 5 | 3 | 1 | 1 | 2 | – |
| Ischuria | 5 | – | – | 2 | 1 | 1 | – | – | – | – |
| Diabetes | 2 | – | 1 | 4 | 2 | 5 | – | – | – | – |
| Stone | 6 | – | – | 5 | 3 | 3 | – | 1 | – | – |
| Cystitis | 4 | – | – | 4 | 1 | 4 | 2 | 2 | 3 | 1 |
| Stricture of Urethra | – | – | – | 2 | – | – | – | – | – | – |
| Kidney Disease | 17 | 2 | – | 21 | 9 | 21 | 3 | 2 | 1 | 2 |
| IX. Paramenia | – | – | – | – | – | – | – | – | – | – |
| Ovarian Dropsy | – | – | – | – | – | – | – | – | – | – |
| Childbirth | – | – | – | – | – | – | – | – | – | – |
| Organs of Generation | – | – | – | – | – | – | – | – | – | – |
| X. Arthritis | 2 | – | – | 2 | – | 2 | 1 | 1 | – | – |
| Rheumatism | 9 | 1 | 1 | 7 | 3 | 3 | 2 | 1 | 1 | – |
| Joint and Bone Disease | 24 | 2 | 1 | 15 | 2 | 9 | 4 | 1 | 3 | 1 |
| XI. Carbuncle | 2 | – | – | 1 | – | – | – | – | – | – |
| Phlegmon | 1 | – | – | 1 | 2 | – | – | 1 | – | 1 |
| Skin Disease | 1 | – | 1 | 2 | – | 3 | – | 3 | – | – |
| XII. Cyanosis | 3 | 1 | – | 3 | – | 1 | – | – | – | 1 |
| Spina Bifida | 4 | – | – | 1 | 1 | – | 2 | 1 | 1 | – |
| Other Malformations | 4 | – | 3 | 4 | – | 1 | 1 | 1 | – | – |
| XVII. Intemperance | 10 | – | 1 | 4 | 2 | 3 | – | – | – | – |
| Privation | 1 | – | – | 1 | – | – | – | 1 | – | – |
| Want of Breast Milk | 16 | – | – | 2 | 1 | 5 | – | – | 1 | – |
| Neglect | – | – | – | – | 1 | – | – | – | – | – |
| Cold | – | – | – | – | – | – | – | – | 1 | – |
| Poison | 6 | 1 | – | 4 | 2 | – | 1 | 1 | – | – |
| Burns and Scalds | 21 | 3 | 5 | 11 | 6 | 2 | 3 | 5 | 2 | – |
| Hanging, etc. | 7 | 1 | – | 3 | 2 | 2 | – | 2 | – | – |
| Suffocation | 11 | – | – | 12 | – | 3 | 2 | – | 3 | – |
| Drowning | 48 | 8 | 6 | 6 | 6 | 8 | 3 | 9 | 7 | 3 |
| Fracture and Contusion | 84 | 9 | 8 | 62 | 10 | 11 | 7 | 18 | 8 | 5 |
| Wounds | 7 | – | 1 | 3 | 1 | 1 | 2 | – | 1 | – |
| Other Violent Causes | 14 | – | 2 | 10 | 2 | 3 | – | 1 | 2 | 1 |
| Not Specified | 94 | 31 | 10 | 16 | 29 | 1 | 22 | 30 | 6 | 6 |

CAUSES of DEATH in the TOWNS of SCOTLAND during the YEAR 1862.—MALES. (*Contd.*)

| DISEASES. | Inverness. | Arbroath. | Forfar. | Montrose. | Dunfermline. | Kirkcaldy. | Stirling. | Ayr. | Kilmarnock. | Hamilton. | Airdrie. | Coatbridge, etc. | Dumfries. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Cephalitis | – | 6 | – | – | 1 | – | – | 2 | 1 | 2 | 1 | – | 2 |
| Apoplexy | 4 | 3 | 1 | 5 | 5 | 2 | 1 | 6 | 3 | 2 | 2 | 5 | 7 |
| Paralysis | 5 | 2 | 10 | 7 | 7 | 3 | 7 | 2 | 6 | 2 | 2 | – | 10 |
| Delirium Tremens | – | – | – | – | – | – | 1 | – | – | – | – | – | 1 |
| Chorea | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Epilepsy | 1 | – | – | 4 | 1 | – | – | 1 | 3 | – | 1 | – | 2 |
| Tetanus | – | – | – | – | – | – | – | 2 | – | – | – | – | – |
| Insanity | – | – | – | 2 | 1 | – | – | – | – | – | – | – | 4 |
| Convulsions | 4 | 2 | 6 | – | 1 | – | 5 | 6 | 4 | 2 | – | 1 | 4 |
| Brain Disease | 8 | 6 | 3 | 6 | 2 | 1 | 5 | – | 6 | 1 | 1 | 2 | 2 |
| Pericarditis | 2 | – | – | – | – | – | – | 1 | – | 1 | – | 1 | 1 |
| Aneurism | – | – | – | – | 1 | – | – | – | – | 1 | – | – | – |
| Heart Disease | 8 | 10 | 11 | 4 | 10 | 6 | 16 | 6 | 11 | 5 | – | 5 | 12 |
| Laryngitis | – | 2 | – | 1 | – | – | – | 1 | 1 | – | – | – | 3 |
| Bronchitis | 10 | 13 | 6 | 16 | 5 | 18 | 18 | 28 | 43 | 19 | 20 | 20 | 17 |
| Pleurisy | 2 | – | – | 2 | 1 | – | – | 1 | – | – | – | 2 | – |
| Pneumonia | 8 | 5 | 2 | 3 | 7 | 3 | 3 | 8 | 4 | 6 | 8 | 4 | 20 |
| Asthma | 1 | 5 | – | – | – | 2 | 1 | 3 | 4 | – | 2 | 3 | 3 |
| Lung Disease | – | 1 | 3 | 1 | 2 | 2 | 1 | 1 | – | – | – | – | 3 |
| Teething | 6 | 6 | 2 | 1 | 3 | 5 | 2 | 5 | 3 | – | 1 | 2 | 2 |
| Quinsey | – | 1 | – | – | – | – | – | 1 | – | – | – | – | – |
| Gastritis | – | – | – | – | – | – | – | 1 | – | 1 | – | 2 | 2 |
| Enteritis | 3 | – | 1 | 2 | 3 | 1 | 3 | 1 | 3 | 1 | 2 | 2 | 6 |
| Peritonitis | – | – | – | 1 | – | 1 | – | 1 | – | 2 | 2 | – | – |
| Ascites | – | – | – | – | – | 1 | – | – | – | 1 | – | – | – |
| Ulceration of Intestines | – | – | 3 | – | – | – | – | – | – | – | – | 1 | 2 |
| Hernia | – | – | – | – | 1 | 1 | 1 | – | – | – | – | 1 | 2 |
| Ileus | – | – | 1 | 1 | 1 | – | – | 2 | 1 | – | 1 | 1 | 2 |
| Intussusception | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| Stricture of Intestines | – | – | – | – | – | – | – | – | 1 | – | – | – | – |
| Stomach Disease | 3 | 3 | 1 | – | – | 1 | 1 | 3 | – | 1 | – | 2 | 4 |
| Pancreas Disease | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hepatitis | – | – | – | – | – | – | 1 | 1 | 1 | – | – | – | 1 |
| Jaundice | – | – | 1 | 1 | – | – | – | – | – | 1 | – | – | 1 |
| Liver Disease | 4 | 3 | 4 | – | – | 1 | 1 | 5 | 2 | 1 | 2 | – | 7 |
| Spleen Disease | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Nephritis | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Nephria | 2 | 2 | – | – | – | – | 2 | – | 1 | 3 | 1 | 1 | – |
| Ischuria | 1 | – | – | – | – | – | – | – | – | 1 | – | – | – |
| Diabetes | – | 2 | – | – | – | – | – | 1 | – | – | – | – | – |
| Stone | – | – | – | 2 | – | – | – | – | – | – | – | – | – |
| Cystitis | – | – | – | 3 | 1 | 1 | 1 | 1 | – | – | – | – | – |
| Stricture of Urethra | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Kidney Disease | 1 | 2 | – | 1 | – | 2 | 1 | 3 | 4 | 2 | 1 | – | 1 |
| Paramenia | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ovarian Dropsy | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Childbirth | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Organs of Generation | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Arthritis | – | – | – | – | – | – | – | – | – | – | – | 1 | 1 |
| Rheumatism | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Joint Disease | – | 1 | – | 1 | 1 | 1 | – | 1 | 1 | – | 1 | – | 1 |
| Carbuncle | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmon | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Skin Disease | – | – | – | – | – | – | – | 1 | 1 | – | – | 1 | – |
| Cyanosis | – | 1 | 5 | – | – | – | – | 1 | – | – | – | – | – |
| Spina Bifida | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – |
| Other Malformations | – | 2 | – | – | – | – | – | – | – | – | – | 1 | – |
| Intemperance | – | – | – | – | – | – | – | – | – | 1 | – | – | 1 |
| Privation | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Want of Breast Milk | – | – | 1 | – | – | – | – | 1 | 1 | – | – | – | – |
| Neglect | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cold | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Poison | – | – | – | – | 1 | – | 1 | 1 | – | – | – | – | – |
| Burns and Scalds | – | – | – | – | – | 1 | 4 | 2 | 4 | – | – | 2 | 1 |
| Hanging, etc. | – | – | – | – | 1 | – | – | 1 | 1 | – | – | – | – |
| Suffocation | – | – | – | 1 | 1 | – | – | 1 | – | – | – | – | – |
| Drowning | 2 | 2 | 1 | 1 | – | 1 | 1 | 2 | – | 1 | – | 2 | 1 |
| Fracture and Contusion | 2 | 1 | – | 2 | 2 | 1 | 2 | 5 | 5 | 4 | 3 | 7 | 3 |
| Wounds | 1 | – | – | 2 | – | – | – | – | – | – | – | – | – |
| Other Violent Causes | – | 1 | – | 1 | – | 1 | – | 1 | – | – | 1 | – | – |
| Not Specified | 3 | 3 | 5 | 9 | 6 | 3 | 5 | 16 | 3 | 17 | 8 | 7 | 6 |

CAUSES of DEATH in the TOWNS of SCOTLAND during the YEAR 1862.—FEMALES.

| DISEASES. | Glasgow. | Barony. | Govan. | Edinburgh. | Dundee. | Aberdeen. | Paisley. | Greenock. | Leith. | Perth. |
|---|---|---|---|---|---|---|---|---|---|---|
| ALL CAUSES | 5869 | 402 | 386 | 2454 | 1310 | 985 | 651 | 667 | 431 | 323 |
| SPECIFIED CAUSES | 5801 | 375 | 374 | 2443 | 1291 | 979 | 634 | 642 | 424 | 314 |
| I. Zymotic Class | 1272 | 62 | 91 | 754 | 363 | 218 | 121 | 157 | 148 | 78 |
| II. Diseases of Uncertain Seat | 175 | 18 | 10 | 122 | 49 | 45 | 33 | 22 | 18 | 15 |
| III. Tubercular Class | 1274 | 78 | 81 | 374 | 232 | 182 | 128 | 144 | 54 | 43 |
| IV. Brain and Nervous System | 358 | 26 | 31 | 207 | 76 | 69 | 34 | 51 | 30 | 21 |
| V. Organs of Circulation | 216 | 6 | 9 | 127 | 45 | 36 | 20 | 13 | 23 | 16 |
| VI. Respiratory Organs | 1163 | 96 | 52 | 380 | 198 | 131 | 89 | 80 | 55 | 46 |
| VII. Organs of Digestion | 395 | 20 | 32 | 160 | 65 | 93 | 57 | 56 | 27 | 23 |
| VIII. Urinary Organs | 37 | 6 | 4 | 33 | 12 | 14 | 1 | 8 | 2 | 1 |
| IX. Organs of Generation | 58 | 7 | 11 | 41 | 26 | 13 | 9 | 6 | 4 | 6 |
| X. Organs of Locomotion | 19 | 3 | 3 | 14 | 6 | 4 | 1 | 2 | 2 | 2 |
| XI. Skin, etc. | – | – | 1 | 3 | 2 | – | 1 | – | 2 | – |
| XII. Malformation | 12 | – | 1 | 10 | 1 | 1 | 1 | 2 | 1 | 1 |
| XIII. Premature Debility | 283 | 15 | 25 | 84 | 74 | 44 | 32 | 43 | 20 | 13 |
| XIV. Atrophy | 93 | 2 | 3 | 21 | 11 | 10 | 14 | 13 | 3 | 5 |
| XV. Age | 331 | 35 | 16 | 136 | 96 | 93 | 83 | 35 | 29 | 37 |
| XVI. Sudden Deaths | 9 | – | – | 2 | 10 | – | – | 3 | – | 1 |
| XVII. Violent Deaths | 106 | 1 | 4 | 75 | 25 | 26 | 10 | 7 | 6 | 6 |
| I. Small Pox | 14 | 1 | 1 | 85 | 11 | – | 1 | 1 | 33 | 1 |
| Measles | 141 | 1 | 10 | 22 | 115 | 68 | 7 | 47 | 4 | 4 |
| Scarlatina | 49 | 2 | 17 | 117 | 11 | 4 | 4 | 2 | 16 | 10 |
| Diphtheria | 76 | 4 | 14 | 24 | 10 | 9 | 6 | 20 | 6 | 3 |
| Hooping Cough | 373 | 8 | 16 | 154 | 100 | 54 | 18 | 8 | 37 | 36 |
| Croup | 160 | 7 | 9 | 55 | 35 | 7 | 17 | 19 | 10 | 6 |
| Thrush | 4 | – | – | 3 | 1 | – | – | 1 | – | – |
| Diarrhœa | 101 | 21 | 5 | 38 | 28 | 18 | 11 | 16 | 7 | 2 |
| Dysentery | 22 | 1 | – | 16 | 6 | 9 | 2 | 1 | 4 | – |
| Cholera | 6 | – | – | 1 | – | 1 | 1 | – | – | – |
| Influenza | 14 | – | – | 6 | 5 | 3 | – | – | – | 2 |
| Purpura | 3 | – | 1 | 6 | 1 | 1 | – | – | – | 1 |
| Ague | 1 | – | – | – | – | – | 5 | 1 | – | – |
| Worms | 2 | – | – | 1 | – | – | 2 | – | 1 | – |
| Infantile Fever | 3 | – | 1 | 7 | 2 | – | – | 1 | – | – |
| Typhus | 241 | 13 | 16 | 84 | 31 | 31 | 34 | 32 | 19 | 13 |
| Metria | 18 | 3 | – | 16 | 1 | 3 | 6 | 2 | 3 | – |
| Rheumatic Fever | 2 | – | – | 2 | 1 | 2 | 1 | – | 1 | – |
| Erysipelas | 28 | 1 | 1 | 8 | 3 | 3 | 3 | 4 | 4 | – |
| Syphilis | 11 | – | – | 8 | 2 | 5 | 2 | 2 | 3 | – |
| Noma | 3 | – | – | 1 | – | – | 1 | – | – | – |
| Hydrophobia | – | – | – | – | – | – | – | – | – | – |
| II. Hæmorrhage | 3 | – | 1 | 2 | – | – | 1 | – | 2 | – |
| Dropsy | 55 | 9 | 1 | 24 | 25 | 11 | 19 | 7 | 7 | 3 |
| Abscess | 10 | 1 | – | 6 | – | 3 | 4 | – | – | – |
| Ulcer | 7 | – | – | 2 | 1 | 1 | 1 | 1 | – | – |
| Fistula | – | – | – | – | – | – | – | – | – | – |
| Mortification | 8 | 1 | 1 | 3 | 1 | – | – | – | 2 | 1 |
| Cancer | 91 | 7 | 7 | 85 | 22 | 30 | 8 | 14 | 7 | 11 |
| Gout | 1 | – | – | – | – | – | – | – | – | – |
| III. Scrofula | 50 | 5 | 3 | 25 | 3 | 8 | 4 | 5 | 6 | 1 |
| Tabes Mesenterica | 81 | 1 | 11 | 43 | 6 | 8 | 8 | 11 | 11 | 2 |
| Phthisis | 959 | 68 | 48 | 243 | 184 | 140 | 101 | 111 | 27 | 39 |
| Hydrocephalus | 184 | 4 | 19 | 63 | 39 | 26 | 15 | 17 | 10 | 1 |

CAUSES of DEATH in the TOWNS of SCOTLAND during the YEAR 1862.—FEMALES.

| DISEASES. | Inverness. | Arbroath. | Forfar. | Montrose. | Dunfermline. | Kirkcaldy. | Stirling. | Ayr. | Kilmarnock. | Hamilton. | Airdrie. | Coatbridge, etc. | Dumfries. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| ALL CAUSES | 167 | 231 | 155 | 221 | 130 | 125 | 195 | 257 | 290 | 135 | 140 | 190 | 256 |
| SPECIFIED CAUSES | 165 | 228 | 150 | 215 | 125 | 118 | 194 | 249 | 290 | 121 | 133 | 187 | 249 |
| Zymotic Class | 19 | 64 | 42 | 47 | 26 | 28 | 53 | 75 | 65 | 24 | 42 | 94 | 37 |
| Uncertain Seat | 8 | 5 | 4 | 11 | 8 | 12 | 8 | 8 | 8 | 6 | 10 | 7 | 14 |
| Tubercular Class | 22 | 45 | 22 | 38 | 27 | 20 | 26 | 47 | 83 | 32 | 30 | 30 | 46 |
| Brain, etc. | 16 | 18 | 15 | 31 | 9 | 8 | 16 | 14 | 23 | 7 | 7 | 8 | 23 |
| Heart, etc. | 9 | 21 | 18 | 17 | 8 | 8 | 16 | 6 | 7 | 2 | 1 | 3 | 13 |
| Respiratory Organs | 20 | 21 | 17 | 21 | 20 | 11 | 24 | 31 | 40 | 20 | 19 | 18 | 39 |
| Digestive Organs | 21 | 15 | 7 | 15 | 5 | 14 | 19 | 16 | 21 | 10 | 9 | 10 | 23 |
| Urinary Organs | – | – | – | 1 | – | 1 | 2 | 2 | – | – | – | – | 7 |
| Generative Organs | 3 | 3 | 1 | 1 | 2 | – | 3 | 1 | 3 | 2 | – | 2 | 2 |
| Locomotive Organs | 2 | 1 | – | 1 | – | – | 1 | 1 | – | 2 | – | 1 | 2 |
| Skin | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| Malformation | – | 1 | – | – | 1 | – | – | 1 | 1 | – | – | – | – |
| Premature Debility | 11 | 8 | 4 | 9 | 4 | 3 | 9 | 6 | 10 | 2 | 3 | 2 | 15 |
| Atrophy | 1 | 1 | – | 2 | – | 1 | 2 | – | – | 2 | – | 2 | – |
| Age | 32 | 24 | 19 | 21 | 14 | 12 | 13 | 36 | 25 | 10 | 12 | 6 | 26 |
| Sudden Deaths | – | – | – | – | – | – | – | – | 1 | 2 | – | – | – |
| Violent Deaths | 1 | 1 | 1 | – | 1 | – | 1 | 5 | 3 | – | – | 4 | 2 |
| Small Pox | – | – | – | – | – | – | 3 | – | – | – | 5 | – | – |
| Measles | – | 30 | 5 | 1 | 2 | 4 | 7 | – | – | – | – | – | 5 |
| Scarlatina | – | – | 1 | 8 | – | 1 | 7 | – | – | – | – | 61 | 4 |
| Diphtheria | – | – | 1 | – | 1 | 4 | 3 | 5 | 2 | 1 | 2 | 1 | – |
| Hooping Cough | 2 | 4 | 18 | 8 | 7 | 4 | 11 | 6 | 29 | 6 | 8 | 14 | 6 |
| Croup | 4 | 5 | 4 | 3 | 1 | – | 1 | 7 | 5 | 3 | 2 | 3 | 3 |
| Thrush | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Diarrhœa | 3 | 4 | 1 | 7 | – | 3 | 12 | 7 | 3 | 3 | 10 | 5 | 6 |
| Dysentery | 1 | – | – | 2 | 5 | – | 2 | 1 | 1 | – | – | – | 4 |
| Cholera | – | – | – | – | – | – | – | – | – | – | 1 | – | – |
| Influenza | – | 1 | – | – | 2 | – | 1 | – | 1 | – | – | 2 | – |
| Purpura | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Ague | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Worms | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Infantile Fever | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Typhus | 6 | 18 | 12 | 15 | 7 | 11 | 2 | 46 | 21 | 8 | 12 | 7 | 6 |
| Metria | – | 1 | – | 2 | – | – | 1 | 1 | – | 1 | – | – | 1 |
| Rheumatic Fever | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| Erysipelas | 2 | – | – | – | – | 1 | 2 | – | 1 | 2 | – | 1 | 1 |
| Syphilis | 1 | – | – | 1 | – | – | – | 1 | 2 | – | – | – | – |
| Noma | – | – | – | – | – | – | – | 1 | – | – | 2 | – | 1 |
| Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmorrhage | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Dropsy | 3 | 3 | – | 1 | 4 | 4 | 4 | 2 | – | – | 3 | 3 | 4 |
| Abscess | – | – | 1 | 2 | – | – | – | – | – | 1 | 1 | – | 3 |
| Ulcer | 1 | – | – | – | – | – | – | 1 | – | – | – | – | – |
| Fistula | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| Mortification | 1 | – | – | – | – | – | 2 | – | – | – | – | – | – |
| Cancer | 3 | 2 | 3 | 7 | 4 | 8 | 2 | 4 | 8 | 5 | 6 | 4 | 7 |
| Gout | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scrofula | – | – | – | 2 | 3 | – | 2 | 3 | 3 | 1 | 1 | 3 | 4 |
| Tabes Mesenterica | – | – | 1 | – | 2 | 3 | 1 | 4 | 4 | – | 5 | 3 | 3 |
| Phthisis | 21 | 40 | 15 | 34 | 16 | 14 | 21 | 37 | 57 | 21 | 23 | 17 | 33 |
| Hydrocephalus | 1 | 5 | 6 | 2 | 6 | 3 | 2 | 3 | 19 | 10 | 1 | 7 | 6 |

CAUSES of DEATH in the TOWNS of SCOTLAND during the YEAR 1862.—FEMALES. (*Contd.*)

| DISEASES. | Glasgow. | Barony. | Govan. | Edinburgh. | Dundee. | Aberdeen. | Paisley. | Greenock. | Leith. | Perth. |
|---|---|---|---|---|---|---|---|---|---|---|
| IV. Cephalitis | 23 | 1 | 2 | 13 | 6 | 2 | 2 | 1 | 4 | 1 |
| Apoplexy | 63 | 5 | 6 | 43 | 19 | 17 | 10 | 13 | 7 | 10 |
| Paralysis | 79 | 12 | 7 | 56 | 23 | 18 | 10 | 15 | 11 | 5 |
| Delirium Tremens | 3 | – | – | – | – | – | 1 | – | – | – |
| Chorea | 1 | – | – | – | – | – | – | 1 | – | – |
| Epilepsy | 17 | 1 | 1 | 7 | 2 | 1 | 1 | 3 | 1 | – |
| Tetanus | 3 | – | – | 4 | – | 1 | – | – | – | – |
| Insanity | 6 | – | 1 | 10 | – | 4 | – | – | – | 3 |
| Convulsions | 66 | 3 | 7 | 35 | 17 | 12 | 2 | 5 | 2 | – |
| Brain Disease | 97 | 4 | 7 | 39 | 9 | 14 | 8 | 13 | 5 | 2 |
| V. Pericarditis | 8 | – | – | 1 | – | – | – | – | – | – |
| Aneurism | 2 | – | – | 7 | 2 | 1 | 1 | – | – | 1 |
| Heart Disease | 206 | 6 | 9 | 119 | 43 | 35 | 19 | 13 | 23 | 15 |
| VI. Laryngitis | 20 | 1 | – | 7 | 3 | 1 | 2 | – | 2 | – |
| Bronchitis | 824 | 52 | 31 | 272 | 127 | 96 | 67 | 61 | 27 | 40 |
| Pleurisy | 12 | 2 | 2 | 13 | 5 | 4 | – | 4 | 3 | – |
| Pneumonia | 204 | 32 | 15 | 49 | 40 | 20 | 15 | 9 | 17 | 4 |
| Asthma | 67 | 3 | 3 | 27 | 19 | 7 | 4 | 4 | 4 | 2 |
| Lung Disease | 36 | 6 | 1 | 12 | 4 | 3 | 1 | 2 | 2 | – |
| VII. Teething | 143 | 6 | 9 | 25 | 27 | 29 | 21 | 26 | 3 | 9 |
| Quinsey | 8 | – | 3 | 1 | – | – | – | – | – | – |
| Gastritis | 12 | – | – | 4 | 2 | 3 | 3 | 2 | – | 2 |
| Enteritis | 78 | 3 | 8 | 18 | 5 | 6 | 16 | 6 | 7 | – |
| Peritonitis | 15 | 3 | 1 | 8 | 5 | 5 | 2 | 3 | 3 | 1 |
| Ascites | 3 | – | – | 4 | 1 | 2 | – | – | – | 2 |
| Ulceration of Intestines | 5 | – | 3 | 9 | 3 | 7 | 1 | – | – | – |
| Hernia | 6 | – | – | 8 | 2 | 3 | – | – | – | 1 |
| Ileus | 24 | 1 | – | 13 | 4 | 16 | – | 1 | 1 | 1 |
| Intussusception | 4 | – | – | 2 | – | 1 | – | – | – | – |
| Stricture of Intestines | – | – | – | 1 | 1 | 1 | 1 | – | 1 | – |
| Stomach Disease | 45 | 1 | 4 | 24 | 6 | 10 | 6 | 6 | 6 | 2 |
| Pancreas Disease | – | – | – | – | – | – | – | – | – | – |
| Hepatitis | 10 | 1 | 3 | 5 | 1 | 1 | 2 | 2 | – | – |
| Jaundice | 8 | 1 | – | 9 | 4 | 2 | – | – | 1 | – |
| Liver Disease | 34 | 3 | 1 | 28 | 4 | 5 | 5 | 10 | 5 | 5 |
| Spleen Disease | – | 1 | – | 1 | – | 2 | – | – | – | – |
| VIII. Nephritis | 5 | 1 | 1 | 1 | – | – | – | – | – | – |
| Nephria | 14 | 3 | – | 18 | 7 | 3 | 1 | 1 | 1 | – |
| Ischuria | – | – | – | – | – | 1 | – | – | – | – |
| Diabetes | 6 | – | 2 | 4 | – | – | – | – | – | – |
| Stone | – | – | – | – | 1 | – | – | – | – | – |
| Cystitis | 3 | – | – | 1 | – | – | – | – | – | – |
| Stricture of Urethra | – | – | – | – | – | – | – | – | – | – |
| Kidney Disease | 9 | 2 | 1 | 9 | 4 | 10 | – | 7 | 1 | 1 |
| IX. Paramenia | 5 | – | – | 4 | 2 | – | – | – | – | – |
| Ovarian Dropsy | 7 | – | 1 | 10 | 2 | 4 | – | 2 | 1 | – |
| Childbirth | 36 | 5 | 8 | 19 | 20 | 7 | 8 | 3 | 3 | 6 |
| Organs of Generation | 10 | 2 | 2 | 8 | 2 | 2 | 1 | 1 | – | – |
| X. Arthritis | – | – | – | – | 1 | – | – | – | – | – |
| Rheumatism | 11 | 1 | 2 | 6 | 2 | 2 | – | 1 | 1 | 2 |
| Joint and Bone Disease | 8 | 2 | 1 | 8 | 3 | 2 | 1 | 1 | 1 | – |
| XI. Carbuncle | – | – | – | 1 | – | – | – | – | – | – |
| Phlegmon | – | – | – | – | – | – | – | – | – | – |
| Skin Disease | – | – | 1 | 2 | 2 | – | 1 | – | 2 | – |
| XII. Cyanosis | 3 | – | – | 3 | – | 1 | – | – | – | – |
| Spina Bifida | 2 | – | – | 1 | 1 | – | – | – | 1 | 1 |
| Other Malformations | 7 | – | 1 | 6 | – | – | 1 | 2 | – | – |
| XVII. Intemperance | 4 | – | – | 2 | – | 1 | – | – | 1 | – |
| Privation | – | – | – | 1 | 1 | – | – | – | – | – |
| Want of Breast Milk | 10 | – | – | 6 | 3 | 3 | – | – | – | – |
| Neglect | 2 | – | – | – | – | – | – | – | – | – |
| Cold | 1 | – | – | 1 | – | – | – | – | – | – |
| Poison | 6 | – | – | 2 | 1 | – | – | 1 | – | – |
| Burns and Scalds | 36 | 1 | 2 | 12 | 9 | 3 | 4 | 1 | – | 2 |
| Hanging, etc. | 2 | – | – | – | 1 | – | – | – | – | 1 |
| Suffocation | 5 | – | – | 12 | 2 | 4 | 1 | 1 | 1 | – |
| Drowning | 13 | – | – | 2 | 3 | 3 | 2 | – | 1 | – |
| Fracture and Contusion | 20 | – | 2 | 35 | 4 | 10 | 3 | 3 | 3 | 3 |
| Wounds | 3 | – | – | 1 | 1 | – | – | 1 | – | – |
| Other Violent Causes | 4 | – | – | 1 | – | 2 | – | – | – | – |
| Not Specified | 68 | 27 | 12 | 11 | 19 | 6 | 17 | 25 | 7 | 9 |

CAUSES of DEATH in the TOWNS of SCOTLAND during the YEAR 1862.—FEMALES. (*Contd.*)

| DISEASES. | Inverness. | Arbroath. | Forfar. | Montrose. | Dunfermline. | Kirkcaldy. | Stirling. | Ayr. | Kilmarnock. | Hamilton. | Airdrie. | Coatbridge, etc. | Dumfries. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Cephalitis | – | 1 | – | 1 | – | – | – | 1 | 2 | – | 1 | 2 | 1 |
| Apoplexy | – | 5 | 4 | 10 | 2 | 1 | 2 | 5 | 8 | 1 | 4 | 2 | 9 |
| Paralysis | 8 | 4 | 5 | 7 | 4 | 4 | 5 | 5 | 6 | 1 | 1 | 2 | 5 |
| Delirium Tremens | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chorea | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epilepsy | 1 | – | 1 | 1 | 1 | – | – | – | – | – | 1 | – | 1 |
| Tetanus | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Insanity | 1 | – | – | 4 | – | – | – | – | – | – | – | – | 3 |
| Convulsions | 3 | 4 | 3 | 1 | 2 | 1 | 1 | 2 | 3 | 1 | – | 1 | 3 |
| Brain Disease | 3 | 4 | 2 | 6 | – | 2 | 8 | 1 | 4 | 4 | – | 1 | 1 |
| Pericarditis | – | 1 | 1 | – | – | 1 | – | – | – | – | – | – | – |
| Aneurism | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Heart Disease | 9 | 20 | 17 | 17 | 8 | 7 | 16 | 6 | 7 | 2 | 1 | 3 | 13 |
| Laryngitis | – | – | – | – | – | – | – | – | – | 1 | – | – | 2 |
| Bronchitis | 9 | 13 | 12 | 19 | 16 | 6 | 19 | 14 | 32 | 11 | 12 | 15 | 22 |
| Pleurisy | – | – | – | 1 | – | – | – | 2 | 1 | 3 | – | – | 2 |
| Pneumonia | 2 | 3 | 3 | – | 1 | 1 | 2 | 7 | 4 | 4 | 3 | 1 | 7 |
| Asthma | 8 | 4 | – | 1 | 3 | 4 | 2 | 5 | 3 | – | 2 | 1 | 5 |
| Lung Disease | 1 | 1 | 2 | – | – | – | 1 | 3 | – | 1 | 2 | 1 | 1 |
| Teething | 5 | 2 | – | 2 | – | 4 | 5 | 6 | 2 | 4 | 3 | – | 1 |
| Quinsey | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gastritis | – | – | – | – | – | 1 | – | 2 | 1 | – | – | – | 4 |
| Enteritis | – | 4 | – | 2 | 1 | 2 | 4 | – | 7 | 2 | 2 | 5 | 6 |
| Peritonitis | 2 | – | 1 | 2 | – | 3 | 1 | 1 | 3 | 1 | 1 | 1 | – |
| Ascites | 2 | – | – | – | – | – | – | 1 | – | – | – | – | – |
| Ulceration of Intestines | – | 2 | 1 | 1 | – | 1 | – | – | 1 | 1 | – | – | – |
| Hernia | 2 | – | – | 1 | – | – | – | – | 1 | – | – | – | 1 |
| Ileus | – | 2 | – | – | 1 | – | 2 | – | – | – | 1 | 1 | – |
| Intussusception | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Stricture of Intestines | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Stomach Disease | 6 | – | 1 | 2 | 2 | 2 | 3 | 3 | 2 | 1 | – | 1 | 8 |
| Pancreas Disease | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hepatitis | – | 1 | 1 | 1 | – | – | 2 | – | 1 | 1 | – | 1 | 1 |
| Jaundice | 1 | 1 | – | – | – | – | 1 | 1 | 1 | – | – | 1 | – |
| Liver Disease | 2 | 3 | 3 | 4 | 1 | 1 | 1 | 1 | 2 | – | 2 | – | 2 |
| Spleen Disease | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| Nephritis | – | – | – | – | – | – | – | 2 | – | – | – | – | 2 |
| Nephria | – | – | – | – | – | – | 1 | – | – | – | – | – | 3 |
| Ischuria | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diabetes | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Stone | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cystitis | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Stricture of Urethra | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Kidney Disease | – | – | – | 1 | – | – | 1 | – | – | – | – | – | 2 |
| Paramenia | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Ovarian Dropsy | 2 | – | – | – | – | – | 1 | – | – | – | – | – | 1 |
| Childbirth | – | 3 | – | 1 | 1 | – | 1 | – | 3 | 2 | – | 2 | 1 |
| Organs of Generation | 1 | – | – | – | 1 | – | 1 | 1 | – | – | – | – | – |
| Arthritis | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rheumatism | 2 | 1 | – | 1 | – | – | – | 1 | – | – | – | – | 2 |
| Joint Disease | – | – | – | – | – | – | 1 | – | – | 2 | – | 1 | – |
| Carbuncle | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmon | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Skin Disease | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| Cyanosis | – | 1 | – | – | – | – | – | 1 | – | – | – | – | – |
| Spina Bifida | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Other Malformations | – | – | – | – | – | – | – | – | 1 | – | – | – | – |
| Intemperance | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Privation | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Want of Breast Milk | – | – | – | – | – | – | – | – | – | – | – | 2 | – |
| Neglect | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cold | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Poison | – | – | 1 | – | – | – | – | – | 2 | – | – | 1 | – |
| Burns and Scalds | – | – | – | – | – | – | 1 | 3 | – | – | – | – | – |
| Hanging, etc. | 1 | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Suffocation | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Drowning | – | – | – | – | – | – | – | – | 1 | – | – | 1 | – |
| Fracture and Contusion | – | – | – | – | 1 | – | – | 2 | – | – | – | – | 1 |
| Wounds | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Violent Causes | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Not Specified | 2 | 3 | 5 | 6 | 5 | 7 | 1 | 8 | – | 14 | 7 | 3 | 7 |

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1862.—Both Sexes.

| DISEASES. | BOTH SEXES. | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | |
| | | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 |
| | | 3 | 6 | 12 | | | | | | | | | |
| All Causes | 67195 | 6014 | 2149 | 4393 | 6215 | 3154 | 1961 | 1311 | 3293 | 1705 | 2263 | 2563 | 2273 |
| Specified Causes | 63860 | 5022 | 1876 | 4121 | 5899 | 3012 | 1895 | 1265 | 3143 | 1634 | 2167 | 2488 | 2182 |
| I. Zymotic Class | 13978 | 574 | 502 | 1434 | 2652 | 1594 | 1098 | 727 | 1554 | 463 | 413 | 365 | 297 |
| II. Diseases of Uncertain Seat | 2288 | 42 | 6 | 22 | 29 | 20 | 19 | 16 | 37 | 36 | 25 | 32 | 55 |
| III. Tubercular Class | 11429 | 125 | 240 | 626 | 907 | 488 | 303 | 230 | 786 | 636 | 1135 | 1343 | 1076 |
| IV. Brain and Nervous System | 5086 | 361 | 115 | 180 | 217 | 118 | 62 | 53 | 181 | 117 | 102 | 120 | 115 |
| V. Organs of Circulation | 2787 | 16 | 1 | 12 | 2 | 8 | 2 | 4 | 33 | 42 | 82 | 82 | 88 |
| VI. Respiratory Organs | 9194 | 565 | 513 | 1071 | 1095 | 468 | 261 | 130 | 232 | 79 | 124 | 174 | 148 |
| VII. Organs of Digestion | 4788 | 472 | 215 | 557 | 711 | 155 | 47 | 33 | 106 | 78 | 86 | 111 | 98 |
| VIII. Urinary Organs | 904 | 3 | 1 | 5 | 7 | 3 | 6 | 3 | 22 | 23 | 27 | 37 | 52 |
| IX. Organs of Generation | 481 | – | – | 1 | – | – | – | – | – | 1 | 19 | 67 | 83 |
| X. Organs of Locomotion | 404 | 2 | – | 1 | 3 | 4 | 5 | 6 | 33 | 41 | 29 | 17 | 18 |
| XI. Skin, etc. | 80 | 13 | 6 | 12 | 7 | 5 | 1 | – | 1 | 1 | 1 | – | – |
| XII. Malformation | 145 | 118 | 13 | 2 | 2 | 1 | 1 | 1 | 2 | 1 | 2 | – | 1 |
| XIII. Premature Debility | 2986 | 2603 | 217 | 166 | – | – | – | – | – | – | – | – | – |
| XIV. Atrophy | 576 | – | – | 1 | 172 | 64 | 24 | 17 | 42 | 15 | 13 | 10 | 14 |
| XV. Age | 6559 | – | – | – | – | – | – | – | – | – | – | – | – |
| XVI. Sudden Deaths | 118 | 15 | 9 | 4 | 5 | 3 | 1 | – | – | 1 | 1 | 3 | 6 |
| XVII. Violent Deaths | 2057 | 113 | 38 | 27 | 90 | 81 | 65 | 45 | 114 | 100 | 108 | 127 | 131 |
| I. Small Pox | 426 | 30 | 20 | 71 | 72 | 59 | 31 | 22 | 38 | 9 | 15 | 17 | 13 |
| Measles | 1404 | 11 | 31 | 203 | 548 | 246 | 140 | 62 | 117 | 13 | 14 | 3 | 7 |
| Scarlatina | 1281 | 11 | 13 | 60 | 181 | 220 | 183 | 140 | 348 | 68 | 19 | 12 | 8 |
| Diphtheria | 997 | 33 | 21 | 51 | 152 | 126 | 122 | 83 | 252 | 63 | 37 | 12 | 14 |
| Hooping Cough | 2799 | 143 | 186 | 603 | 891 | 408 | 237 | 149 | 166 | 12 | 1 | 1 | 1 |
| Croup | 1396 | 47 | 47 | 148 | 369 | 294 | 211 | 134 | 142 | 3 | – | – | 1 |
| Thrush | 36 | 22 | 5 | 4 | 3 | 1 | – | 1 | – | – | – | – | – |
| Diarrhœa | 1108 | 122 | 88 | 160 | 197 | 49 | 21 | 12 | 26 | 6 | 13 | 13 | 15 |
| Dysentery | 293 | 5 | 11 | 18 | 24 | 4 | 2 | 3 | 9 | 4 | 2 | 14 | 11 |
| Cholera | 57 | 3 | 2 | 5 | 8 | 2 | 3 | 3 | 4 | 1 | 1 | 3 | 1 |
| Influenza | 387 | 22 | 12 | 19 | 25 | 10 | 7 | 7 | 7 | 4 | 6 | 4 | 5 |
| Purpura | 51 | – | 2 | 2 | 4 | 1 | 1 | 1 | 7 | 6 | 2 | 4 | – |
| Ague | 16 | – | – | 1 | – | 4 | – | 1 | 1 | 3 | 1 | 1 | 1 |
| Worms | 32 | – | 1 | – | 3 | 6 | 7 | 3 | 11 | – | – | 1 | – |
| Infantile Fever | 63 | 5 | 5 | 15 | 18 | 9 | 4 | 4 | 3 | – | – | – | – |
| Typhus | 3021 | 14 | 24 | 50 | 131 | 139 | 120 | 95 | 409 | 250 | 271 | 233 | 176 |
| Metria | 130 | – | – | – | – | – | – | – | – | – | 5 | 37 | 31 |
| Rheumatic Fever | 84 | – | – | – | – | – | 1 | 3 | 5 | 12 | 13 | 3 | 3 |
| Erysipelas | 249 | 56 | 9 | 13 | 9 | 13 | 7 | 2 | 6 | 9 | 12 | 4 | 6 |
| Syphilis | 126 | 48 | 22 | 8 | 15 | 2 | 1 | 1 | – | – | 1 | 3 | 4 |
| Noma | 21 | 2 | 3 | 3 | 2 | 1 | – | 1 | 2 | – | – | – | – |
| Hydrophobia | 1 | – | – | – | – | – | – | – | 1 | – | – | – | – |
| II. Hæmorrhage | 85 | 12 | – | 4 | 1 | – | 3 | 2 | 2 | 3 | 3 | 3 | 4 |
| Dropsy | 743 | 4 | 2 | 4 | 6 | 11 | 11 | 7 | 16 | 19 | 6 | 15 | 26 |
| Abscess | 121 | 9 | 2 | 9 | 6 | 4 | – | 2 | 11 | 5 | 10 | 8 | 4 |
| Ulcer | 55 | 5 | – | 3 | 5 | 1 | 2 | – | – | 2 | 1 | 1 | – |
| Fistula | 11 | – | – | – | – | – | – | – | – | – | – | – | – |
| Mortification | 108 | 9 | 2 | 1 | 9 | 1 | 2 | 2 | 2 | – | – | – | – |
| Cancer | 1152 | 3 | – | 1 | 2 | 3 | 1 | 3 | 6 | 7 | 5 | 5 | 21 |
| Gout | 13 | – | – | – | – | – | – | – | – | – | – | – | – |
| III. Scrofula | 704 | 7 | 17 | 27 | 48 | 44 | 14 | 23 | 88 | 81 | 93 | 72 | 45 |
| Tabes Mesenterica | 796 | 44 | 37 | 97 | 205 | 117 | 51 | 24 | 97 | 44 | 31 | 16 | 7 |
| Phthisis | 8211 | 17 | 54 | 104 | 226 | 153 | 101 | 92 | 375 | 454 | 1001 | 1251 | 1021 |
| Hydrocephalus | 1718 | 57 | 132 | 398 | 428 | 174 | 137 | 91 | 226 | 57 | 10 | 4 | 3 |

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1862.—Both Sexes.

| DISEASES. | BOTH SEXES. AGE UNDER | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 35 | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| All Causes | 2066 | 2097 | 1944 | 2002 | 2225 | 2213 | 3026 | 2969 | 3266 | 3059 | 2749 | 1464 | 529 | 169 | 30 | 93 |
| Specified Causes | 1979 | 2026 | 1864 | 1935 | 2137 | 2080 | 2853 | 2968 | 3266 | 3059 | 2749 | 1464 | 529 | 169 | 30 | 48 |
| Zymotic Class | 229 | 226 | 197 | 203 | 199 | 176 | 238 | 208 | 222 | 208 | 140 | 44 | 12 | 2 | – | 1 |
| Uncertain Seat | 73 | 95 | 129 | 169 | 208 | 186 | 252 | 265 | 214 | 192 | 111 | 46 | 7 | 2 | – | – |
| Tubercular Class | 819 | 722 | 527 | 398 | 357 | 239 | 225 | 133 | 70 | 23 | 12 | 3 | – | – | – | 6 |
| Brain, etc. | 133 | 165 | 172 | 209 | 265 | 290 | 422 | 413 | 489 | 406 | 238 | 109 | 27 | 2 | 1 | 4 |
| Heart, etc. | 115 | 144 | 157 | 188 | 209 | 235 | 362 | 355 | 301 | 215 | 88 | 39 | 3 | 2 | – | 2 |
| Respiratory Organs | 212 | 205 | 273 | 324 | 413 | 433 | 615 | 533 | 524 | 382 | 287 | 99 | 24 | 6 | – | 4 |
| Digestive Organs | 121 | 150 | 141 | 172 | 229 | 246 | 297 | 269 | 236 | 146 | 72 | 28 | 11 | – | – | 1 |
| Urinary Organs | 46 | 59 | 45 | 54 | 54 | 50 | 90 | 79 | 101 | 70 | 38 | 23 | 5 | 1 | – | – |
| Generative Organs | 79 | 78 | 62 | 29 | 20 | 12 | 13 | 8 | 5 | 2 | 2 | – | – | – | – | – |
| Locomotive Organs | 18 | 22 | 11 | 20 | 22 | 26 | 24 | 34 | 30 | 23 | 10 | 2 | 2 | 1 | – | – |
| Skin | 4 | 2 | 3 | 4 | 1 | 4 | 4 | 3 | 3 | 2 | 2 | 1 | – | – | – | – |
| Malformation | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Premature Debility | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Atrophy | 13 | 16 | 19 | 32 | 51 | 73 | – | – | – | – | – | – | – | – | – | – |
| Age | – | – | – | – | – | 2 | 207 | 594 | 1019 | 1341 | 1721 | 1058 | 433 | 152 | 28 | 4 |
| Sudden Deaths | 5 | 5 | 5 | 10 | 14 | 9 | 12 | 6 | 3 | 1 | – | – | – | – | – | – |
| Violent Deaths | 112 | 137 | 123 | 123 | 95 | 99 | 92 | 67 | 49 | 48 | 28 | 12 | 5 | 1 | 1 | 26 |
| Small Pox | 9 | 6 | 6 | 1 | 3 | 3 | – | 1 | – | – | – | – | – | – | – | – |
| Measles | – | 4 | 2 | 1 | – | 1 | – | 1 | – | – | – | – | – | – | – | – |
| Scarlatina | 6 | 6 | 2 | – | 2 | 1 | – | 1 | – | – | – | – | – | – | – | – |
| Diphtheria | 6 | 2 | 3 | 5 | 2 | 7 | 5 | – | – | – | 1 | – | – | – | – | – |
| Hooping Cough | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Croup | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Thrush | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diarrhœa | 11 | 14 | 15 | 25 | 27 | 19 | 43 | 33 | 67 | 62 | 49 | 20 | 1 | – | – | – |
| Dysentery | 5 | 10 | 9 | 12 | 11 | 18 | 15 | 24 | 27 | 31 | 17 | 5 | 1 | 1 | – | – |
| Cholera | – | 2 | 1 | 4 | 2 | 1 | – | 2 | 3 | 2 | 2 | 1 | – | – | – | 1 |
| Influenza | 8 | 4 | 6 | 7 | 17 | 13 | 19 | 22 | 46 | 57 | 43 | 9 | 7 | 1 | – | – |
| Purpura | – | 1 | 2 | 1 | – | 5 | 4 | 3 | 2 | 3 | – | – | – | – | – | – |
| Ague | 1 | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Worms | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Infantile Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Typhus | 139 | 141 | 120 | 123 | 114 | 94 | 133 | 108 | 65 | 42 | 23 | 5 | 2 | – | – | – |
| Metria | 27 | 18 | 9 | 3 | – | – | – | – | – | – | – | – | – | – | – | – |
| Rheumatic Fever | 9 | 5 | 6 | 5 | 4 | 1 | 8 | 2 | 2 | 2 | – | – | – | – | – | – |
| Erysipelas | 6 | 6 | 9 | 13 | 13 | 8 | 9 | 10 | 10 | 9 | 5 | 4 | 1 | – | – | – |
| Syphilis | 2 | 5 | 6 | 1 | 3 | 2 | 2 | – | – | – | – | – | – | – | – | – |
| Noma | – | 1 | 1 | – | 1 | 3 | – | 1 | – | – | – | – | – | – | – | – |
| Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmorrhage | 7 | 3 | 3 | 4 | 8 | 3 | 8 | 6 | 5 | – | 1 | – | – | – | – | – |
| Dropsy | 23 | 23 | 30 | 45 | 54 | 54 | 67 | 87 | 79 | 81 | 50 | 20 | 3 | – | – | – |
| Abscess | 4 | 7 | 6 | 4 | 7 | 2 | 3 | 7 | 4 | 6 | – | – | – | 1 | – | – |
| Ulcer | – | 1 | 2 | 5 | 5 | 1 | 4 | 4 | 8 | 2 | 2 | 1 | – | – | – | – |
| Fistula | 1 | 3 | – | 1 | 1 | – | 1 | 1 | – | 2 | 1 | – | – | – | – | – |
| Mortification | 1 | 1 | 1 | 2 | 3 | 1 | 3 | 10 | 15 | 17 | 13 | 11 | 2 | – | – | – |
| Cancer | 37 | 57 | 87 | 107 | 128 | 123 | 165 | 149 | 101 | 84 | 41 | 13 | 2 | 1 | – | – |
| Gout | – | – | – | 1 | 2 | 2 | 1 | 1 | 2 | – | 3 | 1 | – | – | – | – |
| Scrofula | 30 | 30 | 17 | 12 | 14 | 12 | 5 | 12 | 9 | 3 | 1 | – | – | – | – | – |
| Tabes Mesenterica | 2 | 4 | 4 | 2 | 2 | 5 | 1 | 2 | 1 | – | 2 | 1 | – | – | – | – |
| Phthisis | 787 | 688 | 505 | 384 | 341 | 222 | 219 | 119 | 60 | 20 | 9 | 2 | – | – | – | 6 |
| Hydrocephalus | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1862.—Both Sexes. (*Contd.*)

| DISEASES. | BOTH SEXES. | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | |
| | | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 |
| | | 3 | 6 | 12 | | | | | | | | | |
| IV. Cephalitis | 319 | 12 | 9 | 22 | 26 | 24 | 16 | 14 | 48 | 29 | 17 | 19 | 18 |
| Apoplexy | 1201 | 17 | 13 | 19 | 21 | 16 | 9 | 6 | 17 | 12 | 7 | 26 | 12 |
| Paralysis | 159 | – | – | – | 3 | 2 | – | – | 10 | 4 | 10 | 11 | 20 |
| Delirium Tremens | 61 | – | – | – | – | – | – | – | – | – | – | 1 | 8 |
| Chorea | 9 | – | – | – | 1 | – | – | – | 1 | 2 | 1 | – | – |
| Epilepsy | 230 | – | – | 1 | 2 | – | – | – | 7 | 19 | 17 | 22 | 16 |
| Tetanus | 49 | 20 | – | 1 | 2 | 1 | 1 | 2 | 5 | 1 | 2 | 2 | 3 |
| Insanity | 96 | – | – | – | – | – | – | – | 1 | 4 | 2 | 4 | 7 |
| Convulsions | 697 | 300 | 80 | 110 | 105 | 44 | 19 | 14 | 23 | 1 | 1 | – | – |
| Brain Disease | 915 | 12 | 13 | 27 | 57 | 31 | 17 | 17 | 69 | 45 | 45 | 35 | 31 |
| V. Pericarditis | 84 | 2 | – | 3 | – | 1 | – | 1 | 3 | 4 | 9 | 9 | 3 |
| Aneurism | 89 | – | – | – | – | – | – | – | – | 1 | 1 | – | 1 |
| Heart Disease | 2614 | 14 | 1 | 9 | 2 | 7 | 2 | 3 | 30 | 37 | 72 | 73 | 84 |
| VI. Laryngitis | 170 | 7 | 13 | 19 | 33 | 19 | 15 | 6 | 8 | 5 | 2 | 3 | 4 |
| Bronchitis | 5764 | 408 | 400 | 812 | 816 | 333 | 183 | 78 | 128 | 28 | 33 | 64 | 49 |
| Pleurisy | 291 | 12 | 7 | 14 | 8 | 9 | 7 | 4 | 4 | 7 | 17 | 19 | 12 |
| Pneumonia | 1932 | 128 | 84 | 214 | 219 | 102 | 45 | 36 | 81 | 31 | 50 | 68 | 68 |
| Asthma | 698 | 1 | – | – | 1 | – | – | – | – | 1 | 2 | 3 | 5 |
| Lung Disease | 339 | 9 | 9 | 12 | 18 | 5 | 11 | 6 | 11 | 7 | 20 | 17 | 10 |
| VII. Teething | 1106 | 5 | 42 | 410 | 553 | 87 | 8 | 1 | – | – | – | – | – |
| Quinsey | 63 | 5 | 1 | 3 | 12 | 7 | 3 | 4 | 7 | 3 | 3 | 1 | 3 |
| Gastritis | 165 | 13 | 7 | 7 | 7 | 2 | 5 | 3 | 7 | 4 | 3 | 7 | 3 |
| Enteritis | 892 | 245 | 110 | 87 | 90 | 23 | 12 | 12 | 31 | 22 | 19 | 26 | 19 |
| Peritonitis | 227 | 24 | 6 | 7 | 6 | 2 | 2 | – | 9 | 21 | 16 | 22 | 15 |
| Ascites | 64 | 2 | – | – | 1 | 1 | 1 | – | 1 | 3 | – | 1 | 4 |
| Ulceration of Intestines | 175 | 4 | 1 | – | 2 | 4 | – | 1 | 10 | 2 | 12 | 11 | 6 |
| Hernia | 114 | 3 | 1 | 1 | 1 | – | – | – | – | – | – | 1 | 1 |
| Ileus | 268 | 33 | 6 | 2 | 5 | 2 | 2 | – | 7 | 3 | 6 | 6 | 7 |
| Intussusception | 49 | 5 | 4 | 2 | 2 | – | – | – | 3 | – | 2 | 3 | 1 |
| Stricture of Intestines | 23 | – | – | – | – | – | – | – | 1 | – | – | 1 | – |
| Stomach Disease | 682 | 55 | 23 | 27 | 25 | 16 | 7 | 7 | 18 | 6 | 8 | 8 | 17 |
| Pancreas Disease | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hepatitis | 153 | 4 | 2 | 2 | – | 1 | 2 | – | 4 | 3 | 2 | 4 | 6 |
| Jaundice | 175 | 61 | 6 | 4 | 2 | 5 | 2 | 1 | 2 | – | 3 | 2 | 2 |
| Liver Disease | 611 | 13 | 6 | 5 | 4 | 5 | 3 | 4 | 4 | 11 | 12 | 18 | 12 |
| Spleen Disease | 21 | – | – | – | 1 | – | – | – | 2 | – | – | – | 2 |
| VIII. Nephritis | 41 | – | – | 1 | 1 | – | 1 | 1 | 3 | 1 | – | – | 1 |
| Nephria | 239 | – | – | 1 | 3 | – | – | 1 | 7 | 11 | 11 | 14 | 18 |
| Ischuria | 41 | 2 | 1 | 2 | – | – | – | – | – | – | – | 3 | – |
| Diabetes | 74 | – | – | – | 2 | – | 1 | – | 1 | 2 | 4 | 5 | 10 |
| Stone | 78 | – | – | 1 | – | 1 | – | – | – | 2 | 3 | – | – |
| Cystitis | 66 | – | – | – | – | – | – | 1 | – | 2 | 1 | 3 | 5 |
| Stricture of Urethra | 6 | – | – | – | – | – | – | – | – | – | – | – | – |
| Kidney Disease | 359 | 1 | – | – | 1 | 2 | 4 | – | 11 | 5 | 8 | 12 | 18 |
| IX. Paramenia | 29 | – | – | – | – | – | – | – | – | 1 | 9 | 4 | 2 |
| Ovarian Dropsy | 69 | – | – | – | – | – | – | – | – | – | – | 2 | 7 |
| Childbirth | 305 | – | – | – | – | – | – | – | – | – | 8 | 54 | 69 |
| Organs of Generation | 78 | – | – | 1 | – | – | – | – | – | – | 2 | 7 | 5 |
| X. Arthritis | 27 | – | – | – | – | – | 2 | 1 | 3 | 4 | 4 | – | 1 |
| Rheumatism | 164 | – | – | – | – | 2 | 1 | – | 2 | 2 | 5 | 3 | 6 |
| Joint and Bone Disease | 213 | 2 | – | 1 | 3 | 2 | 2 | 5 | 28 | 35 | 20 | 14 | 11 |
| XI. Carbuncle | 19 | – | – | 1 | 1 | 1 | – | – | – | – | – | – | – |
| Phlegmon | 8 | 1 | – | 1 | – | 1 | – | – | – | – | – | – | – |
| Skin Disease | 53 | 12 | 6 | 10 | 6 | 3 | 1 | – | 1 | 1 | 1 | – | – |
| XII. Cyanosis | 49 | 41 | 5 | – | 1 | – | – | 1 | 1 | – | – | – | – |
| Spina Bifida | 34 | 27 | 7 | – | – | – | – | – | – | – | – | – | – |
| Other Malformations | 62 | 50 | 1 | 2 | – | 1 | 1 | – | 1 | 1 | 2 | – | 1 |
| XVII. Intemperance | 53 | – | – | – | – | – | – | – | – | – | – | – | 3 |
| Privation | 7 | – | – | – | 2 | 2 | – | – | – | – | – | – | – |
| Want of Breast Milk | 62 | 42 | 15 | 5 | – | – | – | – | – | – | – | – | – |
| Neglect | 3 | 1 | – | – | 1 | – | – | 1 | – | – | – | – | – |
| Cold | 34 | 5 | 1 | – | 2 | – | – | – | – | 1 | – | 2 | 2 |
| Poison | 54 | 6 | 1 | 1 | 2 | 3 | 1 | 4 | 2 | – | 1 | 1 | 1 |
| Burns and Scalds | 324 | 2 | 3 | 13 | 55 | 51 | 42 | 23 | 37 | 14 | 5 | 5 | 12 |
| Hanging, etc. | 46 | – | – | – | – | – | – | – | – | – | 1 | 1 | 4 |
| Suffocation | 101 | 32 | 18 | 4 | 2 | – | 1 | – | 3 | 1 | 1 | 3 | 2 |
| Drowning | 436 | 5 | – | 1 | 14 | 13 | 8 | 9 | 29 | 19 | 42 | 44 | 39 |
| Fracture and Contusion | 769 | 2 | – | 2 | 12 | 11 | 12 | 5 | 35 | 52 | 49 | 63 | 57 |
| Wounds | 74 | – | – | – | – | – | – | – | 4 | 10 | 5 | 4 | 8 |
| Other Violent Causes | 94 | 18 | – | 1 | – | 1 | 1 | 3 | 4 | 3 | 4 | 4 | 3 |
| Not Specified | 3335 | 992 | 273 | 272 | 316 | 142 | 66 | 46 | 150 | 71 | 96 | 75 | 91 |

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1862.—Both Sexes. (*Contd.*)

| DISEASES. | BOTH SEXES. AGE UNDER | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 35 | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| Cephalitis | 6 | 11 | 5 | 12 | 4 | 9 | 9 | 4 | 2 | 2 | 1 | – | – | – | – | – |
| Apoplexy | 26 | 40 | 44 | 57 | 91 | 102 | 169 | 120 | 149 | 115 | 67 | 34 | 9 | 1 | – | 2 |
| Paralysis | 30 | 28 | 38 | 61 | 78 | 99 | 156 | 221 | 269 | 243 | 142 | 65 | 15 | 1 | 1 | 2 |
| Delirium Tremens | 8 | 12 | 7 | 6 | 11 | 5 | 2 | 1 | – | – | – | – | – | – | – | – |
| Chorea | 1 | – | 2 | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Epilepsy | 26 | 15 | 26 | 14 | 13 | 11 | 13 | 11 | 6 | 5 | 4 | 2 | – | – | – | – |
| Tetanus | – | 1 | – | 1 | 1 | 1 | 2 | 1 | 2 | – | – | – | – | – | – | – |
| Insanity | 9 | 9 | 9 | 11 | 6 | 11 | 7 | 4 | 7 | 2 | 2 | – | 1 | – | – | – |
| Convulsions | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Brain Disease | 27 | 49 | 41 | 47 | 61 | 52 | 64 | 50 | 54 | 39 | 22 | 8 | 2 | – | – | – |
| Pericarditis | 7 | 8 | 3 | 5 | 3 | 6 | 5 | 4 | 4 | 2 | 2 | – | – | – | – | – |
| Aneurism | 7 | 17 | 12 | 14 | 8 | 6 | 9 | 8 | 2 | 2 | 1 | – | – | – | – | – |
| Heart Disease | 101 | 119 | 142 | 169 | 198 | 223 | 348 | 343 | 295 | 211 | 85 | 39 | 3 | 2 | – | 2 |
| Laryngitis | 6 | 7 | 3 | 4 | 5 | 2 | 3 | 2 | 2 | – | – | 1 | 1 | – | – | – |
| Bronchitis | 81 | 89 | 123 | 152 | 206 | 228 | 354 | 294 | 317 | 260 | 221 | 80 | 20 | 5 | – | 2 |
| Pleurisy | 19 | 11 | 12 | 22 | 12 | 11 | 15 | 24 | 16 | 12 | 15 | 1 | 1 | – | – | – |
| Pneumonia | 67 | 58 | 75 | 76 | 88 | 87 | 93 | 103 | 81 | 40 | 26 | 7 | 2 | 1 | – | 2 |
| Asthma | 13 | 22 | 36 | 50 | 77 | 88 | 126 | 90 | 96 | 58 | 21 | 8 | – | – | – | – |
| Lung Disease | 26 | 18 | 24 | 20 | 25 | 17 | 24 | 20 | 12 | 12 | 4 | 2 | – | – | – | – |
| Teething | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Quinsey | 4 | 2 | – | – | 2 | 2 | – | – | – | 1 | – | – | – | – | – | – |
| Gastritis | 4 | 5 | 6 | 12 | 15 | 11 | 9 | 13 | 11 | 8 | 2 | – | 1 | – | – | – |
| Enteritis | 15 | 19 | 15 | 10 | 22 | 20 | 31 | 19 | 16 | 18 | 4 | 5 | 1 | – | – | 1 |
| Peritonitis | 13 | 15 | 6 | 6 | 8 | 11 | 11 | 13 | 8 | 3 | 2 | 1 | – | – | – | – |
| Ascites | 2 | 4 | 2 | 3 | 6 | 4 | 6 | 7 | 5 | 4 | 3 | 2 | 2 | – | – | – |
| Ulceration of Intestines | 10 | 12 | 13 | 9 | 17 | 11 | 18 | 9 | 10 | 5 | 4 | 4 | – | – | – | – |
| Hernia | – | 6 | 4 | 10 | 9 | 13 | 13 | 15 | 14 | 14 | 7 | 1 | – | – | – | – |
| Ileus | 14 | 12 | 10 | 12 | 17 | 20 | 21 | 19 | 28 | 14 | 12 | 7 | 3 | – | – | – |
| Intussusception | 1 | 1 | 2 | – | 3 | 6 | 5 | 4 | 3 | – | 1 | 1 | – | – | – | – |
| Stricture of Intestines | 1 | 1 | – | 1 | 3 | 2 | 4 | 3 | 4 | 2 | – | – | – | – | – | – |
| Stomach Disease | 28 | 30 | 30 | 30 | 31 | 55 | 66 | 74 | 68 | 32 | 18 | 1 | 2 | – | – | – |
| Pancreas Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hepatitis | 5 | 8 | 8 | 16 | 23 | 18 | 16 | 13 | 8 | 8 | – | – | – | – | – | – |
| Jaundice | 1 | 4 | 3 | – | 6 | 12 | 13 | 17 | 15 | 4 | 7 | 2 | 1 | – | – | – |
| Liver Disease | 23 | 31 | 39 | 62 | 65 | 58 | 79 | 61 | 46 | 33 | 12 | 4 | 1 | – | – | – |
| Spleen Disease | – | – | 3 | 1 | 2 | 3 | 5 | 2 | – | – | – | – | – | – | – | – |
| Nephritis | 3 | 2 | – | 4 | 3 | 1 | 9 | 3 | 4 | 1 | 1 | 1 | – | – | – | – |
| Nephria | 17 | 29 | 20 | 17 | 17 | 18 | 17 | 12 | 14 | 6 | 3 | 3 | – | – | – | – |
| Ischuria | 2 | 2 | 2 | 2 | – | – | 2 | 6 | 4 | 8 | 1 | 3 | 1 | – | – | – |
| Diabetes | 7 | 10 | 6 | 8 | 5 | 3 | 3 | 1 | 4 | 1 | – | 1 | – | – | – | – |
| Stone | 1 | – | 1 | 4 | 3 | 6 | 7 | 11 | 13 | 15 | 4 | 4 | 2 | – | – | – |
| Cystitis | 3 | 2 | 4 | 1 | 3 | 5 | 8 | 4 | 5 | 6 | 8 | 4 | 1 | – | – | – |
| Stricture of Urethra | – | 2 | – | 1 | 1 | – | – | 1 | 1 | – | – | – | – | – | – | – |
| Kidney Disease | 13 | 12 | 12 | 17 | 22 | 17 | 44 | 41 | 56 | 33 | 21 | 7 | 1 | 1 | – | – |
| Paramenia | 1 | 5 | 3 | 2 | 2 | – | – | – | – | – | – | – | – | – | – | – |
| Ovarian Dropsy | 8 | 8 | 6 | 6 | 12 | 5 | 5 | 5 | 2 | 2 | 1 | – | – | – | – | – |
| Childbirth | 62 | 56 | 44 | 10 | 2 | – | – | – | – | – | – | – | – | – | – | – |
| Organs of Generation | 8 | 9 | 9 | 11 | 4 | 7 | 8 | 3 | 3 | – | 1 | – | – | – | – | – |
| Arthritis | – | 3 | – | – | 2 | 1 | 2 | 2 | – | – | 1 | 1 | – | – | – | – |
| Rheumatism | 5 | 6 | 4 | 10 | 13 | 16 | 13 | 25 | 22 | 18 | 7 | 1 | 2 | 1 | – | – |
| Joint Disease | 13 | 13 | 7 | 10 | 7 | 9 | 9 | 7 | 8 | 5 | 2 | – | – | – | – | – |
| Carbuncle | – | – | – | 4 | – | 2 | 3 | 1 | 2 | 2 | 1 | 1 | – | – | – | – |
| Phlegmon | 1 | – | 1 | – | 1 | 1 | – | 1 | – | – | – | – | – | – | – | – |
| Skin Disease | 3 | 2 | 2 | – | – | 1 | 1 | 1 | 1 | – | 1 | – | – | – | – | – |
| Cyanosis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Spina Bifida | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Malformations | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Intemperance | 1 | 6 | 8 | 16 | 6 | 4 | 4 | 1 | 2 | 2 | – | – | – | – | – | – |
| Privation | 2 | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Want of Breast Milk | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Neglect | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cold | 4 | 1 | 1 | 2 | 2 | 4 | – | 1 | 3 | – | 2 | – | – | – | – | 1 |
| Poison | 2 | 7 | 3 | 4 | 5 | 4 | 1 | 1 | 2 | 2 | – | – | – | – | – | – |
| Burns and Scalds | 3 | 8 | 2 | 5 | 2 | 1 | 6 | 9 | 5 | 7 | 8 | 6 | – | – | – | – |
| Hanging, etc. | 2 | 5 | 3 | 8 | 5 | 6 | 6 | 5 | – | – | – | – | – | – | – | – |
| Suffocation | 2 | 2 | 3 | 6 | 7 | 3 | 5 | 2 | 1 | 1 | – | – | – | – | – | 2 |
| Drowning | 37 | 39 | 35 | 17 | 18 | 19 | 17 | 6 | 7 | 5 | 1 | – | – | – | – | 12 |
| Fracture and Contusion | 50 | 59 | 56 | 56 | 44 | 42 | 41 | 33 | 27 | 26 | 16 | 6 | 4 | 1 | 1 | 7 |
| Wounds | 3 | 7 | 7 | 3 | 4 | 8 | 4 | 3 | 2 | 2 | – | – | – | – | – | – |
| Other Violent Causes | 6 | 3 | 5 | 6 | 2 | 8 | 8 | 5 | – | 3 | 1 | – | 1 | – | – | 4 |
| Not Specified | 87 | 71 | 80 | 67 | 88 | 133 | 173 | 1 | – | – | – | – | – | – | – | 45 |

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1862.—MALES.

| DISEASES. | MALES. | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | |
| | | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 |
| | | 3 | 6 | 12 | | | | | | | | | |
| ALL CAUSES | 33179 | 3468 | 1222 | 2292 | 3210 | 1567 | 932 | 649 | 1702 | 897 | 1163 | 1304 | 1084 |
| SPECIFIED CAUSES | 31408 | 2879 | 1075 | 2156 | 3036 | 1495 | 906 | 627 | 1625 | 855 | 1112 | 1267 | 1034 |
| I. Zymotic Class | 6745 | 285 | 271 | 719 | 1346 | 768 | 521 | 347 | 768 | 215 | 187 | 162 | 137 |
| II. Diseases of Uncertain Seat | 864 | 25 | 1 | 12 | 16 | 8 | 7 | 9 | 19 | 25 | 15 | 14 | 15 |
| III. Tubercular Class | 5542 | 75 | 134 | 315 | 487 | 266 | 149 | 106 | 434 | 299 | 527 | 691 | 502 |
| IV. Brain and Nervous System | 2699 | 228 | 63 | 102 | 132 | 58 | 31 | 31 | 82 | 69 | 60 | 66 | 68 |
| V. Organs of Circulation | 1432 | 12 | 1 | 5 | 1 | 4 | 2 | 2 | 14 | 21 | 51 | 36 | 36 |
| VI. Respiratory Organs | 4694 | 317 | 316 | 571 | 532 | 228 | 118 | 71 | 119 | 45 | 74 | 88 | 80 |
| VII. Organs of Digestion | 2459 | 308 | 128 | 306 | 369 | 80 | 23 | 20 | 51 | 45 | 51 | 59 | 37 |
| VIII. Urinary Organs | 617 | 2 | 1 | 5 | 1 | 3 | 2 | 2 | 12 | 15 | 23 | 25 | 30 |
| IX. Organs of Generation | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – |
| X. Organs of Locomotion | 229 | 2 | – | 1 | – | 2 | 3 | 3 | 23 | 28 | 21 | 13 | 12 |
| XI. Skin, etc. | 51 | 6 | 4 | 9 | 4 | 3 | 1 | – | 1 | – | – | – | – |
| XII. Malformation | 75 | 61 | 7 | – | – | 1 | 1 | 1 | 2 | – | 2 | – | – |
| XIII. Premature Debility | 1701 | 1489 | 119 | 93 | – | – | – | – | – | – | – | – | – |
| XIV. Atrophy | 263 | – | – | 1 | 95 | 28 | 12 | 9 | 20 | 11 | 7 | 4 | 8 |
| XV. Age | 2482 | – | – | – | – | – | – | – | – | – | – | – | – |
| XVI. Sudden Deaths | 58 | 8 | 6 | 3 | 2 | 1 | 1 | – | – | – | – | – | 1 |
| XVII. Violent Deaths | 1496 | 61 | 24 | 13 | 51 | 45 | 35 | 26 | 80 | 82 | 94 | 109 | 108 |
| I. Small Pox | 209 | 13 | 13 | 32 | 29 | 25 | 15 | 15 | 20 | 4 | 7 | 10 | 9 |
| Measles | 710 | 4 | 18 | 99 | 295 | 115 | 70 | 25 | 69 | 5 | 6 | – | 2 |
| Scarlatina | 669 | 6 | 8 | 32 | 101 | 113 | 103 | 63 | 191 | 33 | 10 | 4 | 2 |
| Diphtheria | 469 | 19 | 10 | 28 | 76 | 70 | 52 | 40 | 104 | 29 | 16 | 4 | 6 |
| Hooping Cough | 1295 | 69 | 92 | 301 | 436 | 163 | 100 | 62 | 66 | 4 | 1 | 1 | – |
| Croup | 722 | 28 | 26 | 73 | 202 | 159 | 93 | 65 | 72 | 3 | – | – | 1 |
| Thrush | 19 | 15 | 2 | 2 | – | – | – | – | – | – | – | – | – |
| Diarrhœa | 539 | 57 | 51 | 79 | 97 | 23 | 11 | 7 | 8 | 4 | 7 | 6 | 9 |
| Dysentery | 128 | 4 | 9 | 9 | 14 | – | 2 | – | 6 | 2 | 1 | 5 | 5 |
| Cholera | 31 | 2 | 2 | 4 | 5 | 1 | 1 | 2 | 2 | – | 1 | 2 | – |
| Influenza | 168 | 9 | 7 | 12 | 13 | 9 | 2 | 5 | 3 | 3 | 3 | 1 | 3 |
| Purpura | 29 | – | 1 | 1 | 1 | – | 1 | – | 3 | 5 | 1 | 3 | – |
| Ague | 7 | – | – | – | – | 1 | – | 1 | 1 | – | – | 1 | 1 |
| Worms | 16 | – | – | – | 2 | 2 | 2 | 2 | 7 | – | – | 1 | – |
| Infantile Fever | 28 | 2 | 2 | 9 | 7 | 3 | 3 | 2 | – | – | – | – | – |
| Typhus | 1484 | 8 | 14 | 28 | 59 | 78 | 61 | 53 | 206 | 115 | 120 | 121 | 90 |
| Metria | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rheumatic Fever | 49 | – | – | – | – | – | 1 | 2 | 5 | 8 | 10 | 1 | 2 |
| Erysipelas | 108 | 21 | 6 | 4 | 4 | 5 | 4 | 2 | 4 | – | 4 | 1 | 5 |
| Syphilis | 57 | 27 | 10 | 4 | 5 | 1 | – | 1 | – | – | – | 1 | 2 |
| Noma | 7 | 1 | – | 2 | – | – | – | – | – | – | – | – | – |
| Hydrophobia | 1 | – | – | – | – | – | – | – | 1 | – | – | – | – |
| II. Hæmorrhage | 47 | 8 | – | 1 | 1 | – | 1 | – | 1 | 2 | 3 | 1 | 1 |
| Dropsy | 282 | 2 | – | 2 | 4 | 5 | 6 | 4 | 8 | 13 | – | 5 | 7 |
| Abscess | 67 | 6 | – | 6 | 2 | 1 | – | 1 | 4 | 4 | 9 | 6 | 1 |
| Ulcer | 27 | 3 | – | 2 | 3 | – | – | – | – | 1 | – | – | – |
| Fistula | 8 | – | – | – | – | – | – | – | – | – | – | – | – |
| Mortification | 59 | 4 | 1 | – | 5 | 1 | – | 1 | 1 | – | – | – | – |
| Cancer | 367 | 2 | – | 1 | 1 | 1 | – | 3 | 5 | 5 | 3 | 2 | 6 |
| Gout | 7 | – | – | – | – | – | – | – | – | – | – | – | – |
| III. Scrofula | 406 | 6 | 11 | 12 | 22 | 27 | 7 | 17 | 52 | 54 | 57 | 38 | 26 |
| Tabes Mesenterica | 435 | 30 | 22 | 48 | 112 | 68 | 23 | 17 | 51 | 22 | 18 | 10 | 2 |
| Phthisis | 3760 | 7 | 28 | 48 | 122 | 74 | 49 | 24 | 190 | 191 | 447 | 641 | 472 |
| Hydrocephalus | 941 | 32 | 73 | 207 | 231 | 97 | 70 | 48 | 141 | 32 | 5 | 2 | 2 |

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1862.—MALES.

| DISEASES. | MALES. AGE UNDER | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 35 | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| ALL CAUSES | 935 | 991 | 913 | 995 | 1130 | 1083 | 1456 | 1377 | 1490 | 1276 | 1139 | 595 | 192 | 55 | 10 | 52 |
| SPECIFIED CAUSES | 890 | 957 | 883 | 971 | 1084 | 1025 | 1373 | 1376 | 1490 | 1276 | 1139 | 595 | 192 | 55 | 10 | 25 |
| Zymotic Class | 99 | 104 | 84 | 99 | 89 | 78 | 110 | 105 | 92 | 79 | 53 | 20 | 7 | – | – | – |
| Uncertain Seat | 18 | 32 | 28 | 56 | 78 | 57 | 89 | 107 | 87 | 76 | 46 | 19 | 4 | 1 | – | – |
| Tubercular Class | 331 | 296 | 227 | 181 | 169 | 125 | 105 | 68 | 36 | 9 | 5 | 2 | – | – | – | 3 |
| Brain, etc. | 71 | 97 | 98 | 115 | 154 | 152 | 221 | 200 | 250 | 182 | 119 | 42 | 7 | – | – | 1 |
| Heart, etc. | 70 | 78 | 73 | 99 | 108 | 130 | 188 | 175 | 160 | 103 | 41 | 19 | 2 | – | – | 1 |
| Respiratory Organs | 109 | 112 | 162 | 190 | 222 | 221 | 308 | 245 | 228 | 160 | 124 | 45 | 8 | 1 | – | – |
| Digestive Organs | 57 | 72 | 64 | 80 | 109 | 109 | 132 | 114 | 120 | 71 | 35 | 15 | 3 | – | – | 1 |
| Urinary Organs | 18 | 27 | 26 | 33 | 45 | 34 | 63 | 58 | 78 | 61 | 27 | 20 | 5 | 1 | – | – |
| Generative Organs | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Locomotive Organs | 9 | 15 | 7 | 10 | 11 | 9 | 13 | 13 | 18 | 9 | 4 | 1 | 2 | – | – | – |
| Skin | 2 | 1 | 2 | 3 | 1 | 4 | 4 | 3 | – | – | 2 | 1 | – | – | – | – |
| Malformation | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Premature Debility | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Atrophy | 3 | 6 | 3 | 9 | 21 | 26 | – | – | – | – | – | – | – | – | – | – |
| Age | – | – | – | – | – | – | 62 | 240 | 384 | 501 | 670 | 408 | 153 | 52 | 10 | 2 |
| Sudden Deaths | 4 | 1 | 1 | 4 | 6 | 6 | 7 | 4 | 2 | 1 | – | – | – | – | – | – |
| Violent Deaths | 99 | 116 | 108 | 92 | 71 | 74 | 71 | 44 | 35 | 24 | 13 | 3 | 1 | – | – | 17 |
| Small Pox | 6 | 4 | 3 | 1 | 1 | 1 | – | 1 | – | – | – | – | – | – | – | – |
| Measles | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scarlatina | 1 | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diphtheria | 3 | 1 | 1 | 4 | 1 | 3 | 2 | – | – | – | – | – | – | – | – | – |
| Hooping Cough | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Croup | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Thrush | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diarrhœa | 6 | 9 | 2 | 14 | 13 | 7 | 21 | 14 | 32 | 30 | 19 | 12 | 1 | – | – | – |
| Dysentery | 3 | 6 | 5 | 3 | 3 | 9 | 3 | 7 | 16 | 10 | 4 | 1 | 1 | – | – | – |
| Cholera | – | 1 | – | 2 | 2 | 1 | – | – | 1 | 1 | 1 | – | – | – | – | – |
| Influenza | 4 | 2 | 2 | 4 | 5 | 3 | 8 | 12 | 17 | 15 | 17 | 6 | 3 | – | – | – |
| Purpura | – | 1 | 1 | – | – | 4 | 2 | 2 | 2 | 1 | – | – | – | – | – | – |
| Ague | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Worms | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Infantile Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Typhus | 66 | 68 | 60 | 60 | 56 | 45 | 66 | 61 | 17 | 19 | 11 | – | 2 | – | – | – |
| Metria | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rheumatic Fever | 6 | 2 | 2 | 2 | 2 | – | 3 | 1 | 1 | 1 | – | – | – | – | – | – |
| Erysipelas | 2 | 5 | 5 | 7 | 5 | 2 | 5 | 7 | 6 | 2 | 1 | 1 | – | – | – | – |
| Syphilis | 1 | 1 | 2 | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Noma | – | 1 | – | – | 1 | 2 | – | – | – | – | – | – | – | – | – | – |
| Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmorrhage | 1 | 3 | 1 | 3 | 6 | 2 | 5 | 4 | 3 | – | – | – | – | – | – | – |
| Dropsy | 6 | 5 | 7 | 18 | 21 | 24 | 25 | 32 | 30 | 33 | 18 | 7 | – | – | – | – |
| Abscess | 1 | 4 | 3 | 1 | 3 | 2 | 1 | 6 | 4 | 1 | – | – | – | 1 | – | – |
| Ulcer | – | – | – | 5 | 2 | – | 3 | 2 | 3 | 1 | 2 | – | – | – | – | – |
| Fistula | – | 2 | – | 1 | 1 | – | 1 | 1 | – | 1 | 1 | – | – | – | – | – |
| Mortification | – | – | 1 | 1 | 1 | – | 1 | 6 | 6 | 11 | 9 | 8 | 2 | – | – | – |
| Cancer | 10 | 18 | 16 | 27 | 43 | 28 | 52 | 56 | 39 | 29 | 15 | 3 | 2 | – | – | – |
| Gout | – | – | – | – | 1 | 1 | 1 | – | 2 | – | 1 | 1 | – | – | – | – |
| Scrofula | 16 | 14 | 11 | 7 | 8 | 7 | 2 | 6 | 5 | – | 1 | – | – | – | – | – |
| Tabes Mesenterica | 1 | 2 | 3 | 1 | – | 3 | – | 2 | – | – | – | – | – | – | – | – |
| Phthisis | 314 | 280 | 212 | 173 | 161 | 115 | 103 | 60 | 31 | 9 | 4 | 2 | – | – | – | 3 |
| Hydrocephalus | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1862.—MALES. (*Continued.*)

| DISEASES. | MALES. | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | |
| | | MONTHS. | | | | | | | | | | | |
| | | 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 |
| IV. Cephalitis | 183 | 8 | 5 | 12 | 14 | 15 | 9 | 9 | 24 | 13 | 10 | 12 | 14 |
| Apoplexy | 602 | 11 | 7 | 10 | 9 | 8 | 4 | 5 | 6 | 8 | 1 | 15 | 6 |
| Paralysis | 735 | – | – | – | 1 | 1 | – | – | 5 | 2 | 8 | 8 | 11 |
| Delirium Tremens | 51 | – | – | – | – | – | – | – | – | – | – | 1 | 8 |
| Chorea | 6 | – | – | – | 1 | – | – | – | – | 1 | 1 | – | – |
| Epilepsy | 137 | – | – | 1 | 1 | – | – | – | 4 | 10 | 14 | 10 | 10 |
| Tetanus | 33 | 17 | – | 1 | 1 | 1 | – | – | 5 | – | 1 | 1 | 1 |
| Insanity | 42 | – | – | – | – | – | – | – | 1 | 3 | 1 | 2 | 4 |
| Convulsions | 406 | 185 | 44 | 63 | 68 | 22 | 10 | 7 | 6 | 1 | – | – | – |
| Brain Disease | 504 | 7 | 7 | 15 | 37 | 11 | 8 | 10 | 31 | 31 | 24 | 17 | 14 |
| V. Pericarditis | 50 | 1 | – | 3 | – | 1 | – | – | 1 | 4 | 6 | 2 | 3 |
| Aneurism | 58 | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Heart Disease | 1324 | 11 | 1 | 2 | 1 | 3 | 2 | 2 | 13 | 17 | 45 | 34 | 32 |
| VI. Laryngitis | 103 | 4 | 8 | 11 | 20 | 8 | 8 | 4 | 6 | 3 | 1 | 3 | 2 |
| Bronchitis | 2802 | 230 | 250 | 423 | 383 | 161 | 77 | 37 | 62 | 15 | 24 | 27 | 25 |
| Pleurisy | 164 | 4 | 4 | 9 | 7 | 4 | 3 | 2 | 1 | 5 | 13 | 12 | 5 |
| Pneumonia | 1115 | 76 | 48 | 120 | 115 | 51 | 25 | 23 | 42 | 15 | 29 | 36 | 39 |
| Asthma | 328 | – | – | – | 1 | – | – | – | – | – | – | 3 | 4 |
| Lung Disease | 182 | 3 | 6 | 8 | 6 | 4 | 5 | 5 | 8 | 7 | 7 | 7 | 5 |
| VII. Teething | 601 | 4 | 26 | 231 | 288 | 46 | 5 | 1 | – | – | – | – | – |
| Quinsey | 31 | 1 | 1 | 1 | 7 | 5 | 1 | 2 | 2 | 1 | 3 | 1 | 1 |
| Gastritis | 75 | 10 | 2 | 2 | 4 | 1 | 1 | 3 | 4 | 1 | – | 1 | 1 |
| Enteritis | 498 | 153 | 73 | 43 | 49 | 11 | 6 | 7 | 12 | 14 | 14 | 18 | 10 |
| Peritonitis | 96 | 15 | 5 | 5 | 3 | 1 | 2 | – | 4 | 12 | 6 | 4 | 4 |
| Ascites | 17 | – | – | – | – | 1 | – | – | 1 | 2 | – | 1 | 1 |
| Ulceration of Intestines | 94 | 3 | – | – | – | 1 | – | 1 | 7 | 1 | 7 | 7 | 4 |
| Hernia | 58 | 2 | 1 | 1 | 1 | – | – | – | – | – | – | 1 | 1 |
| Ileus | 131 | 24 | 3 | – | 1 | 1 | – | – | 5 | 2 | 4 | 4 | – |
| Intussusception | 25 | 4 | – | 1 | 1 | – | – | – | – | – | 2 | 1 | – |
| Stricture of Intestines | 14 | – | – | – | – | – | – | – | 1 | – | – | – | – |
| Stomach Disease | 324 | 31 | 11 | 17 | 8 | 7 | 4 | 3 | 10 | 3 | 5 | 5 | 6 |
| Pancreas Disease | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hepatitis | 74 | 4 | 1 | – | – | – | 1 | – | 3 | 2 | – | 4 | 3 |
| Jaundice | 95 | 47 | 1 | 2 | 2 | 3 | 1 | 1 | – | – | 2 | – | – |
| Liver Disease | 317 | 10 | 4 | 3 | 4 | 3 | 2 | 2 | 1 | 7 | 8 | 12 | 5 |
| Spleen Disease | 9 | – | – | – | 1 | – | – | – | 1 | – | – | – | 1 |
| VIII. Nephritis | 21 | – | – | 1 | – | – | – | 1 | 2 | – | – | – | – |
| Nephria | 137 | – | – | 1 | 1 | – | – | – | 2 | 7 | 9 | 10 | 11 |
| Ischuria | 36 | 2 | 1 | 2 | – | – | – | – | – | – | – | 1 | – |
| Diabetes | 43 | – | – | – | – | – | – | – | 1 | 1 | 3 | 4 | 7 |
| Stone | 70 | – | – | 1 | – | 1 | – | – | – | 2 | 3 | – | – |
| Cystitis | 52 | – | – | – | – | – | – | 1 | – | 2 | 1 | 2 | 4 |
| Stricture of Urethra | 5 | – | – | – | – | – | – | – | – | – | – | – | – |
| Kidney Disease | 253 | – | – | – | – | 2 | 2 | – | 7 | 3 | 7 | 8 | 8 |
| IX. Paramenia | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ovarian Dropsy | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Childbirth | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Organs of Generation | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – |
| X. Arthritis | 17 | – | – | – | – | – | – | – | 3 | 3 | 3 | – | 1 |
| Rheumatism | 78 | – | – | – | – | 1 | 1 | – | 2 | 2 | 3 | 2 | 4 |
| Joint and Bone Disease | 134 | 2 | – | 1 | – | 1 | 2 | 3 | 18 | 23 | 15 | 11 | 7 |
| XI. Carbuncle | 12 | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Phlegmon | 7 | 1 | – | 1 | – | – | – | – | – | – | – | – | – |
| Skin Disease | 32 | 5 | 4 | 7 | 4 | 3 | 1 | – | 1 | – | – | – | – |
| XII. Cyanosis | 26 | 22 | 2 | – | – | – | – | 1 | 1 | – | – | – | – |
| Spina Bifida | 20 | 16 | 4 | – | – | – | – | – | – | – | – | – | – |
| Other Malformations | 29 | 23 | 1 | – | – | 1 | 1 | – | 1 | – | 2 | – | – |
| XVII. Intemperance | 39 | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Privation | 3 | – | – | – | – | 2 | – | – | – | – | – | – | – |
| Want of Breast Milk | 33 | 20 | 11 | 2 | – | – | – | – | – | – | – | – | – |
| Neglect | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Cold | 21 | 3 | – | – | 1 | – | – | – | – | – | – | 2 | 1 |
| Poison | 29 | 1 | – | 1 | 2 | 2 | 1 | 2 | 2 | – | 1 | 1 | 1 |
| Burns and Scalds | 149 | 1 | 1 | 4 | 32 | 26 | 19 | 9 | 18 | 9 | 1 | 2 | 7 |
| Hanging, etc. | 34 | – | – | – | – | – | – | – | – | – | 1 | 1 | 2 |
| Suffocation | 63 | 18 | 12 | 3 | 1 | – | – | – | 3 | – | 1 | – | 1 |
| Drowning | 367 | 2 | – | 1 | 9 | 9 | 6 | 8 | 22 | 16 | 38 | 38 | 33 |
| Fracture and Contusion | 625 | – | – | 1 | 6 | 6 | 9 | 4 | 29 | 45 | 44 | 57 | 53 |
| Wounds | 60 | – | – | – | – | – | – | – | 2 | 9 | 4 | 4 | 6 |
| Other Violent Causes | 72 | 15 | – | 1 | – | – | – | 3 | 4 | 3 | 4 | 4 | 3 |
| Not Specified | 1771 | 589 | 147 | 136 | 174 | 72 | 26 | 22 | 77 | 42 | 51 | 37 | 50 |

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1862.—MALES. (*Continued.*)

| DISEASES. | MALES. AGE UNDER | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 35 | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| Cephalitis | 2 | 6 | 3 | 7 | 4 | 5 | 7 | 3 | 1 | – | – | – | – | – | – | – |
| Apoplexy | 14 | 22 | 23 | 24 | 50 | 54 | 83 | 57 | 80 | 56 | 30 | 14 | 4 | – | – | 1 |
| Paralysis | 17 | 17 | 26 | 37 | 42 | 46 | 77 | 100 | 134 | 103 | 76 | 23 | 1 | – | – | – |
| Delirium Tremens | 5 | 10 | 6 | 6 | 9 | 4 | 1 | 1 | – | – | – | – | – | – | – | – |
| Chorea | 1 | – | 1 | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Epilepsy | 15 | 7 | 14 | 6 | 10 | 6 | 9 | 9 | 4 | 3 | 2 | 2 | – | – | – | – |
| Tetanus | – | – | – | 1 | – | 1 | 1 | 1 | 1 | – | – | – | – | – | – | – |
| Insanity | 4 | 4 | 2 | 6 | 2 | 4 | 3 | 2 | 1 | 2 | – | – | 1 | – | – | – |
| Convulsions | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Brain Disease | 13 | 31 | 23 | 28 | 37 | 32 | 40 | 26 | 29 | 18 | 11 | 3 | 1 | – | – | – |
| Pericarditis | 6 | 4 | – | 3 | 2 | 4 | 3 | 3 | 2 | 1 | 1 | – | – | – | – | – |
| Aneurism | 6 | 13 | 6 | 10 | 6 | 6 | 5 | 4 | 1 | – | – | – | – | – | – | – |
| Heart Disease | 58 | 61 | 67 | 86 | 100 | 120 | 180 | 168 | 157 | 102 | 40 | 19 | 2 | – | – | 1 |
| Laryngitis | 4 | 5 | 2 | 3 | 4 | 1 | 3 | 1 | 1 | – | – | 1 | – | – | – | – |
| Bronchitis | 36 | 43 | 63 | 74 | 105 | 107 | 159 | 128 | 142 | 103 | 88 | 34 | 6 | – | – | – |
| Pleurisy | 10 | 7 | 7 | 15 | 8 | 4 | 7 | 13 | 8 | 8 | 7 | 1 | – | – | – | – |
| Pneumonia | 36 | 36 | 58 | 54 | 56 | 58 | 64 | 51 | 38 | 23 | 15 | 4 | 2 | 1 | – | – |
| Asthma | 9 | 9 | 17 | 29 | 37 | 43 | 60 | 43 | 35 | 22 | 12 | 4 | – | – | – | – |
| Lung Disease | 14 | 12 | 15 | 15 | 12 | 8 | 15 | 9 | 4 | 4 | 2 | 1 | – | – | – | – |
| Teething | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Quinsey | 3 | – | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – |
| Gastritis | 2 | 3 | 3 | 7 | 6 | 4 | 3 | 7 | 6 | 3 | – | – | 1 | – | – | – |
| Enteritis | 7 | 10 | 9 | 4 | 9 | 8 | 14 | 3 | 9 | 8 | 2 | 4 | – | – | – | 1 |
| Peritonitis | 4 | 7 | 1 | 2 | 4 | 4 | 2 | 4 | 6 | 1 | – | – | – | – | – | – |
| Ascites | 2 | 1 | – | – | 1 | – | 2 | 2 | 1 | 1 | – | 1 | – | – | – | – |
| Ulceration of Intestines | 8 | 4 | 7 | 7 | 8 | 7 | 9 | 4 | 3 | 3 | 1 | 2 | – | – | – | – |
| Hernia | – | 3 | 2 | 7 | 3 | 3 | 4 | 6 | 5 | 11 | 6 | 1 | – | – | – | – |
| Ileus | 7 | 6 | 5 | 7 | 5 | 9 | 7 | 9 | 15 | 8 | 6 | 3 | – | – | – | – |
| Intussusception | 1 | – | – | – | 2 | 3 | 3 | 2 | 3 | – | 1 | 1 | – | – | – | – |
| Stricture of Intestines | 1 | 1 | – | 1 | 1 | 1 | 2 | 3 | 2 | 1 | – | – | – | – | – | – |
| Stomach Disease | 12 | 11 | 12 | 9 | 21 | 31 | 32 | 34 | 31 | 15 | 5 | – | 1 | – | – | – |
| Pancreas Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hepatitis | 1 | 6 | 5 | 4 | 13 | 8 | 5 | 8 | 2 | 4 | – | – | – | – | – | – |
| Jaundice | – | 2 | – | – | – | 5 | 8 | 6 | 6 | 2 | 6 | 1 | – | – | – | – |
| Liver Disease | 9 | 18 | 19 | 32 | 34 | 25 | 38 | 25 | 31 | 14 | 8 | 2 | 1 | – | – | – |
| Spleen Disease | – | – | 1 | – | 1 | – | 3 | 1 | – | – | – | – | – | – | – | – |
| Nephritis | 1 | – | – | 2 | 3 | 1 | 4 | 1 | 4 | – | – | 1 | – | – | – | – |
| Nephria | 9 | 13 | 13 | 12 | 14 | 8 | 11 | 6 | 5 | 3 | 1 | 1 | – | – | – | – |
| Ischuria | 1 | 1 | 2 | 2 | – | – | 2 | 5 | 4 | 8 | 1 | 3 | 1 | – | – | – |
| Diabetes | 2 | 5 | 2 | 5 | 4 | 2 | 2 | – | 4 | – | – | 1 | – | – | – | – |
| Stone | – | – | 1 | 3 | 3 | 6 | 6 | 10 | 12 | 15 | 2 | 3 | 2 | – | – | – |
| Cystitis | 1 | 2 | 3 | – | 1 | 4 | 8 | 4 | 3 | 5 | 6 | 4 | 1 | – | – | – |
| Stricture of Urethra | – | 2 | – | – | 1 | – | – | 1 | 1 | – | – | – | – | – | – | – |
| Kidney Disease | 4 | 4 | 5 | 9 | 19 | 13 | 30 | 31 | 45 | 30 | 17 | 7 | 1 | 1 | – | – |
| Paramenia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ovarian Dropsy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Childbirth | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Organs of Generation | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Arthritis | – | 3 | – | – | – | – | 2 | 1 | – | – | 1 | – | – | – | – | – |
| Rheumatism | 2 | 3 | 3 | 6 | 7 | 6 | 4 | 8 | 12 | 8 | 1 | 1 | 2 | – | – | – |
| Joint Diseae | 7 | 9 | 4 | 4 | 4 | 3 | 7 | 4 | 6 | 1 | 2 | – | – | – | – | – |
| Carbuncle | – | – | – | 3 | – | 2 | 3 | 1 | – | – | 1 | 1 | – | – | – | – |
| Phlegmon | 1 | – | 1 | – | 1 | 1 | – | 1 | – | – | – | – | – | – | – | – |
| Skin Disease | 1 | 1 | 1 | – | – | 1 | 1 | 1 | – | – | 1 | – | – | – | – | – |
| Cyanosis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Spina Bifida | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Malformations | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intemperance | 1 | 4 | 5 | 12 | 5 | 4 | 2 | 1 | 2 | 2 | – | – | – | – | – | – |
| Privation | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Want of Breast Milk | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Neglect | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cold | 3 | 1 | – | 2 | – | 3 | – | 1 | 2 | – | 1 | – | – | – | – | 1 |
| Poison | – | 4 | 3 | 1 | 3 | 1 | 1 | – | 2 | – | – | – | – | – | – | – |
| Burns and Scalds | 3 | 5 | 1 | 2 | – | – | 1 | 2 | 2 | 2 | 2 | – | – | – | – | – |
| Hanging, etc. | 1 | 3 | 3 | 5 | 5 | 3 | 6 | 4 | – | – | – | – | – | – | – | – |
| Suffocation | 2 | 1 | 3 | 2 | 6 | 1 | 4 | 2 | 1 | 1 | – | – | – | – | – | 1 |
| Drowning | 33 | 35 | 31 | 13 | 16 | 15 | 16 | 6 | 7 | 4 | 1 | – | – | – | – | 8 |
| Fracture and Contusion | 48 | 55 | 51 | 48 | 32 | 36 | 31 | 22 | 17 | 13 | 9 | 3 | 1 | – | – | 5 |
| Wounds | 2 | 6 | 7 | 2 | 3 | 6 | 3 | 3 | 2 | 1 | – | – | – | – | – | – |
| Other Violent Causes | 5 | 2 | 4 | 5 | 1 | 5 | 7 | 3 | – | 1 | – | – | – | – | – | 2 |
| Not Specified | 45 | 34 | 30 | 24 | 46 | 58 | 83 | 1 | – | – | – | – | – | – | – | 27 |

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1862.—FEMALES.

| DISEASES. | FEMALES. | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | |
| | | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 |
| | | 3 | 6 | 12 | | | | | | | | | |
| ALL CAUSES | 34016 | 2546 | 927 | 2101 | 3005 | 1587 | 1029 | 662 | 1591 | 808 | 1100 | 1259 | 1189 |
| SPECIFIED CAUSES | 32452 | 2143 | 801 | 1965 | 2863 | 1517 | 989 | 638 | 1518 | 779 | 1055 | 1221 | 1148 |
| I. Zymotic Class | 7233 | 289 | 231 | 715 | 1306 | 826 | 577 | 380 | 786 | 248 | 226 | 203 | 160 |
| II. Diseases of Uncertain Seat | 1424 | 17 | 5 | 10 | 13 | 12 | 12 | 7 | 18 | 11 | 10 | 18 | 40 |
| III. Tubercular Class | 5887 | 50 | 106 | 311 | 420 | 222 | 154 | 124 | 352 | 337 | 608 | 652 | 574 |
| IV. Brain and Nervous System | 2387 | 133 | 52 | 78 | 85 | 60 | 31 | 22 | 99 | 48 | 42 | 54 | 47 |
| V. Organs of Circulation | 1355 | 4 | – | 7 | 1 | 4 | – | 2 | 19 | 21 | 31 | 46 | 52 |
| VI. Respiratory Organs | 4500 | 248 | 197 | 500 | 563 | 240 | 143 | 59 | 113 | 34 | 50 | 86 | 68 |
| VII. Organs of Digestion | 2329 | 164 | 87 | 251 | 342 | 75 | 24 | 13 | 55 | 33 | 35 | 52 | 61 |
| VIII. Urinary Organs | 287 | 1 | – | – | 6 | – | 4 | 1 | 10 | 8 | 4 | 12 | 22 |
| IX. Organs of Generation | 480 | – | – | – | – | – | – | – | – | 1 | 19 | 67 | 83 |
| X. Organs of Locomotion | 175 | – | – | – | 3 | 2 | 2 | 3 | 10 | 13 | 8 | 4 | 6 |
| XI. Skin, etc. | 29 | 7 | 2 | 3 | 3 | 2 | – | – | – | 1 | 1 | – | – |
| XII. Malformation | 70 | 57 | 6 | 2 | 2 | – | – | – | – | 1 | – | – | 1 |
| XIII. Premature Debility | 1285 | 1114 | 98 | 73 | – | – | – | – | – | – | – | – | – |
| XIV. Atrophy | 313 | – | – | – | 77 | 36 | 12 | 8 | 22 | 4 | 6 | 6 | 6 |
| XV. Age | 4077 | – | – | – | – | – | – | – | – | – | – | – | – |
| XVI. Sudden Deaths | 60 | 7 | 3 | 1 | 3 | 2 | – | – | – | 1 | 1 | 3 | 5 |
| XVII. Violent Deaths | 561 | 52 | 14 | 14 | 39 | 36 | 30 | 19 | 34 | 18 | 14 | 18 | 23 |
| I. Small Pox | 217 | 17 | 7 | 39 | 43 | 34 | 16 | 7 | 18 | 5 | 8 | 7 | 4 |
| Measles | 694 | 7 | 13 | 104 | 253 | 131 | 70 | 37 | 48 | 8 | 8 | 3 | 5 |
| Scarlatina | 612 | 5 | 5 | 28 | 80 | 107 | 80 | 77 | 157 | 35 | 9 | 8 | 6 |
| Diphtheria | 528 | 14 | 11 | 23 | 76 | 56 | 70 | 43 | 148 | 34 | 21 | 8 | 8 |
| Hooping Cough | 1504 | 74 | 94 | 302 | 455 | 245 | 137 | 87 | 100 | 8 | – | – | 1 |
| Croup | 674 | 19 | 21 | 75 | 167 | 135 | 118 | 69 | 70 | – | – | – | – |
| Thrush | 17 | 7 | 3 | 2 | 3 | 1 | – | 1 | – | – | – | – | – |
| Diarrhœa | 569 | 65 | 37 | 81 | 100 | 26 | 10 | 5 | 18 | 2 | 6 | 7 | 6 |
| Dysentery | 165 | 1 | 2 | 9 | 10 | 4 | – | 3 | 3 | 2 | 1 | 9 | 6 |
| Cholera | 26 | 1 | – | 1 | 3 | 1 | 2 | 1 | 2 | 1 | – | 1 | 1 |
| Influenza | 219 | 13 | 5 | 7 | 12 | 1 | 5 | 2 | 4 | 1 | 3 | 3 | 2 |
| Purpura | 22 | – | 1 | 1 | 3 | 1 | – | 1 | 4 | 1 | 1 | 1 | – |
| Ague | 9 | – | – | 1 | – | 3 | – | – | – | 3 | 1 | – | – |
| Worms | 16 | – | 1 | – | 1 | 4 | 5 | 1 | 4 | – | – | – | – |
| Infantile Fever | 35 | 3 | 3 | 6 | 11 | 6 | 1 | 2 | 3 | – | – | – | – |
| Typhus | 1537 | 6 | 10 | 22 | 72 | 61 | 59 | 42 | 203 | 135 | 151 | 112 | 86 |
| Metria | 130 | – | – | – | – | – | – | – | – | – | 5 | 37 | 31 |
| Rheumatic Fever | 35 | – | – | – | – | – | – | 1 | – | 4 | 3 | 2 | 1 |
| Erysipelas | 141 | 35 | 3 | 9 | 5 | 8 | 3 | – | 2 | 9 | 8 | 3 | 1 |
| Syphilis | 69 | 21 | 12 | 4 | 10 | 1 | 1 | – | – | – | 1 | 2 | 2 |
| Noma | 14 | 1 | 3 | 1 | 2 | 1 | – | 1 | 2 | – | – | – | – |
| Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – |
| II. Hæmorrhage | 38 | 4 | – | 3 | – | – | 2 | 2 | 1 | 1 | – | 2 | 3 |
| Dropsy | 461 | 2 | 2 | 2 | 2 | 6 | 5 | 3 | 8 | 6 | 6 | 10 | 19 |
| Abscess | 54 | 3 | 2 | 3 | 4 | 3 | – | 1 | 7 | 1 | 1 | 2 | 3 |
| Ulcer | 28 | 2 | – | 1 | 2 | 1 | 2 | – | – | 1 | 1 | 1 | – |
| Fistula | 3 | – | – | – | – | – | – | – | – | – | – | – | – |
| Mortification | 49 | 5 | 1 | 1 | 4 | – | 2 | 1 | 1 | – | – | – | – |
| Cancer | 785 | 1 | – | – | 1 | 2 | 1 | – | 1 | 2 | 2 | 3 | 15 |
| Gout | 6 | – | – | – | – | – | – | – | – | – | – | – | – |
| III. Scrofula | 298 | 1 | 6 | 15 | 26 | 17 | 7 | 6 | 36 | 27 | 36 | 34 | 19 |
| Tabes Mesenterica | 361 | 14 | 15 | 49 | 93 | 49 | 28 | 7 | 46 | 22 | 13 | 6 | 5 |
| Phthisis | 4451 | 10 | 26 | 56 | 104 | 79 | 52 | 68 | 185 | 263 | 554 | 610 | 549 |
| Hydrocephalus | 777 | 25 | 59 | 191 | 197 | 77 | 67 | 43 | 85 | 25 | 5 | 2 | 1 |

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1862.—FEMALES.

| DISEASES. | FEMALES. AGE UNDER | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 35 | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| ALL CAUSES | 1131 | 1106 | 1031 | 1007 | 1095 | 1130 | 1570 | 1592 | 1776 | 1783 | 1610 | 869 | 337 | 114 | 20 | 41 |
| SPECIFIED CAUSES | 1089 | 1069 | 981 | 964 | 1053 | 1055 | 1480 | 1592 | 1776 | 1783 | 1610 | 869 | 337 | 114 | 20 | 23 |
| Zymotic Class | 130 | 122 | 113 | 104 | 110 | 98 | 128 | 103 | 130 | 129 | 87 | 24 | 5 | 2 | – | 1 |
| Uncertain Seat | 55 | 63 | 101 | 113 | 130 | 129 | 163 | 158 | 127 | 116 | 65 | 27 | 3 | 1 | – | – |
| Tubercular Class | 488 | 426 | 300 | 217 | 188 | 114 | 120 | 65 | 34 | 14 | 7 | 1 | – | – | – | 3 |
| Brain, etc. | 62 | 68 | 74 | 94 | 111 | 138 | 201 | 213 | 239 | 224 | 119 | 67 | 20 | 2 | 1 | 3 |
| Heart, etc. | 45 | 66 | 84 | 89 | 101 | 105 | 174 | 180 | 141 | 112 | 47 | 20 | 1 | 2 | – | 1 |
| Respiratory Organs | 103 | 93 | 111 | 134 | 191 | 212 | 307 | 288 | 296 | 222 | 163 | 54 | 16 | 5 | – | 4 |
| Digestive Organs | 64 | 78 | 77 | 92 | 120 | 137 | 165 | 155 | 116 | 75 | 37 | 13 | 8 | – | – | – |
| Urinary Organs | 28 | 32 | 19 | 21 | 9 | 16 | 27 | 21 | 23 | 9 | 11 | 3 | – | – | – | – |
| Generative Organs | 79 | 78 | 62 | 29 | 20 | 12 | 13 | 8 | 5 | 2 | 2 | – | – | – | – | – |
| Locomotive Organs | 9 | 7 | 4 | 10 | 11 | 17 | 11 | 21 | 12 | 14 | 6 | 1 | – | 1 | – | – |
| Skin | 2 | 1 | 1 | 1 | – | – | – | – | 3 | 2 | – | – | – | – | – | – |
| Malformation | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Premature Debility | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Atrophy | 10 | 10 | 16 | 23 | 30 | 47 | – | – | – | – | – | – | – | – | – | – |
| Age | – | – | – | – | – | 2 | 145 | 354 | 635 | 840 | 1051 | 650 | 280 | 100 | 18 | 2 |
| Sudden Deaths | 1 | 4 | 4 | 6 | 8 | 3 | 5 | 2 | 1 | – | – | – | – | – | – | – |
| Violent Deaths | 13 | 21 | 15 | 31 | 24 | 25 | 21 | 23 | 14 | 24 | 15 | 9 | 4 | 1 | 1 | 9 |
| Small Pox | 3 | 2 | 3 | – | 2 | 2 | – | – | – | – | – | – | – | – | – | – |
| Measles | – | 3 | 1 | 1 | – | 1 | – | 1 | – | – | – | – | – | – | – | – |
| Scarlatina | 5 | 4 | 2 | – | 2 | 1 | – | 1 | – | – | – | – | – | – | – | – |
| Diphtheria | 3 | 1 | 2 | 1 | 1 | 4 | 3 | – | – | – | 1 | – | – | – | – | – |
| Hooping Cough | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Croup | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Thrush | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diarrhœa | 5 | 5 | 13 | 11 | 14 | 12 | 22 | 19 | 35 | 32 | 30 | 8 | – | – | – | – |
| Dysentery | 2 | 4 | 4 | 9 | 8 | 9 | 12 | 17 | 11 | 21 | 13 | 4 | – | 1 | – | – |
| Cholera | – | 1 | 1 | 2 | – | – | – | 2 | 2 | 1 | 1 | 1 | – | – | – | 1 |
| Influenza | 4 | 2 | 4 | 3 | 12 | 10 | 11 | 10 | 29 | 42 | 26 | 3 | 4 | 1 | – | – |
| Purpura | – | – | 1 | 1 | – | 1 | 2 | 1 | – | 2 | – | – | – | – | – | – |
| Ague | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Worms | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Infantile Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Typhus | 73 | 73 | 60 | 63 | 58 | 49 | 67 | 47 | 48 | 23 | 12 | 5 | – | – | – | – |
| Metria | 27 | 18 | 9 | 3 | – | – | – | – | – | – | – | – | – | – | – | – |
| Rheumatic Fever | 3 | 3 | 4 | 3 | 2 | 1 | 5 | 1 | 1 | 1 | – | – | – | – | – | – |
| Erysipelas | 4 | 1 | 4 | 6 | 8 | 6 | 4 | 3 | 4 | 7 | 4 | 3 | 1 | – | – | – |
| Syphilis | 1 | 4 | 4 | – | 3 | 1 | 2 | – | – | – | – | – | – | – | – | – |
| Noma | – | – | 1 | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – |
| Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmorrhage | 6 | – | 2 | 1 | 2 | 1 | 3 | 2 | 2 | – | 1 | – | – | – | – | – |
| Dropsy | 17 | 18 | 23 | 27 | 33 | 30 | 42 | 55 | 49 | 48 | 32 | 13 | 3 | – | – | – |
| Abscess | 3 | 3 | 3 | 3 | 4 | – | 2 | 1 | – | 5 | – | – | – | – | – | – |
| Ulcer | – | 1 | 2 | – | 3 | 1 | 1 | 2 | 5 | 1 | – | 1 | – | – | – | – |
| Fistula | 1 | 1 | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| Mortification | 1 | 1 | – | 1 | 2 | 1 | 2 | 4 | 9 | 6 | 4 | 3 | – | – | – | – |
| Cancer | 27 | 39 | 71 | 80 | 85 | 95 | 113 | 93 | 62 | 55 | 26 | 10 | – | 1 | – | – |
| Gout | – | – | – | 1 | 1 | 1 | – | 1 | – | – | 2 | – | – | – | – | – |
| Scrofula | 14 | 16 | 6 | 5 | 6 | 5 | 3 | 6 | 4 | 3 | – | – | – | – | – | – |
| Tabes Mesenterica | 1 | 2 | 1 | 1 | 2 | 2 | 1 | – | 1 | – | 2 | 1 | – | – | – | – |
| Phthisis | 473 | 408 | 293 | 211 | 180 | 107 | 116 | 59 | 29 | 11 | 5 | – | – | – | – | 3 |
| Hydrocephalus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1862.—FEMALES. (*Continued.*)

| DISEASES. | FEMALES. | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | |
| | | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 |
| | | 3 | 6 | 12 | | | | | | | | | |
| IV. Cephalitis | 136 | 4 | 4 | 10 | 13 | 9 | 7 | 5 | 24 | 16 | 7 | 7 | 4 |
| Apoplexy | 599 | 6 | 6 | 9 | 12 | 8 | 5 | 1 | 11 | 4 | 6 | 11 | 6 |
| Paralysis | 774 | – | – | – | 2 | 1 | – | – | 5 | 2 | 2 | 3 | 9 |
| Delirium Tremens | 10 | – | – | – | – | – | – | – | – | – | – | – | – |
| Chorea | 3 | – | – | – | – | – | – | – | 1 | 1 | – | – | – |
| Epilepsy | 93 | – | – | – | 1 | – | – | – | 3 | 9 | 3 | 12 | 6 |
| Tetanus | 16 | 3 | – | – | 1 | – | 1 | 2 | – | 1 | 1 | 1 | 2 |
| Insanity | 54 | – | – | – | – | – | – | – | – | 1 | 1 | 2 | 3 |
| Convulsions | 291 | 115 | 36 | 47 | 37 | 22 | 9 | 7 | 17 | – | 1 | – | – |
| Brain Disease | 411 | 5 | 6 | 12 | 20 | 20 | 9 | 7 | 38 | 14 | 21 | 18 | 17 |
| V. Pericarditis | 34 | 1 | – | – | – | – | – | 1 | 2 | – | 3 | 7 | – |
| Aneurism | 31 | – | – | – | – | – | – | – | – | 1 | 1 | – | – |
| Heart Disease | 1290 | 3 | – | 7 | 1 | 4 | – | 1 | 17 | 20 | 27 | 39 | 52 |
| VI. Laryngitis | 67 | 3 | 5 | 8 | 13 | 11 | 7 | 2 | 2 | 2 | 1 | – | 2 |
| Bronchitis | 2962 | 178 | 150 | 389 | 433 | 172 | 106 | 41 | 66 | 13 | 9 | 37 | 24 |
| Pleurisy | 127 | 8 | 3 | 5 | 1 | 5 | 4 | 2 | 3 | 2 | 4 | 7 | 7 |
| Pneumonia | 817 | 52 | 36 | 94 | 104 | 51 | 20 | 13 | 39 | 16 | 21 | 32 | 29 |
| Asthma | 370 | 1 | – | – | – | – | – | – | – | 1 | 2 | – | 1 |
| Lung Disease | 157 | 6 | 3 | 4 | 12 | 1 | 6 | 1 | 3 | – | 13 | 10 | 5 |
| VII. Teething | 505 | 1 | 16 | 179 | 265 | 41 | 3 | – | – | – | – | – | – |
| Quinsey | 32 | 4 | – | 2 | 5 | 2 | 2 | 2 | 5 | 2 | – | – | 2 |
| Gastritis | 90 | 3 | 5 | 5 | 3 | 1 | 4 | – | 3 | 3 | 3 | 6 | 2 |
| Enteritis | 394 | 92 | 37 | 44 | 41 | 12 | 6 | 5 | 19 | 8 | 5 | 8 | 9 |
| Peritonitis | 131 | 9 | 1 | 2 | 3 | 1 | – | – | 5 | 9 | 10 | 18 | 11 |
| Ascites | 47 | 2 | – | – | 1 | – | 1 | – | – | 1 | – | – | 3 |
| Ulceration of Intestines | 81 | 1 | 1 | – | 2 | 3 | – | – | 3 | 1 | 5 | 4 | 2 |
| Hernia | 56 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Ileus | 137 | 9 | 3 | 2 | 4 | 1 | 2 | – | 2 | 1 | 2 | 2 | 7 |
| Intussusception | 24 | 1 | 4 | 1 | 1 | – | – | – | 3 | – | – | 2 | 1 |
| Stricture of Intestines | 9 | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Stomach Disease | 358 | 24 | 12 | 10 | 17 | 9 | 3 | 4 | 8 | 3 | 3 | 3 | 11 |
| Pancreas Disease | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hepatitis | 79 | – | 1 | 2 | – | 1 | 1 | – | 1 | 1 | 2 | – | 3 |
| Jaundice | 80 | 14 | 5 | 2 | – | 2 | 1 | – | 2 | – | 1 | 2 | 2 |
| Liver Disease | 294 | 3 | 2 | 2 | – | 2 | 1 | 2 | 3 | 4 | 4 | 6 | 7 |
| Spleen Disease | 12 | – | – | – | – | – | – | – | 1 | – | – | – | 1 |
| VIII. Nephritis | 20 | – | – | – | 1 | – | 1 | – | 1 | 1 | – | – | 1 |
| Nephria | 102 | – | – | – | 2 | – | – | 1 | 5 | 4 | 2 | 4 | 7 |
| Ischuria | 5 | – | – | – | – | – | – | – | – | – | – | 2 | – |
| Diabetes | 31 | – | – | – | 2 | – | 1 | – | – | 1 | 1 | 1 | 3 |
| Stone | 8 | – | – | – | – | – | – | – | – | – | – | – | – |
| Cystitis | 14 | – | – | – | – | – | – | – | – | – | – | 1 | 1 |
| Stricture of Urethra | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Kidney Disease | 106 | 1 | – | – | 1 | – | 2 | – | 4 | 2 | 1 | 4 | 10 |
| IX. Paramenia | 29 | – | – | – | – | – | – | – | – | 1 | 9 | 4 | 2 |
| Ovarian Dropsy | 69 | – | – | – | – | – | – | – | – | – | – | 2 | 7 |
| Childbirth | 305 | – | – | – | – | – | – | – | – | – | 8 | 54 | 69 |
| Organs of Generation | 77 | – | – | – | – | – | – | – | – | – | 2 | 7 | 5 |
| X. Arthritis | 10 | – | – | – | – | – | 2 | 1 | – | 1 | 1 | – | – |
| Rheumatism | 86 | – | – | – | – | 1 | – | – | – | – | 2 | 1 | 2 |
| Joint and Bone Disease | 79 | – | – | – | 3 | 1 | – | 2 | 10 | 12 | 5 | 3 | 4 |
| XI. Carbuncle | 7 | – | – | – | 1 | 1 | – | – | – | – | – | – | – |
| Phlegmon | 1 | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Skin Disease | 21 | 7 | 2 | 3 | 2 | – | – | – | – | 1 | 1 | – | – |
| XII. Cyanosis | 23 | 19 | 3 | – | 1 | – | – | – | – | – | – | – | – |
| Spina Bifida | 14 | 11 | 3 | – | – | – | – | – | – | – | – | – | – |
| Other Malformations | 33 | 27 | – | 2 | 1 | – | – | – | – | 1 | – | – | 1 |
| XVII. Intemperance | 14 | – | – | – | – | – | – | – | – | – | – | – | 2 |
| Privation | 4 | – | – | – | 2 | – | – | – | – | – | – | – | – |
| Want of Breast Milk | 29 | 22 | 4 | 3 | – | – | – | – | – | – | – | – | – |
| Neglect | 2 | – | – | – | 1 | – | – | 1 | – | – | – | – | – |
| Cold | 13 | 2 | 1 | – | 1 | – | – | – | – | 1 | – | – | 1 |
| Poison | 25 | 5 | 1 | – | – | 1 | – | 2 | – | – | – | – | – |
| Burns and Scalds | 175 | 1 | 2 | 9 | 23 | 25 | 23 | 14 | 19 | 5 | 4 | 3 | 5 |
| Hanging, etc. | 12 | – | – | – | – | – | – | – | – | – | – | – | 2 |
| Suffocation | 38 | 14 | 6 | 1 | 1 | – | 1 | – | – | 1 | – | 3 | 1 |
| Drowning | 69 | 3 | – | – | 5 | 4 | 2 | 1 | 7 | 3 | 4 | 6 | 6 |
| Fracture and Contusion | 144 | 2 | – | 1 | 6 | 5 | 3 | 1 | 6 | 7 | 5 | 6 | 4 |
| Wounds | 14 | – | – | – | – | – | – | – | 2 | 1 | 1 | – | 2 |
| Other Violent Causes | 22 | 3 | – | – | – | 1 | 1 | – | – | – | – | – | – |
| Not Specified | 1564 | 403 | 126 | 136 | 142 | 70 | 40 | 24 | 73 | 29 | 45 | 38 | 41 |

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1862.—FEMALES. (*Continued.*)

| DISEASES. | FEMALES. AGE UNDER | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 35 | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| Cephalitis | 4 | 5 | 2 | 5 | 1 | 4 | 2 | 1 | 1 | 2 | 1 | – | – | – | – | – |
| Apoplexy | 12 | 18 | 21 | 33 | 41 | 48 | 86 | 63 | 69 | 59 | 37 | 20 | 5 | 1 | – | 1 |
| Paralysis | 13 | 11 | 12 | 24 | 36 | 53 | 79 | 121 | 135 | 140 | 66 | 42 | 14 | 1 | 1 | 2 |
| Delirium Tremens | 3 | 2 | 1 | – | 2 | 1 | 1 | – | – | – | – | – | – | – | – | – |
| Chorea | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epilepsy | 11 | 8 | 12 | 8 | 3 | 5 | 4 | 2 | 2 | 2 | 2 | – | – | – | – | – |
| Tetanus | – | 1 | – | – | 1 | – | 1 | – | 1 | – | – | – | – | – | – | – |
| Insanity | 5 | 5 | 7 | 5 | 4 | 7 | 4 | 2 | 6 | – | 2 | – | – | – | – | – |
| Convulsions | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Brain Disease | 14 | 18 | 18 | 19 | 24 | 20 | 24 | 24 | 25 | 21 | 11 | 5 | 1 | – | – | – |
| Pericarditis | 1 | 4 | 3 | 2 | 1 | 2 | 2 | 1 | 2 | 1 | 1 | – | – | – | – | – |
| Aneurism | 1 | 4 | 6 | 4 | 2 | – | 4 | 4 | 1 | 2 | 1 | – | – | – | – | – |
| Heart Disease | 43 | 58 | 75 | 83 | 98 | 103 | 168 | 175 | 138 | 109 | 45 | 20 | 1 | 2 | – | 1 |
| Laryngitis | 2 | 2 | 1 | 1 | 1 | 1 | – | 1 | 1 | – | – | – | 1 | – | – | – |
| Bronchitis | 45 | 46 | 60 | 78 | 101 | 121 | 195 | 166 | 175 | 157 | 133 | 46 | 14 | 5 | – | 2 |
| Pleurisy | 9 | 4 | 5 | 7 | 4 | 7 | 8 | 11 | 8 | 4 | 8 | – | 1 | – | – | – |
| Pneumonia | 31 | 22 | 17 | 22 | 32 | 29 | 29 | 52 | 43 | 17 | 11 | 3 | – | – | – | 2 |
| Asthma | 4 | 13 | 19 | 21 | 40 | 45 | 66 | 47 | 61 | 36 | 9 | 4 | – | – | – | – |
| Lung Disease | 12 | 6 | 9 | 5 | 13 | 9 | 9 | 11 | 8 | 8 | 2 | 1 | – | – | – | – |
| Teething | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Quinsey | 1 | 2 | – | – | 1 | 1 | – | – | – | 1 | – | – | – | – | – | – |
| Gastritis | 2 | 2 | 3 | 5 | 9 | 7 | 6 | 6 | 5 | 5 | 2 | – | – | – | – | – |
| Enteritis | 8 | 9 | 6 | 6 | 13 | 12 | 17 | 16 | 7 | 10 | 2 | 1 | 1 | – | – | – |
| Peritonitis | 9 | 8 | 5 | 4 | 4 | 7 | 9 | 9 | 2 | 2 | 2 | 1 | – | – | – | – |
| Ascites | – | 3 | 2 | 3 | 5 | 4 | 4 | 5 | 4 | 3 | 3 | 1 | 2 | – | – | – |
| Ulceration of Intestines | 2 | 8 | 6 | 2 | 9 | 4 | 9 | 5 | 7 | 2 | 3 | 2 | – | – | – | – |
| Hernia | – | 3 | 2 | 3 | 6 | 10 | 9 | 9 | 9 | 3 | 1 | – | – | – | – | – |
| Ileus | 7 | 6 | 5 | 5 | 12 | 11 | 14 | 10 | 13 | 6 | 6 | 4 | 3 | – | – | – |
| Intussusception | – | 1 | 2 | – | 1 | 3 | 2 | 2 | – | – | – | – | – | – | – | – |
| Stricture of Intestines | – | – | – | – | 2 | 1 | 2 | – | 2 | 1 | – | – | – | – | – | – |
| Stomach Disease | 16 | 19 | 18 | 21 | 10 | 24 | 34 | 40 | 37 | 17 | 13 | 1 | 1 | – | – | – |
| Pancreas Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hepatitis | 4 | 2 | 3 | 12 | 10 | 10 | 11 | 5 | 6 | 4 | – | – | – | – | – | – |
| Jaundice | 1 | 2 | 3 | – | 6 | 7 | 5 | 11 | 9 | 2 | 1 | 1 | 1 | – | – | – |
| Liver Disease | 14 | 13 | 20 | 30 | 31 | 33 | 41 | 36 | 15 | 19 | 4 | 2 | – | – | – | – |
| Spleen Disease | – | – | 2 | 1 | 1 | 3 | 2 | 1 | – | – | – | – | – | – | – | – |
| Nephritis | 2 | 2 | – | 2 | – | – | 5 | 2 | – | 1 | 1 | – | – | – | – | – |
| Nephria | 8 | 16 | 7 | 5 | 3 | 10 | 6 | 6 | 9 | 3 | 2 | 2 | – | – | – | – |
| Ischuria | 1 | 1 | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Diabetes | 5 | 5 | 4 | 3 | 1 | 1 | 1 | 1 | – | 1 | – | – | – | – | – | – |
| Stone | 1 | – | – | 1 | – | – | 1 | 1 | 1 | – | 2 | 1 | – | – | – | – |
| Cystitis | 2 | – | 1 | 1 | 2 | 1 | – | – | 2 | 1 | 2 | – | – | – | – | – |
| Stricture of Urethra | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Kidney Disease | 9 | 8 | 7 | 8 | 3 | 4 | 14 | 10 | 11 | 3 | 4 | – | – | – | – | – |
| Paramenia | 1 | 5 | 3 | 2 | 2 | – | – | – | – | – | – | – | – | – | – | – |
| Ovarian Dropsy | 8 | 8 | 6 | 6 | 12 | 5 | 5 | 5 | 2 | 2 | 1 | – | – | – | – | – |
| Childbirth | 62 | 56 | 44 | 10 | 2 | – | – | – | – | – | – | – | – | – | – | – |
| Organs of Generation | 8 | 9 | 9 | 11 | 4 | 7 | 8 | 3 | 3 | – | 1 | – | – | – | – | – |
| Arthritis | – | – | – | – | 2 | 1 | – | 1 | – | – | – | 1 | – | – | – | – |
| Rheumatism | 3 | 3 | 1 | 4 | 6 | 10 | 9 | 17 | 10 | 10 | 6 | – | – | 1 | – | – |
| Joint Disease | 6 | 4 | 3 | 6 | 3 | 6 | 2 | 3 | 2 | 4 | – | – | – | – | – | – |
| Carbuncle | – | – | – | 1 | – | – | – | – | 2 | 2 | – | – | – | – | – | – |
| Phlegmon | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Skin Disease | 2 | 1 | 1 | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Cyanosis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Spina Bifida | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Malformations | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Intemperance | – | 2 | 3 | 4 | 1 | – | 2 | – | – | – | – | – | – | – | – | – |
| Privation | 1 | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Want of Breast Milk | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Neglect | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cold | 1 | – | 1 | – | 2 | 1 | – | – | 1 | – | 1 | – | – | – | – | – |
| Poison | 2 | 3 | – | 3 | 2 | 3 | – | 1 | – | 2 | – | – | – | – | – | – |
| Burns and Scalds | – | 3 | 1 | 3 | 2 | 1 | 5 | 7 | 3 | 5 | 6 | 6 | – | – | – | – |
| Hanging, etc. | 1 | 2 | – | 3 | – | 3 | – | 1 | – | – | – | – | – | – | – | – |
| Suffocation | – | 1 | – | 4 | 1 | 2 | 1 | – | – | – | – | – | – | – | – | 1 |
| Drowning | 4 | 4 | 4 | 4 | 2 | 4 | 1 | – | – | 1 | – | – | – | – | – | 4 |
| Fracture and Contusion | 2 | 4 | 5 | 8 | 12 | 6 | 10 | 11 | 10 | 13 | 7 | 3 | 3 | 1 | 1 | 2 |
| Wounds | 1 | 1 | – | 1 | 1 | 2 | 1 | – | – | 1 | – | – | – | – | – | – |
| Other Violent Causes | 1 | 1 | 1 | 1 | 1 | 3 | 1 | 2 | – | 2 | 1 | – | 1 | – | – | 2 |
| Not Specified | 42 | 37 | 50 | 43 | 42 | 75 | 90 | – | – | – | – | – | – | – | – | 18 |

CAUSES of DEATH in the INSULAR DISTRICTS of SCOTLAND, at different Periods of Life, in 1862.—Both Sexes.

| DISEASES. | BOTH SEXES. | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | |
| | | MONTHS. | | | | | | | | | | | |
| | | 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 |
| All Causes | 2975 | 221 | 56 | 125 | 175 | 104 | 53 | 33 | 102 | 60 | 95 | 124 | 102 |
| Specified Causes | 2490 | 98 | 30 | 92 | 139 | 81 | 45 | 30 | 78 | 50 | 73 | 106 | 89 |
| I. Zymotic Class | 486 | 16 | 12 | 55 | 84 | 46 | 32 | 16 | 39 | 20 | 17 | 15 | 15 |
| II. Diseases of Uncertain Seat | 100 | – | – | – | 1 | – | – | – | 1 | 2 | – | 1 | 2 |
| III. Tubercular Class | 364 | 3 | 6 | 10 | 15 | 10 | 9 | 3 | 16 | 18 | 32 | 59 | 36 |
| IV. Brain and Nervous System | 156 | 18 | 2 | 2 | 4 | 7 | – | 2 | 5 | 4 | 7 | 5 | 7 |
| V. Organs of Circulation | 63 | – | – | – | – | – | – | – | 1 | – | 1 | 2 | 1 |
| VI. Respiratory Organs | 222 | 9 | 8 | 13 | 18 | 9 | 1 | 4 | 6 | 2 | 5 | 4 | 7 |
| VII. Organs of Digestion | 131 | 5 | 1 | 10 | 9 | 5 | – | 1 | 1 | 1 | 1 | 3 | 4 |
| VIII. Urinary Organs | 30 | – | – | – | 2 | – | – | – | – | – | – | – | 3 |
| IX. Organs of Generation | 21 | – | – | – | – | – | – | – | – | – | 1 | 2 | 1 |
| X. Organs of Locomotion | 29 | – | – | – | – | – | – | 1 | 1 | 1 | 2 | 1 | – |
| XI. Skin, etc. | 2 | – | – | 1 | 1 | – | – | – | – | – | – | – | – |
| XII. Malformation | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| XIII. Premature Debility | 47 | 46 | – | 1 | – | – | – | – | – | – | – | – | – |
| XIV. Atrophy | 15 | – | – | – | 3 | – | – | – | 3 | – | – | – | 1 |
| XV. Age | 723 | – | – | – | – | – | – | – | – | – | – | – | – |
| XVI. Sudden Deaths | 5 | – | – | – | – | – | – | – | – | – | – | 1 | – |
| XVII. Violent Deaths | 95 | 1 | – | – | 2 | 4 | 3 | 3 | 5 | 2 | 7 | 13 | 12 |
| I. Small Pox | 2 | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Measles | 125 | 1 | 2 | 20 | 38 | 17 | 9 | 4 | 12 | 8 | 5 | 2 | 3 |
| Scarlatina | 7 | – | – | – | 1 | 1 | 2 | – | 2 | – | – | – | 1 |
| Diphtheria | 20 | 1 | – | 3 | 3 | 4 | 3 | 2 | 4 | – | – | – | – |
| Hooping Cough | 35 | 1 | – | 9 | 8 | 6 | 4 | 2 | 3 | 2 | – | – | – |
| Croup | 68 | 4 | 1 | 10 | 16 | 13 | 10 | 7 | 7 | – | – | – | – |
| Thrush | 3 | 3 | – | – | – | – | – | – | – | – | – | – | – |
| Diarrhœa | 37 | – | 3 | 3 | – | – | 1 | – | – | 1 | 2 | 2 | – |
| Dysentery | 14 | – | – | – | – | – | – | – | – | 1 | – | 2 | – |
| Cholera | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| Influenza | 70 | 6 | 5 | 8 | 14 | 3 | 2 | – | 3 | – | 2 | 1 | – |
| Purpura | 2 | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Ague | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Worms | 1 | – | – | – | – | – | – | – | 1 | – | – | – | – |
| Infantile Fever | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Typhus | 83 | – | – | 2 | 2 | 2 | 1 | – | 7 | 7 | 8 | 7 | 7 |
| Metria | 4 | – | – | – | – | – | – | – | – | – | – | – | 2 |
| Rheumatic Fever | 3 | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Erysipelas | 8 | – | – | – | 1 | – | – | 1 | – | 1 | – | – | 1 |
| Syphilis | 2 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Noma | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – |
| II. Hæmorrhage | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| Dropsy | 44 | – | – | – | – | – | – | – | – | 2 | – | 1 | 2 |
| Abscess | 2 | – | – | – | – | – | – | – | 1 | – | – | – | – |
| Ulcer | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| Fistula | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mortification | 4 | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Cancer | 46 | – | – | – | – | – | – | – | – | – | – | – | – |
| Gout | – | – | – | – | – | – | – | – | – | – | – | – | – |
| III. Scrofula | 14 | – | 1 | – | – | 1 | – | – | 3 | 1 | 1 | 1 | 2 |
| Tabes Mesenterica | 10 | – | – | – | 1 | 1 | – | – | 3 | – | – | 3 | 1 |
| Phthisis | 306 | – | 1 | 6 | 6 | 6 | 4 | 2 | 6 | 14 | 31 | 55 | 33 |
| Hydrocephalus | 34 | 3 | 4 | 4 | 8 | 2 | 5 | 1 | 4 | 3 | – | – | – |

CAUSES of DEATH in the INSULAR DISTRICTS of SCOTLAND, at different Periods of Life, in 1862.—Both Sexes.

| DISEASES. | BOTH SEXES. AGE UNDER | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 35 | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| All Causes | 82 | 69 | 73 | 79 | 97 | 84 | 143 | 145 | 214 | 239 | 239 | 133 | 64 | 39 | 4 | 21 |
| Specified Causes | 63 | 59 | 60 | 72 | 79 | 62 | 102 | 145 | 214 | 239 | 239 | 133 | 64 | 39 | 4 | 5 |
| Zymotic Class | 11 | 12 | 5 | 6 | 9 | 3 | 10 | 13 | 17 | 21 | 8 | 4 | – | – | – | – |
| Uncertain Seat | 1 | 4 | 6 | 12 | 5 | 9 | 10 | 13 | 7 | 15 | 8 | 2 | – | 1 | – | – |
| Tubercular Class | 21 | 20 | 15 | 15 | 19 | 15 | 18 | 14 | 5 | 1 | 3 | – | – | – | – | 1 |
| Brain, etc. | – | 3 | 7 | 4 | 6 | 6 | 9 | 11 | 18 | 8 | 15 | 4 | 1 | – | – | 1 |
| Heart, etc. | 1 | 1 | 2 | 7 | 4 | 3 | 9 | 5 | 9 | 12 | 2 | 2 | – | – | – | 1 |
| Respiratory Organs | 6 | 4 | 5 | 11 | 18 | 7 | 17 | 15 | 21 | 17 | 10 | 4 | 1 | – | – | – |
| Digestive Organs | 7 | 4 | 10 | 11 | 8 | 8 | 9 | 16 | 7 | 7 | 2 | 1 | – | – | – | – |
| Urinary Organs | – | – | 1 | – | 2 | 3 | 4 | 2 | 3 | 5 | 3 | 2 | – | – | – | – |
| Generative Organs | 6 | 4 | 4 | 1 | – | – | 1 | 1 | – | – | – | – | – | – | – | – |
| Locomotive Organs | 1 | – | 2 | 1 | 1 | 3 | 1 | 1 | 6 | 2 | 3 | 1 | 1 | – | – | – |
| Skin | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Malformation | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Premature Debility | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Atrophy | 2 | – | – | – | 3 | 3 | – | – | – | – | – | – | – | – | – | – |
| Age | – | – | – | – | – | – | 10 | 52 | 116 | 148 | 183 | 112 | 61 | 37 | 4 | – |
| Sudden Deaths | – | – | – | – | – | – | 2 | 1 | – | 1 | – | – | – | – | – | – |
| Violent Deaths | 7 | 7 | 3 | 4 | 4 | 2 | 2 | 1 | 5 | 2 | 2 | 1 | – | 1 | – | 2 |
| Small Pox | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Measles | – | 1 | 2 | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Scarlatina | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diphtheria | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hooping Cough | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Croup | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Thrush | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diarrhœa | – | 1 | – | 2 | 2 | 2 | 1 | 1 | 4 | 9 | 2 | 1 | – | – | – | – |
| Dysentery | – | – | – | 2 | – | – | 1 | 2 | 3 | 2 | – | 1 | – | – | – | – |
| Cholera | – | – | – | – | – | – | – | 1 | – | – | 1 | – | – | – | – | – |
| Influenza | 2 | 1 | – | – | 1 | – | 4 | 3 | 4 | 7 | 4 | – | – | – | – | – |
| Purpura | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Ague | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Worms | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Infantile Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Typhus | 8 | 6 | 2 | 2 | 6 | 1 | 3 | 3 | 4 | 3 | – | 2 | – | – | – | – |
| Metria | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rheumatic Fever | – | 1 | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Erysipelas | – | 1 | – | – | – | – | – | 1 | 1 | – | 1 | – | – | – | – | – |
| Syphilis | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Noma | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmorrhage | – | – | – | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Dropsy | – | 2 | 3 | 2 | 2 | 2 | 4 | 8 | 4 | 6 | 4 | 2 | – | – | – | – |
| Abscess | – | – | – | – | – | – | – | – | – | – | – | – | – | 1 | – | – |
| Ulcer | – | – | – | – | – | – | – | – | 1 | – | 1 | – | – | – | – | – |
| Fistula | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mortification | – | – | – | 1 | – | 1 | – | – | 1 | – | – | – | – | – | – | – |
| Cancer | 1 | 2 | 3 | 8 | 3 | 6 | 5 | 5 | 1 | 9 | 3 | – | – | – | – | – |
| Gout | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scrofula | – | – | – | – | 1 | 2 | – | – | – | – | 1 | – | – | – | – | – |
| Tabes Mesenterica | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Phthisis | 21 | 20 | 15 | 15 | 17 | 13 | 18 | 14 | 5 | 1 | 2 | – | – | – | – | 1 |
| Hydrocephalus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in the INSULAR DISTRICTS of SCOTLAND, at different Periods of Life, in 1862.—Both Sexes. (*Continued.*)

| DISEASES. | BOTH SEXES. | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | |
| | | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 |
| | | 3 | 6 | 12 | | | | | | | | | |
| IV. Cephalitis | 14 | – | – | 1 | – | 2 | – | 1 | 1 | 1 | 3 | 1 | 1 |
| Apoplexy | 19 | – | – | – | – | – | – | – | 1 | – | – | – | – |
| Paralysis | 63 | – | – | – | – | 1 | – | – | – | 1 | 1 | 1 | – |
| Delirium Tremens | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chorea | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epilepsy | 7 | – | – | – | – | – | – | – | – | 2 | – | 1 | 1 |
| Tetanus | 8 | 6 | – | – | 1 | – | – | – | – | – | – | – | 1 |
| Insanity | 6 | – | – | – | – | – | – | – | – | – | 1 | – | 2 |
| Convulsions | 24 | 12 | 1 | 1 | 3 | 4 | – | 1 | 2 | – | – | – | – |
| Brain Disease | 15 | – | 1 | – | – | – | – | – | 1 | – | 2 | 2 | 2 |
| V. Pericarditis | 2 | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Aneurism | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Heart Disease | 60 | – | – | – | – | – | – | – | 1 | – | 1 | 2 | – |
| VI. Laryngitis | 3 | – | – | – | – | – | – | – | – | – | – | – | – |
| Bronchitis | 78 | 1 | 3 | 7 | 10 | 2 | – | 1 | 1 | 1 | 2 | 2 | 3 |
| Pleurisy | 36 | 7 | 1 | 5 | 5 | 4 | 1 | 2 | 2 | – | 2 | – | – |
| Pneumonia | 46 | 1 | 4 | 1 | 2 | 3 | – | 1 | 2 | – | 1 | 1 | 4 |
| Asthma | 50 | – | – | – | 1 | – | – | – | – | – | – | 1 | – |
| Lung Disease | 9 | – | – | – | – | – | – | – | 1 | 1 | – | – | – |
| VII. Teething | 17 | – | 1 | 8 | 6 | 2 | – | – | – | – | – | – | – |
| Quinsey | 5 | – | – | – | 2 | 1 | – | 1 | – | – | – | – | – |
| Gastritis | 5 | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Enteritis | 12 | 1 | – | 2 | – | 1 | – | – | – | – | – | – | – |
| Peritonitis | 3 | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Ascites | 7 | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Ulceration of Intestines | 5 | – | – | – | – | – | – | – | – | – | – | 1 | 1 |
| Hernia | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Ileus | 11 | – | – | – | – | – | – | – | – | – | – | – | – |
| Intussusception | 4 | – | – | – | – | – | – | – | – | – | – | – | – |
| Stricture of Intestines | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Stomach Disease | 27 | 1 | – | – | – | – | – | – | 1 | 1 | – | – | 1 |
| Pancreas Disease | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hepatitis | 8 | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Jaundice | 8 | 3 | – | – | – | – | – | – | – | – | – | – | – |
| Liver Disease | 18 | – | – | – | – | 1 | – | – | – | – | 1 | 1 | – |
| Spleen Disease | – | – | – | – | – | – | – | – | – | – | – | – | – |
| VIII. Nephritis | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Nephria | 11 | – | – | – | 2 | – | – | – | – | – | – | – | 2 |
| Ischuria | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diabetes | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Stone | 6 | – | – | – | – | – | – | – | – | – | – | – | – |
| Cystitis | 3 | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Stricture of Urethra | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Kidney Disease | 8 | – | – | – | – | – | – | – | – | – | – | – | – |
| IX. Paramenia | 1 | – | – | – | – | – | – | – | – | – | 1 | – | – |
| Ovarian Dropsy | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Childbirth | 18 | – | – | – | – | – | – | – | – | – | – | 2 | 1 |
| Organs of Generation | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| X. Arthritis | 1 | – | – | – | – | – | – | 1 | – | – | – | – | – |
| Rheumatism | 21 | – | – | – | – | – | – | – | – | – | 1 | – | – |
| Joint and Bone Disease | 7 | – | – | – | – | – | – | – | 1 | 1 | 1 | 1 | – |
| XI. Carbuncle | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmon | – | – | – | | – | – | – | – | – | – | – | – | – |
| Skin Disease | 2 | – | – | 1 | 1 | – | – | – | – | – | – | – | – |
| XII. Cyanosis | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Spina Bifida | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Malformations | – | – | – | – | – | – | – | – | – | – | – | – | – |
| XVII. Intemperance | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Privation | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Want of Breast Milk | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Neglect | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cold | 3 | – | – | – | – | – | – | – | – | – | – | – | – |
| Poison | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds | 12 | – | – | – | – | 4 | 1 | 3 | 1 | 1 | – | – | – |
| Hanging, etc. | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Suffocation | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Drowning | 60 | – | – | – | 2 | – | 1 | – | 2 | 1 | 7 | 11 | 11 |
| Fracture and Contusion | 14 | – | – | – | – | – | 1 | – | 1 | – | – | 1 | 1 |
| Wounds | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Violent Causes | 2 | – | – | – | – | – | – | – | 1 | – | – | 1 | – |
| Not Specified | 485 | 123 | 26 | 33 | 36 | 23 | 8 | 3 | 24 | 10 | 22 | 18 | 13 |

CAUSES of DEATH in the INSULAR DISTRICTS of SCOTLAND, at different Periods of Life, in 1862.—Both Sexes. (*Continued.*)

| DISEASES. | BOTH SEXES. AGE UNDER | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 35 | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| Cephalitis | – | 1 | – | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Apoplexy | – | – | 2 | – | 2 | 3 | 4 | 2 | 2 | 2 | 1 | – | – | – | – | – |
| Paralysis | – | 1 | 2 | 1 | 2 | 3 | 5 | 7 | 15 | 5 | 13 | 4 | – | – | – | 1 |
| Delirium Tremens | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chorea | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epilepsy | – | – | 2 | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| Tetanus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Insanity | – | – | 1 | – | – | – | – | 1 | – | – | – | – | 1 | – | – | – |
| Convulsions | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Brain Disease | – | 1 | – | 2 | 2 | – | – | – | 1 | – | 1 | – | – | – | – | – |
| Pericarditis | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Aneurism | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| Heart Disease | 1 | 1 | 1 | 7 | 4 | 3 | 9 | 5 | 9 | 11 | 2 | 2 | – | – | – | 1 |
| Laryngitis | – | 1 | – | – | 1 | – | – | – | – | – | – | – | 1 | – | – | – |
| Bronchitis | – | – | – | 4 | 4 | – | 8 | 6 | 6 | 8 | 6 | 3 | – | – | – | – |
| Pleurisy | – | – | 2 | 1 | 2 | – | – | 1 | 1 | – | – | – | – | – | – | – |
| Pneumonia | 3 | 2 | 1 | 4 | 4 | 2 | 1 | 1 | 4 | 3 | 1 | – | – | – | – | – |
| Asthma | 2 | 1 | 2 | 1 | 5 | 5 | 6 | 7 | 9 | 6 | 3 | 1 | – | – | – | – |
| Lung Disease | 1 | – | – | 1 | 2 | – | 2 | – | 1 | – | – | – | – | – | – | – |
| Teething | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Quinsey | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| Gastritis | – | – | – | 1 | – | – | – | 3 | – | – | – | – | – | – | – | – |
| Enteritis | 2 | 1 | 2 | – | – | – | – | 2 | – | 1 | – | – | – | – | – | – |
| Peritonitis | – | – | – | – | – | – | – | 2 | – | – | – | – | – | – | – | – |
| Ascites | – | – | 1 | – | – | 1 | 2 | 1 | – | 1 | – | – | – | – | – | – |
| Ulceration of Intestines | – | – | 1 | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – |
| Hernia | – | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| Ileus | 1 | – | 1 | 3 | 2 | 1 | – | 2 | – | – | – | 1 | – | – | – | – |
| Intussusception | – | – | – | – | – | 2 | 1 | – | 1 | – | – | – | – | – | – | – |
| Stricture of Intestines | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Stomach Disease | 4 | – | – | 2 | 3 | 3 | 3 | 3 | 2 | 2 | 1 | – | – | – | – | – |
| Pancreas Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hepatitis | – | 1 | 1 | 2 | 1 | – | – | – | 1 | 1 | – | – | – | – | – | – |
| Jaundice | – | 1 | 1 | – | – | – | – | – | 3 | – | – | – | – | – | – | – |
| Liver Disease | – | 1 | 3 | 3 | 2 | – | 2 | 3 | – | 1 | – | – | – | – | – | – |
| Spleen Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Nephritis | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Nephria | – | – | – | – | 2 | 2 | 1 | – | – | 1 | 1 | – | – | – | – | – |
| Ischuria | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diabetes | – | – | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – |
| Stone | – | – | – | – | – | 1 | – | – | – | 3 | 1 | 1 | – | – | – | – |
| Cystitis | – | – | – | – | – | – | – | – | 1 | – | 1 | – | – | – | – | – |
| Stricture of Urethra | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Kidney Disease | – | – | 1 | – | – | – | 2 | 2 | 2 | 1 | – | – | – | – | – | – |
| Paramenia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ovarian Dropsy | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Childbirth | 6 | 4 | 4 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Organs of Generation | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Arthritis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rheumatism | – | – | 1 | – | 1 | 3 | 1 | 1 | 6 | 2 | 3 | 1 | 1 | – | – | – |
| Joint Disease | 1 | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Carbuncle | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmon | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Skin Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cyanosis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Spina Bifida | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Malformations | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intemperance | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Privation | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Want of Breast Milk | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Neglect | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cold | 1 | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | 1 |
| Poison | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds | – | – | – | – | – | – | – | – | – | – | 1 | 1 | – | – | – | – |
| Hanging, etc. | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Suffocation | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Drowning | 5 | 7 | 3 | 1 | 2 | 1 | 1 | – | 2 | 1 | 1 | – | – | – | – | 1 |
| Fracture and Contusion | – | – | – | 2 | 1 | 1 | 1 | 1 | 2 | 1 | – | – | – | 1 | – | – |
| Wounds | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Violent Causes | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Not Specified | 19 | 10 | 13 | 7 | 18 | 22 | 41 | – | – | – | – | – | – | – | – | 16 |

CAUSES of DEATH in the INSULAR DISTRICTS of SCOTLAND, at different Periods of Life, in 1862.—MALES.

| DISEASES. | MALES. | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | |
| | | MONTHS. | | | | | | | | | | | |
| | | 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 |
| ALL CAUSES | 1445 | 129 | 35 | 75 | 102 | 58 | 25 | 12 | 58 | 24 | 47 | 79 | 59 |
| SPECIFIED CAUSES | 1190 | 51 | 20 | 56 | 78 | 46 | 20 | 9 | 48 | 19 | 36 | 70 | 53 |
| I. Zymotic Class | 239 | 7 | 7 | 31 | 50 | 27 | 11 | 6 | 24 | 5 | 5 | 7 | 7 |
| II. Diseases of Uncertain Seat | 32 | – | – | – | – | – | – | – | – | 1 | – | – | – |
| III. Tubercular Class | 192 | 1 | 5 | 7 | 8 | 6 | 5 | – | 10 | 8 | 17 | 42 | 19 |
| IV. Brain and Nervous System | 84 | 10 | 2 | 2 | 2 | 3 | – | 1 | 2 | 2 | 2 | 4 | 5 |
| V. Organs of Circulation | 27 | – | – | – | – | – | – | – | – | – | 1 | 1 | 1 |
| VI. Respiratory Organs | 122 | 3 | 5 | 10 | 9 | 5 | 1 | 2 | 3 | 1 | 2 | 3 | 5 |
| VII. Organs of Digestion | 70 | 5 | – | 5 | 5 | 3 | – | – | 1 | – | 1 | 1 | 2 |
| VIII. Urinary Organs | 20 | – | – | – | 1 | – | – | – | – | – | – | – | 2 |
| IX. Organs of Generation | – | – | – | – | – | – | – | – | – | – | – | – | – |
| X. Organs of Locomotion | 14 | – | – | – | – | – | – | – | 1 | 1 | 1 | – | – |
| XI. Skin, etc. | 2 | – | – | 1 | 1 | – | – | – | – | – | – | – | – |
| XII. Malformation | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| XIII. Premature Debility | 25 | 25 | – | – | – | – | – | – | – | – | – | – | – |
| XIV. Atrophy | 6 | – | – | – | 1 | – | – | – | 2 | – | – | – | – |
| XV. Age | 275 | – | – | – | – | – | – | – | – | – | – | – | – |
| XVI. Sudden Deaths | 4 | – | – | – | – | – | – | – | – | – | – | – | – |
| XVII. Violent Deaths | 77 | – | – | – | 1 | 2 | 3 | – | 5 | 1 | 7 | 12 | 12 |
| I. Small Pox | 1 | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Measles | 62 | 1 | 1 | 9 | 23 | 12 | 3 | 1 | 7 | 3 | 1 | – | – |
| Scarlatina | 2 | – | – | – | – | – | 1 | – | 1 | – | – | – | – |
| Diphtheria | 11 | 1 | – | 1 | 3 | 3 | – | 1 | 2 | – | – | – | – |
| Hooping Cough | 18 | 1 | – | 6 | 4 | 3 | 1 | 1 | 2 | – | – | – | – |
| Croup | 38 | 2 | – | 8 | 11 | 6 | 4 | 2 | 5 | – | – | – | – |
| Thrush | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Diarrhœa | 23 | – | 2 | 1 | – | – | – | – | – | – | 2 | – | – |
| Dysentery | 5 | – | – | – | – | – | – | – | – | 1 | – | 1 | – |
| Cholera | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Influenza | 34 | 1 | 3 | 5 | 7 | 2 | 2 | – | 2 | – | – | – | – |
| Purpura | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Ague | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Worms | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Infantile Fever | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Typhus | 32 | – | – | 1 | 1 | 1 | – | – | 5 | 1 | 2 | 5 | 5 |
| Metria | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rheumatic Fever | 3 | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Erysipelas | 6 | – | – | – | 1 | – | – | 1 | – | – | – | – | 1 |
| Syphilis | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Noma | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – |
| II. Hæmorrhage | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Dropsy | 13 | – | – | – | – | – | – | – | – | 1 | – | – | – |
| Abscess | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Ulcer | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| Fistula | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mortification | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cancer | 16 | – | – | – | – | – | – | – | – | – | – | – | – |
| Gout | – | – | – | – | – | – | – | – | – | – | – | – | – |
| III. Scrofula | 12 | – | 1 | – | – | 1 | – | – | 3 | 1 | 1 | 1 | 1 |
| Tabes Mesenterica | 5 | – | – | – | – | 1 | – | – | 2 | – | – | 2 | – |
| Phthisis | 151 | – | 1 | 4 | 2 | 2 | 2 | – | 1 | 5 | 16 | 39 | 18 |
| Hydrocephalus | 24 | 1 | 3 | 3 | 6 | 2 | 3 | – | 4 | 2 | – | – | – |

CAUSES of DEATH in the INSULAR DISTRICTS of SCOTLAND, at different Periods of Life, in 1862.—MALES.

| DISEASES. | MALES. AGE UNDER | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 35 | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| ALL CAUSES | 38 | 35 | 33 | 31 | 46 | 40 | 62 | 55 | 99 | 97 | 98 | 54 | 27 | 11 | 3 | 13 |
| SPECIFIED CAUSES | 31 | 30 | 29 | 29 | 40 | 32 | 45 | 55 | 99 | 97 | 98 | 54 | 27 | 11 | 3 | 4 |
| Zymotic Class | 5 | 6 | 1 | 2 | 3 | 2 | 5 | 6 | 8 | 9 | 4 | 1 | – | – | – | – |
| Uncertain Seat | – | 2 | 2 | 2 | 1 | 2 | 4 | 6 | 4 | 3 | 3 | 1 | – | 1 | – | – |
| Tubercular Class | 12 | 8 | 9 | 6 | 9 | 5 | 5 | 5 | – | 1 | 3 | – | – | – | – | 1 |
| Brain, etc. | – | 2 | 2 | 4 | 3 | 5 | 4 | 7 | 10 | 4 | 7 | – | 1 | – | – | – |
| Heart, etc. | 1 | 1 | – | 1 | 3 | 1 | 3 | 1 | 6 | 5 | 1 | – | – | – | – | 1 |
| Respiratory Organs | 4 | 2 | 5 | 8 | 8 | 5 | 12 | 4 | 13 | 5 | 5 | 2 | – | – | – | – |
| Digestive Organs | 2 | 2 | 6 | 5 | 5 | 5 | 2 | 8 | 5 | 5 | 1 | 1 | – | – | – | – |
| Urinary Organs | – | – | – | – | 2 | 3 | 3 | 1 | 2 | 4 | 1 | 1 | – | – | – | – |
| Generative Organs | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Locomotive Organs | – | – | 1 | – | 1 | 2 | – | – | 3 | 2 | – | 1 | 1 | – | – | – |
| Skin | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Malformation | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Premature Debility | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Atrophy | 1 | – | – | – | 2 | – | – | – | – | – | – | – | – | – | – | – |
| Age | – | – | – | – | – | – | 3 | 15 | 44 | 56 | 72 | 47 | 25 | 10 | 3 | – |
| Sudden Deaths | – | – | – | – | – | – | 2 | 1 | – | 1 | – | – | – | – | – | – |
| Violent Deaths | 6 | 7 | 3 | 1 | 3 | 2 | 2 | 1 | 4 | 2 | 1 | – | – | – | – | 2 |
| Small Pox | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Measles | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scarlatina | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diphtheria | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hooping Cough | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Croup | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Thrush | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diarrhœa | – | 1 | – | 2 | 2 | 1 | 1 | 1 | 2 | 6 | 1 | 1 | – | – | – | – |
| Dysentery | – | – | – | – | – | – | 1 | – | 1 | 1 | – | – | – | – | – | – |
| Cholera | – | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| Influenza | 2 | – | – | – | – | – | 2 | 2 | 2 | 2 | 2 | – | – | – | – | – |
| Purpura | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Ague | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Worms | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Infantile Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Typhus | 3 | 3 | – | – | 1 | 1 | 1 | 1 | 1 | – | – | – | – | – | – | – |
| Metria | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rheumatic Fever | – | 1 | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Erysipelas | – | 1 | – | – | – | – | – | 1 | 1 | – | – | – | – | – | – | – |
| Syphilis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Noma | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmorrhage | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Dropsy | – | – | 1 | – | – | – | 3 | 2 | 2 | 3 | – | 1 | – | – | – | – |
| Abscess | – | – | – | – | – | – | – | – | – | – | – | – | – | 1 | – | – |
| Ulcer | – | – | – | – | – | – | – | – | 1 | – | 1 | – | – | – | – | – |
| Fistula | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mortification | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cancer | – | 2 | 1 | 2 | 1 | 2 | 1 | 4 | 1 | – | 2 | – | – | – | – | – |
| Gout | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scrofula | – | – | – | – | 1 | 1 | – | – | – | – | 1 | – | – | – | – | – |
| Tabes Mesenterica | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phthisis | 12 | 8 | 9 | 6 | 8 | 4 | 5 | 5 | – | 1 | 2 | – | – | – | – | 1 |
| Hydrocephalus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in the INSULAR DISTRICTS of SCOTLAND, at different Periods of Life, in 1862.—MALES. (*Continued.*)

| DISEASES. | MALES. | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | |
| | | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 |
| | | 3 | 6 | 12 | | | | | | | | | |
| IV. Cephalitis | 8 | – | – | 1 | – | 1 | – | 1 | – | 1 | – | 1 | 1 |
| Apoplexy | 6 | – | – | – | – | – | – | – | – | – | – | – | – |
| Paralysis | 33 | – | – | – | – | 1 | – | – | – | – | – | 1 | – |
| Delirium Tremens | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chorea | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epilepsy | 4 | – | – | – | – | – | – | – | – | 1 | – | 1 | – |
| Tetanus | 5 | 4 | – | – | – | – | – | – | – | – | – | – | 1 |
| Insanity | 4 | – | – | – | – | – | – | – | – | – | – | – | 2 |
| Convulsions | 12 | 6 | 1 | 1 | 2 | 1 | – | – | 1 | – | – | – | – |
| Brain Disease | 12 | – | 1 | – | – | – | – | – | 1 | – | 2 | 1 | 1 |
| V. Pericarditis | 1 | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Aneurism | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Heart Disease | 26 | – | – | – | – | – | – | – | – | – | 1 | 1 | – |
| VI. Laryngitis | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Bronchitis | 37 | – | 2 | 6 | 3 | 1 | – | – | – | – | 1 | 2 | 1 |
| Pleurisy | 22 | 2 | 1 | 4 | 4 | 2 | 1 | 1 | 1 | – | 1 | – | – |
| Pneumonia | 28 | 1 | 2 | – | 1 | 2 | – | 1 | 2 | – | – | – | 4 |
| Asthma | 27 | – | – | – | 1 | – | – | – | – | – | – | 1 | – |
| Lung Disease | 7 | – | – | – | – | – | – | – | – | 1 | – | – | – |
| VII. Teething | 10 | – | – | 5 | 4 | 1 | – | – | – | – | – | – | – |
| Quinsey | 2 | – | – | – | 1 | 1 | – | – | – | – | – | – | – |
| Gastritis | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| Enteritis | 6 | 1 | – | – | – | 1 | – | – | – | – | – | – | – |
| Peritonitis | 2 | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Ascites | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Ulceration of Intestines | 3 | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Hernia | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Ileus | 4 | – | – | – | – | – | – | – | – | – | – | – | – |
| Intussusception | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| Stricture of Intestines | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Stomach Disease | 16 | 1 | – | – | – | – | – | – | 1 | – | – | – | – |
| Pancreas Disease | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hepatitis | 6 | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Jaundice | 5 | 3 | – | – | – | – | – | – | – | – | – | – | – |
| Liver Disease | 10 | – | – | – | – | – | – | – | – | – | 1 | – | – |
| Spleen Disease | – | – | – | – | – | – | – | – | – | – | – | – | – |
| VIII. Nephritis | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Nephria | 7 | – | – | – | 1 | – | – | – | – | – | – | – | 1 |
| Ischuria | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diabetes | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Stone | 4 | – | – | – | – | – | – | – | – | – | – | – | – |
| Cystitis | 3 | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Stricture of Urethra | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Kidney Disease | 5 | – | – | – | – | – | – | – | – | – | – | – | – |
| IX. Paramenia | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ovarian Dropsy | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Childbirth | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Organs of Generation | – | – | – | – | – | – | – | – | – | – | – | – | – |
| X. Arthritis | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rheumatism | 12 | – | – | – | – | – | – | – | – | – | 1 | – | – |
| Joint and Bone Disease | 2 | – | – | – | – | – | – | – | 1 | 1 | – | – | – |
| XI. Carbuncle | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmon | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Skin Disease | 2 | – | – | 1 | 1 | – | – | – | – | – | – | – | – |
| XII. Cyanosis | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Spina Bifida | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Malformations | – | – | – | – | – | – | – | – | – | – | – | – | – |
| XVII. Intemperance | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Privation | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Want of Breast Milk | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Neglect | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cold | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| Poison | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds | 4 | – | – | – | – | 2 | 1 | – | 1 | – | – | – | – |
| Hanging, etc. | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suffocation | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Drowning | 57 | – | – | – | 1 | – | 1 | – | 2 | 1 | 7 | 10 | 11 |
| Fracture and Contusion | 10 | – | – | – | – | – | 1 | – | 1 | – | – | 1 | 1 |
| Wounds | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Violent Causes | 2 | – | – | – | – | – | – | – | 1 | – | – | 1 | – |
| Not Specified | 255 | 78 | 15 | 19 | 24 | 12 | 5 | 3 | 10 | 5 | 11 | 9 | 6 |

CAUSES of DEATH in the INSULAR DISTRICTS of SCOTLAND, at different Periods of Life, in 1862.—MALES. (*Continued.*)

| DISEASES. | MALES. AGE UNDER 35 | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Cephalitis | – | – | – | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Apoplexy | – | – | – | – | 1 | 3 | 1 | – | 1 | – | – | – | – | – | – | – |
| Paralysis | – | 1 | 1 | 1 | 1 | 2 | 3 | 5 | 8 | 3 | 6 | – | – | – | – | – |
| Delirium Tremens | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chorea | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epilepsy | – | – | 1 | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| Tetanus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Insanity | – | – | – | – | – | – | – | 1 | – | – | – | – | 1 | – | – | – |
| Convulsions | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Brain Disease | – | 1 | – | 2 | 1 | – | – | – | 1 | – | 1 | – | – | – | – | – |
| Pericarditis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Aneurism | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Heart Disease | 1 | 1 | – | 1 | 3 | – | 3 | 1 | 6 | 5 | 1 | – | – | – | – | 1 |
| Laryngitis | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Bronchitis | – | – | – | 2 | 1 | – | 5 | 1 | 4 | 3 | 4 | 1 | – | – | – | – |
| Pleurisy | – | – | 2 | 1 | 1 | – | – | – | 1 | – | – | – | – | – | – | – |
| Pneumonia | 2 | 1 | 1 | 3 | 2 | 2 | 1 | – | 1 | 2 | – | – | – | – | – | – |
| Asthma | 1 | 1 | 2 | 1 | 1 | 3 | 4 | 3 | 7 | – | 1 | 1 | – | – | – | – |
| Lung Disease | 1 | – | – | 1 | 2 | – | 2 | – | – | – | – | – | – | – | – | – |
| Teething | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Quinsey | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gastritis | – | – | – | – | – | – | – | 2 | – | – | – | – | – | – | – | – |
| Enteritis | – | 1 | 2 | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| Peritonitis | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Ascites | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| Ulceration of Intestines | – | – | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Hernia | – | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| Ileus | – | – | – | 2 | – | 1 | – | – | – | – | – | 1 | – | – | – | – |
| Intussusception | – | – | – | – | – | 1 | – | – | 1 | – | – | – | – | – | – | – |
| Stricture of Intestines | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Stomach Disease | 2 | – | – | 1 | 2 | 2 | 1 | 3 | 2 | 1 | – | – | – | – | – | – |
| Pancreas Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hepatitis | – | 1 | 1 | 1 | 1 | – | – | – | – | 1 | – | – | – | – | – | – |
| Jaundice | – | – | – | – | – | – | – | – | 2 | – | – | – | – | – | – | – |
| Liver Disease | – | – | 2 | 1 | 2 | – | 1 | – | – | 1 | – | – | – | – | – | – |
| Spleen Disease | – | – | – | – | – | – | – | 2 | – | – | – | – | – | – | – | – |
| Nephritis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Nephria | – | – | – | – | 2 | 2 | 1 | – | – | – | – | – | – | – | – | – |
| Ischuria | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diabetes | – | – | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – |
| Stone | – | – | – | – | – | 1 | – | – | – | 3 | – | – | – | – | – | – |
| Cystitis | – | – | – | – | – | – | – | – | 1 | – | 1 | – | – | – | – | – |
| Stricture of Urethra | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Kidney Disease | – | – | – | – | – | – | 2 | 1 | 1 | 1 | – | – | – | – | – | – |
| Paramenia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ovarian Dropsy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Childbirth | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Organs of Generation | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Arthritis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rheumatism | – | – | 1 | – | 1 | 2 | – | – | 3 | 2 | – | 1 | 1 | – | – | – |
| Joint Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Carbuncle | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmon | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Skin Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cyanosis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Spina Bifida | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Malformations | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intemperance | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Privation | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Want of Breast Milk | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Neglect | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cold | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | 1 |
| Poison | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hanging, etc. | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suffocation | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Drowning | 5 | 7 | 3 | 1 | 1 | 1 | 1 | – | 2 | 1 | 1 | – | – | – | – | 1 |
| Fracture and Contusion | – | – | – | – | 1 | 1 | 1 | 1 | 1 | 1 | – | – | – | – | – | – |
| Wounds | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Violent Causes | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Not Specified | 7 | 5 | 4 | 2 | 6 | 8 | 17 | – | – | – | – | – | – | – | – | 9 |

CAUSES of DEATH in the INSULAR DISTRICTS of SCOTLAND, at different Periods of Life, in 1862.—FEMALES.

| DISEASES. | FEMALES. | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | |
| | | MONTHS. | | | | | | | | | | | |
| | | 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 |
| ALL CAUSES | 1530 | 92 | 21 | 50 | 73 | 46 | 28 | 21 | 44 | 36 | 48 | 45 | 43 |
| SPECIFIED CAUSES | 1300 | 47 | 10 | 36 | 61 | 35 | 25 | 21 | 30 | 31 | 37 | 36 | 36 |
| I. Zymotic Class | 247 | 9 | 5 | 24 | 34 | 19 | 21 | 10 | 15 | 15 | 12 | 8 | 8 |
| II. Diseases of Uncertain Seat | 68 | – | – | – | 1 | – | – | – | 1 | 1 | – | 1 | 2 |
| III. Tubercular Class | 172 | 2 | 1 | 3 | 7 | 4 | 4 | 3 | 6 | 10 | 15 | 17 | 17 |
| IV. Brain and Nervous System | 72 | 8 | – | – | 2 | 4 | – | 1 | 3 | 2 | 5 | 1 | 2 |
| V. Organs of Circulation | 36 | – | – | – | – | – | – | – | 1 | – | – | 1 | – |
| VI. Respiratory Organs | 100 | 6 | 3 | 3 | 9 | 4 | – | 2 | 3 | 1 | 3 | 1 | 2 |
| VII. Organs of Digestion | 61 | – | 1 | 5 | 4 | 2 | – | 1 | – | 1 | – | 2 | 2 |
| VIII. Urinary Organs | 10 | – | – | – | 1 | – | – | – | – | – | – | – | 1 |
| IX. Organs of Generation | 21 | – | – | – | – | – | – | – | – | – | 1 | 2 | 1 |
| X. Organs of Locomotion | 15 | – | – | – | – | – | – | 1 | – | – | 1 | 1 | – |
| XI. Skin, etc. | – | – | – | – | – | – | – | – | – | – | – | – | – |
| XII. Malformation | – | – | – | – | – | – | – | – | – | – | – | – | – |
| XIII. Premature Debility | 22 | 21 | – | 1 | – | – | – | – | – | – | – | – | – |
| XIV. Atrophy | 9 | – | – | – | 2 | – | – | – | 1 | – | – | – | 1 |
| XV. Age | 448 | – | – | – | – | – | – | – | – | – | – | – | – |
| XVI. Sudden Deaths | 1 | – | – | – | – | – | – | – | – | – | – | 1 | – |
| XVII. Violent Deaths | 18 | 1 | – | – | 1 | 2 | – | 3 | – | 1 | – | 1 | – |
| I. Small Pox | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Measles | 63 | – | 1 | 11 | 15 | 5 | 6 | 3 | 5 | 5 | 4 | 2 | 3 |
| Scarlatina | 5 | – | – | – | 1 | 1 | 1 | – | 1 | – | – | – | 1 |
| Diphtheria | 9 | – | – | 2 | – | 1 | 3 | 1 | 2 | – | – | – | – |
| Hooping Cough | 17 | – | – | 3 | 4 | 3 | 3 | 1 | 1 | 2 | – | – | – |
| Croup | 30 | 2 | 1 | 2 | 5 | 7 | 6 | 5 | 2 | – | – | – | – |
| Thrush | 2 | 2 | – | – | – | – | – | – | – | – | – | – | – |
| Diarrhœa | 14 | – | 1 | 2 | – | – | 1 | – | – | 1 | – | 2 | – |
| Dysentery | 9 | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Cholera | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Influenza | 36 | 5 | 2 | 3 | 7 | 1 | – | – | 1 | – | 2 | 1 | – |
| Purpura | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Ague | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Worms | 1 | – | – | – | – | – | – | – | 1 | – | – | – | – |
| Infantile Fever | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Typhus | 51 | – | – | 1 | 1 | 1 | 1 | – | 2 | 6 | 6 | 2 | 2 |
| Metria | 4 | – | – | – | – | – | – | – | – | – | – | – | 2 |
| Rheumatic Fever | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Erysipelas | 2 | – | – | – | – | – | – | – | – | 1 | – | – | – |
| Syphilis | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Noma | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – |
| II. Hæmorrhage | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| Dropsy | 31 | – | – | – | – | – | – | – | – | 1 | – | 1 | 2 |
| Abscess | 1 | – | – | – | – | – | – | – | 1 | – | – | – | – |
| Ulcer | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Fistula | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mortification | 4 | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Cancer | 30 | – | – | – | – | – | – | – | – | – | – | – | – |
| Gout | – | – | – | – | – | – | – | – | – | – | – | – | – |
| III. Scrofula | 2 | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Tabes Mesenterica | 5 | – | – | – | 1 | – | – | – | 1 | – | – | 1 | 1 |
| Phthisis | 155 | – | – | 2 | 4 | 4 | 2 | 2 | 5 | 9 | 15 | 16 | 15 |
| Hydrocephalus | 10 | 2 | 1 | 1 | 2 | – | 2 | 1 | – | 1 | – | – | – |

CAUSES of DEATH in the INSULAR DISTRICTS of SCOTLAND, at different Periods of Life, in 1862.—FEMALES.

| DISEASES. | FEMALES. AGE UNDER | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 35 | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| ALL CAUSES | 44 | 34 | 40 | 48 | 51 | 44 | 81 | 90 | 115 | 142 | 141 | 79 | 37 | 28 | 1 | 8 |
| SPECIFIED CAUSES | 32 | 29 | 31 | 43 | 39 | 30 | 57 | 90 | 115 | 142 | 141 | 79 | 37 | 28 | 1 | 1 |
| Zymotic Class | 6 | 6 | 4 | 4 | 6 | 1 | 5 | 7 | 9 | 12 | 4 | 3 | – | – | – | – |
| Uncertain Seat | 1 | 2 | 4 | 10 | 4 | 7 | 6 | 7 | 3 | 12 | 5 | 1 | – | – | – | – |
| Tubercular Class | 9 | 12 | 6 | 9 | 10 | 10 | 13 | 9 | 5 | – | – | – | – | – | – | – |
| Brain, etc. | – | 1 | 5 | – | 3 | 1 | 5 | 4 | 8 | 4 | 8 | 4 | – | – | – | 1 |
| Heart, etc. | – | – | 2 | 6 | 1 | 2 | 6 | 4 | 3 | 7 | 1 | 2 | – | – | – | – |
| Respiratory Organs | 2 | 2 | – | 3 | 10 | 2 | 5 | 11 | 8 | 12 | 5 | 2 | 1 | – | – | – |
| Digestive Organs | 5 | 2 | 4 | 6 | 3 | 3 | 7 | 8 | 2 | 2 | 1 | – | – | – | – | – |
| Urinary Organs | – | – | 1 | – | – | – | 1 | 1 | 1 | 1 | 2 | 1 | – | – | – | – |
| Generative Organs | 6 | 4 | 4 | 1 | – | – | 1 | 1 | – | – | – | – | – | – | – | – |
| Locomotive Organs | 1 | – | 1 | 1 | – | 1 | 1 | 1 | 3 | – | 3 | – | – | – | – | – |
| Skin | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Malformation | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Premature Debility | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Atrophy | 1 | – | – | – | 1 | 3 | – | – | – | – | – | – | – | – | – | – |
| Age | – | – | – | – | – | – | 7 | 37 | 72 | 92 | 111 | 65 | 36 | 27 | 1 | – |
| Sudden Deaths | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Violent Deaths | 1 | – | – | 3 | 1 | – | – | – | 1 | – | 1 | 1 | – | 1 | – | – |
| Small Pox | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Measles | – | 1 | 1 | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Scarlatina | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diphtheria | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hooping Cough | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Croup | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Thrush | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diarrhœa | – | – | – | – | – | 1 | – | – | 2 | 3 | 1 | – | – | – | – | – |
| Dysentery | – | – | – | 2 | – | – | – | 2 | 2 | 1 | – | 1 | – | – | – | – |
| Cholera | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Influenza | – | 1 | – | – | 1 | – | 2 | 1 | 2 | 5 | 2 | – | – | – | – | – |
| Purpura | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ague | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Worms | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Infantile Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Typhus | 5 | 3 | 2 | 2 | 5 | – | 2 | 2 | 3 | 3 | – | 2 | – | – | – | – |
| Metria | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rheumatic Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Erysipelas | – | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| Syphilis | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Noma | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmorrhage | – | – | – | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Dropsy | – | 2 | 2 | 2 | 2 | 2 | 1 | 6 | 2 | 3 | 4 | 1 | – | – | – | – |
| Abscess | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ulcer | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Fistula | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mortification | – | – | – | 1 | – | 1 | – | – | 1 | – | – | – | – | – | – | – |
| Cancer | 1 | – | 2 | 6 | 2 | 4 | 4 | 1 | – | 9 | 1 | – | – | – | – | – |
| Gout | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scrofula | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Tabes Mesenterica | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Phthisis | 9 | 12 | 6 | 9 | 9 | 9 | 13 | 9 | 5 | – | – | – | – | – | – | – |
| Hydrocephalus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in the INSULAR DISTRICTS of SCOTLAND, at different Periods of Life, in 1862.—FEMALES. (*Continued.*)

| DISEASES. | FEMALES. | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | |
| | | MONTHS. | | | | | | | | | | | |
| | | 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 |
| IV. Cephalitis | 6 | – | – | – | – | 1 | – | – | 1 | – | 3 | – | – |
| Apoplexy | 13 | – | – | – | – | – | – | – | 1 | – | – | – | – |
| Paralysis | 30 | – | – | – | – | – | – | – | – | 1 | 1 | – | – |
| Delirium Tremens | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chorea | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epilepsy | 3 | – | – | – | – | – | – | – | – | 1 | – | – | 1 |
| Tetanus | 3 | 2 | – | – | 1 | – | – | – | – | – | – | – | – |
| Insanity | 2 | – | – | – | – | – | – | – | – | – | 1 | – | – |
| Convulsions | 12 | 6 | – | – | 1 | 3 | – | 1 | 1 | – | – | – | – |
| Brain Disease | 3 | – | – | – | – | – | – | – | – | – | – | 1 | 1 |
| V. Pericarditis | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Aneurism | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Heart Disease | 34 | – | – | – | – | – | – | – | 1 | – | – | 1 | – |
| VI. Laryngitis | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| Bronchitis | 41 | 1 | 1 | 1 | 7 | 1 | – | 1 | 1 | 1 | 1 | – | 2 |
| Pleurisy | 14 | 5 | – | 1 | 1 | 2 | – | 1 | 1 | – | 1 | – | – |
| Pneumonia | 18 | – | 2 | 1 | 1 | 1 | – | – | – | – | 1 | 1 | – |
| Asthma | 23 | – | – | – | – | – | – | – | – | – | – | – | – |
| Lung Disease | 2 | – | – | – | – | – | – | – | 1 | – | – | – | – |
| VII. Teething | 7 | – | 1 | 3 | 2 | 1 | – | – | – | – | – | – | – |
| Quinsey | 3 | – | – | – | 1 | – | – | 1 | – | – | – | – | – |
| Gastritis | 3 | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Enteritis | 6 | – | – | 2 | – | – | – | – | – | – | – | – | – |
| Peritonitis | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Ascites | 6 | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Ulceration of Intestines | 2 | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Hernia | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ileus | 7 | – | – | – | – | – | – | – | – | – | – | – | – |
| Intussusception | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| Stricture of Intestines | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Stomach Disease | 11 | – | – | – | – | – | – | – | – | 1 | – | – | 1 |
| Pancreas Disease | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hepatitis | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| Jaundice | 3 | – | – | – | – | – | – | – | – | – | – | – | – |
| Liver Disease | 8 | – | – | – | – | 1 | – | – | – | – | – | 1 | – |
| Spleen Disease | – | – | – | – | – | – | – | – | – | – | – | – | – |
| VIII. Nephritis | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Nephria | 4 | – | – | – | 1 | – | – | – | – | – | – | – | 1 |
| Ischuria | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diabetes | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Stone | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| Cystitis | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Stricture of Urethra | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Kidney Disease | 3 | – | – | – | – | – | – | – | – | – | – | – | – |
| IX. Paramenia | 1 | – | – | – | – | – | – | – | – | – | 1 | – | – |
| Ovarian Dropsy | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Childbirth | 18 | – | – | – | – | – | – | – | – | – | – | 2 | 1 |
| Organs of Generation | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| X. Arthritis | 1 | – | – | – | – | – | – | 1 | – | – | – | – | – |
| Rheumatism | 9 | – | – | – | – | – | – | – | – | – | – | – | – |
| Joint and Bone Disease | 5 | – | – | – | – | – | – | – | – | – | 1 | 1 | – |
| XI. Carbuncle | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmon | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Skin Disease | – | – | – | – | – | – | – | – | – | – | – | – | – |
| XII. Cyanosis | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Spina Bifida | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Malformations | – | – | – | – | – | – | – | – | – | – | – | – | – |
| XVII. Intemperance | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Privation | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Want of Breast Milk | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Neglect | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cold | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Poison | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds | 8 | – | – | – | – | 2 | – | 3 | – | 1 | – | – | – |
| Hanging, etc. | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Suffocation | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Drowning | 3 | – | – | – | 1 | – | – | – | – | – | – | 1 | – |
| Fracture and Contusion | 4 | – | – | – | – | – | – | – | – | – | – | – | – |
| Wounds | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Violent Causes | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Not Specified | 230 | 45 | 11 | 14 | 12 | 11 | 3 | – | 14 | 5 | 11 | 9 | 7 |

CAUSES of DEATH in the INSULAR DISTRICTS of SCOTLAND, at different Periods of Life, in 1862.—FEMALES. (*Continued.*)

| DISEASES. | FEMALES. AGE UNDER | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 35 | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| Cephalitis | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Apoplexy | – | – | 2 | – | 1 | – | 3 | 2 | 1 | 2 | 1 | – | – | – | – | – |
| Paralysis | – | – | 1 | – | 1 | 1 | 2 | 2 | 7 | 2 | 7 | 4 | – | – | – | 1 |
| Delirium Tremens | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chorea | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epilepsy | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tetanus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Insanity | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Convulsions | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Brain Disease | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Pericarditis | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Aneurism | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| Heart Disease | – | – | 1 | 6 | 1 | 2 | 6 | 4 | 3 | 6 | 1 | 2 | – | – | – | – |
| Laryngitis | – | 1 | – | – | – | – | – | – | – | – | – | – | 1 | – | – | – |
| Bronchitis | – | – | – | 2 | 3 | – | 3 | 5 | 2 | 5 | 2 | 2 | – | – | – | – |
| Pleurisy | – | – | – | – | 1 | – | – | 1 | – | – | – | – | – | – | – | – |
| Pneumonia | 1 | 1 | – | 1 | 2 | – | – | 1 | 3 | 1 | 1 | – | – | – | – | – |
| Asthma | 1 | – | – | – | 4 | 2 | 2 | 4 | 2 | 6 | 2 | – | – | – | – | – |
| Lung Disease | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Teething | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Quinsey | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| Gastritis | – | – | – | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Enteritis | 2 | – | – | – | – | – | – | 2 | – | – | – | – | – | – | – | – |
| Peritonitis | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Ascites | – | – | 1 | – | – | 1 | 2 | 1 | – | – | – | – | – | – | – | – |
| Ulceration of Intestines | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Hernia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ileus | 1 | – | 1 | 1 | 2 | – | – | 2 | – | – | – | – | – | – | – | – |
| Intussusception | – | – | – | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – |
| Stricture of Intestines | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Stomach Disease | 2 | – | – | 1 | 1 | 1 | 2 | – | – | 1 | 1 | – | – | – | – | – |
| Pancreas Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hepatitis | – | – | – | 1 | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Jaundice | – | 1 | 1 | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Liver Disease | – | 1 | 1 | 2 | – | – | 1 | 1 | – | – | – | – | – | – | – | – |
| Spleen Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Nephritis | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Nephria | – | – | – | – | – | – | – | – | – | 1 | 1 | – | – | – | – | – |
| Ischuria | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diabetes | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Stone | – | – | – | – | – | – | – | – | – | – | 1 | 1 | – | – | – | – |
| Cystitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Stricture of Urethra | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Kidney Disease | – | – | 1 | – | – | – | – | 1 | 1 | – | – | – | – | – | – | – |
| Paramenia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ovarian Dropsy | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Childbirth | 6 | 4 | 4 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Organs of Generation | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Arthritis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rheumatism | – | – | – | – | – | 1 | 1 | 1 | 3 | – | 3 | – | – | – | – | – |
| Joint Disease | 1 | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Carbuncle | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmon | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Skin Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cyanosis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Spina Bifida | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Malformations | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intemperance | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Privation | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Want of Breast Milk | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Neglect | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cold | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Poison | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds | – | – | – | – | – | – | – | – | – | – | 1 | 1 | – | – | – | – |
| Hanging, etc. | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Suffocation | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Drowning | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Fracture and Contusion | – | – | – | 2 | – | – | – | – | 1 | – | – | – | – | 1 | – | – |
| Wounds | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Violent Causes | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Not Specified | 12 | 5 | 9 | 5 | 12 | 14 | 24 | – | – | – | – | – | – | – | – | 7 |

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1862.—BOTH SEXES.

| DISEASES. | BOTH SEXES. | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | |
| | | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 |
| | | 3 | 6 | 12 | | | | | | | | | |
| ALL CAUSES | 32694 | 2876 | 916 | 1712 | 2306 | 1237 | 793 | 532 | 1597 | 930 | 1177 | 1243 | 1102 |
| SPECIFIED CAUSES | 30449 | 2208 | 749 | 1525 | 2079 | 1140 | 746 | 499 | 1498 | 873 | 1121 | 1194 | 1040 |
| I. Zymotic Class | 6158 | 261 | 206 | 515 | 917 | 592 | 458 | 292 | 819 | 289 | 243 | 180 | 128 |
| II. Diseases of Uncertain Seat | 1205 | 23 | 5 | 8 | 12 | 7 | 6 | 9 | 17 | 15 | 15 | 12 | 23 |
| III. Tubercular Class | 5225 | 63 | 91 | 245 | 346 | 208 | 112 | 88 | 324 | 308 | 543 | 654 | 533 |
| IV. Brain and Nervous System | 2516 | 126 | 42 | 65 | 83 | 56 | 26 | 16 | 77 | 58 | 63 | 60 | 54 |
| V. Organs of Circulation | 1431 | 14 | 1 | 6 | – | 7 | 1 | 1 | 14 | 21 | 44 | 34 | 44 |
| VI. Respiratory Organs | 3741 | 248 | 200 | 374 | 350 | 135 | 75 | 43 | 94 | 37 | 63 | 66 | 61 |
| VII. Organs of Digestion | 2409 | 252 | 107 | 223 | 250 | 56 | 28 | 16 | 57 | 40 | 46 | 57 | 58 |
| VIII. Urinary Organs | 486 | 1 | 1 | 4 | 2 | – | 1 | 1 | 8 | 10 | 11 | 14 | 23 |
| IX. Organs of Generation | 256 | – | – | 1 | – | – | – | – | – | 1 | 7 | 36 | 38 |
| X. Organs of Locomotion | 200 | – | – | – | 1 | 3 | 2 | 3 | 12 | 25 | 10 | 8 | 12 |
| XI. Skin, etc. | 45 | 5 | 2 | 6 | 3 | 5 | – | – | – | 1 | 1 | – | – |
| XII. Malformation | 65 | 56 | 4 | – | – | – | – | 1 | 2 | – | 1 | – | 1 |
| XIII. Premature Debility | 1261 | 1117 | 79 | 65 | – | – | – | – | – | – | – | – | – |
| XIV. Atrophy | 228 | – | – | 1 | 58 | 25 | 5 | 4 | 14 | 7 | 9 | 5 | 8 |
| XV. Age | 4132 | – | – | – | – | – | – | – | – | – | – | – | – |
| XVI. Sudden Deaths | 50 | 6 | 1 | 1 | 4 | – | 1 | – | – | 1 | 1 | – | 2 |
| XVII. Violent Deaths | 1041 | 36 | 10 | 11 | 53 | 46 | 31 | 25 | 60 | 60 | 64 | 68 | 55 |
| I. Small Pox | 112 | 10 | 4 | 13 | 15 | 6 | 11 | 4 | 16 | 4 | 6 | 6 | 2 |
| Measles | 312 | 4 | 5 | 45 | 110 | 54 | 28 | 19 | 29 | 4 | 6 | 1 | 3 |
| Scarlatina | 618 | 6 | 4 | 34 | 74 | 96 | 100 | 54 | 171 | 43 | 13 | 5 | 5 |
| Diphtheria | 617 | 22 | 13 | 26 | 67 | 59 | 71 | 48 | 181 | 52 | 33 | 10 | 12 |
| Hooping Cough | 1038 | 72 | 68 | 208 | 329 | 142 | 81 | 43 | 83 | 9 | – | 1 | 1 |
| Croup | 587 | 13 | 29 | 55 | 135 | 124 | 88 | 62 | 78 | 3 | – | – | – |
| Thrush | 14 | 9 | 2 | 1 | 1 | – | – | 1 | – | – | – | – | – |
| Diarrhœa | 479 | 45 | 37 | 57 | 85 | 20 | 7 | 6 | 14 | 1 | 2 | 5 | 2 |
| Dysentery | 140 | 3 | 7 | 8 | 8 | 2 | 1 | – | 3 | 1 | – | 4 | 4 |
| Cholera | 31 | 2 | 1 | 2 | 5 | – | 3 | 2 | 2 | 1 | 1 | 1 | 1 |
| Influenza | 248 | 13 | 5 | 11 | 10 | 4 | 5 | 6 | 1 | 4 | 3 | – | 3 |
| Purpura | 23 | – | 2 | 1 | 1 | – | – | – | 3 | 3 | 2 | – | – |
| Ague | 5 | – | – | – | – | 1 | – | 1 | – | 1 | – | – | 1 |
| Worms | 17 | – | – | – | 1 | 3 | 3 | 1 | 8 | – | – | 1 | – |
| Infantile Fever | 42 | 5 | 4 | 11 | 12 | 4 | 1 | 2 | 3 | – | – | – | – |
| Typhus | 1570 | 11 | 13 | 28 | 58 | 68 | 53 | 41 | 218 | 144 | 160 | 124 | 82 |
| Metria | 67 | – | – | – | – | – | – | – | – | – | 1 | 20 | 9 |
| Rheumatic Fever | 53 | – | – | – | – | – | 1 | 2 | 4 | 12 | 9 | – | 1 |
| Erysipelas | 129 | 29 | 2 | 9 | 3 | 7 | 5 | – | 4 | 7 | 7 | 2 | 1 |
| Syphilis | 46 | 17 | 8 | 5 | 3 | 2 | – | – | – | – | – | – | 1 |
| Noma | 7 | – | 2 | 1 | – | – | – | – | – | – | – | – | – |
| Hydrophobia | 1 | – | – | – | – | – | – | – | 1 | – | – | – | – |
| II. Hæmorrhage | 52 | 7 | – | 3 | 1 | – | 3 | 2 | 2 | 1 | 2 | 1 | 1 |
| Dropsy | 389 | 3 | 2 | 2 | 2 | 3 | 2 | 2 | 7 | 6 | 5 | 6 | 11 |
| Abscess | 54 | 4 | 1 | 2 | 2 | 2 | – | 2 | 4 | 3 | 5 | 3 | 1 |
| Ulcer | 21 | 2 | – | – | 2 | 1 | – | – | – | 1 | – | – | – |
| Fistula | 5 | – | – | – | – | – | – | – | – | – | – | – | – |
| Mortification | 60 | 7 | 2 | – | 3 | – | 1 | 1 | 1 | – | – | – | – |
| Cancer | 612 | – | – | 1 | 2 | 1 | – | 2 | 3 | 4 | 3 | 2 | 10 |
| Gout | 12 | – | – | – | – | – | – | – | – | – | – | – | – |
| III. Scrofula | 379 | 3 | 10 | 17 | 20 | 21 | 8 | 7 | 34 | 49 | 51 | 45 | 27 |
| Tabes Mesenterica | 339 | 23 | 20 | 34 | 82 | 46 | 17 | 9 | 39 | 20 | 23 | 4 | 4 |
| Phthisis | 3803 | 8 | 20 | 47 | 83 | 59 | 35 | 32 | 145 | 206 | 460 | 603 | 501 |
| Hydrocephalus | 704 | 29 | 41 | 147 | 161 | 82 | 52 | 40 | 106 | 33 | 9 | 2 | 1 |

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1862.—Both Sexes.

| DISEASES. | BOTH SEXES. AGE UNDER | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 35 | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| All Causes | 964 | 966 | 857 | 859 | 1003 | 1135 | 1555 | 1691 | 1918 | 1917 | 1869 | 993 | 374 | 100 | 21 | 51 |
| Specified Causes | 907 | 916 | 802 | 814 | 941 | 1043 | 1438 | 1690 | 1918 | 1917 | 1869 | 993 | 374 | 100 | 21 | 34 |
| Zymotic Class | 120 | 102 | 95 | 90 | 96 | 97 | 121 | 123 | 136 | 135 | 104 | 26 | 10 | 2 | – | 1 |
| Uncertain Seat | 32 | 42 | 52 | 70 | 85 | 97 | 136 | 164 | 141 | 119 | 78 | 30 | 6 | 1 | – | – |
| Tubercular Class | 367 | 349 | 225 | 171 | 167 | 142 | 130 | 82 | 46 | 18 | 7 | 3 | – | – | – | 3 |
| Brain, etc. | 58 | 71 | 71 | 89 | 118 | 138 | 204 | 233 | 298 | 261 | 151 | 74 | 20 | 1 | – | 3 |
| Heart, etc. | 52 | 58 | 60 | 82 | 101 | 108 | 192 | 198 | 160 | 138 | 63 | 28 | 2 | 1 | – | 1 |
| Respiratory Organs | 77 | 68 | 97 | 106 | 154 | 170 | 262 | 257 | 296 | 218 | 205 | 60 | 15 | 6 | – | 4 |
| Digestive Organs | 58 | 67 | 80 | 81 | 110 | 146 | 177 | 156 | 161 | 97 | 57 | 21 | 7 | – | – | 1 |
| Urinary Organs | 23 | 26 | 16 | 23 | 24 | 26 | 51 | 49 | 74 | 52 | 25 | 16 | 4 | 1 | – | – |
| Generative Organs | 40 | 42 | 33 | 16 | 15 | 10 | 7 | 5 | 3 | 1 | 1 | – | – | – | – | – |
| Locomotive Organs | 9 | 8 | 2 | 7 | 12 | 15 | 13 | 14 | 16 | 18 | 7 | 1 | 1 | 1 | – | – |
| Skin | 2 | 1 | 2 | 3 | – | 1 | 4 | 2 | 2 | 2 | 2 | 1 | – | – | – | – |
| Malformation | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Premature Debility | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Atrophy | 7 | 6 | 7 | 19 | 15 | 38 | – | – | – | – | – | – | – | – | – | – |
| Age | – | – | – | – | – | 1 | 88 | 367 | 554 | 827 | 1152 | 726 | 306 | 87 | 20 | 4 |
| Sudden Deaths | 3 | 1 | 1 | 3 | 9 | 2 | 9 | 2 | 3 | – | – | – | – | – | – | – |
| Violent Deaths | 59 | 75 | 61 | 54 | 35 | 52 | 44 | 38 | 28 | 31 | 17 | 7 | 3 | – | 1 | 17 |
| Small Pox | 5 | 4 | 1 | – | 2 | 3 | – | – | – | – | – | – | – | – | – | – |
| Measles | – | 2 | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Scarlatina | 6 | 3 | 2 | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – |
| Diphtheria | 4 | 2 | 1 | 3 | 1 | 7 | 4 | – | – | – | 1 | – | – | – | – | – |
| Hooping Cough | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Croup | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Thrush | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diarrhœa | 6 | 3 | 5 | 11 | 14 | 6 | 19 | 21 | 34 | 30 | 35 | 13 | 1 | – | – | – |
| Dysentery | 1 | – | 4 | 4 | 6 | 11 | 8 | 13 | 14 | 21 | 12 | 3 | 1 | 1 | – | – |
| Cholera | – | 1 | 1 | 1 | 1 | 1 | – | 1 | 2 | 1 | – | – | – | – | – | 1 |
| Influenza | 2 | 3 | 3 | 4 | 10 | 9 | 11 | 15 | 33 | 44 | 36 | 6 | 6 | 1 | – | – |
| Purpura | – | 1 | 1 | 1 | – | 3 | 2 | 3 | 1 | 1 | – | – | – | – | – | – |
| Ague | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Worms | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Infantile Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Typhus | 67 | 63 | 62 | 53 | 51 | 46 | 71 | 64 | 44 | 28 | 18 | 2 | 1 | – | – | – |
| Metria | 19 | 9 | 6 | 3 | – | – | – | – | – | – | – | – | – | – | – | – |
| Rheumatic Fever | 5 | 4 | 2 | 3 | 2 | 1 | 2 | 1 | 2 | 2 | – | – | – | – | – | – |
| Erysipelas | 4 | 3 | 4 | 4 | 6 | 5 | 4 | 4 | 6 | 8 | 2 | 2 | 1 | – | – | – |
| Syphilis | 1 | 3 | 3 | – | 2 | 1 | – | – | – | – | – | – | – | – | – | – |
| Noma | – | 1 | – | – | – | 2 | – | 1 | – | – | – | – | – | – | – | – |
| Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmorrhage | 4 | 3 | 1 | 1 | 6 | 1 | 4 | 4 | 4 | – | 1 | – | – | – | – | – |
| Dropsy | 12 | 10 | 12 | 15 | 20 | 29 | 37 | 50 | 51 | 49 | 37 | 14 | 2 | – | – | – |
| Abscess | 3 | 4 | 4 | – | 1 | 1 | 1 | 4 | 3 | 4 | – | – | – | – | – | – |
| Ulcer | – | – | – | 2 | 2 | 1 | 2 | 2 | 5 | – | 1 | – | – | – | – | – |
| Fistula | 1 | 1 | – | 1 | – | – | – | – | – | 1 | 1 | – | – | – | – | – |
| Mortification | – | 1 | 1 | 1 | – | – | 1 | 5 | 10 | 9 | 8 | 7 | 2 | – | – | – |
| Cancer | 12 | 23 | 34 | 49 | 54 | 63 | 90 | 98 | 66 | 56 | 28 | 8 | 2 | 1 | – | – |
| Gout | – | – | – | 1 | 2 | 2 | 1 | 1 | 2 | – | 2 | 1 | – | – | – | – |
| Scrofula | 15 | 19 | 11 | 6 | 9 | 5 | 4 | 8 | 7 | 3 | – | – | – | – | – | – |
| Tabes Mesenterica | – | 3 | 1 | 2 | 1 | 4 | 1 | 2 | 1 | – | 2 | 1 | – | – | – | – |
| Phthisis | 352 | 327 | 212 | 163 | 157 | 133 | 125 | 72 | 38 | 15 | 5 | 2 | – | – | – | 3 |
| Hydrocephalus | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1862.—Both Sexes. (*Continued.*)

| DISEASES. | BOTH SEXES. | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | |
| | | MONTHS. | | | | | | | | | | | |
| | | 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 |
| IV. Cephalitis | 151 | 2 | 4 | 6 | 13 | 10 | 7 | 7 | 25 | 17 | 9 | 9 | 8 |
| Apoplexy | 650 | 9 | 7 | 10 | 7 | 8 | 5 | 2 | 7 | 8 | 6 | 15 | 6 |
| Paralysis | 849 | – | – | – | 1 | 1 | – | – | 5 | 2 | 7 | 5 | 9 |
| Delirium Tremens | 30 | – | – | – | – | – | – | – | – | – | – | – | 4 |
| Chorea | 5 | – | – | – | 1 | – | – | – | – | 2 | 1 | – | – |
| Epilepsy | 122 | – | – | 1 | – | – | – | – | 3 | 4 | 12 | 13 | 8 |
| Tetanus | 19 | 7 | – | – | – | – | – | – | 3 | 1 | 1 | 1 | – |
| Insanity | 31 | – | – | – | – | – | – | – | 1 | 1 | 1 | 1 | 2 |
| Convulsions | 252 | 103 | 25 | 39 | 39 | 23 | 7 | 5 | 9 | 1 | 1 | – | – |
| Brain Disease | 407 | 5 | 6 | 9 | 22 | 14 | 7 | 2 | 24 | 22 | 25 | 16 | 17 |
| V. Pericarditis | 49 | 2 | – | 2 | – | 1 | – | – | 2 | 2 | 4 | 4 | – |
| Aneurism | 39 | – | – | – | – | – | – | – | – | 1 | – | – | 1 |
| Heart Disease | 1343 | 12 | 1 | 4 | – | 6 | 1 | 1 | 12 | 18 | 40 | 30 | 43 |
| VI. Laryngitis | 74 | 3 | 3 | 7 | 15 | 5 | 6 | 1 | 7 | 3 | 2 | 2 | 1 |
| Bronchitis | 2187 | 178 | 163 | 262 | 257 | 97 | 49 | 23 | 48 | 10 | 14 | 22 | 18 |
| Pleurisy | 140 | 2 | 2 | 7 | 1 | 4 | 4 | 1 | 1 | 5 | 8 | 7 | 5 |
| Pneumonia | 858 | 60 | 28 | 91 | 74 | 27 | 12 | 16 | 31 | 18 | 30 | 28 | 28 |
| Asthma | 333 | – | – | – | – | – | – | – | – | 1 | – | 2 | 4 |
| Lung Disease | 149 | 5 | 4 | 7 | 3 | 2 | 4 | 2 | 7 | – | 9 | 5 | 5 |
| VII. Teething | 388 | 1 | 15 | 150 | 185 | 29 | 7 | 1 | – | – | – | – | – |
| Quinsey | 31 | 3 | 1 | 1 | 4 | 2 | 2 | 1 | 6 | 2 | 3 | 1 | 1 |
| Gastritis | 95 | 10 | 5 | 3 | 3 | – | 4 | 2 | 2 | 3 | 1 | 3 | 1 |
| Enteritis | 469 | 130 | 58 | 46 | 39 | 9 | 6 | 4 | 16 | 11 | 9 | 14 | 10 |
| Peritonitis | 128 | 15 | 5 | 3 | 3 | 1 | 1 | – | 3 | 6 | 11 | 7 | 9 |
| Ascites | 35 | 1 | – | – | – | – | 1 | – | – | 1 | – | – | – |
| Ulceration of Intestines | 100 | 4 | 1 | – | 1 | 1 | – | – | 6 | 1 | 6 | 6 | 5 |
| Hernia | 64 | 2 | – | – | 1 | – | – | – | – | – | – | 1 | – |
| Ileus | 135 | 7 | 3 | – | 1 | 2 | 1 | – | 5 | 3 | 2 | 4 | 3 |
| Intussusception | 32 | 4 | 3 | – | – | – | – | – | 2 | – | 1 | 2 | 1 |
| Stricture of Intestines | 8 | – | – | – | – | – | – | – | – | – | – | – | – |
| Stomach Disease | 395 | 25 | 10 | 13 | 11 | 7 | 2 | 4 | 11 | 4 | 4 | 4 | 12 |
| Pancreas Disease | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hepatitis | 85 | 3 | 2 | 2 | – | – | 1 | – | 4 | 2 | 1 | 2 | 4 |
| Jaundice | 101 | 39 | 3 | 2 | – | 3 | 1 | 1 | – | – | 2 | 1 | 1 |
| Liver Disease | 330 | 8 | 1 | 3 | 2 | 2 | 2 | 3 | 1 | 7 | 6 | 12 | 10 |
| Spleen Disease | 13 | – | – | – | – | – | – | – | 1 | – | – | – | 1 |
| VIII. Nephritis | 20 | – | – | 1 | 1 | – | – | – | 1 | – | – | – | – |
| Nephria | 101 | – | – | 1 | – | – | – | 1 | 2 | 5 | 5 | 2 | 9 |
| Ischuria | 29 | 1 | 1 | 2 | – | – | – | – | – | – | – | 2 | – |
| Diabetes | 43 | – | – | – | 1 | – | – | – | 1 | 2 | 3 | 3 | 4 |
| Stone | 51 | – | – | – | – | – | – | – | – | 1 | 1 | – | – |
| Cystitis | 31 | – | – | – | – | – | – | – | – | – | – | – | 2 |
| Stricture of Urethra | 4 | – | – | – | – | – | – | – | – | – | – | – | – |
| Kidney Disease | 207 | – | – | – | – | – | 1 | – | 4 | 2 | 2 | 7 | 8 |
| IX. Paramenia | 16 | – | – | – | – | – | – | – | – | 1 | 3 | 3 | 1 |
| Ovarian Dropsy | 37 | – | – | – | – | – | – | – | – | – | – | 1 | 1 |
| Childbirth | 158 | – | – | – | – | – | – | – | – | – | 2 | 28 | 34 |
| Organs of Generation | 45 | – | – | 1 | – | – | – | – | – | – | 2 | 4 | 2 |
| X. Arthritis | 16 | – | – | – | – | – | 1 | – | 1 | 2 | 1 | – | – |
| Rheumatism | 79 | – | – | – | – | 1 | 1 | – | 1 | 2 | 2 | 2 | 3 |
| Joint and Bone Disease | 105 | – | – | – | 1 | 2 | – | 3 | 10 | 21 | 7 | 6 | 9 |
| XI. Carbuncle | 14 | – | – | – | 1 | 1 | – | – | – | – | – | – | – |
| Phlegmon | 2 | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Skin Disease | 29 | 5 | 2 | 6 | 2 | 3 | – | – | – | 1 | 1 | – | – |
| XII. Cyanosis | 23 | 19 | 2 | – | – | – | – | 1 | 1 | – | – | – | – |
| Spina Bifida | 15 | 13 | 2 | – | – | – | – | – | – | – | – | – | – |
| Other Malformations | 27 | 24 | – | – | – | – | – | – | 1 | – | 1 | – | 1 |
| XVII. Intemperance | 22 | – | – | – | – | – | – | – | – | – | – | – | – |
| Privation | 2 | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Want of Breast Milk | 10 | 8 | 1 | 1 | – | – | – | – | – | – | – | – | – |
| Neglect | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cold | 27 | 3 | 1 | – | 1 | – | – | – | – | 1 | – | 2 | 1 |
| Poison | 22 | 2 | – | – | 1 | 1 | – | 4 | 1 | – | 1 | 1 | – |
| Burns and Scalds | 166 | – | 2 | 7 | 33 | 26 | 17 | 11 | 22 | 7 | 4 | 2 | 5 |
| Hanging, etc. | 19 | – | – | – | – | – | – | – | – | – | – | 1 | 2 |
| Suffocation | 40 | 14 | 6 | 2 | – | – | – | – | 3 | – | 1 | – | 1 |
| Drowning | 232 | 1 | – | – | 10 | 11 | 5 | 6 | 18 | 10 | 25 | 21 | 14 |
| Fracture and Contusion | 409 | – | – | 1 | 7 | 8 | 8 | 1 | 12 | 32 | 28 | 38 | 26 |
| Wounds | 48 | – | – | – | – | – | – | – | 2 | 7 | 4 | 3 | 5 |
| Other Violent Causes | 44 | 8 | – | – | – | – | 1 | 3 | 2 | 3 | 1 | – | 1 |
| Not Specified | 2245 | 668 | 167 | 187 | 227 | 97 | 47 | 33 | 99 | 57 | 56 | 49 | 62 |

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1862.—Both Sexes. (*Continued.*)

| DISEASES. | BOTH SEXES. AGE UNDER | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 35 | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| Cephalitis | 4 | 5 | 2 | 3 | 3 | 5 | 6 | 2 | 1 | 2 | 1 | – | – | – | – | – |
| Apoplexy | 12 | 19 | 22 | 29 | 42 | 37 | 81 | 70 | 98 | 74 | 44 | 23 | 7 | – | – | 2 |
| Paralysis | 15 | 7 | 11 | 23 | 35 | 57 | 77 | 127 | 159 | 160 | 90 | 45 | 11 | 1 | – | 1 |
| Delirium Tremens | 2 | 8 | 4 | 2 | 5 | 3 | 2 | – | – | – | – | – | – | – | – | – |
| Chorea | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Epilepsy | 15 | 10 | 12 | 7 | 5 | 8 | 7 | 9 | 3 | 3 | – | 2 | – | – | – | – |
| Tetanus | – | – | – | 1 | 1 | 1 | 1 | 1 | 1 | – | – | – | – | – | – | – |
| Insanity | 3 | 3 | 1 | 5 | 1 | 3 | 3 | – | 5 | – | 1 | – | – | – | – | – |
| Convulsions | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Brain Disease | 7 | 19 | 19 | 19 | 26 | 24 | 27 | 23 | 31 | 22 | 15 | 4 | 2 | – | – | – |
| Pericarditis | 5 | 5 | 1 | 4 | – | 4 | 3 | 3 | 3 | 2 | 2 | – | – | – | – | – |
| Aneurism | 4 | 7 | 3 | 4 | 3 | – | 7 | 5 | 2 | 1 | 1 | – | – | – | – | – |
| Heart Disease | 43 | 46 | 56 | 74 | 98 | 104 | 182 | 190 | 155 | 135 | 60 | 28 | 2 | 1 | – | 1 |
| Laryngitis | 4 | 2 | 2 | 4 | 2 | 1 | – | 1 | 2 | – | – | 1 | – | – | – | – |
| Bronchitis | 21 | 25 | 35 | 36 | 58 | 72 | 143 | 114 | 169 | 147 | 157 | 49 | 13 | 5 | – | 2 |
| Pleurisy | 6 | 4 | 4 | 9 | 7 | 4 | 10 | 15 | 7 | 11 | 14 | 1 | 1 | – | – | – |
| Pneumonia | 29 | 21 | 31 | 28 | 38 | 43 | 51 | 67 | 55 | 23 | 20 | 5 | 1 | 1 | – | 2 |
| Asthma | 6 | 6 | 14 | 21 | 42 | 43 | 48 | 45 | 56 | 30 | 12 | 3 | – | – | – | – |
| Lung Disease | 11 | 10 | 11 | 8 | 7 | 7 | 10 | 15 | 7 | 7 | 2 | 1 | – | – | – | – |
| Teething | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Quinsey | 1 | 1 | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – |
| Gastritis | 1 | 2 | 4 | 5 | 7 | 8 | 6 | 8 | 10 | 4 | 2 | – | 1 | – | – | – |
| Enteritis | 8 | 8 | 9 | 7 | 13 | 14 | 20 | 9 | 9 | 11 | 4 | 3 | 1 | – | – | 1 |
| Peritonitis | 7 | 9 | 6 | 4 | 5 | 7 | 6 | 7 | 7 | 3 | 2 | 1 | – | – | – | – |
| Ascites | 2 | 3 | 1 | 2 | 4 | 2 | 2 | 5 | 3 | 2 | 3 | 2 | 1 | – | – | – |
| Ulceration of Intestines | 3 | 3 | 6 | 4 | 10 | 9 | 13 | 3 | 8 | 4 | 2 | 4 | – | – | – | – |
| Hernia | – | 4 | 2 | 5 | 5 | 9 | 2 | 11 | 6 | 10 | 5 | 1 | – | – | – | – |
| Ileus | 6 | 9 | 8 | 5 | 8 | 10 | 11 | 9 | 17 | 8 | 8 | 3 | 2 | – | – | – |
| Intussusception | 1 | 1 | 1 | – | 2 | 3 | 4 | 3 | 2 | – | 1 | 1 | – | – | – | – |
| Stricture of Intestines | – | – | – | – | 1 | – | 2 | 1 | 3 | 1 | – | – | – | – | – | – |
| Stomach Disease | 15 | 15 | 20 | 11 | 17 | 30 | 40 | 48 | 51 | 23 | 15 | 1 | 2 | – | – | – |
| Pancreas Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hepatitis | 3 | 1 | 3 | 7 | 10 | 9 | 11 | 9 | 5 | 6 | – | – | – | – | – | – |
| Jaundice | 1 | – | 1 | – | 4 | 6 | 9 | 9 | 7 | 3 | 6 | 2 | – | – | – | – |
| Liver Disease | 10 | 11 | 17 | 30 | 22 | 37 | 47 | 32 | 33 | 22 | 9 | 3 | – | – | – | – |
| Spleen Disease | – | – | 2 | 1 | 1 | 1 | 4 | 2 | – | – | – | – | – | – | – | – |
| Nephritis | 1 | 1 | – | 1 | 1 | 1 | 4 | 2 | 4 | 1 | – | 1 | – | – | – | – |
| Nephria | 5 | 12 | 7 | 6 | 6 | 8 | 9 | 9 | 8 | 3 | 1 | 2 | – | – | – | – |
| Ischuria | 2 | 2 | – | 2 | – | – | 1 | 2 | 3 | 6 | 1 | 3 | 1 | – | – | – |
| Diabetes | 7 | 4 | 3 | 4 | 3 | 1 | 2 | 1 | 3 | 1 | – | – | – | – | – | – |
| Stone | 1 | – | 1 | 2 | 2 | 4 | 2 | 8 | 12 | 10 | 3 | 2 | 2 | – | – | – |
| Cystitis | 1 | 2 | 2 | 1 | 2 | 2 | 3 | 1 | 2 | 4 | 7 | 2 | – | – | – | – |
| Stricture of Urethra | – | 1 | – | 1 | – | – | – | 1 | 1 | – | – | – | – | – | – | – |
| Kidney Disease | 6 | 4 | 3 | 6 | 10 | 10 | 30 | 25 | 41 | 27 | 13 | 6 | 1 | 1 | – | – |
| Paramenia | – | 4 | 1 | 1 | 2 | – | – | – | – | – | – | – | – | – | – | – |
| Ovarian Dropsy | 5 | 5 | 2 | 2 | 9 | 3 | 3 | 3 | 2 | 1 | – | – | – | – | – | – |
| Childbirth | 31 | 28 | 26 | 7 | 2 | – | – | – | – | – | – | – | – | – | – | – |
| Organs of Generation | 4 | 5 | 4 | 6 | 2 | 7 | 4 | 2 | 1 | – | 1 | – | – | – | – | – |
| Arthritis | – | 2 | – | – | 2 | 1 | 2 | 2 | – | – | 1 | 1 | – | – | – | – |
| Rheumatism | 1 | 1 | 1 | 2 | 8 | 9 | 5 | 9 | 11 | 14 | 4 | – | 1 | 1 | – | – |
| Joint Disease | 8 | 5 | 1 | 5 | 2 | 5 | 6 | 3 | 5 | 4 | 2 | – | – | – | – | – |
| Carbuncle | – | – | – | 3 | – | – | 3 | 1 | 1 | 2 | 1 | 1 | – | – | – | – |
| Phlegmon | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Skin Disease | 2 | 1 | 2 | – | – | – | 1 | 1 | 1 | – | 1 | – | – | – | – | – |
| Cyanosis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Spina Bifida | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Malformations | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intemperance | – | 3 | 1 | 6 | 1 | 3 | 4 | 1 | 2 | 1 | – | – | – | – | – | – |
| Privation | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Want of Breast Milk | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Neglect | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cold | 3 | 1 | 1 | 2 | 2 | 4 | – | 1 | 2 | – | 2 | – | – | – | – | – |
| Poison | – | 3 | – | 3 | 1 | – | – | 1 | 2 | 1 | – | – | – | – | – | – |
| Burns and Scalds | 2 | 4 | 1 | 2 | – | – | 3 | 4 | 3 | 4 | 4 | 3 | – | – | – | – |
| Hanging, etc. | 1 | 1 | 1 | 3 | 2 | 3 | 2 | 3 | – | – | – | – | – | – | – | – |
| Suffocation | – | – | 2 | 3 | 1 | 3 | 3 | – | – | 1 | – | – | – | – | – | – |
| Drowning | 19 | 20 | 17 | 8 | 9 | 9 | 8 | 6 | 4 | 3 | – | – | – | – | – | 8 |
| Fracture and Contusion | 32 | 35 | 31 | 23 | 14 | 23 | 19 | 16 | 14 | 17 | 10 | 4 | 2 | – | 1 | 7 |
| Wounds | – | 6 | 5 | 3 | 3 | 3 | 3 | 2 | 1 | 1 | – | – | – | – | – | – |
| Other Violent Causes | 2 | 2 | 2 | 1 | 2 | 4 | 2 | 3 | – | 3 | 1 | – | 1 | – | – | 2 |
| Not Specified | 57 | 50 | 55 | 45 | 62 | 92 | 117 | 1 | – | – | – | – | – | – | – | 17 |

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1862.—MALES.

| DISEASES. | MALES. | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | |
| | | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 |
| | | 3 | 6 | 12 | | | | | | | | | |
| ALL CAUSES | 16178 | 1655 | 533 | 901 | 1182 | 615 | 381 | 266 | 839 | 508 | 604 | 650 | 552 |
| SPECIFIED CAUSES | 14998 | 1257 | 446 | 812 | 1060 | 569 | 362 | 251 | 788 | 474 | 578 | 624 | 518 |
| I. Zymotic Class | 2952 | 124 | 114 | 269 | 455 | 278 | 226 | 146 | 414 | 138 | 117 | 75 | 58 |
| II. Diseases of Uncertain Seat | 465 | 11 | 1 | 3 | 7 | 3 | 1 | 5 | 9 | 10 | 7 | 5 | 4 |
| III. Tubercular Class | 2568 | 41 | 55 | 123 | 175 | 118 | 51 | 58 | 187 | 160 | 248 | 350 | 269 |
| IV. Brain and Nervous System | 1299 | 81 | 24 | 35 | 52 | 28 | 13 | 9 | 37 | 33 | 44 | 30 | 33 |
| V. Organs of Circulation | 752 | 10 | 1 | 2 | – | 3 | 1 | – | 4 | 11 | 28 | 17 | 15 |
| VI. Respiratory Organs | 1932 | 143 | 127 | 207 | 165 | 70 | 34 | 24 | 47 | 21 | 34 | 37 | 35 |
| VII. Organs of Digestion | 1254 | 161 | 65 | 125 | 134 | 26 | 13 | 10 | 31 | 23 | 26 | 34 | 26 |
| VIII. Urinary Organs | 340 | 1 | 1 | 4 | – | – | 1 | – | 4 | 5 | 9 | 7 | 14 |
| IX. Organs of Generation | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – |
| X. Organs of Locomotion | 107 | – | – | – | – | 1 | 1 | 2 | 9 | 16 | 5 | 8 | 8 |
| XI. Skin, etc. | 26 | 2 | 1 | 4 | 2 | 3 | – | – | – | – | – | – | – |
| XII. Malformation | 29 | 24 | 1 | – | – | – | – | 1 | 2 | – | 1 | – | – |
| XIII. Premature Debility | 717 | 636 | 49 | 32 | – | – | – | – | – | – | – | – | – |
| XIV. Atrophy | 110 | – | – | 1 | 38 | 12 | 2 | 1 | 5 | 5 | 5 | 1 | 6 |
| XV. Age | 1644 | – | – | – | – | – | – | – | – | – | – | – | – |
| XVI. Sudden Deaths | 19 | 2 | 1 | – | 2 | – | 1 | – | – | – | – | – | 1 |
| XVII. Violent Deaths | 783 | 21 | 6 | 6 | 30 | 27 | 18 | 15 | 39 | 52 | 54 | 60 | 49 |
| I. Small Pox | 52 | 5 | 2 | 6 | 5 | 2 | 4 | 2 | 10 | 1 | 3 | 2 | 1 |
| Measles | 154 | – | 4 | 26 | 56 | 23 | 13 | 7 | 17 | 2 | 4 | – | 1 |
| Scarlatina | 325 | 3 | 3 | 16 | 40 | 46 | 54 | 25 | 103 | 23 | 7 | 2 | 1 |
| Diphtheria | 290 | 13 | 7 | 15 | 33 | 33 | 29 | 23 | 78 | 24 | 16 | 4 | 5 |
| Hooping Cough | 478 | 31 | 34 | 109 | 159 | 53 | 41 | 17 | 30 | 3 | – | 1 | – |
| Croup | 309 | 9 | 18 | 25 | 76 | 62 | 42 | 33 | 41 | 3 | – | – | – |
| Thrush | 9 | 6 | 2 | 1 | – | – | – | – | – | – | – | – | – |
| Diarrhœa | 235 | 21 | 21 | 29 | 44 | 9 | 4 | 5 | 5 | 1 | – | 2 | 1 |
| Dysentery | 61 | 3 | 5 | 5 | 4 | – | 1 | – | 2 | – | – | – | 3 |
| Cholera | 16 | 1 | 1 | 2 | 3 | – | 1 | 2 | 1 | – | 1 | – | – |
| Influenza | 102 | 6 | 3 | 7 | 6 | 4 | – | 5 | – | 3 | 2 | – | 1 |
| Purpura | 18 | – | 1 | 1 | 1 | – | – | – | 1 | 3 | 1 | – | – |
| Ague | 3 | – | – | – | – | – | – | 1 | – | – | – | – | 1 |
| Worms | 8 | – | – | – | – | 1 | 1 | – | 5 | – | – | 1 | – |
| Infantile Fever | 21 | 2 | 2 | 7 | 5 | 2 | 1 | 2 | – | – | – | – | – |
| Typhus | 769 | 6 | 6 | 14 | 21 | 39 | 31 | 23 | 113 | 67 | 73 | 63 | 43 |
| Metria | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rheumatic Fever | 28 | – | – | – | – | – | 1 | 1 | 4 | 8 | 6 | – | – |
| Erysipelas | 55 | 11 | 2 | 3 | 1 | 3 | 3 | – | 3 | – | 4 | – | 1 |
| Syphilis | 16 | 7 | 3 | 3 | 1 | 1 | – | – | – | – | – | – | – |
| Noma | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| Hydrophobia | 1 | – | – | – | – | – | – | – | 1 | – | – | – | – |
| II. Hæmorrhage | 26 | 4 | – | – | 1 | – | 1 | – | 1 | – | 2 | 1 | – |
| Dropsy | 151 | 1 | – | 1 | 1 | 2 | – | 1 | 3 | 4 | – | 2 | 2 |
| Abscess | 33 | 3 | – | 1 | 1 | 1 | – | 1 | 2 | 3 | 4 | 2 | – |
| Ulcer | 8 | – | – | – | 1 | – | – | – | – | 1 | – | – | – |
| Fistula | 3 | – | – | – | – | – | – | – | – | – | – | – | – |
| Mortification | 35 | 3 | 1 | – | 2 | – | – | 1 | – | – | – | – | – |
| Cancer | 202 | – | – | 1 | 1 | – | – | 2 | 3 | 2 | 1 | – | 2 |
| Gout | 7 | – | – | – | – | – | – | – | – | – | – | – | – |
| III. Scrofula | 215 | 2 | 6 | 8 | 10 | 13 | 4 | 5 | 18 | 33 | 31 | 24 | 18 |
| Tabes Mesenterica | 191 | 17 | 11 | 14 | 42 | 27 | 7 | 4 | 29 | 16 | 12 | 2 | 2 |
| Phthisis | 1776 | 4 | 11 | 25 | 44 | 34 | 14 | 9 | 75 | 88 | 200 | 323 | 248 |
| Hydrocephalus | 386 | 18 | 27 | 76 | 79 | 44 | 26 | 20 | 65 | 23 | 5 | 1 | 1 |

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1862.—MALES.

| DISEASES. | MALES. AGE UNDER | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 35 | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| ALL CAUSES | 458 | 453 | 381 | 415 | 507 | 550 | 753 | 818 | 914 | 805 | 805 | 428 | 138 | 33 | 7 | 27 |
| SPECIFIED CAUSES | 424 | 429 | 360 | 400 | 474 | 513 | 695 | 817 | 914 | 805 | 805 | 428 | 138 | 33 | 7 | 17 |
| Zymotic Class | 51 | 44 | 34 | 38 | 45 | 43 | 57 | 64 | 56 | 49 | 38 | 14 | 5 | – | – | – |
| Uncertain Seat | 10 | 15 | 11 | 22 | 38 | 28 | 53 | 67 | 59 | 44 | 35 | 13 | 4 | – | – | – |
| Tubercular Class | 161 | 147 | 81 | 79 | 72 | 72 | 63 | 43 | 24 | 7 | 1 | 2 | – | – | – | 1 |
| Brain, etc. | 28 | 38 | 42 | 43 | 70 | 67 | 98 | 110 | 150 | 118 | 78 | 31 | 6 | – | – | 1 |
| Heart, etc. | 29 | 26 | 26 | 46 | 54 | 61 | 100 | 110 | 91 | 71 | 30 | 15 | 1 | – | – | – |
| Respiratory Organs | 41 | 40 | 58 | 69 | 83 | 96 | 138 | 123 | 127 | 91 | 90 | 26 | 5 | 1 | – | – |
| Digestive Organs | 30 | 36 | 39 | 37 | 53 | 68 | 78 | 68 | 83 | 44 | 29 | 12 | 2 | – | – | 1 |
| Urinary Organs | 10 | 12 | 13 | 12 | 17 | 15 | 32 | 37 | 60 | 47 | 19 | 15 | 4 | 1 | – | – |
| Generative Organs | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Locomotive Organs | 5 | 5 | 2 | 3 | 5 | 4 | 9 | 6 | 9 | 4 | 4 | – | 1 | – | – | – |
| Skin | 1 | – | 1 | 2 | – | 1 | 4 | 2 | – | – | 2 | 1 | – | – | – | – |
| Malformation | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Premature Debility | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Atrophy | 1 | 2 | – | 6 | 6 | 19 | – | – | – | – | – | – | – | – | – | – |
| Age | – | – | – | – | – | – | 24 | 159 | 232 | 315 | 469 | 296 | 109 | 31 | 7 | 2 |
| Sudden Deaths | 2 | – | – | – | 3 | – | 4 | 1 | 2 | – | – | – | – | – | – | – |
| Violent Deaths | 55 | 64 | 53 | 43 | 28 | 39 | 35 | 27 | 21 | 15 | 10 | 3 | 1 | – | – | 12 |
| Small Pox | 4 | 3 | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – |
| Measles | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scarlatina | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diphtheria | 2 | 1 | – | 2 | – | 3 | 2 | – | – | – | – | – | – | – | – | – |
| Hooping Cough | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Croup | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Thrush | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diarrhœa | 2 | 3 | 1 | 6 | 8 | 2 | 11 | 10 | 17 | 12 | 12 | 8 | 1 | – | – | – |
| Dysentery | – | – | 1 | 1 | 1 | 5 | 2 | 4 | 11 | 7 | 4 | 1 | 1 | – | – | – |
| Cholera | – | – | – | – | 1 | 1 | – | – | 1 | 1 | – | – | – | – | – | – |
| Influenza | 1 | 2 | 1 | 2 | 3 | 3 | 4 | 8 | 11 | 10 | 14 | 4 | 2 | – | – | – |
| Purpura | – | 1 | 1 | – | – | 3 | 1 | 2 | 1 | 1 | – | – | – | – | – | – |
| Ague | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Worms | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Infantile Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Typhus | 35 | 28 | 27 | 23 | 27 | 23 | 35 | 38 | 11 | 15 | 7 | – | 1 | – | – | – |
| Metria | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rheumatic Fever | 3 | 1 | 1 | 1 | – | – | – | – | 1 | 1 | – | – | – | – | – | – |
| Erysipelas | 2 | 2 | 2 | 2 | 4 | 1 | 2 | 2 | 3 | 2 | 1 | 1 | – | – | – | – |
| Syphilis | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Noma | – | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmorrhage | – | 3 | – | 1 | 5 | – | 2 | 2 | 3 | – | – | – | – | – | – | – |
| Dropsy | 4 | 3 | 1 | 8 | 11 | 12 | 16 | 21 | 18 | 18 | 16 | 6 | – | – | – | – |
| Abscess | 1 | 2 | 1 | – | 1 | 1 | 1 | 4 | 3 | 1 | – | – | – | – | – | – |
| Ulcer | – | – | – | 2 | – | – | 1 | – | 2 | – | 1 | – | – | – | – | – |
| Fistula | – | – | – | 1 | – | – | – | – | – | 1 | 1 | – | – | – | – | – |
| Mortification | – | – | 1 | 1 | – | – | – | 3 | 5 | 6 | 6 | 4 | 2 | – | – | – |
| Cancer | 5 | 7 | 8 | 9 | 20 | 14 | 32 | 37 | 26 | 18 | 10 | 2 | 2 | – | – | – |
| Gout | – | – | – | – | 1 | 1 | 1 | – | 2 | – | 1 | 1 | – | – | – | – |
| Scrofula | 7 | 7 | 8 | 4 | 5 | 2 | 2 | 4 | 4 | – | – | – | – | – | – | – |
| Tabes Mesenterica | – | 2 | 1 | 1 | – | 2 | – | 2 | – | – | – | – | – | – | – | – |
| Phthisis | 154 | 138 | 71 | 74 | 67 | 68 | 61 | 37 | 20 | 7 | 1 | 2 | – | – | – | 1 |
| Hydrocephalus | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1862.—MALES. (*Continued.*)

| DISEASES. | MALES. | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | |
| | | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 |
| | | 3 | 6 | 12 | | | | | | | | | |
| IV. Cephalitis | 85 | 1 | 3 | 4 | 7 | 9 | 3 | 3 | 12 | 7 | 7 | 6 | 6 |
| Apoplexy | 310 | 5 | 2 | 5 | 3 | 4 | 3 | 2 | 2 | 5 | 1 | 9 | 3 |
| Paralysis | 398 | – | – | – | 1 | – | – | – | 4 | 1 | 7 | 3 | 7 |
| Delirium Tremens | 24 | – | – | – | – | – | – | – | – | – | – | – | 4 |
| Chorea | 4 | – | – | – | 1 | – | – | – | – | 1 | 1 | – | – |
| Epilepsy | 72 | – | – | 1 | – | – | – | – | – | 2 | 10 | 4 | 5 |
| Tetanus | 15 | 7 | – | – | – | – | – | – | 3 | – | 1 | – | – |
| Insanity | 11 | – | – | – | – | – | – | – | 1 | 1 | 1 | – | 1 |
| Convulsions | 147 | 64 | 15 | 19 | 27 | 13 | 4 | 3 | 1 | 1 | – | – | – |
| Brain Disease | 233 | 4 | 4 | 6 | 13 | 2 | 3 | 1 | 14 | 15 | 16 | 8 | 7 |
| V. Pericarditis | 28 | 1 | – | 2 | – | 1 | – | – | – | 2 | 2 | 1 | – |
| Aneurism | 23 | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Heart Disease | 701 | 9 | 1 | – | – | 2 | 1 | – | 4 | 9 | 26 | 16 | 14 |
| VI. Laryngitis | 48 | 2 | 2 | 4 | 11 | 2 | 4 | – | 5 | 1 | 1 | 2 | 1 |
| Bronchitis | 1063 | 99 | 104 | 136 | 117 | 46 | 19 | 13 | 23 | 5 | 10 | 11 | 10 |
| Pleurisy | 81 | 1 | 2 | 5 | 1 | 2 | 2 | – | – | 4 | 6 | 5 | 3 |
| Pneumonia | 502 | 40 | 17 | 57 | 35 | 18 | 9 | 10 | 13 | 11 | 14 | 14 | 17 |
| Asthma | 164 | – | – | – | – | – | – | – | – | – | – | 2 | 3 |
| Lung Disease | 74 | 1 | 2 | 5 | 1 | 2 | – | 1 | 6 | – | 3 | 3 | 1 |
| VII. Teething | 222 | – | 11 | 86 | 103 | 17 | 4 | 1 | – | – | – | – | – |
| Quinsey | 14 | – | 1 | – | 1 | – | 1 | 1 | 2 | 1 | 3 | 1 | 1 |
| Gastritis | 44 | 7 | 1 | – | 2 | – | 1 | 2 | 1 | 1 | – | 1 | – |
| Enteritis | 263 | 83 | 38 | 27 | 22 | 2 | 3 | 1 | 8 | 7 | 7 | 12 | 5 |
| Peritonitis | 60 | 8 | 4 | 2 | 2 | – | 1 | – | 1 | 4 | 4 | 1 | 4 |
| Ascites | 9 | – | – | – | – | – | – | – | – | – | – | – | – |
| Ulceration of Intestines | 56 | 3 | – | – | – | – | – | – | 5 | 1 | 4 | 4 | 3 |
| Hernia | 33 | 1 | – | – | 1 | – | – | – | – | – | – | 1 | – |
| Ileus | 73 | 5 | 1 | – | – | 1 | – | – | 4 | 2 | 1 | 2 | – |
| Intussusception | 17 | 3 | – | – | – | – | – | – | – | – | 1 | – | – |
| Stricture of Intestines | 5 | – | – | – | – | – | – | – | – | – | – | – | – |
| Stomach Disease | 189 | 14 | 6 | 8 | 1 | 3 | 2 | 2 | 5 | 2 | 2 | 2 | 6 |
| Pancreas Disease | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hepatitis | 42 | 3 | 1 | – | – | – | – | – | 3 | 1 | – | 2 | 2 |
| Jaundice | 55 | 28 | 1 | 1 | – | 2 | – | 1 | – | – | 1 | – | – |
| Liver Disease | 166 | 6 | 1 | 1 | 2 | 1 | 1 | 2 | 1 | 4 | 3 | 8 | 5 |
| Spleen Disease | 6 | – | – | – | – | – | – | – | 1 | – | – | – | – |
| VIII. Nephritis | 13 | – | – | 1 | – | – | – | – | 1 | – | – | – | – |
| Nephria | 55 | – | – | 1 | – | – | – | – | – | 1 | 5 | 1 | 6 |
| Ischuria | 25 | 1 | 1 | 2 | – | – | – | – | – | – | – | – | – |
| Diabetes | 25 | – | – | – | – | – | – | – | 1 | 1 | 2 | 2 | 3 |
| Stone | 46 | – | – | – | – | – | – | – | – | 1 | 1 | – | – |
| Cystitis | 21 | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Stricture of Urethra | 3 | – | – | – | – | – | – | – | – | – | – | – | – |
| Kidney Disease | 152 | – | – | – | – | – | 1 | – | 2 | 2 | 1 | 4 | 4 |
| IX. Paramenia | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ovarian Dropsy | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Childbirth | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Organs of Generation | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – |
| X. Arthritis | 8 | – | – | – | – | – | – | – | 1 | 1 | – | – | – |
| Rheumatism | 37 | – | – | – | – | – | 2 | – | 1 | 2 | 1 | 2 | 3 |
| Joint and Bone Disease | 62 | – | – | – | – | 1 | – | 2 | 7 | 13 | 4 | 6 | 5 |
| XI. Carbuncle | 8 | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmon | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Skin Disease | 17 | 2 | 1 | 4 | 2 | 3 | – | – | – | – | – | – | – |
| XII. Cyanosis | 9 | 7 | – | – | – | – | – | 1 | 1 | – | – | – | – |
| Spina Bifida | 8 | 7 | 1 | – | – | – | – | – | – | – | – | – | – |
| Other Malformations | 12 | 10 | – | – | – | – | – | – | 1 | – | 1 | – | – |
| XVII. Intemperance | 16 | – | – | – | – | – | – | – | – | – | – | – | – |
| Privation | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Want of Breast Milk | 5 | 4 | 1 | – | – | – | – | – | – | – | – | – | – |
| Neglect | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cold | 17 | 1 | – | – | 1 | – | – | – | – | – | – | 2 | 1 |
| Poison | 11 | 1 | – | – | 1 | – | – | 2 | 1 | – | 1 | 1 | – |
| Burns and Scalds | 73 | – | 1 | 3 | 17 | 14 | 9 | 4 | 9 | 5 | – | 1 | 2 |
| Hanging, etc. | 14 | – | – | – | – | – | – | – | – | – | – | 1 | 1 |
| Suffocation | 29 | 9 | 4 | 2 | – | – | – | – | 3 | – | 1 | – | 1 |
| Drowning | 192 | – | – | – | 7 | 7 | 4 | 5 | 12 | 8 | 21 | 17 | 13 |
| Fracture and Contusion | 356 | – | – | 1 | 4 | 6 | 5 | 1 | 12 | 30 | 26 | 35 | 25 |
| Wounds | 40 | – | – | – | – | – | – | – | – | 6 | 4 | 3 | 5 |
| Other Violent Causes | 30 | 6 | – | – | – | – | – | 3 | 2 | 3 | 1 | – | 1 |
| Not Specified | 1180 | 398 | 87 | 89 | 122 | 46 | 19 | 15 | 51 | 34 | 26 | 26 | 34 |

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1862.—MALES. (*Continued.*)

| DISEASES. | MALES. AGE UNDER | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 35 | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| Cephalitis | – | 2 | 1 | 1 | 3 | 3 | 5 | 1 | 1 | – | – | – | – | – | – | – |
| Apoplexy | 8 | 9 | 12 | 10 | 24 | 15 | 36 | 34 | 49 | 36 | 19 | 9 | 4 | – | – | 1 |
| Paralysis | 8 | 2 | 6 | 12 | 18 | 25 | 31 | 54 | 81 | 68 | 51 | 18 | 1 | – | – | – |
| Delirium Tremens | 1 | 6 | 4 | 2 | 4 | 2 | 1 | – | – | – | – | – | – | – | – | – |
| Chorea | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Epilepsy | 7 | 4 | 7 | 3 | 4 | 5 | 6 | 7 | 3 | 2 | – | 2 | – | – | – | – |
| Tetanus | – | – | – | 1 | – | 1 | 1 | 1 | – | – | – | – | – | – | – | – |
| Insanity | 1 | 1 | – | 3 | – | – | 1 | – | 1 | – | – | – | – | – | – | – |
| Convulsions | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Brain Disease | 3 | 14 | 12 | 11 | 17 | 16 | 17 | 12 | 15 | 12 | 8 | 2 | 1 | – | – | – |
| Pericarditis | 4 | 2 | – | 2 | – | 3 | 2 | 3 | 1 | 1 | 1 | – | – | – | – | – |
| Aneurism | 3 | 5 | 1 | 3 | 3 | – | 3 | 3 | 1 | – | – | – | – | – | – | – |
| Heart Disease | 22 | 19 | 25 | 41 | 51 | 58 | 95 | 104 | 89 | 70 | 29 | 15 | 1 | – | – | – |
| Laryngitis | 2 | 2 | 1 | 3 | 1 | 1 | – | 1 | 1 | – | – | 1 | – | – | – | – |
| Bronchitis | 9 | 16 | 21 | 19 | 31 | 40 | 70 | 48 | 70 | 59 | 64 | 19 | 4 | – | – | – |
| Pleurisy | 3 | 2 | 1 | 7 | 4 | 2 | 4 | 8 | 4 | 7 | 7 | 1 | – | – | – | – |
| Pneumonia | 17 | 13 | 21 | 21 | 19 | 31 | 33 | 34 | 29 | 11 | 13 | 3 | 1 | 1 | – | – |
| Asthma | 5 | 1 | 7 | 13 | 26 | 19 | 26 | 24 | 20 | 11 | 6 | 1 | – | – | – | – |
| Lung Disease | 5 | 6 | 7 | 6 | 2 | 3 | 5 | 8 | 3 | 3 | – | 1 | – | – | – | – |
| Teething | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Quinsey | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Gastritis | – | 2 | 2 | 2 | 3 | 4 | 3 | 3 | 6 | 2 | – | – | 1 | – | – | – |
| Enteritis | 5 | 5 | 5 | 3 | 3 | 4 | 7 | 1 | 5 | 4 | 2 | 3 | – | – | – | 1 |
| Peritonitis | 3 | 5 | 1 | 2 | 3 | 4 | 2 | 3 | 5 | 1 | – | – | – | – | – | – |
| Ascites | 2 | 1 | – | – | 1 | – | 1 | 2 | 1 | – | – | 1 | – | – | – | – |
| Ulceration of Intestines | 3 | 1 | 4 | 2 | 5 | 5 | 7 | 2 | 3 | 2 | – | 2 | – | – | – | – |
| Hernia | – | 2 | 1 | 3 | 2 | 2 | – | 4 | 2 | 9 | 4 | 1 | – | – | – | – |
| Ileus | 4 | 6 | 5 | 3 | 3 | 4 | 4 | 6 | 11 | 4 | 6 | 1 | – | – | – | – |
| Intussusception | 1 | – | – | – | 1 | 2 | 3 | 2 | 2 | – | 1 | 1 | – | – | – | – |
| Stricture of Intestines | – | – | – | – | – | – | 2 | 1 | 2 | – | – | – | – | – | – | – |
| Stomach Disease | 7 | 8 | 11 | 4 | 12 | 18 | 17 | 19 | 22 | 12 | 5 | – | 1 | – | – | – |
| Pancreas Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hepatitis | 1 | – | 1 | 3 | 5 | 5 | 4 | 7 | 1 | 3 | – | – | – | – | – | – |
| Jaundice | – | – | – | – | – | 3 | 5 | 3 | 2 | 1 | 6 | 1 | – | – | – | – |
| Liver Disease | 3 | 6 | 8 | 15 | 13 | 17 | 21 | 14 | 21 | 6 | 5 | 2 | – | – | – | – |
| Spleen Disease | – | – | 1 | – | 1 | – | 2 | 1 | – | – | – | – | – | – | – | – |
| Nephritis | 1 | – | – | – | 1 | 1 | 2 | 1 | 4 | – | – | 1 | – | – | – | – |
| Nephria | 3 | 5 | 5 | 4 | 4 | 2 | 5 | 5 | 3 | 3 | 1 | 1 | – | – | – | – |
| Ischuria | 1 | 1 | – | 2 | – | – | 1 | 2 | 3 | 6 | 1 | 3 | 1 | – | – | – |
| Diabetes | 2 | 2 | 2 | 2 | 3 | 1 | 1 | – | 3 | – | – | – | – | – | – | – |
| Stone | – | – | 1 | 2 | 2 | 4 | 1 | 7 | 11 | 10 | 2 | 2 | 2 | – | – | – |
| Cystitis | – | 2 | 2 | – | – | 1 | 3 | 1 | 1 | 3 | 5 | 2 | – | – | – | – |
| Stricture of Urethra | – | 1 | – | – | – | – | – | 1 | 1 | – | – | – | – | – | – | – |
| Kidney Disease | 3 | 1 | 3 | 2 | 7 | 6 | 19 | 20 | 34 | 25 | 10 | 6 | 1 | 1 | – | – |
| Paramenia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ovarian Dropsy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Childbirth | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Organs of Generation | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Arthritis | – | 2 | – | – | – | – | 2 | 1 | – | – | 1 | – | – | – | – | – |
| Rheumatism | – | – | 1 | 2 | 4 | 2 | 2 | 4 | 6 | 4 | 1 | – | 1 | – | – | – |
| Joint Disease | 5 | 3 | 1 | 1 | 1 | 2 | 5 | 1 | 3 | – | 2 | – | – | – | – | – |
| Carbuncle | – | – | – | 2 | – | – | 3 | 1 | – | – | 1 | 1 | – | – | – | – |
| Phlegmon | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Skin Disease | 1 | – | 1 | – | – | – | 1 | 1 | – | – | 1 | – | – | – | – | – |
| Cyanosis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Spina Bifida | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Malformations | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intemperance | – | 2 | – | 4 | 1 | 3 | 2 | 1 | 2 | 1 | – | – | – | – | – | – |
| Privation | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Want of Breast Milk | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Neglect | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cold | 3 | 1 | – | 2 | – | 3 | – | 1 | 1 | – | 1 | – | – | – | – | – |
| Poison | – | 1 | – | – | 1 | – | – | – | 2 | – | – | – | – | – | – | – |
| Burns and Scalds | 2 | 2 | – | – | – | – | – | 1 | 1 | 1 | 1 | – | – | – | – | – |
| Hanging, etc. | – | – | 1 | 2 | 2 | 2 | 2 | 3 | – | – | – | – | – | – | – | – |
| Suffocation | – | – | 2 | 2 | 1 | 1 | 2 | – | – | 1 | – | – | – | – | – | – |
| Drowning | 18 | 18 | 15 | 7 | 8 | 7 | 8 | 6 | 4 | 2 | – | – | – | – | – | 5 |
| Fracture and Contusion | 31 | 33 | 29 | 23 | 12 | 20 | 17 | 11 | 10 | 8 | 8 | 3 | 1 | – | – | 5 |
| Wounds | – | 5 | 5 | 2 | 2 | 2 | 2 | 2 | 1 | 1 | – | – | – | – | – | – |
| Other Violent Causes | 1 | 2 | 1 | 1 | 1 | 1 | 2 | 2 | – | 1 | – | – | – | – | – | 2 |
| Not Specified | 34 | 24 | 21 | 15 | 33 | 37 | 58 | 1 | – | – | – | – | – | – | – | 10 |

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1862.—FEMALES.

| DISEASES. | FEMALES. | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | |
| | | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 |
| | | 3 | 6 | 12 | | | | | | | | | |
| ALL CAUSES | 16516 | 1221 | 383 | 811 | 1124 | 622 | 412 | 266 | 758 | 422 | 573 | 593 | 550 |
| SPECIFIED CAUSES | 15451 | 951 | 303 | 713 | 1019 | 571 | 384 | 248 | 710 | 399 | 543 | 570 | 522 |
| I. Zymotic Class | 3206 | 137 | 92 | 246 | 462 | 314 | 232 | 146 | 405 | 151 | 126 | 105 | 70 |
| II. Diseases of Uncertain Seat | 740 | 12 | 4 | 5 | 5 | 4 | 5 | 4 | 8 | 5 | 8 | 7 | 19 |
| III. Tubercular Class | 2657 | 22 | 36 | 122 | 171 | 90 | 61 | 50 | 137 | 148 | 295 | 304 | 264 |
| IV. Brain and Nervous System | 1217 | 45 | 18 | 30 | 31 | 28 | 13 | 7 | 40 | 25 | 19 | 30 | 21 |
| V. Organs of Circulation | 679 | 4 | – | 4 | – | 4 | – | 1 | 10 | 10 | 16 | 17 | 29 |
| VI. Respiratory Organs | 1809 | 105 | 73 | 167 | 185 | 65 | 41 | 19 | 47 | 16 | 29 | 29 | 26 |
| VII. Organs of Digestion | 1155 | 91 | 42 | 98 | 116 | 30 | 15 | 6 | 26 | 17 | 20 | 23 | 32 |
| VIII. Urinary Organs | 146 | – | – | – | 2 | – | – | 1 | 4 | 5 | 2 | 7 | 9 |
| IX. Organs of Generation | 255 | – | – | – | – | – | – | – | – | 1 | 7 | 36 | 38 |
| X. Organs of Locomotion | 93 | – | – | – | 1 | 2 | 1 | 1 | 3 | 9 | 5 | – | 4 |
| XI. Skin, etc. | 19 | 3 | 1 | 2 | 1 | 2 | – | – | – | 1 | 1 | – | – |
| XII. Malformation | 36 | 32 | 3 | – | – | – | – | – | – | – | – | – | 1 |
| XIII. Premature Debility | 544 | 481 | 30 | 33 | – | – | – | – | – | – | – | – | – |
| XIV. Atrophy | 118 | – | – | – | 20 | 13 | 3 | 3 | 9 | 2 | 4 | 4 | 2 |
| XV. Age | 2488 | – | – | – | – | – | – | – | – | – | – | – | – |
| XVI. Sudden Deaths | 31 | 4 | – | 1 | 2 | – | – | – | – | 1 | 1 | – | 1 |
| XVII. Violent Deaths | 258 | 15 | 4 | 5 | 23 | 19 | 13 | 10 | 21 | 8 | 10 | 8 | 6 |
| I. Small Pox | 60 | 5 | 2 | 7 | 10 | 4 | 7 | 2 | 6 | 3 | 3 | 4 | 1 |
| Measles | 158 | 4 | 1 | 19 | 54 | 31 | 15 | 12 | 12 | 2 | 2 | 1 | 2 |
| Scarlatina | 293 | 3 | 1 | 18 | 34 | 50 | 46 | 29 | 68 | 20 | 6 | 3 | 4 |
| Diphtheria | 327 | 9 | 6 | 11 | 34 | 26 | 42 | 25 | 103 | 28 | 17 | 6 | 7 |
| Hooping Cough | 560 | 41 | 34 | 99 | 170 | 89 | 40 | 26 | 53 | 6 | – | – | 1 |
| Croup | 278 | 4 | 11 | 30 | 59 | 62 | 46 | 29 | 37 | – | – | – | – |
| Thrush | 5 | 3 | – | – | 1 | – | – | 1 | – | – | – | – | – |
| Diarrhœa | 244 | 24 | 16 | 28 | 41 | 11 | 3 | 1 | 9 | – | 2 | 3 | 1 |
| Dysentery | 79 | – | 2 | 3 | 4 | 2 | – | – | 1 | 1 | – | 4 | 1 |
| Cholera | 15 | 1 | – | – | 2 | – | 2 | – | 1 | 1 | – | 1 | 1 |
| Influenza | 146 | 7 | 2 | 4 | 4 | – | 5 | 1 | 1 | 1 | 1 | – | 2 |
| Purpura | 7 | – | 1 | – | – | – | – | – | 2 | – | 1 | – | – |
| Ague | 2 | – | – | – | – | 1 | – | – | – | 1 | – | – | – |
| Worms | 9 | – | – | – | 1 | 2 | 2 | 1 | 3 | – | – | – | – |
| Infantile Fever | 21 | 3 | 2 | 4 | 7 | 2 | – | – | 3 | – | – | – | – |
| Typhus | 801 | 5 | 7 | 14 | 37 | 29 | 22 | 18 | 105 | 77 | 87 | 61 | 39 |
| Metria | 67 | – | – | – | – | – | – | – | – | – | 1 | 20 | 9 |
| Rheumatic Fever | 25 | – | – | – | – | – | – | 1 | – | 4 | 3 | – | 1 |
| Erysipelas | 74 | 18 | – | 6 | 2 | 4 | 2 | – | 1 | 7 | 3 | 2 | – |
| Syphilis | 30 | 10 | 5 | 2 | 2 | 1 | – | – | – | – | – | – | 1 |
| Noma | 5 | – | 2 | 1 | – | – | – | – | – | – | – | – | – |
| Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – |
| II. Hæmorrhage | 26 | 3 | – | 3 | – | – | 2 | 2 | 1 | 1 | – | – | 1 |
| Dropsy | 238 | 2 | 2 | 1 | 1 | 1 | 2 | 1 | 4 | 2 | 5 | 4 | 9 |
| Abscess | 21 | 1 | 1 | 1 | 1 | 1 | – | 1 | 2 | – | 1 | 1 | 1 |
| Ulcer | 13 | 2 | – | – | 1 | 1 | – | – | – | – | – | – | – |
| Fistula | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| Mortification | 25 | 4 | 1 | – | 1 | – | 1 | – | 1 | – | – | – | – |
| Cancer | 410 | – | – | – | 1 | 1 | – | – | – | 2 | 2 | 2 | 8 |
| Gout | 5 | – | – | – | – | – | – | – | – | – | – | – | – |
| III. Scrofula | 164 | 1 | 4 | 9 | 10 | 8 | 4 | 2 | 16 | 16 | 20 | 21 | 9 |
| Tabes Mesenterica | 148 | 6 | 9 | 20 | 40 | 19 | 10 | 5 | 10 | 4 | 11 | 2 | 2 |
| Phthisis | 2027 | 4 | 9 | 22 | 39 | 25 | 21 | 23 | 70 | 118 | 260 | 280 | 253 |
| Hydrocephalus | 318 | 11 | 14 | 71 | 82 | 38 | 26 | 20 | 41 | 10 | 4 | 1 | – |

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1862.—FEMALES.

| DISEASES. | FEMALES. AGE UNDER | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 35 | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| ALL CAUSES | 506 | 513 | 476 | 444 | 496 | 585 | 802 | 873 | 1004 | 1112 | 1064 | 565 | 236 | 67 | 14 | 24 |
| SPECIFIED CAUSES | 483 | 487 | 442 | 414 | 467 | 530 | 743 | 873 | 1004 | 1112 | 1064 | 565 | 236 | 67 | 14 | 17 |
| Zymotic Class | 69 | 58 | 61 | 52 | 51 | 54 | 64 | 59 | 80 | 86 | 66 | 12 | 5 | 2 | – | 1 |
| Uncertain Seat | 22 | 27 | 41 | 48 | 47 | 69 | 83 | 97 | 82 | 75 | 43 | 17 | 2 | 1 | – | – |
| Tubercular Class | 206 | 202 | 144 | 92 | 95 | 70 | 67 | 39 | 22 | 11 | 6 | 1 | – | – | – | 2 |
| Brain, etc. | 30 | 33 | 29 | 46 | 48 | 71 | 106 | 123 | 148 | 143 | 73 | 43 | 14 | 1 | – | 2 |
| Heart, etc. | 23 | 32 | 34 | 36 | 47 | 47 | 92 | 88 | 69 | 67 | 33 | 13 | 1 | 1 | – | 1 |
| Respiratory Organs | 36 | 28 | 39 | 37 | 71 | 74 | 124 | 134 | 169 | 127 | 115 | 34 | 10 | 5 | – | 4 |
| Digestive Organs | 28 | 31 | 41 | 44 | 57 | 78 | 99 | 88 | 78 | 53 | 28 | 9 | 5 | – | – | – |
| Urinary Organs | 13 | 14 | 3 | 11 | 7 | 11 | 19 | 12 | 14 | 5 | 6 | 1 | – | – | – | – |
| Generative Organs | 40 | 42 | 33 | 16 | 15 | 10 | 7 | 5 | 3 | 1 | 1 | – | – | – | – | – |
| Locomotive Organs | 4 | 3 | – | 4 | 7 | 11 | 4 | 8 | 7 | 14 | 3 | 1 | – | 1 | – | – |
| Skin | 1 | 1 | 1 | 1 | – | – | – | – | 2 | 2 | – | – | – | – | – | – |
| Malformation | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Premature Debility | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Atrophy | 6 | 4 | 7 | 13 | 9 | 19 | – | – | – | – | – | – | – | – | – | – |
| Age | – | – | – | – | – | 1 | 64 | 208 | 322 | 512 | 683 | 430 | 197 | 56 | 13 | 2 |
| Sudden Deaths | 1 | 1 | 1 | 3 | 6 | 2 | 5 | 1 | 1 | – | – | – | – | – | – | – |
| Violent Deaths | 4 | 11 | 8 | 11 | 7 | 13 | 9 | 11 | 7 | 16 | 7 | 4 | 2 | – | 1 | 5 |
| Small Pox | 1 | 1 | 1 | – | 1 | 2 | – | – | – | – | – | – | – | – | – | – |
| Measles | – | 1 | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Scarlatina | 5 | 2 | 2 | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – |
| Diphtheria | 2 | 1 | 1 | 1 | 1 | 4 | 2 | – | – | – | 1 | – | – | – | – | – |
| Hooping Cough | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Croup | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Thrush | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diarrhœa | 4 | – | 4 | 5 | 6 | 4 | 8 | 11 | 17 | 18 | 23 | 5 | – | – | – | – |
| Dysentery | 1 | – | 3 | 3 | 5 | 6 | 6 | 9 | 3 | 14 | 8 | 2 | – | 1 | – | – |
| Cholera | – | 1 | 1 | 1 | – | – | – | 1 | 1 | – | – | – | – | – | – | 1 |
| Influenza | 1 | 1 | 2 | 2 | 7 | 6 | 7 | 7 | 22 | 34 | 22 | 2 | 4 | 1 | – | – |
| Purpura | – | – | – | 1 | – | – | 1 | 1 | – | – | – | – | – | – | – | – |
| Ague | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Worms | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Infantile Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Typhus | 32 | 35 | 35 | 30 | 24 | 23 | 36 | 26 | 33 | 13 | 11 | 2 | – | – | – | – |
| Metria | 19 | 9 | 6 | 3 | – | – | – | – | – | – | – | – | – | – | – | – |
| Rheumatic Fever | 2 | 3 | 1 | 2 | 2 | 1 | 2 | 1 | 1 | 1 | – | – | – | – | – | – |
| Erysipelas | 2 | 1 | 2 | 2 | 2 | 4 | 2 | 2 | 3 | 6 | 1 | 1 | 1 | – | – | – |
| Syphilis | – | 3 | 3 | – | 2 | 1 | – | – | – | – | – | – | – | – | – | – |
| Noma | – | – | – | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – |
| Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmorrhage | 4 | – | 1 | – | 1 | 1 | 2 | 2 | 1 | – | 1 | – | – | – | – | – |
| Dropsy | 8 | 7 | 11 | 7 | 9 | 17 | 21 | 29 | 33 | 31 | 21 | 8 | 2 | – | – | – |
| Abscess | 2 | 2 | 3 | – | – | – | – | – | – | 3 | – | – | – | – | – | – |
| Ulcer | – | – | – | – | 2 | 1 | 1 | 2 | 3 | – | – | – | – | – | – | – |
| Fistula | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mortification | – | 1 | – | – | – | – | 1 | 2 | 5 | 3 | 2 | 3 | – | – | – | – |
| Cancer | 7 | 16 | 26 | 40 | 34 | 49 | 58 | 61 | 40 | 38 | 18 | 6 | – | 1 | – | – |
| Gout | – | – | – | 1 | 1 | 1 | – | 1 | – | – | 1 | – | – | – | – | – |
| Scrofula | 8 | 12 | 3 | 2 | 4 | 3 | 2 | 4 | 3 | 3 | – | – | – | – | – | – |
| Tabes Mesenterica | – | 1 | – | 1 | 1 | 2 | 1 | – | 1 | – | 2 | 1 | – | – | – | – |
| Phthisis | 198 | 189 | 141 | 89 | 90 | 65 | 64 | 35 | 18 | 8 | 4 | – | – | – | – | 2 |
| Hydrocephalus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1862.—FEMALES. (*Continued.*)

| DISEASES. | FEMALES. | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | |
| | | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 |
| | | 3 | 6 | 12 | | | | | | | | | |
| IV. Cephalitis | 66 | 1 | 1 | 2 | 6 | 1 | 4 | 4 | 13 | 10 | 2 | 3 | 2 |
| Apoplexy | 340 | 4 | 5 | 5 | 4 | 4 | 2 | – | 5 | 3 | 5 | 6 | 3 |
| Paralysis | 451 | – | – | – | – | 1 | – | – | 1 | 1 | – | 2 | 2 |
| Delirium Tremens | 6 | – | – | – | – | – | – | – | – | – | – | – | – |
| Chorea | 1 | – | – | – | – | – | – | – | – | 1 | – | – | – |
| Epilepsy | 50 | – | – | – | – | – | – | – | 3 | 2 | 2 | 9 | 3 |
| Tetanus | 4 | – | – | – | – | – | – | – | – | 1 | – | 1 | – |
| Insanity | 20 | – | – | – | – | – | – | – | – | – | – | 1 | 1 |
| Convulsions | 105 | 39 | 10 | 20 | 12 | 10 | 3 | 2 | 8 | – | 1 | – | – |
| Brain Disease | 174 | 1 | 2 | 3 | 9 | 12 | 4 | 1 | 10 | 7 | 9 | 8 | 10 |
| V. Pericarditis | 21 | 1 | – | – | – | – | – | – | 2 | – | 2 | 3 | – |
| Aneurism | 16 | – | – | – | – | – | – | – | – | 1 | – | – | – |
| Heart Disease | 642 | 3 | – | 4 | – | 4 | – | 1 | 8 | 9 | 14 | 14 | 29 |
| VI. Laryngitis | 26 | 1 | 1 | 3 | 4 | 3 | 2 | 1 | 2 | 2 | 1 | – | – |
| Bronchitis | 1124 | 79 | 59 | 126 | 140 | 51 | 30 | 10 | 25 | 5 | 4 | 11 | 8 |
| Pleurisy | 59 | 1 | – | 2 | – | 2 | 2 | 1 | 1 | 1 | 2 | 2 | 2 |
| Pneumonia | 356 | 20 | 11 | 34 | 39 | 9 | 3 | 6 | 18 | 7 | 16 | 14 | 11 |
| Asthma | 169 | – | – | – | – | – | – | – | – | 1 | – | – | 1 |
| Lung Disease | 75 | 4 | 2 | 2 | 2 | – | 4 | 1 | 1 | – | 6 | 2 | 4 |
| VII. Teething | 166 | 1 | 4 | 64 | 82 | 12 | 3 | – | – | – | – | – | – |
| Quinsey | 17 | 3 | – | 1 | 3 | 2 | 1 | – | 4 | 1 | – | – | – |
| Gastritis | 51 | 3 | 4 | 3 | 1 | – | 3 | – | 1 | 2 | 1 | 2 | 1 |
| Enteritis | 206 | 47 | 20 | 19 | 17 | 7 | 3 | 3 | 8 | 4 | 2 | 2 | 5 |
| Peritonitis | 68 | 7 | 1 | 1 | 1 | 1 | – | – | 2 | 2 | 7 | 6 | 5 |
| Ascites | 26 | 1 | – | – | – | – | 1 | – | – | 1 | – | – | – |
| Ulceration of Intestines | 44 | 1 | 1 | – | 1 | 1 | – | – | 1 | – | 2 | 2 | 2 |
| Hernia | 31 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Ileus | 62 | 2 | 2 | – | 1 | 1 | 1 | – | 1 | 1 | 1 | 2 | 3 |
| Intussusception | 15 | 1 | 3 | – | – | – | – | – | 2 | – | – | 2 | 1 |
| Stricture of Intestines | 3 | – | – | – | – | – | – | – | – | – | – | – | – |
| Stomach Disease | 206 | 11 | 4 | 5 | 10 | 4 | – | 2 | 6 | 2 | 2 | 2 | 6 |
| Pancreas Disease | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hepatitis | 43 | – | 1 | 2 | – | – | 1 | – | 1 | 1 | 1 | – | 2 |
| Jaundice | 46 | 11 | 2 | 1 | – | 1 | 1 | – | – | – | 1 | 1 | 1 |
| Liver Disease | 164 | 2 | – | 2 | – | 1 | 1 | 1 | – | 3 | 3 | 4 | 5 |
| Spleen Disease | 7 | – | – | – | – | – | – | – | – | – | – | – | 1 |
| VIII. Nephritis | 7 | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Nephria | 46 | – | – | – | – | – | – | 1 | 2 | 4 | – | 1 | 3 |
| Ischuria | 4 | – | – | – | – | – | – | – | – | – | – | 2 | – |
| Diabetes | 18 | – | – | – | 1 | – | – | – | – | 1 | 1 | 1 | 1 |
| Stone | 5 | – | – | – | – | – | – | – | – | – | – | – | – |
| Cystitis | 10 | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Stricture of Urethra | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Kidney Disease | 55 | – | – | – | – | – | – | – | 2 | – | 1 | 3 | 4 |
| IX. Paramenia | 16 | – | – | – | – | – | – | – | – | 1 | 3 | 3 | 1 |
| Ovarian Dropsy | 37 | – | – | – | – | – | – | – | – | – | – | 1 | 1 |
| Childbirth | 158 | – | – | – | – | – | – | – | – | – | 2 | 28 | 34 |
| Organs of Generation | 44 | – | – | – | – | – | – | – | – | – | 2 | 4 | 2 |
| X. Arthritis | 8 | – | – | – | – | – | 1 | – | – | 1 | 1 | – | – |
| Rheumatism | 42 | – | – | – | – | 1 | – | – | – | – | 1 | – | – |
| Joint and Bone Disease | 43 | – | – | – | 1 | 1 | – | 1 | 3 | 8 | 3 | – | 4 |
| XI. Carbuncle | 6 | – | – | – | 1 | 1 | – | – | – | – | – | – | – |
| Phlegmon | 1 | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Skin Disease | 12 | 3 | 1 | 2 | – | – | – | – | – | 1 | 1 | – | – |
| XII. Cyanosis | 14 | 12 | 2 | – | – | – | – | – | – | – | – | – | – |
| Spina Bifida | 7 | 6 | 1 | – | – | – | – | – | – | – | – | – | – |
| Other Malformations | 15 | 14 | – | – | – | – | – | – | – | – | – | – | 1 |
| XVII. Intemperance | 6 | – | – | – | – | – | – | – | – | – | – | – | – |
| Privation | 2 | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Want of Breast Milk | 5 | 4 | – | 1 | – | – | – | – | – | – | – | – | – |
| Neglect | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cold | 10 | 2 | 1 | – | – | – | – | – | – | 1 | – | – | – |
| Poison | 11 | 1 | – | – | – | 1 | – | 2 | – | – | – | – | – |
| Burns and Scalds | 93 | – | 1 | 4 | 16 | 12 | 8 | 7 | 13 | 2 | 4 | 1 | 3 |
| Hanging, etc. | 5 | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Suffocation | 11 | 5 | 2 | – | – | – | – | – | – | – | – | – | – |
| Drowning | 40 | 1 | – | – | 3 | 4 | 1 | 1 | 6 | 2 | 4 | 4 | 1 |
| Fracture and Contusion | 53 | – | – | – | 3 | 2 | 3 | – | – | 2 | 2 | 3 | 1 |
| Wounds | 8 | – | – | – | – | – | – | – | 2 | 1 | – | – | – |
| Other Violent Causes | 14 | 2 | – | – | – | – | 1 | – | – | – | – | – | – |
| Not Specified | 1065 | 270 | 80 | 98 | 105 | 51 | 28 | 18 | 48 | 23 | 30 | 23 | 28 |

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1862.—FEMALES. (*Continued.*)

| DISEASES. | FEMALES. AGE UNDER | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 35 | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| Cephalitis | 4 | 3 | 1 | 2 | – | 2 | 1 | 1 | – | 2 | 1 | – | – | – | – | – |
| Apoplexy | 4 | 10 | 10 | 19 | 18 | 22 | 45 | 36 | 49 | 38 | 25 | 14 | 3 | – | – | 1 |
| Paralysis | 7 | 5 | 5 | 11 | 17 | 32 | 46 | 73 | 78 | 92 | 39 | 27 | 10 | 1 | – | 1 |
| Delirium Tremens | 1 | 2 | – | – | 1 | 1 | 1 | – | – | – | – | – | – | – | – | – |
| Chorea | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epilepsy | 8 | 6 | 5 | 4 | 1 | 3 | 1 | 2 | – | 1 | – | – | – | – | – | – |
| Tetanus | – | – | – | – | 1 | – | – | – | 1 | – | – | – | – | – | – | – |
| Insanity | 2 | 2 | 1 | 2 | 1 | 3 | 2 | – | 4 | – | 1 | – | – | – | – | – |
| Convulsions | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Brain Disease | 4 | 5 | 7 | 8 | 9 | 8 | 10 | 11 | 16 | 10 | 7 | 2 | 1 | – | – | – |
| Pericarditis | 1 | 3 | 1 | 2 | – | 1 | 1 | – | 2 | 1 | 1 | – | – | – | – | – |
| Aneurism | 1 | 2 | 2 | 1 | – | – | 4 | 2 | 1 | 1 | 1 | – | – | – | – | – |
| Heart Disease | 21 | 27 | 31 | 33 | 47 | 46 | 87 | 86 | 66 | 65 | 31 | 13 | 1 | 1 | – | 1 |
| Laryngitis | 2 | – | 1 | 1 | 1 | – | – | – | 1 | – | – | – | – | – | – | – |
| Bronchitis | 12 | 9 | 14 | 17 | 27 | 32 | 73 | 66 | 99 | 88 | 93 | 30 | 9 | 5 | – | 2 |
| Pleurisy | 3 | 2 | 3 | 2 | 3 | 2 | 6 | 7 | 3 | 4 | 7 | – | 1 | – | – | – |
| Pneumonia | 12 | 8 | 10 | 7 | 19 | 12 | 18 | 33 | 26 | 12 | 7 | 2 | – | – | – | 2 |
| Asthma | 1 | 5 | 7 | 8 | 16 | 24 | 22 | 21 | 36 | 19 | 6 | 2 | – | – | – | – |
| Lung Disease | 6 | 4 | 4 | 2 | 5 | 4 | 5 | 7 | 4 | 4 | 2 | – | – | – | – | – |
| Teething | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Quinsey | – | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Gastritis | 1 | – | 2 | 3 | 4 | 4 | 3 | 5 | 4 | 2 | 2 | – | – | – | – | – |
| Enteritis | 3 | 3 | 4 | 4 | 10 | 10 | 13 | 8 | 4 | 7 | 2 | – | 1 | – | – | – |
| Peritonitis | 4 | 4 | 5 | 2 | 2 | 3 | 4 | 4 | 2 | 2 | 2 | 1 | – | – | – | – |
| Ascites | – | 2 | 1 | 2 | 3 | 2 | 1 | 3 | 2 | 2 | 3 | 1 | 1 | – | – | – |
| Ulceration of Intestines | – | 2 | 2 | 2 | 5 | 4 | 6 | 1 | 5 | 2 | 2 | 2 | – | – | – | – |
| Hernia | – | 2 | 1 | 2 | 3 | 7 | 2 | 7 | 4 | 1 | 1 | – | – | – | – | – |
| Ileus | 2 | 3 | 3 | 2 | 5 | 6 | 7 | 3 | 6 | 4 | 2 | 2 | 2 | – | – | – |
| Intussusception | – | 1 | 1 | – | 1 | 1 | 1 | 1 | – | – | – | – | – | – | – | – |
| Stricture of Intestines | – | – | – | – | 1 | – | – | – | 1 | 1 | – | – | – | – | – | – |
| Stomach Disease | 8 | 7 | 9 | 7 | 5 | 12 | 23 | 29 | 29 | 11 | 10 | 1 | 1 | – | – | – |
| Pancreas Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hepatitis | 2 | 1 | 2 | 4 | 5 | 4 | 7 | 2 | 4 | 3 | – | – | – | – | – | – |
| Jaundice | 1 | – | 1 | – | 4 | 3 | 4 | 6 | 5 | 2 | – | 1 | – | – | – | – |
| Liver Disease | 7 | 5 | 9 | 15 | 9 | 20 | 26 | 18 | 12 | 16 | 4 | 1 | – | – | – | – |
| Spleen Disease | – | – | 1 | 1 | – | 1 | 2 | 1 | – | – | – | – | – | – | – | – |
| Nephritis | – | 1 | – | 1 | – | – | 2 | 1 | – | 1 | – | – | – | – | – | – |
| Nephria | 2 | 7 | 2 | 2 | 2 | 6 | 4 | 4 | 5 | – | – | 1 | – | – | – | – |
| Ischuria | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diabetes | 5 | 2 | 1 | 2 | – | – | 1 | 1 | – | 1 | – | – | – | – | – | – |
| Stone | 1 | – | – | – | – | – | 1 | 1 | 1 | – | 1 | – | – | – | – | – |
| Cystitis | 1 | – | – | 1 | 2 | 1 | – | – | 1 | 1 | 2 | – | – | – | – | – |
| Stricture of Urethra | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Kidney Disease | 3 | 3 | – | 4 | 3 | 4 | 11 | 5 | 7 | 2 | 3 | – | – | – | – | – |
| Paramenia | – | 4 | 1 | 1 | 2 | – | – | – | – | – | – | – | – | – | – | – |
| Ovarian Dropsy | 5 | 5 | 2 | 2 | 9 | 3 | 3 | 3 | 2 | 1 | – | – | – | – | – | – |
| Childbirth | 31 | 28 | 26 | 7 | 2 | – | – | – | – | – | – | – | – | – | – | – |
| Organs of Generation | 4 | 5 | 4 | 6 | 2 | 7 | 4 | 2 | 1 | – | 1 | – | – | – | – | – |
| Arthritis | – | – | – | – | 2 | 1 | – | 1 | – | – | – | 1 | – | – | – | – |
| Rheumatism | 1 | 1 | – | – | 4 | 7 | 3 | 5 | 5 | 10 | 3 | – | – | 1 | – | – |
| Joint Disease | 3 | 2 | – | 4 | 1 | 3 | 1 | 2 | 2 | 4 | – | – | – | – | – | – |
| Carbuncle | – | – | – | 1 | – | – | – | – | 1 | 2 | – | – | – | – | – | – |
| Phlegmon | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Skin Disease | 1 | 1 | 1 | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Cyanosis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Spina Bifida | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Malformations | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intemperance | – | 1 | 1 | 2 | – | – | 2 | – | – | – | – | – | – | – | – | – |
| Privation | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Want of Breast Milk | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Neglect | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cold | – | – | 1 | – | 2 | 1 | – | – | 1 | – | 1 | – | – | – | – | – |
| Poison | – | 2 | – | 3 | – | – | – | 1 | – | 1 | – | – | – | – | – | – |
| Burns and Scalds | – | 2 | 1 | 2 | – | – | 3 | 3 | 2 | 3 | 3 | 3 | – | – | – | – |
| Hanging, etc. | 1 | 1 | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Suffocation | – | – | – | 1 | – | 2 | 1 | – | – | – | – | – | – | – | – | – |
| Drowning | 1 | 2 | 2 | 1 | 1 | 2 | – | – | – | 1 | – | – | – | – | – | 3 |
| Fracture and Contusion | 1 | 2 | 2 | – | 2 | 3 | 2 | 5 | 4 | 9 | 2 | 1 | 1 | – | 1 | 2 |
| Wounds | – | 1 | – | 1 | 1 | 1 | 1 | – | – | – | – | – | – | – | – | – |
| Other Violent Causes | 1 | – | 1 | – | 1 | 3 | – | 1 | – | 2 | 1 | – | 1 | – | – | – |
| Not Specified | 23 | 26 | 34 | 30 | 29 | 55 | 59 | – | – | – | – | – | – | – | – | 7 |

CAUSES of DEATH in the TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1862.—Both Sexes.

| DISEASES. | BOTH SEXES. | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | |
| | | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 |
| | | 3 | 6 | 12 | | | | | | | | | |
| All Causes | 31526 | 2917 | 1177 | 2556 | 3734 | 1813 | 1115 | 746 | 1594 | 715 | 991 | 1196 | 1069 |
| Specified Causes | 30921 | 2716 | 1097 | 2504 | 3681 | 1791 | 1104 | 736 | 1567 | 711 | 973 | 1188 | 1053 |
| I. Zymotic Class | 7334 | 297 | 284 | 864 | 1651 | 956 | 608 | 419 | 696 | 154 | 153 | 170 | 154 |
| II. Diseases of Uncertain Seat | 983 | 19 | 1 | 14 | 16 | 13 | 13 | 7 | 19 | 19 | 10 | 19 | 30 |
| III. Tubercular Class | 5840 | 59 | 143 | 371 | 546 | 270 | 182 | 139 | 446 | 310 | 560 | 630 | 507 |
| IV. Brain and Nervous System | 2414 | 217 | 71 | 113 | 130 | 55 | 36 | 35 | 99 | 55 | 32 | 55 | 54 |
| V. Organs of Circulation | 1293 | 2 | – | 6 | 2 | 1 | 1 | 3 | 18 | 21 | 37 | 46 | 43 |
| VI. Respiratory Organs | 5231 | 308 | 305 | 684 | 727 | 324 | 185 | 83 | 132 | 40 | 56 | 104 | 80 |
| VII. Organs of Digestion | 2248 | 215 | 107 | 324 | 452 | 94 | 19 | 16 | 48 | 37 | 39 | 51 | 36 |
| VIII. Urinary Organs | 388 | 2 | – | 1 | 3 | 3 | 5 | 2 | 14 | 13 | 16 | 23 | 26 |
| IX. Organs of Generation | 204 | – | – | – | – | – | – | – | – | – | 11 | 29 | 44 |
| X. Organs of Locomotion | 175 | 2 | – | 1 | 2 | 1 | 3 | 2 | 20 | 15 | 17 | 8 | 6 |
| XI. Skin, etc. | 33 | 8 | 4 | 5 | 3 | – | 1 | – | 1 | – | – | – | – |
| XII. Malformation | 79 | 62 | 8 | 2 | 2 | 1 | 1 | – | – | 1 | 1 | – | – |
| XIII. Premature Debility | 1678 | 1440 | 138 | 100 | – | – | – | – | – | – | – | – | – |
| XIV. Atrophy | 333 | – | – | – | 111 | 39 | 19 | 13 | 25 | 8 | 4 | 5 | 5 |
| XV. Age | 1704 | – | – | – | – | – | – | – | – | – | – | – | – |
| XVI. Sudden Deaths | 63 | 9 | 8 | 3 | 1 | 3 | – | – | – | – | – | 2 | 4 |
| XVII. Violent Deaths | 921 | 76 | 28 | 16 | 35 | 31 | 31 | 17 | 49 | 38 | 37 | 46 | 64 |
| I. Small Pox | 312 | 20 | 16 | 58 | 57 | 53 | 20 | 18 | 22 | 5 | 9 | 10 | 11 |
| Measles | 967 | 6 | 24 | 138 | 400 | 175 | 103 | 39 | 76 | 1 | 3 | – | 1 |
| Scarlatina | 656 | 5 | 9 | 26 | 106 | 123 | 81 | 86 | 175 | 25 | 6 | 7 | 2 |
| Diphtheria | 360 | 10 | 8 | 22 | 82 | 63 | 48 | 33 | 67 | 11 | 4 | 2 | 2 |
| Hooping Cough | 1726 | 70 | 118 | 386 | 554 | 260 | 152 | 104 | 80 | 1 | 1 | – | – |
| Croup | 741 | 30 | 17 | 83 | 218 | 157 | 113 | 65 | 57 | – | – | – | 1 |
| Thrush | 19 | 10 | 3 | 3 | 2 | 1 | – | – | – | – | – | – | – |
| Diarrhœa | 592 | 77 | 48 | 100 | 112 | 29 | 13 | 6 | 12 | 4 | 9 | 6 | 13 |
| Dysentery | 139 | 2 | 4 | 10 | 16 | 2 | 1 | 3 | 6 | 2 | 2 | 8 | 7 |
| Cholera | 24 | 1 | 1 | 3 | 3 | 2 | – | 1 | 2 | – | – | 2 | – |
| Influenza | 69 | 3 | 2 | – | 1 | 3 | – | 1 | 3 | – | 1 | 3 | 2 |
| Purpura | 24 | – | – | 1 | 2 | 1 | 1 | 1 | 4 | 3 | – | 4 | – |
| Ague | 11 | – | – | 1 | – | 3 | – | – | 1 | 2 | 1 | 1 | – |
| Worms | 14 | – | 1 | – | 2 | 3 | 4 | 2 | 2 | – | – | – | – |
| Infantile Fever | 21 | – | 1 | 4 | 6 | 5 | 3 | 2 | – | – | – | – | – |
| Typhus | 1368 | 3 | 11 | 20 | 71 | 69 | 66 | 54 | 184 | 99 | 103 | 102 | 87 |
| Metria | 59 | – | – | – | – | – | – | – | – | – | 4 | 17 | 20 |
| Rheumatic Fever | 28 | – | – | – | – | – | – | 1 | 1 | – | 4 | 3 | 1 |
| Erysipelas | 112 | 27 | 7 | 4 | 5 | 6 | 2 | 1 | 2 | 1 | 5 | 2 | 4 |
| Syphilis | 78 | 31 | 13 | 3 | 12 | – | 1 | 1 | – | – | 1 | 3 | 3 |
| Noma | 14 | 2 | 1 | 2 | 2 | 1 | – | 1 | 2 | – | – | – | – |
| Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – |
| II. Hæmorrhage | 31 | 5 | – | 1 | – | – | – | – | – | 2 | 1 | 2 | 3 |
| Dropsy | 310 | 1 | – | 2 | 4 | 8 | 9 | 5 | 9 | 11 | 1 | 8 | 13 |
| Abscess | 65 | 5 | 1 | 7 | 4 | 2 | – | – | 6 | 2 | 5 | 5 | 3 |
| Ulcer | 32 | 3 | – | 3 | 3 | – | 2 | – | – | 1 | 1 | 1 | – |
| Fistula | 6 | – | – | – | – | – | – | – | – | – | – | – | – |
| Mortification | 44 | 2 | – | 1 | 5 | 1 | 1 | 1 | 1 | – | – | – | – |
| Cancer | 494 | 3 | – | – | – | 2 | 1 | 1 | 3 | 3 | 2 | 3 | 11 |
| Gout | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| III. Scrofula | 311 | 4 | 6 | 10 | 28 | 22 | 6 | 16 | 51 | 31 | 41 | 26 | 16 |
| Tabes Mesenterica | 447 | 21 | 17 | 63 | 122 | 70 | 34 | 15 | 55 | 24 | 8 | 9 | 2 |
| Phthisis | 4102 | 9 | 33 | 51 | 137 | 88 | 62 | 58 | 224 | 234 | 510 | 593 | 487 |
| Hydrocephalus | 980 | 25 | 87 | 247 | 259 | 90 | 80 | 50 | 116 | 21 | 1 | 2 | 2 |

CAUSES of DEATH in the TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1862.—Both Sexes.

| DISEASES. | BOTH SEXES. AGE UNDER | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 35 | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| All Causes | 1020 | 1062 | 1014 | 1064 | 1125 | 994 | 1328 | 1133 | 1134 | 903 | 641 | 338 | 91 | 30 | 5 | 21 |
| Specified Causes | 1009 | 1051 | 1002 | 1049 | 1117 | 975 | 1313 | 1133 | 1134 | 903 | 641 | 338 | 91 | 30 | 5 | 9 |
| Zymotic Class | 98 | 112 | 97 | 107 | 94 | 76 | 107 | 72 | 69 | 52 | 28 | 14 | 2 | – | – | – |
| Uncertain Seat | 40 | 49 | 71 | 87 | 118 | 80 | 106 | 88 | 66 | 58 | 25 | 14 | 1 | – | – | – |
| Tubercular Class | 431 | 353 | 287 | 212 | 171 | 82 | 77 | 37 | 19 | 4 | 2 | – | – | – | – | 2 |
| Brain, etc. | 75 | 91 | 94 | 116 | 141 | 146 | 209 | 169 | 173 | 137 | 72 | 31 | 6 | 1 | 1 | – |
| Heart, etc. | 62 | 85 | 95 | 99 | 104 | 124 | 161 | 152 | 132 | 65 | 23 | 9 | 1 | 1 | – | – |
| Respiratory Organs | 129 | 133 | 171 | 207 | 241 | 256 | 336 | 261 | 207 | 147 | 72 | 35 | 8 | – | – | – |
| Digestive Organs | 56 | 79 | 51 | 80 | 111 | 92 | 111 | 97 | 68 | 42 | 13 | 6 | 4 | – | – | – |
| Urinary Organs | 23 | 33 | 28 | 31 | 28 | 21 | 35 | 28 | 24 | 13 | 10 | 5 | 1 | – | – | – |
| Generative Organs | 33 | 32 | 25 | 12 | 5 | 2 | 5 | 2 | 2 | 1 | 1 | – | – | – | – | – |
| Locomotive Organs | 8 | 14 | 7 | 12 | 9 | 8 | 10 | 19 | 8 | 3 | – | – | – | – | – | – |
| Skin | 2 | 1 | 1 | 1 | 1 | 3 | – | 1 | 1 | – | – | – | – | – | – | – |
| Malformation | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Premature Debility | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Atrophy | 4 | 10 | 12 | 13 | 33 | 32 | – | – | – | – | – | – | – | – | – | – |
| Age | – | – | – | – | – | 1 | 109 | 175 | 349 | 366 | 386 | 220 | 66 | 28 | 4 | – |
| Sudden Deaths | 2 | 4 | 4 | 7 | 5 | 7 | 1 | 3 | – | – | – | – | – | – | – | – |
| Violent Deaths | 46 | 55 | 59 | 65 | 56 | 45 | 46 | 28 | 16 | 15 | 9 | 4 | 2 | – | – | 7 |
| Small Pox | 4 | 2 | 4 | 1 | 1 | – | – | 1 | – | – | – | – | – | – | – | – |
| Measles | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scarlatina | – | 3 | – | – | 1 | – | – | 1 | – | – | – | – | – | – | – | – |
| Diphtheria | 2 | – | 2 | 2 | 1 | – | 1 | – | – | – | – | – | – | – | – | – |
| Hooping Cough | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Croup | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Thrush | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diarrhœa | 5 | 10 | 10 | 12 | 11 | 11 | 23 | 11 | 29 | 23 | 12 | 6 | – | – | – | – |
| Dysentery | 4 | 10 | 5 | 6 | 5 | 7 | 6 | 9 | 10 | 8 | 5 | 1 | – | – | – | – |
| Cholera | – | 1 | – | 3 | 1 | – | – | – | 1 | 1 | 1 | 1 | – | – | – | – |
| Influenza | 4 | – | 3 | 3 | 6 | 4 | 4 | 4 | 9 | 6 | 3 | 3 | 1 | – | – | – |
| Purpura | – | – | 1 | – | – | 2 | 2 | – | – | 2 | – | – | – | – | – | – |
| Ague | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Worms | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Infantile Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Typhus | 64 | 72 | 56 | 68 | 57 | 47 | 59 | 41 | 17 | 11 | 5 | 1 | 1 | – | – | – |
| Metria | 7 | 8 | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rheumatic Fever | 4 | – | 4 | 2 | 2 | – | 6 | – | – | – | – | – | – | – | – | – |
| Erysipelas | 2 | 2 | 5 | 9 | 7 | 3 | 5 | 5 | 3 | 1 | 2 | 2 | – | – | – | – |
| Syphilis | 1 | 2 | 3 | 1 | 1 | 1 | 1 | – | – | – | – | – | – | – | – | – |
| Noma | – | – | 1 | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – |
| Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmorrhage | 3 | – | 2 | 2 | 2 | 2 | 3 | 2 | 1 | – | – | – | – | – | – | – |
| Dropsy | 11 | 11 | 15 | 28 | 32 | 23 | 26 | 29 | 24 | 26 | 9 | 4 | 1 | – | – | – |
| Abscess | 1 | 3 | 2 | 4 | 6 | 1 | 2 | 3 | 1 | 2 | – | – | – | – | – | – |
| Ulcer | – | 1 | 2 | 3 | 3 | – | 2 | 2 | 2 | 2 | – | 1 | – | – | – | – |
| Fistula | – | 2 | – | – | 1 | – | 1 | 1 | – | 1 | – | – | – | – | – | – |
| Mortification | 1 | – | – | – | 3 | – | 2 | 5 | 4 | 8 | 5 | 4 | – | – | – | – |
| Cancer | 24 | 32 | 50 | 50 | 71 | 54 | 70 | 46 | 34 | 19 | 10 | 5 | – | – | – | – |
| Gout | – | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| Scrofula | 15 | 11 | 6 | 6 | 4 | 5 | 1 | 4 | 2 | – | – | – | – | – | – | – |
| Tabes Mesenterica | 2 | 1 | 3 | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Phthisis | 414 | 341 | 278 | 206 | 167 | 76 | 76 | 33 | 17 | 4 | 2 | – | – | – | – | 2 |
| Hydrocephalus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in the TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1862.—Both Sexes. (*Continued.*)

| DISEASES. | BOTH SEXES. | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | |
| | | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 |
| | | 3 | 6 | 12 | | | | | | | | | |
| IV. Cephalitis | 154 | 10 | 5 | 15 | 13 | 12 | 9 | 6 | 22 | 11 | 5 | 9 | 9 |
| Apoplexy | 532 | 8 | 6 | 9 | 14 | 8 | 4 | 4 | 9 | 4 | 1 | 11 | 6 |
| Paralysis | 597 | – | – | – | 2 | – | – | – | 5 | 1 | 2 | 5 | 11 |
| Delirium Tremens | 31 | – | – | – | – | – | – | – | – | – | – | 1 | 4 |
| Chorea | 4 | – | – | – | – | – | – | – | 1 | – | – | – | – |
| Epilepsy | 101 | – | – | – | 2 | – | – | – | 4 | 13 | 5 | 8 | 7 |
| Tetanus | 22 | 7 | – | 1 | 1 | 1 | 1 | 2 | 2 | – | 1 | 1 | 2 |
| Insanity | 59 | – | – | – | – | – | – | – | – | 3 | – | 3 | 3 |
| Convulsions | 421 | 185 | 54 | 70 | 63 | 17 | 12 | 8 | 12 | – | – | – | – |
| Brain Disease | 493 | 7 | 6 | 18 | 35 | 17 | 10 | 15 | 44 | 23 | 18 | 17 | 12 |
| V. Pericarditis | 33 | – | – | 1 | – | – | – | 1 | 1 | 2 | 5 | 5 | 2 |
| Aneurism | 49 | – | – | – | – | – | – | – | – | – | 1 | – | – |
| Heart Disease | 1211 | 2 | – | 5 | 2 | 1 | 1 | 2 | 17 | 19 | 31 | 41 | 41 |
| VI. Laryngitis | 93 | 4 | 10 | 12 | 18 | 14 | 9 | 5 | 1 | 2 | – | 1 | 3 |
| Bronchitis | 3499 | 229 | 234 | 543 | 549 | 234 | 134 | 54 | 79 | 17 | 17 | 40 | 28 |
| Pleurisy | 115 | 3 | 4 | 2 | 2 | 1 | 2 | 1 | 1 | 2 | 7 | 12 | 7 |
| Pneumonia | 1028 | 67 | 52 | 122 | 143 | 72 | 33 | 19 | 48 | 13 | 19 | 39 | 36 |
| Asthma | 315 | 1 | – | – | – | – | – | – | – | – | 2 | – | 1 |
| Lung Disease | 181 | 4 | 5 | 5 | 15 | 3 | 7 | 4 | 3 | 6 | 11 | 12 | 5 |
| VII. Teething | 701 | 4 | 26 | 252 | 362 | 56 | 1 | – | – | – | – | – | – |
| Quinsey | 27 | 2 | – | 2 | 6 | 4 | 1 | 2 | 1 | 1 | – | – | 2 |
| Gastritis | 65 | 3 | 2 | 4 | 3 | 2 | 1 | 1 | 5 | 1 | 2 | 4 | 2 |
| Enteritis | 411 | 114 | 52 | 39 | 51 | 13 | 6 | 8 | 15 | 11 | 10 | 12 | 9 |
| Peritonitis | 96 | 9 | 1 | 4 | 3 | 1 | 1 | – | 6 | 15 | 5 | 14 | 6 |
| Ascites | 22 | 1 | – | – | 1 | 1 | – | – | 1 | 2 | – | 1 | 3 |
| Ulceration of Intestines | 70 | – | – | – | 1 | 3 | – | 1 | 4 | 1 | 6 | 4 | – |
| Hernia | 49 | 1 | 1 | 1 | – | – | – | – | – | – | – | – | 1 |
| Ileus | 122 | 26 | 3 | 2 | 4 | – | 1 | – | 2 | – | 4 | 2 | 4 |
| Intussusception | 13 | 1 | 1 | 2 | 2 | – | – | – | 1 | – | 1 | 1 | – |
| Stricture of Intestines | 15 | – | – | – | – | – | – | – | 1 | – | – | 1 | – |
| Stomach Disease | 260 | 29 | 13 | 14 | 14 | 9 | 5 | 3 | 6 | 1 | 4 | 4 | 4 |
| Pancreas Disease | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hepatitis | 60 | 1 | – | – | – | 1 | 1 | – | – | 1 | 1 | 2 | 1 |
| Jaundice | 66 | 19 | 3 | 2 | 2 | 2 | 1 | – | 2 | – | 1 | 1 | 1 |
| Liver Disease | 263 | 5 | 5 | 2 | 2 | 2 | 1 | 1 | 3 | 4 | 5 | 5 | 2 |
| Spleen Disease | 8 | – | – | – | 1 | – | – | – | 1 | – | – | – | 1 |
| VIII. Nephritis | 20 | – | – | – | – | – | 1 | 1 | 2 | 1 | – | – | 1 |
| Nephria | 127 | – | – | – | 1 | – | – | – | 5 | 6 | 6 | 12 | 7 |
| Ischuria | 12 | 1 | – | – | – | – | – | – | – | – | – | 1 | – |
| Diabetes | 30 | – | – | – | 1 | – | 1 | – | – | – | 1 | 2 | 6 |
| Stone | 21 | – | – | 1 | – | 1 | – | – | – | 1 | 2 | – | – |
| Cystitis | 32 | – | – | – | – | – | – | 1 | – | 2 | 1 | 3 | 2 |
| Stricture of Urethra | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| Kidney Disease | 144 | 1 | – | – | 1 | 2 | 3 | – | 7 | 3 | 6 | 5 | 10 |
| IX. Paramenia | 12 | – | – | – | – | – | – | – | – | – | 5 | 1 | 1 |
| Ovarian Dropsy | 31 | – | – | – | – | – | – | – | – | – | – | 1 | 6 |
| Childbirth | 129 | – | – | – | – | – | – | – | – | – | 6 | 24 | 34 |
| Organs of Generation | 32 | – | – | – | – | – | – | – | – | – | – | 3 | 3 |
| X. Arthritis | 10 | – | – | – | – | – | 1 | – | 2 | 2 | 3 | – | 1 |
| Rheumatism | 64 | – | – | – | – | 1 | – | – | 1 | – | 2 | 1 | 3 |
| Joint and Bone Disease | 101 | 2 | – | 1 | 2 | – | 2 | 2 | 17 | 13 | 12 | 7 | 2 |
| XI. Carbuncle | 5 | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Phlegmon | 6 | 1 | – | 1 | – | – | – | – | – | – | – | – | – |
| Skin Disease | 22 | 7 | 4 | 3 | 3 | – | 1 | – | 1 | – | – | – | – |
| XII. Cyanosis | 25 | 22 | 2 | – | 1 | – | – | – | – | – | – | – | – |
| Spina Bifida | 19 | 14 | 5 | – | – | – | – | – | – | – | – | – | – |
| Other Malformations | 35 | 26 | 1 | 2 | 1 | 1 | 1 | – | – | 1 | 1 | – | – |
| XVII. Intemperance | 30 | – | – | – | – | – | – | – | – | – | – | – | 3 |
| Privation | 5 | – | – | – | 1 | 2 | – | – | – | – | – | – | – |
| Want of Breast Milk | 52 | 34 | 14 | 4 | – | – | – | – | – | – | – | – | – |
| Neglect | 3 | 1 | – | – | 1 | – | – | 1 | – | – | – | – | – |
| Cold | 4 | 2 | – | – | 1 | – | – | – | – | – | – | – | 1 |
| Poison | 32 | 4 | 1 | 1 | 1 | 2 | 1 | – | 1 | – | – | – | 1 |
| Burns and Scalds | 146 | 2 | 1 | 6 | 22 | 21 | 24 | 9 | 14 | 6 | 1 | 3 | 7 |
| Hanging, etc. | 26 | – | – | – | – | – | – | – | – | – | 1 | – | 2 |
| Suffocation | 60 | 17 | 12 | 2 | 2 | – | 1 | – | – | 1 | – | 3 | 1 |
| Drowning | 144 | 4 | – | 1 | 2 | 2 | 2 | 3 | 9 | 8 | 10 | 12 | 14 |
| Fracture and Contusion | 346 | 2 | – | 1 | 5 | 3 | 3 | 4 | 22 | 20 | 21 | 24 | 30 |
| Wounds | 25 | – | – | – | – | – | – | – | 2 | 3 | 1 | 1 | 3 |
| Other Violent Causes | 48 | 10 | – | 1 | – | 1 | – | – | 1 | – | 3 | 3 | 2 |
| Not Specified | 605 | 201 | 80 | 52 | 53 | 22 | 11 | 10 | 27 | 4 | 18 | 8 | 16 |

CAUSES of DEATH in the TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1862.—Both Sexes. (*Continued.*)

| DISEASES. | BOTH SEXES. AGE UNDER | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 35 | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| Cephalitis | 2 | 5 | 3 | 8 | 1 | 4 | 3 | 1 | 1 | – | – | – | – | – | – | – |
| Apoplexy | 14 | 21 | 20 | 28 | 47 | 62 | 84 | 48 | 49 | 39 | 22 | 11 | 2 | 1 | – | – |
| Paralysis | 15 | 20 | 25 | 37 | 41 | 39 | 74 | 87 | 95 | 78 | 39 | 16 | 4 | – | 1 | – |
| Delirium Tremens | 6 | 4 | 3 | 4 | 6 | 2 | – | 1 | – | – | – | – | – | – | – | – |
| Chorea | 1 | – | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epilepsy | 11 | 5 | 12 | 7 | 8 | 3 | 6 | 2 | 3 | 1 | 4 | – | – | – | – | – |
| Tetanus | – | 1 | – | – | – | – | 1 | – | 1 | – | – | – | – | – | – | – |
| Insanity | 6 | 6 | 7 | 6 | 5 | 8 | 4 | 3 | 2 | 2 | 1 | – | – | – | – | – |
| Convulsions | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Brain Disease | 20 | 29 | 22 | 26 | 33 | 28 | 37 | 27 | 22 | 17 | 6 | 4 | – | – | – | – |
| Pericarditis | 2 | 3 | 1 | 1 | 3 | 2 | 2 | 1 | 1 | – | – | – | – | – | – | – |
| Aneurism | 3 | 10 | 9 | 10 | 5 | 6 | 2 | 3 | – | – | – | – | – | – | – | – |
| Heart Disease | 57 | 72 | 85 | 88 | 96 | 116 | 157 | 148 | 131 | 65 | 23 | 9 | 1 | 1 | – | – |
| Laryngitis | 2 | 4 | 1 | – | 2 | 1 | 3 | 1 | – | – | – | – | – | – | – | – |
| Bronchitis | 60 | 64 | 88 | 112 | 144 | 156 | 203 | 174 | 142 | 105 | 58 | 28 | 7 | – | – | – |
| Pleurisy | 13 | 7 | 6 | 12 | 3 | 7 | 5 | 8 | 8 | 1 | 1 | – | – | – | – | – |
| Pneumonia | 35 | 35 | 43 | 44 | 46 | 42 | 41 | 35 | 22 | 14 | 5 | 2 | 1 | – | – | – |
| Asthma | 5 | 15 | 20 | 28 | 30 | 40 | 72 | 38 | 31 | 22 | 6 | 4 | – | – | – | – |
| Lung Disease | 14 | 8 | 13 | 11 | 16 | 10 | 12 | 5 | 4 | 5 | 2 | 1 | – | – | – | – |
| Teething | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Quinsey | 3 | 1 | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – |
| Gastritis | 3 | 3 | 2 | 6 | 8 | 3 | 3 | 2 | 1 | 4 | – | – | – | – | – | – |
| Enteritis | 5 | 10 | 4 | 3 | 9 | 6 | 11 | 8 | 7 | 6 | – | 2 | – | – | – | – |
| Peritonitis | 6 | 6 | – | 2 | 3 | 4 | 5 | 4 | 1 | – | – | – | – | – | – | – |
| Ascites | – | 1 | – | 1 | 2 | 1 | 2 | 1 | 2 | 1 | – | – | 1 | – | – | – |
| Ulceration of Intestines | 7 | 9 | 6 | 5 | 7 | 1 | 4 | 6 | 2 | 1 | 2 | – | – | – | – | – |
| Hernia | – | 2 | 2 | 5 | 4 | 4 | 11 | 4 | 8 | 4 | 1 | – | – | – | – | – |
| Ileus | 7 | 3 | 1 | 4 | 7 | 9 | 10 | 8 | 11 | 6 | 4 | 3 | 1 | – | – | – |
| Intussusception | – | – | 1 | – | 1 | 1 | – | 1 | – | – | – | – | – | – | – | – |
| Stricture of Intestines | 1 | 1 | – | 1 | 2 | 2 | 2 | 2 | 1 | 1 | – | – | – | – | – | – |
| Stomach Disease | 9 | 15 | 10 | 17 | 11 | 22 | 23 | 23 | 15 | 7 | 2 | – | – | – | – | – |
| Pancreas Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hepatitis | 2 | 6 | 4 | 7 | 12 | 9 | 5 | 4 | 2 | 1 | – | – | – | – | – | – |
| Jaundice | – | 3 | 1 | – | 2 | 6 | 4 | 8 | 5 | 1 | 1 | – | 1 | – | – | – |
| Liver Disease | 13 | 19 | 19 | 29 | 41 | 21 | 30 | 26 | 13 | 10 | 3 | 1 | 1 | – | – | – |
| Spleen Disease | – | – | 1 | – | 1 | 2 | 1 | – | – | – | – | – | – | – | – | – |
| Nephritis | 2 | 1 | – | 3 | 2 | – | 4 | 1 | – | – | 1 | – | – | – | – | – |
| Nephria | 12 | 17 | 13 | 11 | 9 | 8 | 7 | 3 | 6 | 2 | 1 | 1 | – | – | – | – |
| Ischuria | – | – | 2 | – | – | – | 1 | 4 | 1 | 2 | – | – | – | – | – | – |
| Diabetes | – | 6 | 3 | 4 | 2 | 2 | 1 | – | 1 | – | – | – | – | – | – | – |
| Stone | – | – | – | 2 | 1 | 1 | 5 | 3 | 1 | 2 | – | 1 | – | – | – | – |
| Cystitis | 2 | – | 2 | – | 1 | 3 | 5 | 3 | 2 | 2 | – | 2 | 1 | – | – | – |
| Stricture of Urethra | – | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Kidney Disease | 7 | 8 | 8 | 11 | 12 | 7 | 12 | 14 | 13 | 5 | 8 | 1 | – | – | – | – |
| Paramenia | 1 | 1 | 2 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Ovarian Dropsy | 3 | 3 | 4 | 4 | 3 | 2 | 2 | 1 | – | 1 | 1 | – | – | – | – | – |
| Childbirth | 25 | 24 | 14 | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| Organs of Generation | 4 | 4 | 5 | 5 | 2 | – | 3 | 1 | 2 | – | – | – | – | – | – | – |
| Arthritis | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rheumatism | 4 | 5 | 2 | 8 | 4 | 4 | 7 | 15 | 5 | 2 | – | – | – | – | – | – |
| Joint Disease | 4 | 8 | 5 | 4 | 5 | 4 | 3 | 4 | 3 | 1 | – | – | – | – | – | – |
| Carbuncle | – | – | – | 1 | – | 2 | – | – | 1 | – | – | – | – | – | – | – |
| Phlegmon | 1 | – | 1 | – | 1 | – | – | 1 | – | – | – | – | – | – | – | – |
| Skin Disease | 1 | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Cyanosis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Spina Bifida | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Malformations | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Intemperance | 1 | 3 | 7 | 10 | 4 | 1 | – | – | – | 1 | – | – | – | – | – | – |
| Privation | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Want of Breast Milk | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Neglect | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cold | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Poison | 2 | 4 | 3 | 1 | 4 | 4 | 1 | – | – | 1 | – | – | – | – | – | – |
| Burns and Scalds | 1 | 4 | 1 | 3 | 2 | 1 | 3 | 5 | 2 | 3 | 3 | 2 | – | – | – | – |
| Hanging, etc. | 1 | 4 | 2 | 4 | 3 | 3 | 4 | 2 | – | – | – | – | – | – | – | – |
| Suffocation | 2 | 2 | 1 | 3 | 6 | – | 2 | 2 | 1 | – | – | – | – | – | – | 2 |
| Drowning | 13 | 12 | 15 | 8 | 7 | 9 | 8 | – | 1 | 1 | – | – | – | – | – | 3 |
| Fracture and Contusion | 18 | 24 | 25 | 31 | 29 | 18 | 21 | 16 | 11 | 8 | 6 | 2 | 2 | – | – | – |
| Wounds | 2 | 1 | 2 | – | 1 | 5 | 1 | 1 | 1 | 1 | – | – | – | – | – | – |
| Other Violent Causes | 4 | 1 | 3 | 5 | – | 4 | 6 | 2 | – | – | – | – | – | – | – | 2 |
| Not Specified | 11 | 11 | 12 | 15 | 8 | 19 | 15 | – | – | – | – | – | – | – | – | 12 |

CAUSES of DEATH in the TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1862.—MALES.

| DISEASES. | MALES. | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | |
| | | MONTHS. | | | | | | | | | | | |
| | | 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 |
| ALL CAUSES | 15556 | 1684 | 654 | 1316 | 1926 | 894 | 526 | 371 | 805 | 365 | 512 | 575 | 473 |
| SPECIFIED CAUSES | 15220 | 1571 | 609 | 1280 | 1898 | 880 | 524 | 367 | 789 | 362 | 498 | 573 | 463 |
| I. Zymotic Class | 3554 | 154 | 150 | 419 | 841 | 463 | 284 | 195 | 330 | 72 | 65 | 80 | 72 |
| II. Diseases of Uncertain Seat | 367 | 14 | – | 9 | 9 | 5 | 6 | 4 | 10 | 14 | 8 | 9 | 11 |
| III. Tubercular Class | 2782 | 33 | 74 | 185 | 304 | 142 | 93 | 68 | 237 | 131 | 262 | 299 | 214 |
| IV. Brain and Nervous System | 1316 | 137 | 37 | 65 | 78 | 27 | 18 | 21 | 43 | 34 | 14 | 32 | 30 |
| V. Organs of Circulation | 653 | 2 | – | 3 | 1 | 1 | 1 | 2 | 10 | 10 | 22 | 18 | 20 |
| VI. Respiratory Organs | 2640 | 171 | 184 | 354 | 358 | 153 | 83 | 45 | 69 | 23 | 38 | 48 | 40 |
| VII. Organs of Digestion | 1135 | 142 | 63 | 176 | 230 | 51 | 10 | 10 | 19 | 22 | 24 | 24 | 9 |
| VIII. Urinary Organs | 257 | 1 | – | 1 | – | 3 | 1 | 2 | 8 | 10 | 14 | 18 | 14 |
| IX. Organs of Generation | – | – | – | – | – | – | – | – | – | – | – | – | – |
| X. Organs of Locomotion | 108 | 2 | – | 1 | – | 1 | 2 | 1 | 13 | 11 | 15 | 5 | 4 |
| XI. Skin, etc. | 23 | 4 | 3 | 4 | 1 | – | 1 | – | 1 | – | – | – | – |
| XII. Malformation | 45 | 37 | 5 | – | – | 1 | 1 | – | – | – | 1 | – | – |
| XIII. Premature Debility | 959 | 828 | 70 | 61 | – | – | – | – | – | – | – | – | – |
| XIV. Atrophy | 147 | – | – | – | 56 | 16 | 10 | 8 | 13 | 6 | 2 | 3 | 2 |
| XV. Age | 563 | – | – | – | – | – | – | – | – | – | – | – | – |
| XVI. Sudden Deaths | 35 | 6 | 5 | 3 | – | 1 | – | – | – | – | – | – | – |
| XVII. Violent Deaths | 636 | 40 | 18 | 7 | 20 | 16 | 14 | 11 | 36 | 29 | 33 | 37 | 47 |
| I. Small Pox | 156 | 8 | 11 | 26 | 24 | 23 | 11 | 13 | 10 | 3 | 4 | 7 | 8 |
| Measles | 494 | 3 | 13 | 64 | 216 | 80 | 54 | 17 | 45 | – | 1 | – | 1 |
| Scarlatina | 342 | 3 | 5 | 16 | 61 | 67 | 48 | 38 | 87 | 10 | 3 | 2 | 1 |
| Diphtheria | 168 | 5 | 3 | 12 | 40 | 34 | 23 | 16 | 24 | 5 | – | – | 1 |
| Hooping Cough | 799 | 37 | 58 | 186 | 273 | 107 | 58 | 44 | 34 | 1 | 1 | – | – |
| Croup | 375 | 17 | 8 | 40 | 115 | 91 | 47 | 30 | 26 | – | – | – | 1 |
| Thrush | 9 | 8 | – | 1 | – | – | – | – | – | – | – | – | – |
| Diarrhœa | 281 | 36 | 28 | 49 | 53 | 14 | 7 | 2 | 3 | 3 | 5 | 4 | 8 |
| Dysentery | 62 | 1 | 4 | 4 | 10 | – | 1 | – | 4 | 1 | 1 | 4 | 2 |
| Cholera | 14 | 1 | 1 | 2 | 2 | 1 | – | – | 1 | – | – | 2 | – |
| Influenza | 32 | 2 | 1 | – | – | 3 | – | – | 1 | – | 1 | 1 | 2 |
| Purpura | 10 | – | – | – | – | – | 1 | – | 2 | 2 | – | 3 | – |
| Ague | 4 | – | – | – | – | 1 | – | – | 1 | – | – | 1 | – |
| Worms | 8 | – | – | – | 2 | 1 | 1 | 2 | 2 | – | – | – | – |
| Infantile Fever | 7 | – | – | 2 | 2 | 1 | 2 | – | – | – | – | – | – |
| Typhus | 683 | 2 | 8 | 13 | 37 | 38 | 30 | 30 | 88 | 47 | 45 | 53 | 42 |
| Metria | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rheumatic Fever | 18 | – | – | – | – | – | – | 1 | 1 | – | 4 | 1 | 1 |
| Erysipelas | 47 | 10 | 4 | 1 | 2 | 2 | 1 | 1 | 1 | – | – | 1 | 3 |
| Syphilis | 40 | 20 | 6 | 1 | 4 | – | – | 1 | – | – | – | 1 | 2 |
| Noma | 5 | 1 | – | 2 | – | – | – | – | – | – | – | – | – |
| Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – |
| II. Hæmorrhage | 21 | 4 | – | 1 | – | – | – | – | – | 2 | 1 | – | 1 |
| Dropsy | 118 | 1 | – | 1 | 3 | 3 | 6 | 3 | 5 | 8 | – | 3 | 5 |
| Abscess | 33 | 3 | – | 5 | 1 | – | – | – | 2 | 1 | 5 | 4 | 1 |
| Ulcer | 17 | 3 | – | 2 | 2 | – | – | – | – | – | – | – | – |
| Fistula | 5 | – | – | – | – | – | – | – | – | – | – | – | – |
| Mortification | 24 | 1 | – | – | 3 | 1 | – | – | 1 | – | – | – | – |
| Cancer | 149 | 2 | – | – | – | 1 | – | 1 | 2 | 3 | 2 | 2 | 4 |
| Gout | – | – | – | – | – | – | – | – | – | – | – | – | – |
| III. Scrofula | 179 | 4 | 4 | 4 | 12 | 13 | 3 | 12 | 31 | 20 | 25 | 13 | 7 |
| Tabes Mesenterica | 239 | 13 | 11 | 34 | 70 | 40 | 16 | 13 | 20 | 6 | 6 | 6 | – |
| Phthisis | 1833 | 3 | 16 | 19 | 76 | 38 | 33 | 15 | 114 | 98 | 231 | 279 | 206 |
| Hydrocephalus | 531 | 13 | 43 | 128 | 146 | 51 | 41 | 28 | 72 | 7 | – | 1 | 1 |

CAUSES of DEATH in the TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1862.—MALES.

| DISEASES. | MALES. AGE UNDER | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 35 | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| ALL CAUSES | 439 | 503 | 499 | 549 | 577 | 493 | 641 | 504 | 477 | 374 | 236 | 113 | 27 | 11 | – | 12 |
| SPECIFIED CAUSES | 435 | 498 | 494 | 542 | 570 | 480 | 633 | 504 | 477 | 374 | 236 | 113 | 27 | 11 | – | 4 |
| Zymotic Class | 43 | 54 | 49 | 59 | 41 | 33 | 48 | 35 | 28 | 21 | 11 | 5 | 2 | – | – | – |
| Uncertain Seat | 8 | 15 | 15 | 32 | 39 | 27 | 32 | 34 | 24 | 29 | 8 | 5 | – | – | – | – |
| Tubercular Class | 158 | 141 | 137 | 96 | 88 | 48 | 37 | 20 | 12 | 1 | 1 | – | – | – | – | 1 |
| Brain, etc. | 43 | 57 | 54 | 68 | 81 | 80 | 119 | 83 | 90 | 60 | 34 | 11 | – | – | – | – |
| Heart, etc. | 40 | 51 | 47 | 52 | 51 | 68 | 85 | 64 | 63 | 27 | 10 | 4 | 1 | – | – | – |
| Respiratory Organs | 64 | 70 | 99 | 113 | 131 | 120 | 158 | 118 | 88 | 64 | 29 | 17 | 3 | – | – | – |
| Digestive Organs | 25 | 34 | 19 | 38 | 51 | 36 | 52 | 38 | 32 | 22 | 5 | 2 | 1 | – | – | – |
| Urinary Organs | 8 | 15 | 13 | 21 | 26 | 16 | 28 | 20 | 16 | 10 | 7 | 4 | 1 | – | – | – |
| Generative Organs | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Locomotive Organs | 4 | 10 | 4 | 7 | 5 | 3 | 4 | 7 | 6 | 3 | – | – | – | – | – | – |
| Skin | 1 | 1 | 1 | 1 | 1 | 3 | – | 1 | – | – | – | – | – | – | – | – |
| Malformation | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Premature Debility | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Atrophy | 1 | 4 | 3 | 3 | 13 | 7 | – | – | – | – | – | – | – | – | – | – |
| Age | – | – | – | – | – | – | 35 | 66 | 108 | 130 | 129 | 65 | 19 | 11 | – | – |
| Sudden Deaths | 2 | 1 | 1 | 4 | 3 | 6 | 1 | 2 | – | – | – | – | – | – | – | – |
| Violent Deaths | 38 | 45 | 52 | 48 | 40 | 33 | 34 | 16 | 10 | 7 | 2 | – | – | – | – | 3 |
| Small Pox | 2 | 1 | 3 | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Measles | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scarlatina | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diphtheria | 1 | – | 1 | 2 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Hooping Cough | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Croup | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Thrush | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diarrhœa | 4 | 5 | 1 | 6 | 3 | 4 | 9 | 3 | 13 | 12 | 6 | 3 | – | – | – | – |
| Dysentery | 3 | 6 | 4 | 2 | 2 | 4 | – | 3 | 4 | 2 | – | – | – | – | – | – |
| Cholera | – | 1 | – | 2 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Influenza | 1 | – | 1 | 2 | 2 | – | 2 | 2 | 4 | 3 | 1 | 2 | 1 | – | – | – |
| Purpura | – | – | – | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – |
| Ague | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Worms | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Infantile Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Typhus | 28 | 37 | 33 | 37 | 28 | 21 | 30 | 22 | 5 | 4 | 4 | – | 1 | – | – | – |
| Metria | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rheumatic Fever | 3 | – | 1 | 1 | 2 | – | 3 | – | – | – | – | – | – | – | – | – |
| Erysipelas | – | 2 | 3 | 5 | 1 | 1 | 3 | 4 | 2 | – | – | – | – | – | – | – |
| Syphilis | – | 1 | 2 | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Noma | – | – | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – |
| Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmorrhage | 1 | – | 1 | 2 | 1 | 2 | 3 | 2 | – | – | – | – | – | – | – | – |
| Dropsy | 2 | 2 | 5 | 10 | 10 | 12 | 6 | 9 | 10 | 12 | 2 | – | – | – | – | – |
| Abscess | – | 2 | 2 | 1 | 2 | 1 | – | 2 | 1 | – | – | – | – | – | – | – |
| Ulcer | – | – | – | 3 | 2 | – | 2 | 2 | – | 1 | – | – | – | – | – | – |
| Fistula | – | 2 | – | – | 1 | – | 1 | 1 | – | – | – | – | – | – | – | – |
| Mortification | – | – | – | – | 1 | – | 1 | 3 | 1 | 5 | 3 | 4 | – | – | – | – |
| Cancer | 5 | 9 | 7 | 16 | 22 | 12 | 19 | 15 | 12 | 11 | 3 | 1 | – | – | – | – |
| Gout | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scrofula | 9 | 7 | 3 | 3 | 2 | 4 | – | 2 | 1 | – | – | – | – | – | – | – |
| Tabes Mesenterica | 1 | – | 2 | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Phthisis | 148 | 134 | 132 | 93 | 86 | 43 | 37 | 18 | 11 | 1 | 1 | – | – | – | – | 1 |
| Hydrocephalus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in the TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1862.—MALES. (*Continued.*)

| DISEASES. | MALES. | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | |
| | | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 |
| | | 3 | 6 | 12 | | | | | | | | | |
| IV. Cephalitis | 90 | 7 | 2 | 7 | 7 | 5 | 6 | 5 | 12 | 5 | 3 | 5 | 7 |
| Apoplexy | 286 | 6 | 5 | 5 | 6 | 4 | 1 | 3 | 4 | 3 | – | 6 | 3 |
| Paralysis | 304 | – | – | – | – | – | – | – | 1 | 1 | 1 | 4 | 4 |
| Delirium Tremens | 27 | – | – | – | – | – | – | – | – | – | – | 1 | 4 |
| Chorea | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| Epilepsy | 61 | – | – | – | 1 | – | – | – | 4 | 7 | 4 | 5 | 5 |
| Tetanus | 13 | 6 | – | 1 | 1 | 1 | – | – | 2 | – | – | 1 | – |
| Insanity | 27 | – | – | – | – | – | – | – | – | 2 | – | 2 | 1 |
| Convulsions | 247 | 115 | 28 | 43 | 39 | 8 | 6 | 4 | 4 | – | – | – | – |
| Brain Disease | 259 | 3 | 2 | 9 | 24 | 9 | 5 | 9 | 16 | 16 | 6 | 8 | 6 |
| V. Pericarditis | 21 | – | – | 1 | – | – | – | – | 1 | 2 | 4 | 1 | 2 |
| Aneurism | 35 | – | – | – | – | – | – | – | – | – | – | – | – |
| Heart Disease | 597 | 2 | – | 2 | 1 | 1 | 1 | 2 | 9 | 8 | 18 | 17 | 18 |
| VI. Laryngitis | 54 | 2 | 6 | 7 | 9 | 6 | 4 | 4 | 1 | 2 | – | 1 | 1 |
| Bronchitis | 1702 | 131 | 144 | 281 | 263 | 114 | 58 | 24 | 39 | 10 | 13 | 14 | 14 |
| Pleurisy | 61 | 1 | 1 | – | 2 | – | – | 1 | – | 1 | 6 | 7 | 2 |
| Pneumonia | 585 | 35 | 29 | 63 | 79 | 31 | 16 | 12 | 27 | 4 | 15 | 22 | 18 |
| Asthma | 137 | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Lung Disease | 101 | 2 | 4 | 3 | 5 | 2 | 5 | 4 | 2 | 6 | 4 | 4 | 4 |
| VII. Teething | 369 | 4 | 15 | 140 | 181 | 28 | 1 | – | – | – | – | – | – |
| Quinsey | 15 | 1 | – | 1 | 5 | 4 | – | 1 | – | – | – | – | – |
| Gastritis | 29 | 3 | 1 | 2 | 2 | 1 | – | 1 | 3 | – | – | – | 1 |
| Enteritis | 229 | 69 | 35 | 16 | 27 | 8 | 3 | 6 | 4 | 7 | 7 | 6 | 5 |
| Peritonitis | 34 | 7 | 1 | 3 | 1 | 1 | 1 | – | 3 | 8 | 2 | 2 | – |
| Ascites | 7 | – | – | – | – | 1 | – | – | 1 | 2 | – | 1 | 1 |
| Ulceration of Intestines | 35 | – | – | – | – | 1 | – | 1 | 2 | – | 3 | 3 | – |
| Hernia | 24 | 1 | 1 | 1 | – | – | – | – | – | – | – | – | 1 |
| Ileus | 54 | 19 | 2 | – | 1 | – | – | – | 1 | – | 3 | 2 | – |
| Intussusception | 6 | 1 | – | 1 | 1 | – | – | – | – | – | 1 | 1 | – |
| Stricture of Intestines | 9 | – | – | – | – | – | – | – | 1 | – | – | – | – |
| Stomach Disease | 119 | 16 | 5 | 9 | 7 | 4 | 2 | 1 | 4 | 1 | 3 | 3 | – |
| Pancreas Disease | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hepatitis | 26 | 1 | – | – | – | – | 1 | – | – | 1 | – | 2 | – |
| Jaundice | 35 | 16 | – | 1 | 2 | 1 | 1 | – | – | – | 1 | – | – |
| Liver Disease | 141 | 4 | 3 | 2 | 2 | 2 | 1 | – | – | 3 | 4 | 4 | – |
| Spleen Disease | 3 | – | – | – | 1 | – | – | – | – | – | – | – | 1 |
| VIII. Nephritis | 8 | – | – | – | – | – | – | 1 | 1 | – | – | – | – |
| Nephria | 75 | – | – | – | – | – | – | – | 2 | 6 | 4 | 9 | 4 |
| Ischuria | 11 | 1 | – | – | – | – | – | – | – | – | – | 1 | – |
| Diabetes | 17 | – | – | – | – | – | – | – | – | – | 1 | 2 | 4 |
| Stone | 20 | – | – | 1 | – | 1 | – | – | – | 1 | 2 | – | – |
| Cystitis | 28 | – | – | – | – | – | – | 1 | – | 2 | 1 | 2 | 2 |
| Stricture of Urethra | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| Kidney Disease | 96 | – | – | – | – | 2 | 1 | – | 5 | 1 | 6 | 4 | 4 |
| IX. Paramenia | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ovarian Dropsy | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Childbirth | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Organs of Generation | – | – | – | – | – | – | – | – | – | – | – | – | – |
| X. Arthritis | 9 | – | – | – | – | – | – | – | 2 | 2 | 3 | – | 1 |
| Rheumatism | 29 | – | – | – | – | 1 | – | – | 1 | – | 1 | – | 1 |
| Joint and Bone Disease | 70 | – | – | 1 | – | – | 2 | 1 | 10 | 9 | 11 | 5 | 2 |
| XI. Carbuncle | 4 | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Phlegmon | 6 | 1 | – | 1 | – | – | – | – | – | – | – | – | – |
| Skin Disease | 13 | 3 | 3 | 2 | 1 | – | 1 | – | 1 | – | – | – | – |
| XII. Cyanosis | 16 | 15 | 1 | – | – | – | – | – | – | – | – | – | – |
| Spina Bifida | 12 | 9 | 3 | – | – | – | – | – | – | – | – | – | – |
| Other Malformations | 17 | 13 | 1 | – | – | 1 | 1 | – | – | – | 1 | – | – |
| XVII. Intemperance | 22 | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Privation | 3 | – | – | – | – | 2 | – | – | – | – | – | – | – |
| Want of Breast Milk | 28 | 16 | 10 | 2 | – | – | – | – | – | – | – | – | – |
| Neglect | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Cold | 2 | 2 | – | – | – | – | – | – | – | – | – | – | – |
| Poison | 18 | – | – | 1 | 1 | 2 | 1 | – | 1 | – | – | – | 1 |
| Burns and Scalds | 72 | 1 | – | 1 | 15 | 10 | 9 | 5 | 8 | 4 | 1 | 1 | 5 |
| Hanging, etc. | 20 | – | – | – | – | – | – | – | – | – | 1 | – | 1 |
| Suffocation | 34 | 9 | 8 | 1 | 1 | – | – | – | – | – | – | – | – |
| Drowning | 118 | 2 | – | 1 | 1 | 2 | 1 | 3 | 8 | 7 | 10 | 11 | 9 |
| Fracture and Contusion | 259 | – | – | – | 2 | – | 3 | 3 | 16 | 15 | 18 | 21 | 27 |
| Wounds | 19 | – | – | – | – | – | – | – | 2 | 3 | – | 1 | 1 |
| Other Violent Causes | 40 | 9 | – | 1 | – | – | – | – | 1 | – | 3 | 3 | 2 |
| Not Specified | 336 | 113 | 45 | 28 | 28 | 14 | 2 | 4 | 16 | 3 | 14 | 2 | 10 |

CAUSES of DEATH in the TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1862.—MALES. (*Continued.*)

| DISEASES. | MALES. AGE UNDER | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 35 | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| Cephalitis | 2 | 4 | 2 | 5 | 1 | 2 | 2 | 1 | – | – | – | – | – | – | – | – |
| Apoplexy | 6 | 13 | 11 | 14 | 25 | 36 | 46 | 23 | 30 | 20 | 11 | 5 | – | – | – | – |
| Paralysis | 9 | 14 | 19 | 24 | 23 | 19 | 43 | 41 | 45 | 32 | 19 | 5 | – | – | – | – |
| Delirium Tremens | 4 | 4 | 2 | 4 | 5 | 2 | – | 1 | – | – | – | – | – | – | – | – |
| Chorea | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epilepsy | 8 | 3 | 6 | 3 | 6 | 1 | 3 | 2 | 1 | – | 2 | – | – | – | – | – |
| Tetanus | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Insanity | 3 | 3 | 2 | 3 | 2 | 4 | 2 | 1 | – | 2 | – | – | – | – | – | – |
| Convulsions | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Brain Disease | 10 | 16 | 11 | 15 | 19 | 16 | 23 | 14 | 13 | 6 | 2 | 1 | – | – | – | – |
| Pericarditis | 2 | 2 | – | 1 | 2 | 1 | 1 | – | 1 | – | – | – | – | – | – | – |
| Aneurism | 3 | 8 | 5 | 7 | 3 | 6 | 2 | 1 | – | – | – | – | – | – | – | – |
| Heart Disease | 35 | 41 | 42 | 44 | 46 | 61 | 82 | 63 | 62 | 27 | 10 | 4 | 1 | – | – | – |
| Laryngitis | 2 | 3 | 1 | – | 2 | – | 3 | – | – | – | – | – | – | – | – | – |
| Bronchitis | 27 | 27 | 42 | 53 | 73 | 67 | 84 | 79 | 68 | 41 | 20 | 14 | 2 | – | – | – |
| Pleurisy | 7 | 5 | 4 | 7 | 3 | 2 | 3 | 5 | 3 | 1 | – | – | – | – | – | – |
| Pneumonia | 17 | 22 | 36 | 30 | 35 | 25 | 30 | 17 | 8 | 10 | 2 | 1 | 1 | – | – | – |
| Asthma | 3 | 7 | 8 | 15 | 10 | 21 | 30 | 16 | 8 | 11 | 5 | 2 | – | – | – | – |
| Lung Disease | 8 | 6 | 8 | 8 | 8 | 5 | 8 | 1 | 1 | 1 | 2 | – | – | – | – | – |
| Teething | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Quinsey | 2 | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Gastritis | 2 | 1 | 1 | 5 | 3 | – | – | 2 | – | 1 | – | – | – | – | – | – |
| Enteritis | 2 | 4 | 2 | 1 | 6 | 4 | 7 | 2 | 4 | 3 | – | 1 | – | – | – | – |
| Peritonitis | 1 | 2 | – | – | 1 | – | – | – | 1 | – | – | – | – | – | – | – |
| Ascites | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Ulceration of Intestines | 5 | 3 | 2 | 5 | 3 | 1 | 2 | 2 | – | 1 | 1 | – | – | – | – | – |
| Hernia | – | 1 | 1 | 4 | 1 | 1 | 4 | 2 | 3 | 2 | 1 | – | – | – | – | – |
| Ileus | 3 | – | – | 2 | 2 | 4 | 3 | 3 | 4 | 4 | – | 1 | – | – | – | – |
| Intussusception | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Stricture of Intestines | 1 | 1 | – | 1 | 1 | 1 | – | 2 | – | 1 | – | – | – | – | – | – |
| Stomach Disease | 3 | 3 | 1 | 4 | 7 | 11 | 14 | 12 | 7 | 2 | – | – | – | – | – | – |
| Pancreas Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hepatitis | – | 5 | 3 | – | 7 | 3 | 1 | 1 | 1 | – | – | – | – | – | – | – |
| Jaundice | – | 2 | – | – | – | 2 | 3 | 3 | 2 | 1 | – | – | – | – | – | – |
| Liver Disease | 6 | 12 | 9 | 16 | 19 | 8 | 16 | 9 | 10 | 7 | 3 | – | 1 | – | – | – |
| Spleen Disease | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Nephritis | – | – | – | 2 | 2 | – | 2 | – | – | – | – | – | – | – | – | – |
| Nephria | 6 | 8 | 8 | 8 | 8 | 4 | 5 | 1 | 2 | – | – | – | – | – | – | – |
| Ischuria | – | – | 2 | – | – | – | 1 | 3 | 1 | 2 | – | – | – | – | – | – |
| Diabetes | – | 3 | – | 3 | 1 | 1 | 1 | – | 1 | – | – | – | – | – | – | – |
| Stone | – | – | – | 1 | 1 | 1 | 5 | 3 | 1 | 2 | – | 1 | – | – | – | – |
| Cystitis | 1 | – | 1 | – | 1 | 3 | 5 | 3 | 1 | 2 | – | 2 | 1 | – | – | – |
| Stricture of Urethra | – | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Kidney Disease | 1 | 3 | 2 | 7 | 12 | 7 | 9 | 10 | 10 | 4 | 7 | 1 | – | – | – | – |
| Paramenia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ovarian Dropsy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Childbirth | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Organs of Generation | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Arthritis | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rheumatism | 2 | 3 | 1 | 4 | 2 | 2 | 2 | 4 | 3 | 2 | – | – | – | – | – | – |
| Joint Disease | 2 | 6 | 3 | 3 | 3 | 1 | 2 | 3 | 3 | 1 | – | – | – | – | – | – |
| Carbuncle | – | – | – | 1 | – | 2 | – | – | – | – | – | – | – | – | – | – |
| Phlegmon | 1 | – | 1 | – | 1 | – | – | 1 | – | – | – | – | – | – | – | – |
| Skin Disease | – | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Cyanosis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Spina Bifida | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Malformations | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intemperance | 1 | 2 | 5 | 8 | 3 | 1 | – | – | – | 1 | – | – | – | – | – | – |
| Privation | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Want of Breast Milk | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Neglect | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cold | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Poison | – | 3 | 3 | 1 | 2 | 1 | 1 | – | – | – | – | – | – | – | – | – |
| Burns and Scalds | 1 | 3 | 1 | 2 | – | – | 1 | 1 | 1 | 1 | 1 | – | – | – | – | – |
| Hanging, etc. | 1 | 3 | 2 | 3 | 3 | 1 | 4 | 1 | – | – | – | – | – | – | – | – |
| Suffocation | 2 | 1 | 1 | – | 5 | – | 2 | 2 | 1 | – | – | – | – | – | – | 1 |
| Drowning | 10 | 10 | 13 | 5 | 7 | 7 | 7 | – | 1 | 1 | – | – | – | – | – | 2 |
| Fracture and Contusion | 17 | 22 | 22 | 25 | 19 | 15 | 13 | 10 | 6 | 4 | 1 | – | – | – | – | – |
| Wounds | 1 | 1 | 2 | – | 1 | 4 | 1 | 1 | 1 | – | – | – | – | – | – | – |
| Other Violent Causes | 4 | – | 3 | 4 | – | 4 | 5 | 1 | – | – | – | – | – | – | – | – |
| Not Specified | 4 | 5 | 5 | 7 | 7 | 13 | 8 | – | – | – | – | – | – | – | – | 8 |

CAUSES of DEATH in the TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1862.—FEMALES.

| DISEASES. | FEMALES. | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | |
| | | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 |
| | | 3 | 6 | 12 | | | | | | | | | |
| ALL CAUSES | 15970 | 1233 | 523 | 1240 | 1808 | 919 | 589 | 375 | 789 | 350 | 479 | 621 | 596 |
| SPECIFIED CAUSES | 15701 | 1145 | 488 | 1216 | 1783 | 911 | 580 | 369 | 778 | 349 | 475 | 615 | 590 |
| I. Zymotic Class | 3780 | 143 | 134 | 445 | 810 | 493 | 324 | 224 | 366 | 82 | 88 | 90 | 82 |
| II. Diseases of Uncertain Seat | 616 | 5 | 1 | 5 | 7 | 8 | 7 | 3 | 9 | 5 | 2 | 10 | 19 |
| III. Tubercular Class | 3058 | 26 | 69 | 186 | 242 | 128 | 89 | 71 | 209 | 179 | 298 | 331 | 293 |
| IV. Brain and Nervous System | 1098 | 80 | 34 | 48 | 52 | 28 | 18 | 14 | 56 | 21 | 18 | 23 | 24 |
| V. Organs of Circulation | 640 | – | – | 3 | 1 | – | – | 1 | 8 | 11 | 15 | 28 | 23 |
| VI. Respiratory Organs | 2591 | 137 | 121 | 330 | 369 | 171 | 102 | 38 | 63 | 17 | 18 | 56 | 40 |
| VII. Organs of Digestion | 1113 | 73 | 44 | 148 | 222 | 43 | 9 | 6 | 29 | 15 | 15 | 27 | 27 |
| VIII. Urinary Organs | 131 | 1 | – | – | 3 | – | 4 | – | 6 | 3 | 2 | 5 | 12 |
| IX. Organs of Generation | 204 | – | – | – | – | – | – | – | – | – | 11 | 29 | 44 |
| X. Organs of Locomotion | 67 | – | – | – | 2 | – | 1 | 1 | 7 | 4 | 2 | 3 | 2 |
| XI. Skin, etc. | 10 | 4 | 1 | 1 | 2 | – | – | – | – | – | – | – | – |
| XII. Malformation | 34 | 25 | 3 | 2 | 2 | – | – | – | – | 1 | – | – | – |
| XIII. Premature Debility | 719 | 612 | 68 | 39 | – | – | – | – | – | – | – | – | – |
| XIV. Atrophy | 186 | – | – | – | 55 | 23 | 9 | 5 | 12 | 2 | 2 | 2 | 3 |
| XV. Age | 1141 | – | – | – | – | – | – | – | – | – | – | – | – |
| XVI. Sudden Deaths | 28 | 3 | 3 | – | 1 | 2 | – | – | – | – | – | 2 | 4 |
| XVII. Violent Deaths | 285 | 36 | 10 | 9 | 15 | 15 | 17 | 6 | 13 | 9 | 4 | 9 | 17 |
| I. Small Pox | 156 | 12 | 5 | 32 | 33 | 30 | 9 | 5 | 12 | 2 | 5 | 3 | 3 |
| Measles | 473 | 3 | 11 | 74 | 184 | 95 | 49 | 22 | 31 | 1 | 2 | – | – |
| Scarlatina | 314 | 2 | 4 | 10 | 45 | 56 | 33 | 48 | 88 | 15 | 3 | 5 | 1 |
| Diphtheria | 192 | 5 | 5 | 10 | 42 | 29 | 25 | 17 | 43 | 6 | 4 | 2 | 1 |
| Hooping Cough | 927 | 33 | 60 | 200 | 281 | 153 | 94 | 60 | 46 | – | – | – | – |
| Croup | 366 | 13 | 9 | 43 | 103 | 66 | 66 | 35 | 31 | – | – | – | – |
| Thrush | 10 | 2 | 3 | 2 | 2 | 1 | – | – | – | – | – | – | – |
| Diarrhœa | 311 | 41 | 20 | 51 | 59 | 15 | 6 | 4 | 9 | 1 | 4 | 2 | 5 |
| Dysentery | 77 | 1 | – | 6 | 6 | 2 | – | 3 | 2 | 1 | 1 | 4 | 5 |
| Cholera | 10 | – | – | 1 | 1 | 1 | – | 1 | 1 | – | – | – | – |
| Influenza | 37 | 1 | 1 | – | 1 | – | – | 1 | 2 | – | – | 2 | – |
| Purpura | 14 | – | – | 1 | 2 | 1 | – | 1 | 2 | 1 | – | 1 | – |
| Ague | 7 | – | – | 1 | – | 2 | – | – | – | 2 | 1 | – | – |
| Worms | 6 | – | 1 | – | – | 2 | 3 | – | – | – | – | – | – |
| Infantile Fever | 14 | – | 1 | 2 | 4 | 4 | 1 | 2 | – | – | – | – | – |
| Typhus | 685 | 1 | 3 | 7 | 34 | 31 | 36 | 24 | 96 | 52 | 58 | 49 | 45 |
| Metria | 59 | – | – | – | – | – | – | – | – | – | 4 | 17 | 20 |
| Rheumatic Fever | 10 | – | – | – | – | – | – | – | – | – | – | 2 | – |
| Erysipelas | 65 | 17 | 3 | 3 | 3 | 4 | 1 | – | 1 | 1 | 5 | 1 | 1 |
| Syphilis | 38 | 11 | 7 | 2 | 8 | – | 1 | – | – | – | 1 | 2 | 1 |
| Noma | 9 | 1 | 1 | – | 2 | 1 | – | 1 | 2 | – | – | – | – |
| Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – |
| II. Hæmorrhage | 10 | 1 | – | – | – | – | – | – | – | – | – | 2 | 2 |
| Dropsy | 192 | – | – | 1 | 1 | 5 | 3 | 2 | 4 | 3 | 1 | 5 | 8 |
| Abscess | 32 | 2 | 1 | 2 | 3 | 2 | – | – | 4 | 1 | – | 1 | 2 |
| Ulcer | 15 | – | – | 1 | 1 | – | 2 | – | – | 1 | 1 | 1 | – |
| Fistula | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Mortification | 20 | 1 | – | 1 | 2 | – | 1 | 1 | – | – | – | – | – |
| Cancer | 345 | 1 | – | – | – | 1 | 1 | – | 1 | – | – | 1 | 7 |
| Gout | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| III. Scrofula | 132 | – | 2 | 6 | 16 | 9 | 3 | 4 | 20 | 11 | 16 | 13 | 9 |
| Tabes Mesenterica | 208 | 8 | 6 | 29 | 52 | 30 | 18 | 2 | 35 | 18 | 2 | 3 | 2 |
| Phthisis | 2269 | 6 | 17 | 32 | 61 | 50 | 29 | 43 | 110 | 136 | 279 | 314 | 281 |
| Hydrocephalus | 449 | 12 | 44 | 119 | 113 | 39 | 39 | 22 | 44 | 14 | 1 | 1 | 1 |

CAUSES of DEATH in the TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1862.—FEMALES.

| DISEASES. | FEMALES. AGE UNDER | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 35 | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| ALL CAUSES | 581 | 559 | 515 | 515 | 548 | 501 | 687 | 629 | 657 | 529 | 405 | 225 | 64 | 19 | 5 | 9 |
| SPECIFIED CAUSES | 574 | 553 | 508 | 507 | 547 | 495 | 680 | 629 | 657 | 529 | 405 | 225 | 64 | 19 | 5 | 5 |
| Zymotic Class | 55 | 58 | 48 | 48 | 53 | 43 | 59 | 37 | 41 | 31 | 17 | 9 | – | – | – | – |
| Uncertain Seat | 32 | 34 | 56 | 55 | 79 | 53 | 74 | 54 | 42 | 29 | 17 | 9 | 1 | – | – | – |
| Tubercular Class | 273 | 212 | 150 | 116 | 83 | 34 | 40 | 17 | 7 | 3 | 1 | – | – | – | – | 1 |
| Brain, etc. | 32 | 34 | 40 | 48 | 60 | 66 | 90 | 86 | 83 | 77 | 38 | 20 | 6 | 1 | 1 | – |
| Heart, etc. | 22 | 34 | 48 | 47 | 53 | 56 | 76 | 88 | 69 | 38 | 13 | 5 | – | 1 | – | – |
| Respiratory Organs | 65 | 63 | 72 | 94 | 110 | 136 | 178 | 143 | 119 | 83 | 43 | 18 | 5 | – | – | – |
| Digestive Organs | 31 | 45 | 32 | 42 | 60 | 56 | 59 | 59 | 36 | 20 | 8 | 4 | 3 | – | – | – |
| Urinary Organs | 15 | 18 | 15 | 10 | 2 | 5 | 7 | 8 | 8 | 3 | 3 | 1 | – | – | – | – |
| Generative Organs | 33 | 32 | 25 | 12 | 5 | 2 | 5 | 2 | 2 | 1 | 1 | – | – | – | – | – |
| Locomotive Organs | 4 | 4 | 3 | 5 | 4 | 5 | 6 | 12 | 2 | – | – | – | – | – | – | – |
| Skin | 1 | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Malformation | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Premature Debility | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Atrophy | 3 | 6 | 9 | 10 | 20 | 25 | – | – | – | – | – | – | – | – | – | – |
| Age | – | – | – | – | – | 1 | 74 | 109 | 241 | 236 | 257 | 155 | 47 | 17 | 4 | – |
| Sudden Deaths | – | 3 | 3 | 3 | 2 | 1 | – | 1 | – | – | – | – | – | – | – | – |
| Violent Deaths | 8 | 10 | 7 | 17 | 16 | 12 | 12 | 12 | 6 | 8 | 7 | 4 | 2 | – | – | 4 |
| Small Pox | 2 | 1 | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Measles | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scarlatina | – | 2 | – | – | 1 | – | – | 1 | – | – | – | – | – | – | – | – |
| Diphtheria | 1 | – | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Hooping Cough | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Croup | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Thrush | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diarrhœa | 1 | 5 | 9 | 6 | 8 | 7 | 14 | 8 | 16 | 11 | 6 | 3 | – | – | – | – |
| Dysentery | 1 | 4 | 1 | 4 | 3 | 3 | 6 | 6 | 6 | 6 | 5 | 1 | – | – | – | – |
| Cholera | – | – | – | 1 | – | – | – | – | 1 | 1 | 1 | 1 | – | – | – | – |
| Influenza | 3 | – | 2 | 1 | 4 | 4 | 2 | 2 | 5 | 3 | 2 | 1 | – | – | – | – |
| Purpura | – | – | 1 | – | – | 1 | 1 | – | – | 2 | – | – | – | – | – | – |
| Ague | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Worms | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Infantile Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Typhus | 36 | 35 | 23 | 31 | 29 | 26 | 29 | 19 | 12 | 7 | 1 | 1 | – | – | – | – |
| Metria | 7 | 8 | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rheumatic Fever | 1 | – | 3 | 1 | – | – | 3 | – | – | – | – | – | – | – | – | – |
| Erysipelas | 2 | – | 2 | 4 | 6 | 2 | 2 | 1 | 1 | 1 | 2 | 2 | – | – | – | – |
| Syphilis | 1 | 1 | 1 | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – |
| Noma | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmorrhage | 2 | – | 1 | – | 1 | – | – | – | 1 | – | – | – | – | – | – | – |
| Dropsy | 9 | 9 | 10 | 18 | 22 | 11 | 20 | 20 | 14 | 14 | 7 | 4 | 1 | – | – | – |
| Abscess | 1 | 1 | – | 3 | 4 | – | 2 | 1 | – | 2 | – | – | – | – | – | – |
| Ulcer | – | 1 | 2 | – | 1 | – | – | – | 2 | 1 | – | 1 | – | – | – | – |
| Fistula | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| Mortification | 1 | – | – | – | 2 | – | 1 | 2 | 3 | 3 | 2 | – | – | – | – | – |
| Cancer | 19 | 23 | 43 | 34 | 49 | 42 | 51 | 31 | 22 | 8 | 7 | 4 | – | – | – | – |
| Gout | – | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| Scrofula | 6 | 4 | 3 | 3 | 2 | 1 | 1 | 2 | 1 | – | – | – | – | – | – | – |
| Tabes Mesenterica | 1 | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phthisis | 266 | 207 | 146 | 113 | 81 | 33 | 39 | 15 | 6 | 3 | 1 | – | – | – | – | 1 |
| Hydrocephalus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in the TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1862.—FEMALES. (*Continued.*)

| DISEASES. | FEMALES. | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | |
| | | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 |
| | | 3 | 6 | 12 | | | | | | | | | |
| IV. Cephalitis | 64 | 3 | 3 | 8 | 6 | 7 | 3 | 1 | 10 | 6 | 2 | 4 | 2 |
| Apoplexy | 246 | 2 | 1 | 4 | 8 | 4 | 3 | 1 | 5 | 1 | 1 | 5 | 3 |
| Paralysis | 293 | – | – | – | 2 | – | – | – | 4 | – | 1 | 1 | 7 |
| Delirium Tremens | 4 | – | – | – | – | – | – | – | – | – | – | – | – |
| Chorea | 2 | – | – | – | – | – | – | – | 1 | – | – | – | – |
| Epilepsy | 40 | – | – | – | 1 | – | – | – | – | 6 | 1 | 3 | 2 |
| Tetanus | 9 | 1 | – | – | – | – | 1 | 2 | – | – | 1 | – | 2 |
| Insanity | 32 | – | – | – | – | – | – | – | – | 1 | – | 1 | 2 |
| Convulsions | 174 | 70 | 26 | 27 | 24 | 9 | 6 | 4 | 8 | – | – | – | – |
| Brain Disease | 234 | 4 | 4 | 9 | 11 | 8 | 5 | 6 | 28 | 7 | 12 | 9 | 6 |
| V. Pericarditis | 12 | – | – | – | – | – | – | 1 | – | – | 1 | 4 | – |
| Aneurism | 14 | – | – | – | – | – | – | – | – | – | 1 | – | – |
| Heart Disease | 614 | – | – | 3 | 1 | – | – | – | 8 | 11 | 13 | 24 | 23 |
| VI. Laryngitis | 39 | 2 | 4 | 5 | 9 | 8 | 5 | 1 | – | – | – | – | 2 |
| Bronchitis | 1797 | 98 | 90 | 262 | 286 | 120 | 76 | 30 | 40 | 7 | 4 | 26 | 14 |
| Pleurisy | 54 | 2 | 3 | 2 | – | 1 | 2 | – | 1 | 1 | 1 | 5 | 5 |
| Pneumonia | 443 | 32 | 23 | 59 | 64 | 41 | 17 | 7 | 21 | 9 | 4 | 17 | 18 |
| Asthma | 178 | 1 | – | – | – | – | – | – | – | – | 2 | – | – |
| Lung Disease | 80 | 2 | 1 | 2 | 10 | 1 | 2 | – | 1 | – | 7 | 8 | 1 |
| VII. Teething | 332 | – | 11 | 112 | 181 | 28 | – | – | – | – | – | – | – |
| Quinsey | 12 | 1 | – | 1 | 1 | – | 1 | 1 | 1 | 1 | – | – | 2 |
| Gastritis | 36 | – | 1 | 2 | 1 | 1 | 1 | – | 2 | 1 | 2 | 4 | 1 |
| Enteritis | 182 | 45 | 17 | 23 | 24 | 5 | 3 | 2 | 11 | 4 | 3 | 6 | 4 |
| Peritonitis | 62 | 2 | – | 1 | 2 | – | – | – | 3 | 7 | 3 | 12 | 6 |
| Ascites | 15 | 1 | – | – | 1 | – | – | – | – | – | – | – | 2 |
| Ulceration of Intestines | 35 | – | – | – | 1 | 2 | – | – | 2 | 1 | 3 | 1 | – |
| Hernia | 25 | – | – | – | – | – | – | – | – | – | – | – | – |
| Ileus | 68 | 7 | 1 | 2 | 3 | – | 1 | – | 1 | – | 1 | – | 4 |
| Intussusception | 7 | – | 1 | 1 | 1 | – | – | – | 1 | – | – | – | – |
| Stricture of Intestines | 6 | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Stomach Disease | 141 | 13 | 8 | 5 | 7 | 5 | 3 | 2 | 2 | – | 1 | 1 | 4 |
| Pancreas Disease | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hepatitis | 34 | – | – | – | – | 1 | – | – | – | – | 1 | – | 1 |
| Jaundice | 31 | 3 | 3 | 1 | – | 1 | – | – | 2 | – | – | 1 | 1 |
| Liver Disease | 122 | 1 | 2 | – | – | – | – | 1 | 3 | 1 | 1 | 1 | 2 |
| Spleen Disease | 5 | – | – | – | – | – | – | – | 1 | – | – | – | – |
| VIII. Nephritis | 12 | – | – | – | – | – | 1 | – | 1 | 1 | – | – | 1 |
| Nephria | 52 | – | – | – | 1 | – | – | – | 3 | – | 2 | 3 | 3 |
| Ischuria | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Diabetes | 13 | – | – | – | 1 | – | 1 | – | – | – | – | – | 2 |
| Stone | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Cystitis | 4 | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Stricture of Urethra | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Kidney Disease | 48 | 1 | – | – | 1 | – | 2 | – | 2 | 2 | – | 1 | 6 |
| IX. Paramenia | 12 | – | – | – | – | – | – | – | – | – | 5 | 1 | 1 |
| Ovarian Dropsy | 31 | – | – | – | – | – | – | – | – | – | – | 1 | 6 |
| Childbirth | 129 | – | – | – | – | – | – | – | – | – | 6 | 24 | 34 |
| Organs of Generation | 32 | – | – | – | – | – | – | – | – | – | – | 3 | 3 |
| X. Arthritis | 1 | – | – | – | – | – | 1 | – | – | – | – | – | – |
| Rheumatism | 35 | – | – | – | – | – | – | – | – | – | 1 | 1 | 2 |
| Joint and Bone Disease | 31 | – | – | – | 2 | 2 | – | 1 | 7 | 4 | 1 | 2 | – |
| XI. Carbuncle | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmon | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Skin Disease | 9 | 4 | 1 | 1 | 2 | – | – | – | – | – | – | – | – |
| XII. Cyanosis | 9 | 7 | 1 | – | 1 | – | – | – | – | – | – | – | – |
| Spina Bifida | 7 | 5 | 2 | – | – | – | – | – | – | – | – | – | – |
| Other Malformations | 18 | 13 | – | 2 | 1 | – | – | – | – | 1 | – | – | – |
| XVII. Intemperance | 8 | – | – | – | – | – | – | – | – | – | – | – | 2 |
| Privation | 2 | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Want of Breast Milk | 24 | 18 | 4 | 2 | – | – | – | – | – | – | – | – | – |
| Neglect | 2 | – | – | – | 1 | – | – | 1 | – | – | – | – | – |
| Cold | 2 | – | – | – | 1 | – | – | – | – | – | – | – | 1 |
| Poison | 14 | 4 | 1 | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds | 74 | 1 | 1 | 5 | 7 | 11 | 15 | 4 | 6 | 2 | – | 2 | 2 |
| Hanging, etc. | 6 | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Suffocation | 26 | 8 | 4 | 1 | 1 | – | 1 | – | – | 1 | – | 3 | 1 |
| Drowning | 26 | 2 | – | – | 1 | – | 1 | – | 1 | 1 | – | 1 | 5 |
| Fracture and Contusion | 87 | 2 | – | 1 | 3 | 3 | – | 1 | 6 | 5 | 3 | 3 | 3 |
| Wounds | 6 | – | – | – | – | – | – | – | – | – | 1 | – | 2 |
| Other Violent Causes | 8 | 1 | – | – | – | 1 | – | – | – | – | – | – | – |
| Not Specified | 269 | 88 | 35 | 24 | 25 | 8 | 9 | 6 | 11 | 1 | 4 | 6 | 6 |

CAUSES of DEATH in the TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1862.—FEMALES. (*Continued.*)

| DISEASES. | FEMALES. AGE UNDER | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 35 | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| Cephalitis | – | 1 | 1 | 3 | – | 2 | 1 | – | 1 | – | – | – | – | – | – | – |
| Apoplexy | 8 | 8 | 9 | 14 | 22 | 26 | 38 | 25 | 19 | 19 | 11 | 6 | 2 | 1 | – | – |
| Paralysis | 6 | 6 | 6 | 13 | 18 | 20 | 31 | 46 | 50 | 46 | 20 | 11 | 4 | – | 1 | – |
| Delirium Tremens | 2 | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Chorea | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epilepsy | 3 | 2 | 6 | 4 | 2 | 2 | 3 | – | 2 | 1 | 2 | – | – | – | – | – |
| Tetanus | – | 1 | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Insanity | 3 | 3 | 5 | 3 | – | 4 | 2 | 2 | 2 | – | 1 | – | – | – | – | – |
| Convulsions | – | – | – | – | 3 | – | – | – | – | – | – | – | – | – | – | – |
| Brain Disease | 10 | 13 | 11 | 11 | 14 | 12 | 14 | 13 | 9 | 11 | 4 | 3 | – | – | – | – |
| Pericarditis | – | 1 | 1 | – | 1 | 1 | 1 | 1 | – | – | – | – | – | – | – | – |
| Aneurism | – | 2 | 4 | 3 | 2 | – | – | 2 | – | – | – | – | – | – | – | – |
| Heart Disease | 22 | 31 | 43 | 44 | 50 | 55 | 75 | 85 | 69 | 38 | 13 | 5 | – | 1 | – | – |
| Laryngitis | – | 1 | – | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – |
| Bronchitis | 33 | 37 | 46 | 59 | 71 | 89 | 119 | 95 | 74 | 64 | 38 | 14 | 5 | – | – | – |
| Pleurisy | 6 | 2 | 2 | 5 | – | 5 | 2 | 3 | 5 | – | 1 | – | – | – | – | – |
| Pneumonia | 18 | 13 | 7 | 14 | 11 | 17 | 11 | 18 | 14 | 4 | 3 | 1 | – | – | – | – |
| Asthma | 2 | 8 | 12 | 13 | 20 | 19 | 42 | 22 | 23 | 11 | 1 | 2 | – | – | – | – |
| Lung Disease | 6 | 2 | 5 | 3 | 8 | 5 | 4 | 4 | 3 | 4 | – | 1 | – | – | – | – |
| Teething | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Quinsey | 1 | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Gastritis | 1 | 2 | 1 | 1 | 5 | 3 | 3 | – | 1 | 3 | – | – | – | – | – | – |
| Enteritis | 3 | 6 | 2 | 2 | 3 | 2 | 4 | 6 | 3 | 3 | – | 1 | – | – | – | – |
| Peritonitis | 5 | 4 | – | 2 | 2 | 4 | 5 | 4 | – | – | – | – | – | – | – | – |
| Ascites | – | 1 | – | 1 | 2 | 1 | 1 | 1 | 2 | 1 | – | – | 1 | – | – | – |
| Ulceration of Intestines | 2 | 6 | 4 | – | 4 | – | 2 | 4 | 2 | – | 1 | – | – | – | – | – |
| Hernia | – | 1 | 1 | 1 | 3 | 3 | 7 | 2 | 5 | 2 | – | – | – | – | – | – |
| Ileus | 4 | 3 | 1 | 2 | 5 | 5 | 7 | 5 | 7 | 2 | 4 | 2 | 1 | – | – | – |
| Intussusception | – | – | 1 | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – |
| Stricture of Intestines | – | – | – | – | 1 | 1 | 2 | – | 1 | – | – | – | – | – | – | – |
| Stomach Disease | 6 | 12 | 9 | 13 | 4 | 11 | 9 | 11 | 8 | 5 | 2 | – | – | – | – | – |
| Pancreas Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hepatitis | 2 | 1 | 1 | 7 | 5 | 6 | 4 | 3 | 1 | 1 | – | – | – | – | – | – |
| Jaundice | – | 1 | 1 | – | 2 | 4 | 1 | 5 | 3 | – | 1 | – | 1 | – | – | – |
| Liver Disease | 7 | 7 | 10 | 13 | 22 | 13 | 14 | 17 | 3 | 3 | – | 1 | – | – | – | – |
| Spleen Disease | – | – | 1 | – | 1 | 2 | – | – | – | – | – | – | – | – | – | – |
| Nephritis | 2 | 1 | – | 1 | – | – | 2 | 1 | – | – | 1 | – | – | – | – | – |
| Nephria | 6 | 9 | 5 | 3 | 1 | 4 | 2 | 2 | 4 | 2 | 1 | 1 | – | – | – | – |
| Ischuria | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Diabetes | – | 3 | 3 | 1 | 1 | 1 | – | – | – | – | – | – | – | – | – | – |
| Stone | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Cystitis | 1 | – | 1 | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Stricture of Urethra | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Kidney Disease | 6 | 5 | 6 | 4 | – | – | 3 | 4 | 3 | 1 | 1 | – | – | – | – | – |
| Paramenia | 1 | 1 | 2 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Ovarian Dropsy | 3 | 3 | 4 | 4 | 3 | 2 | 2 | 1 | – | 1 | 1 | – | – | – | – | – |
| Childbirth | 25 | 24 | 14 | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| Organs of Generation | 4 | 4 | 5 | 5 | 2 | – | 3 | 1 | 2 | – | – | – | – | – | – | – |
| Arthritis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rheumatism | 2 | 2 | 1 | 4 | 2 | 2 | 5 | 11 | 2 | – | – | – | – | – | – | – |
| Joint Disease | 2 | 2 | 2 | 1 | 2 | 3 | 1 | 1 | – | – | – | – | – | – | – | – |
| Carbuncle | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Phlegmon | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Skin Disease | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cyanosis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Spina Bifida | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Malformations | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Intemperance | – | 1 | 2 | 2 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Privation | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Want of Breast Milk | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Neglect | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cold | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Poison | 2 | 1 | – | – | 2 | 3 | – | – | – | 1 | – | – | – | – | – | – |
| Burns and Scalds | – | 1 | – | 1 | 2 | 1 | 2 | 4 | 1 | 2 | 2 | 2 | – | – | – | – |
| Hanging, etc. | – | 1 | – | 1 | – | 2 | – | 1 | – | – | – | – | – | – | – | – |
| Suffocation | – | 1 | – | 3 | 1 | – | – | – | – | – | – | – | – | – | – | 1 |
| Drowning | 3 | 2 | 2 | 3 | – | 2 | 1 | – | – | – | – | – | – | – | – | 1 |
| Fracture and Contusion | 1 | 2 | 3 | 6 | 10 | 3 | 8 | 6 | 5 | 4 | 5 | 2 | 2 | – | – | – |
| Wounds | 1 | – | – | – | – | 1 | – | – | – | 1 | – | – | – | – | – | – |
| Other Violent Causes | – | 1 | – | 1 | – | – | 1 | 1 | – | – | – | – | – | – | – | 2 |
| Not Specified | 7 | 6 | 7 | 8 | 1 | 6 | 7 | – | – | – | – | – | – | – | – | 4 |

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1862.—Both Sexes.

| DISEASES. | BOTH SEXES. | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | |
| | | MONTHS. | | | | | | | | | | | |
| | | 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 |
| All Causes | 11565 | 1057 | 447 | 1058 | 1601 | 753 | 440 | 288 | 597 | 294 | 407 | 436 | 385 |
| Specified Causes | 11403 | 1003 | 428 | 1044 | 1591 | 747 | 436 | 285 | 591 | 294 | 399 | 433 | 382 |
| I. Zymotic Class | 2497 | 80 | 89 | 276 | 607 | 348 | 211 | 147 | 222 | 50 | 56 | 60 | 53 |
| II. Diseases of Uncertain Seat | 296 | 4 | – | 3 | 8 | 6 | 4 | 2 | 8 | 6 | 4 | 8 | 5 |
| III. Tubercular Class | 2340 | 17 | 60 | 140 | 237 | 110 | 85 | 56 | 194 | 134 | 252 | 246 | 197 |
| IV. Brain and Nervous System | 807 | 79 | 33 | 57 | 67 | 24 | 13 | 12 | 43 | 29 | 11 | 12 | 19 |
| V. Organs of Circulation | 424 | 1 | – | – | 2 | – | – | 1 | 4 | 8 | 13 | 23 | 17 |
| VI. Respiratory Organs | 2290 | 126 | 142 | 366 | 386 | 178 | 93 | 45 | 63 | 23 | 26 | 35 | 24 |
| VII. Organs of Digestion | 872 | 90 | 42 | 136 | 211 | 49 | 7 | 10 | 19 | 13 | 14 | 22 | 15 |
| VIII. Urinary Organs | 98 | 1 | – | 1 | 2 | 1 | 1 | – | 2 | 5 | 1 | 6 | 10 |
| IX. Organs of Generation | 58 | – | – | – | – | – | – | – | – | – | 6 | 7 | 9 |
| X. Organs of Locomotion | 54 | 1 | – | – | 1 | – | 1 | – | 2 | 6 | 4 | 2 | 2 |
| XI. Skin, etc. | 4 | – | – | 2 | – | – | – | – | – | – | – | – | – |
| XII. Malformation | 23 | 17 | 1 | 1 | 2 | 1 | – | – | – | – | – | – | – |
| XIII. Premature Debility | 660 | 560 | 46 | 54 | – | – | – | – | – | – | – | – | – |
| XIV. Atrophy | 158 | – | – | – | 50 | 22 | 10 | 5 | 15 | 5 | 2 | 2 | 4 |
| XV. Age | 472 | – | – | – | – | – | – | – | – | – | – | – | – |
| XVI. Sudden Deaths | 19 | 1 | 2 | – | 1 | – | – | – | – | – | – | 1 | 3 |
| XVII. Violent Deaths | 331 | 26 | 13 | 8 | 17 | 8 | 11 | 7 | 19 | 15 | 10 | 9 | 24 |
| I. Small Pox | 27 | 2 | 3 | 4 | 4 | 4 | – | 2 | 3 | 1 | 2 | – | 1 |
| Measles | 275 | 1 | 3 | 36 | 126 | 46 | 31 | 9 | 20 | 1 | 1 | – | 1 |
| Scarlatina | 112 | – | 1 | 4 | 16 | 26 | 15 | 13 | 32 | 4 | – | 1 | – |
| Diphtheria | 139 | 2 | 3 | 8 | 34 | 25 | 26 | 13 | 19 | 3 | 2 | 1 | 1 |
| Hooping Cough | 681 | 19 | 36 | 138 | 223 | 116 | 65 | 51 | 33 | – | – | – | – |
| Croup | 327 | 5 | 7 | 29 | 96 | 82 | 49 | 31 | 28 | – | – | – | – |
| Thrush | 4 | 1 | – | 1 | 2 | – | – | – | – | – | – | – | – |
| Diarrhœa | 205 | 26 | 20 | 33 | 54 | 13 | 5 | 2 | 4 | 1 | 5 | – | 4 |
| Dysentery | 39 | – | 1 | 5 | 5 | 2 | – | – | 1 | – | – | 3 | 3 |
| Cholera | 14 | 1 | – | 1 | 2 | 2 | – | 1 | 2 | – | – | 2 | – |
| Influenza | 22 | – | 1 | – | – | 1 | – | 1 | 2 | – | 1 | 2 | – |
| Purpura | 3 | – | – | – | 1 | – | – | – | – | 1 | – | – | – |
| Ague | 3 | – | – | – | – | – | – | – | – | – | 1 | 1 | – |
| Worms | 7 | – | – | – | 1 | 3 | 1 | – | 2 | – | – | – | – |
| Infantile Fever | 5 | – | – | 1 | 2 | 1 | 1 | – | – | – | – | – | – |
| Typhus | 533 | – | 3 | 13 | 33 | 24 | 17 | 23 | 74 | 38 | 38 | 40 | 35 |
| Metria | 18 | – | – | – | – | – | – | – | – | – | – | 7 | 6 |
| Rheumatic Fever | 9 | – | – | – | – | – | – | – | – | – | 3 | 2 | – |
| Erysipelas | 44 | 11 | 4 | 2 | 3 | 2 | 1 | – | 1 | 1 | 3 | 1 | 2 |
| Syphilis | 27 | 11 | 7 | 1 | 5 | – | – | 1 | – | – | – | – | – |
| Noma | 3 | 1 | – | – | – | 1 | – | – | 1 | – | – | – | – |
| Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – |
| II. Hæmorrhage | 13 | – | – | – | – | – | – | – | – | 1 | 1 | 1 | – |
| Dropsy | 87 | – | – | – | 2 | 3 | 3 | 1 | 4 | 4 | – | 2 | 3 |
| Abscess | 24 | 1 | – | 2 | 2 | 2 | – | – | 2 | – | 3 | 4 | 1 |
| Ulcer | 11 | 1 | – | – | 1 | – | – | – | – | – | – | – | – |
| Fistula | 3 | – | – | – | – | – | – | – | – | – | – | – | – |
| Mortification | 19 | 1 | – | 1 | 3 | – | 1 | – | 1 | – | – | – | – |
| Cancer | 138 | 1 | – | – | – | 1 | – | 1 | 1 | 1 | – | 1 | 1 |
| Gout | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| III. Scrofula | 109 | 2 | 1 | 4 | 7 | 8 | 4 | 7 | 23 | 16 | 14 | 9 | 4 |
| Tabes Mesenterica | 182 | 3 | 3 | 21 | 56 | 33 | 15 | 7 | 23 | 13 | 2 | 3 | 1 |
| Phthisis | 1670 | 5 | 16 | 19 | 68 | 41 | 30 | 27 | 106 | 97 | 236 | 234 | 191 |
| Hydrocephalus | 379 | 7 | 40 | 96 | 106 | 28 | 36 | 15 | 42 | 8 | – | – | 1 |

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1862.—Both Sexes.

| DISEASES. | BOTH SEXES. AGE UNDER | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 35 | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| All Causes | 376 | 403 | 411 | 401 | 437 | 316 | 407 | 300 | 298 | 215 | 133 | 75 | 15 | 8 | 2 | 5 |
| Specified Causes | 374 | 397 | 407 | 398 | 433 | 311 | 403 | 300 | 298 | 215 | 133 | 75 | 15 | 8 | 2 | 1 |
| Zymotic Class | 41 | 47 | 37 | 41 | 38 | 25 | 21 | 22 | 12 | 9 | 3 | 2 | – | – | – | – |
| Uncertain Seat | 11 | 21 | 26 | 28 | 45 | 15 | 23 | 24 | 17 | 14 | 8 | 6 | – | – | – | – |
| Tubercular Class | 157 | 127 | 117 | 86 | 67 | 27 | 18 | 6 | 6 | 1 | – | – | – | – | – | – |
| Brain, etc. | 22 | 33 | 27 | 42 | 50 | 49 | 58 | 37 | 43 | 27 | 10 | 9 | 1 | – | – | – |
| Heart, etc. | 23 | 35 | 44 | 39 | 40 | 35 | 52 | 38 | 32 | 14 | 1 | 1 | – | 1 | – | – |
| Respiratory Organs | 59 | 50 | 81 | 86 | 104 | 100 | 130 | 81 | 43 | 31 | 15 | 2 | 1 | – | – | – |
| Digestive Organs | 23 | 30 | 20 | 29 | 38 | 26 | 25 | 22 | 15 | 11 | 2 | 1 | 2 | – | – | – |
| Urinary Organs | 5 | 9 | 11 | 6 | 9 | 2 | 9 | 4 | 9 | 2 | 1 | 1 | – | – | – | – |
| Generative Organs | 10 | 11 | 7 | 5 | 2 | – | 1 | – | – | – | – | – | – | – | – | – |
| Locomotive Organs | 2 | 7 | 4 | 4 | 4 | 1 | 4 | 5 | 4 | – | – | – | – | – | – | – |
| Skin | – | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Malformation | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Premature Debility | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Atrophy | 1 | 3 | 7 | 6 | 14 | 12 | – | – | – | – | – | – | – | – | – | – |
| Age | – | – | – | – | – | – | 43 | 54 | 113 | 100 | 90 | 52 | 11 | 7 | 2 | – |
| Sudden Deaths | – | 3 | 1 | 2 | 1 | 2 | 1 | 1 | – | – | – | – | – | – | – | – |
| Violent Deaths | 20 | 21 | 25 | 23 | 21 | 16 | 18 | 5 | 4 | 6 | 3 | 1 | – | – | – | 1 |
| Small Pox | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Measles | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scarlatina | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diphtheria | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Hooping Cough | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Croup | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Thrush | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diarrhœa | – | 4 | 1 | 7 | 2 | 2 | 6 | 3 | 6 | 4 | 2 | 1 | – | – | – | – |
| Dysentery | 1 | 4 | 2 | 1 | 1 | 3 | 1 | 2 | 2 | 2 | – | – | – | – | – | – |
| Cholera | – | – | – | 1 | 1 | – | – | – | – | – | – | 1 | – | – | – | – |
| Influenza | 1 | – | 2 | – | 3 | 2 | – | 2 | 2 | 2 | – | – | – | – | – | – |
| Purpura | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Ague | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Worms | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Infantile Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Typhus | 35 | 34 | 29 | 28 | 26 | 16 | 11 | 12 | 2 | 1 | 1 | – | – | – | – | – |
| Metria | 1 | 4 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rheumatic Fever | 1 | – | – | – | 1 | – | 2 | – | – | – | – | – | – | – | – | – |
| Erysipelas | – | 1 | 2 | 3 | 2 | 1 | 1 | 3 | – | – | – | – | – | – | – | – |
| Syphilis | – | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Noma | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmorrhage | 2 | – | 1 | 1 | 1 | 1 | 3 | 1 | – | – | – | – | – | – | – | – |
| Dropsy | 2 | 4 | 4 | 10 | 10 | 3 | 8 | 8 | 5 | 7 | 2 | 2 | – | – | – | – |
| Abscess | 1 | 2 | – | – | 2 | 1 | – | 1 | – | – | – | – | – | – | – | – |
| Ulcer | – | 1 | 2 | 1 | 3 | – | – | – | 1 | – | – | 1 | – | – | – | – |
| Fistula | – | 2 | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Mortification | – | – | – | – | 2 | – | 1 | 2 | 1 | 2 | 2 | 2 | – | – | – | – |
| Cancer | 6 | 12 | 19 | 16 | 26 | 10 | 11 | 12 | 10 | 5 | 3 | 1 | – | – | – | – |
| Gout | – | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| Scrofula | 5 | 2 | 1 | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – |
| Tabes Mesenterica | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phthisis | 152 | 124 | 115 | 86 | 66 | 26 | 18 | 6 | 6 | 1 | – | – | – | – | – | – |
| Hydrocephalus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1862.—Both Sexes. (*Continued.*)

| DISEASES. | BOTH SEXES. | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | |
| | | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 |
| | | 3 | 6 | 12 | | | | | | | | | |
| IV. Cephalitis | 57 | 2 | 3 | 5 | 9 | 3 | 2 | 2 | 10 | 6 | 1 | 2 | 4 |
| Apoplexy | 158 | 2 | 2 | 2 | 5 | 3 | 1 | 2 | 4 | 3 | – | 1 | 3 |
| Paralysis | 156 | – | – | – | 1 | – | – | – | 3 | 1 | 2 | 2 | 4 |
| Delirium Tremens | 9 | – | – | – | – | – | – | – | – | – | – | – | 2 |
| Chorea | 1 | – | – | – | – | – | – | – | 1 | – | – | – | – |
| Epilepsy | 31 | – | – | – | 1 | – | – | – | – | 7 | 3 | 3 | 2 |
| Tetanus | 10 | 3 | – | 1 | 1 | – | 1 | – | – | – | – | 1 | 2 |
| Insanity | 9 | – | – | – | – | – | – | – | – | 1 | – | – | – |
| Convulsions | 189 | 68 | 25 | 42 | 33 | 9 | 3 | 5 | 4 | – | – | – | – |
| Brain Disease | 187 | 4 | 3 | 7 | 17 | 9 | 6 | 3 | 21 | 11 | 5 | 3 | 2 |
| V. Pericarditis | 16 | – | – | – | – | – | – | – | – | 1 | 2 | 3 | – |
| Aneurism | 7 | – | – | – | – | – | – | – | – | – | – | – | – |
| Heart Disease | 401 | 1 | – | – | 2 | – | – | 1 | 4 | 7 | 11 | 20 | 17 |
| VI. Laryngitis | 42 | 3 | 2 | 9 | 10 | 5 | 5 | 3 | – | – | – | – | 1 |
| Bronchitis | 1553 | 86 | 113 | 277 | 287 | 123 | 69 | 30 | 37 | 11 | 8 | 13 | 14 |
| Pleurisy | 32 | – | – | – | – | – | – | – | 1 | – | 3 | 5 | 1 |
| Pneumonia | 465 | 35 | 25 | 77 | 81 | 48 | 15 | 10 | 23 | 6 | 11 | 13 | 7 |
| Asthma | 117 | – | – | – | – | – | – | – | – | – | – | – | – |
| Lung Disease | 81 | 2 | 2 | 3 | 8 | 2 | 4 | 2 | 2 | 6 | 4 | 4 | 1 |
| VII. Teething | 308 | 1 | 4 | 105 | 168 | 30 | – | – | – | – | – | – | – |
| Quinsey | 15 | 1 | – | 1 | 2 | 2 | 1 | – | 1 | 1 | – | – | 1 |
| Gastritis | 25 | 1 | 2 | 1 | 1 | – | 1 | 1 | 2 | 1 | 1 | 1 | 2 |
| Enteritis | 190 | 52 | 26 | 19 | 27 | 10 | 2 | 6 | 3 | 4 | 6 | 7 | 2 |
| Peritonitis | 26 | 2 | – | – | 1 | – | – | – | 2 | 5 | 1 | 5 | 1 |
| Ascites | 5 | – | – | – | – | – | – | – | 1 | 1 | – | – | – |
| Ulceration of Intestines | 15 | – | – | – | 1 | 1 | – | – | 1 | – | 2 | 2 | – |
| Hernia | 13 | 1 | – | – | – | – | – | – | – | – | – | – | 1 |
| Ileus | 40 | 12 | 1 | 1 | – | – | – | – | 2 | – | – | 1 | 3 |
| Intussusception | 6 | – | – | 2 | 1 | – | – | – | 1 | – | – | – | – |
| Stricture of Intestines | 3 | – | – | – | – | – | – | – | – | – | – | – | – |
| Stomach Disease | 94 | 13 | 4 | 6 | 8 | 5 | 2 | 2 | 3 | 1 | 1 | 1 | 2 |
| Pancreas Disease | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hepatitis | 20 | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Jaundice | 18 | 4 | 2 | – | – | 1 | 1 | – | – | – | 1 | 1 | – |
| Liver Disease | 93 | 3 | 3 | 1 | 2 | – | – | 1 | 3 | – | 2 | 3 | 2 |
| Spleen Disease | 1 | – | – | – | – | – | – | – | – | – | – | – | 1 |
| VIII. Nephritis | 6 | – | – | – | – | – | 1 | – | – | 1 | – | – | – |
| Nephria | 40 | – | – | – | – | – | – | – | 2 | 1 | – | 3 | 4 |
| Ischuria | 5 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Diabetes | 8 | – | – | – | 1 | – | – | – | – | – | – | 1 | 3 |
| Stone | 6 | – | – | 1 | – | 1 | – | – | – | 1 | – | – | – |
| Cystitis | 7 | – | – | – | – | – | – | – | – | 1 | – | 1 | 1 |
| Stricture of Urethra | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Kidney Disease | 26 | – | – | – | 1 | – | – | – | – | 1 | 1 | 1 | 2 |
| IX. Paramenia | 5 | – | – | – | – | – | – | – | – | – | 4 | – | – |
| Ovarian Dropsy | 7 | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Childbirth | 36 | – | – | – | – | – | – | – | – | – | 2 | 5 | 9 |
| Organs of Generation | 10 | – | – | – | – | – | – | – | – | – | – | 1 | – |
| X. Arthritis | 2 | – | – | – | – | – | – | – | – | – | 1 | – | – |
| Rheumatism | 20 | – | – | – | – | – | – | – | – | – | 1 | – | 1 |
| Joint and Bone Disease | 32 | 1 | – | – | 1 | – | 1 | – | 2 | 6 | 2 | 2 | 1 |
| XI. Carbuncle | 2 | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Phlegmon | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Skin Disease | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| XII. Cyanosis | 6 | 5 | – | – | 1 | – | – | – | – | – | – | – | – |
| Spina Bifida | 6 | 5 | – | – | – | – | – | – | – | – | – | – | – |
| Other Malformations | 11 | 7 | – | 1 | 1 | 1 | – | – | – | – | – | – | – |
| XVII. Intemperance | 14 | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Privation | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Want of Breast Milk | 26 | 16 | 9 | 1 | – | – | – | – | – | – | – | – | – |
| Neglect | 2 | – | – | – | 1 | – | – | 1 | – | – | – | – | – |
| Cold | 1 | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Poison | 12 | 2 | – | 1 | 1 | – | – | – | – | – | – | – | 1 |
| Burns and Scalds | 57 | – | 1 | 3 | 11 | 6 | 9 | 3 | 7 | 3 | – | 1 | 1 |
| Hanging, etc. | 9 | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Suffocation | 16 | 5 | 3 | 1 | 1 | – | – | – | – | – | – | – | – |
| Drowning | 61 | 2 | – | 1 | – | – | 1 | 1 | 2 | 2 | 3 | 2 | 8 |
| Fracture and Contusion | 104 | – | – | 1 | 3 | 1 | 1 | 2 | 8 | 8 | 4 | 4 | 8 |
| Wounds | 10 | – | – | – | – | – | – | – | 1 | 2 | 1 | – | 2 |
| Other Violent Causes | 18 | 1 | – | – | – | 1 | – | – | 1 | – | 2 | 2 | 1 |
| Not Specified | 162 | 54 | 19 | 14 | 10 | 6 | 4 | 3 | 6 | – | 8 | 3 | 3 |

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1862.—Both Sexes. (*Continued.*)

| DISEASES. | BOTH SEXES. AGE UNDER | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 35 | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| Cephalitis | – | 2 | 1 | 2 | – | 1 | 1 | – | 1 | – | – | – | – | – | – | – |
| Apoplexy | 5 | 7 | 8 | 10 | 20 | 26 | 26 | 8 | 11 | 5 | 2 | 2 | – | – | – | – |
| Paralysis | 5 | 5 | 7 | 14 | 15 | 10 | 18 | 18 | 21 | 18 | 7 | 4 | 1 | – | – | – |
| Delirium Tremens | 3 | 1 | 1 | – | 2 | – | – | – | – | – | – | – | – | – | – | – |
| Chorea | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epilepsy | 2 | – | 3 | 2 | – | 1 | 2 | 1 | 3 | – | 1 | – | – | – | – | – |
| Tetanus | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Insanity | 1 | 1 | 1 | 1 | 1 | 2 | 1 | – | – | – | – | – | – | – | – | – |
| Convulsions | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Brain Disease | 6 | 17 | 6 | 13 | 12 | 9 | 10 | 10 | 6 | 4 | – | 3 | – | – | – | – |
| Pericarditis | – | 2 | 1 | 1 | 3 | 1 | 1 | 1 | – | – | – | – | – | – | – | – |
| Aneurism | 1 | 1 | 4 | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Heart Disease | 22 | 32 | 39 | 38 | 36 | 34 | 51 | 37 | 32 | 14 | 1 | 1 | – | 1 | – | – |
| Laryngitis | 1 | 2 | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Bronchitis | 33 | 23 | 45 | 46 | 66 | 70 | 76 | 60 | 28 | 21 | 14 | 2 | 1 | – | – | – |
| Pleurisy | 6 | 4 | 2 | 2 | 1 | 1 | 1 | 3 | 1 | 1 | – | – | – | – | – | – |
| Pneumonia | 12 | 13 | 14 | 18 | 18 | 10 | 13 | 8 | 5 | 3 | – | – | – | – | – | – |
| Asthma | 2 | 4 | 10 | 14 | 12 | 17 | 34 | 9 | 9 | 5 | 1 | – | – | – | – | – |
| Lung Disease | 5 | 4 | 10 | 6 | 7 | 2 | 5 | 1 | – | 1 | – | – | – | – | – | – |
| Teething | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Quinsey | 3 | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Gastritis | 1 | 1 | – | 2 | 4 | – | – | 1 | 1 | 1 | – | – | – | – | – | – |
| Enteritis | 3 | 5 | 1 | 1 | 2 | 3 | 3 | 2 | 3 | 2 | – | 1 | – | – | – | – |
| Peritonitis | 3 | 2 | – | 1 | 1 | 1 | 1 | – | – | – | – | – | – | – | – | – |
| Ascites | – | – | – | 1 | 1 | – | – | – | – | 1 | – | – | – | – | – | – |
| Ulceration of Intestines | – | 2 | 1 | 3 | 2 | – | – | – | – | – | – | – | – | – | – | – |
| Hernia | – | 1 | 1 | 2 | 1 | 1 | 2 | 1 | – | 2 | – | – | – | – | – | – |
| Ileus | 3 | 1 | 1 | 1 | 3 | 2 | 3 | – | 3 | 1 | 1 | – | 1 | – | – | – |
| Intussusception | – | – | – | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – |
| Stricture of Intestines | – | – | – | 1 | 1 | 1 | – | – | – | – | – | – | – | – | – | – |
| Stomach Disease | 5 | 5 | 4 | 4 | 5 | 9 | 4 | 4 | 5 | – | 1 | – | – | – | – | – |
| Pancreas Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hepatitis | – | 4 | 2 | 4 | 3 | 2 | 2 | 2 | – | – | – | – | – | – | – | – |
| Jaundice | – | 1 | 1 | – | 1 | 2 | – | 2 | 1 | – | – | – | – | – | – | – |
| Liver Disease | 5 | 7 | 9 | 9 | 13 | 4 | 10 | 9 | 2 | 4 | – | – | 1 | – | – | – |
| Spleen Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Nephritis | 1 | – | – | 1 | – | – | 1 | 1 | – | – | – | – | – | – | – | – |
| Nephria | 3 | 6 | 7 | 4 | 4 | 2 | 1 | – | 3 | – | – | – | – | – | – | – |
| Ischuria | – | – | 1 | – | – | – | 1 | – | 1 | 1 | – | – | – | – | – | – |
| Diabetes | – | 1 | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Stone | – | – | – | – | 1 | – | 1 | – | – | – | – | 1 | – | – | – | – |
| Cystitis | – | – | 1 | – | – | – | 1 | 1 | 1 | – | – | – | – | – | – | – |
| Stricture of Urethra | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Kidney Disease | 1 | 2 | 1 | 1 | 3 | – | 4 | 2 | 4 | 1 | 1 | – | – | – | – | – |
| Paramenia | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ovarian Dropsy | – | 1 | 1 | 3 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Childbirth | 8 | 7 | 5 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Organs of Generation | 2 | 2 | 1 | 2 | 1 | – | 1 | – | – | – | – | – | – | – | – | – |
| Arthritis | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rheumatism | 1 | 2 | 1 | 3 | 2 | 1 | 3 | 4 | 1 | – | – | – | – | – | – | – |
| Joint Disease | 1 | 4 | 3 | 1 | 2 | – | 1 | 1 | 3 | – | – | – | – | – | – | – |
| Carbuncle | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmon | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Skin Disease | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Cyanosis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Spina Bifida | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Malformations | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Intemperance | 1 | 1 | 4 | 6 | – | – | – | – | – | 1 | – | – | – | – | – | – |
| Privation | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Want of Breast Milk | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Neglect | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cold | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Poison | 1 | 1 | – | – | 3 | 1 | 1 | – | – | – | – | – | – | – | – | – |
| Burns and Scalds | 1 | 2 | – | – | 2 | 1 | 1 | – | 1 | 2 | 1 | 1 | – | – | – | – |
| Hanging, etc. | – | 2 | – | 1 | 2 | 3 | – | – | – | – | – | – | – | – | – | – |
| Suffocation | 1 | 1 | 1 | – | 2 | – | 1 | – | – | – | – | – | – | – | – | – |
| Drowning | 5 | 5 | 7 | 5 | 4 | 6 | 5 | – | 1 | – | – | – | – | – | – | 1 |
| Fracture and Contusion | 9 | 7 | 12 | 8 | 8 | 1 | 9 | 3 | 2 | 3 | 2 | – | – | – | – | – |
| Wounds | – | 1 | – | – | – | 2 | – | 1 | – | – | – | – | – | – | – | – |
| Other Violent Causes | 1 | 1 | 1 | 3 | – | 2 | 1 | 1 | – | – | – | – | – | – | – | – |
| Not Specified | 2 | 6 | 4 | 3 | 4 | 5 | 4 | – | – | – | – | – | – | – | – | 4 |

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1862.—MALES.

| DISEASES. | MALES. | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | |
| | | MONTHS. | | | | | | | | | | | |
| | | 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 |
| ALL CAUSES | 5696 | 609 | 245 | 546 | 824 | 347 | 196 | 147 | 297 | 158 | 206 | 196 | 163 |
| SPECIFIED CAUSES | 5602 | 580 | 231 | 538 | 819 | 344 | 195 | 147 | 294 | 158 | 200 | 195 | 161 |
| I. Zymotic Class | 1225 | 39 | 47 | 136 | 303 | 166 | 90 | 71 | 104 | 23 | 32 | 27 | 24 |
| II. Diseases of Uncertain Seat | 121 | 3 | – | 1 | 2 | 1 | 3 | 2 | 6 | 5 | 4 | 5 | 1 |
| III. Tubercular Class | 1066 | 13 | 30 | 64 | 128 | 51 | 41 | 27 | 103 | 62 | 111 | 108 | 78 |
| IV. Brain and Nervous System | 449 | 48 | 20 | 39 | 47 | 11 | 6 | 7 | 11 | 18 | 5 | 6 | 13 |
| V. Organs of Circulation | 208 | 1 | – | – | 1 | – | – | 1 | 3 | 4 | 6 | 8 | 7 |
| VI. Respiratory Organs | 1127 | 66 | 76 | 180 | 195 | 78 | 41 | 25 | 35 | 15 | 19 | 15 | 13 |
| VII. Organs of Digestion | 477 | 61 | 26 | 79 | 107 | 28 | 4 | 6 | 10 | 9 | 10 | 12 | 4 |
| VIII. Urinary Organs | 61 | 1 | – | 1 | – | 1 | – | – | – | 3 | 1 | 4 | 5 |
| IX. Organs of Generation | – | – | – | – | – | – | – | – | – | – | – | – | – |
| X. Organs of Locomotion | 35 | 1 | – | – | – | – | 1 | – | 2 | 4 | 3 | 1 | 1 |
| XI. Skin, etc. | 4 | – | – | 2 | – | – | – | – | – | – | – | – | – |
| XII. Malformation | 11 | 10 | – | – | – | 1 | – | – | – | – | – | – | – |
| XIII. Premature Debility | 377 | 323 | 22 | 32 | – | – | – | – | – | – | – | – | – |
| XIV. Atrophy | 65 | – | – | – | 25 | 7 | 6 | 3 | 7 | 3 | – | 1 | 1 |
| XV. Age | 141 | – | – | – | – | – | – | – | – | – | – | – | – |
| XVI. Sudden Deaths | 10 | 1 | 1 | – | – | – | – | – | – | – | – | – | – |
| XVII. Violent Deaths | 225 | 13 | 9 | 4 | 11 | – | 3 | 5 | 13 | 12 | 9 | 8 | 14 |
| I. Small Pox | 13 | 1 | 2 | 1 | 1 | 1 | – | 1 | 2 | 1 | 1 | – | 1 |
| Measles | 134 | 1 | 1 | 17 | 61 | 21 | 13 | 5 | 13 | – | 1 | – | 1 |
| Scarlatina | 63 | – | 1 | 3 | 11 | 14 | 11 | 6 | 15 | 2 | – | – | – |
| Diphtheria | 63 | – | 1 | 6 | 17 | 14 | 9 | 7 | 6 | 1 | – | – | – |
| Hooping Cough | 308 | 10 | 16 | 66 | 107 | 45 | 27 | 22 | 15 | – | – | – | – |
| Croup | 167 | 3 | 3 | 15 | 51 | 48 | 18 | 15 | 14 | – | – | – | – |
| Thrush | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diarrhœa | 104 | 11 | 11 | 18 | 28 | 6 | 4 | – | 1 | 1 | 4 | – | 2 |
| Dysentery | 17 | – | 1 | – | 2 | – | – | – | 1 | – | – | 2 | 1 |
| Cholera | 8 | 1 | – | 1 | 1 | 1 | – | – | 1 | – | – | 2 | – |
| Influenza | 8 | – | 1 | – | – | 1 | – | – | 1 | – | 1 | – | – |
| Purpura | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ague | 2 | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Worms | 5 | – | – | – | 1 | 1 | 1 | – | 2 | – | – | – | – |
| Infantile Fever | 2 | – | – | 1 | 1 | – | – | – | – | – | – | – | – |
| Typhus | 292 | – | 3 | 8 | 21 | 13 | 6 | 14 | 33 | 18 | 22 | 22 | 17 |
| Metria | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rheumatic Fever | 7 | – | – | – | – | – | – | – | – | – | 3 | – | – |
| Erysipelas | 16 | 3 | 3 | – | – | 1 | 1 | – | – | – | – | – | 2 |
| Syphilis | 16 | 9 | 4 | – | 1 | – | – | 1 | – | – | – | – | – |
| Noma | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – |
| II. Hæmorrhage | 10 | – | – | – | – | – | – | – | – | 1 | 1 | – | – |
| Dropsy | 32 | – | – | – | 1 | – | 3 | 1 | 2 | 3 | – | – | 1 |
| Abscess | 14 | – | – | 1 | – | – | – | – | 2 | – | 3 | 4 | – |
| Ulcer | 4 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Fistula | 3 | – | – | – | – | – | – | – | – | – | – | – | – |
| Mortification | 11 | 1 | – | – | 1 | – | – | – | 1 | – | – | – | – |
| Cancer | 47 | 1 | – | – | – | 1 | – | 1 | 1 | 1 | – | 1 | – |
| Gout | – | – | – | – | – | – | – | – | – | – | – | – | – |
| III. Scrofula | 59 | 2 | – | 2 | 2 | 4 | 3 | 6 | 12 | 11 | 7 | 4 | 1 |
| Tabes Mesenterica | 101 | 3 | 3 | 12 | 34 | 21 | 7 | 6 | 6 | 3 | 2 | 3 | – |
| Phthisis | 711 | 3 | 7 | 4 | 34 | 12 | 16 | 9 | 57 | 45 | 102 | 101 | 77 |
| Hydrocephalus | 195 | 5 | 20 | 46 | 58 | 14 | 15 | 6 | 28 | 3 | – | – | – |

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1862.—MALES.

| DISEASES. | MALES. AGE UNDER | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 35 | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| ALL CAUSES | 161 | 187 | 202 | 210 | 237 | 142 | 192 | 138 | 123 | 90 | 45 | 25 | 4 | 2 | – | 4 |
| SPECIFIED CAUSES | 160 | 184 | 199 | 207 | 233 | 139 | 190 | 138 | 123 | 90 | 45 | 25 | 4 | 2 | – | 1 |
| Zymotic Class | 23 | 25 | 24 | 22 | 23 | 11 | 11 | 13 | 6 | 4 | 1 | – | – | – | – | – |
| Uncertain Seat | 4 | 7 | 4 | 10 | 19 | 4 | 9 | 10 | 8 | 8 | 3 | 2 | – | – | – | – |
| Tubercular Class | 48 | 46 | 49 | 41 | 35 | 16 | 8 | 3 | 4 | – | – | – | – | – | – | – |
| Brain, etc. | 12 | 19 | 14 | 24 | 26 | 29 | 32 | 20 | 21 | 12 | 7 | 2 | – | – | – | – |
| Heart, etc. | 18 | 19 | 23 | 20 | 19 | 16 | 24 | 15 | 17 | 5 | 1 | – | – | – | – | – |
| Respiratory Organs | 26 | 27 | 39 | 45 | 53 | 37 | 59 | 41 | 20 | 15 | 7 | – | – | – | – | – |
| Digestive Organs | 10 | 14 | 9 | 16 | 23 | 10 | 13 | 10 | 9 | 6 | – | – | 1 | – | – | – |
| Urinary Organs | 2 | 5 | 7 | 4 | 8 | 1 | 8 | 1 | 5 | 2 | 1 | 1 | – | – | – | – |
| Generative Organs | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Locomotive Organs | – | 5 | 3 | 2 | 4 | 1 | 2 | 1 | 4 | – | – | – | – | – | – | – |
| Skin | – | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Malformation | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Premature Debility | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Atrophy | – | 1 | 3 | 1 | 6 | 1 | – | – | – | – | – | – | – | – | – | – |
| Age | – | – | – | – | – | – | 10 | 20 | 27 | 35 | 24 | 20 | 3 | 2 | – | – |
| Sudden Deaths | – | 1 | 1 | 1 | 1 | 2 | 1 | 1 | – | – | – | – | – | – | – | – |
| Violent Deaths | 17 | 15 | 23 | 20 | 16 | 10 | 13 | 3 | 2 | 3 | 1 | – | – | – | – | 1 |
| Small Pox | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Measles | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scarlatina | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diphtheria | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Hooping Cough | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Croup | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Thrush | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diarrhœa | – | 1 | – | 3 | 1 | 1 | 3 | 1 | 5 | 3 | – | – | – | – | – | – |
| Dysentery | 1 | 4 | 2 | 1 | 1 | 1 | – | – | – | – | – | – | – | – | – | – |
| Cholera | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Influenza | – | – | 1 | – | – | – | – | 2 | – | 1 | – | – | – | – | – | – |
| Purpura | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ague | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Worms | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Infantile Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Typhus | 19 | 19 | 19 | 16 | 17 | 9 | 6 | 8 | 1 | – | 1 | – | – | – | – | – |
| Metria | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rheumatic Fever | 1 | – | – | – | 1 | – | 2 | – | – | – | – | – | – | – | – | – |
| Erysipelas | – | 1 | 1 | 1 | 1 | – | – | 2 | – | – | – | – | – | – | – | – |
| Syphilis | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Noma | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmorrhage | 1 | – | 1 | 1 | – | 1 | 3 | 1 | – | – | – | – | – | – | – | – |
| Dropsy | 1 | 1 | 2 | 2 | 4 | 1 | 2 | 3 | 2 | 2 | 1 | – | – | – | – | – |
| Abscess | – | 1 | – | – | 1 | 1 | – | 1 | – | – | – | – | – | – | – | – |
| Ulcer | – | – | – | 1 | 2 | – | – | – | – | – | – | – | – | – | – | – |
| Fistula | – | 2 | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Mortification | – | – | – | – | 1 | – | – | 2 | – | 2 | 1 | 2 | – | – | – | – |
| Cancer | 2 | 3 | 1 | 6 | 10 | 1 | 4 | 3 | 6 | 4 | 1 | – | – | – | – | – |
| Gout | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scrofula | 3 | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Tabes Mesenterica | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phthisis | 45 | 45 | 48 | 41 | 35 | 15 | 8 | 3 | 4 | – | – | – | – | – | – | – |
| Hydrocephalus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1862.—MALES. (*Continued.*)

| DISEASES. | MALES. | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | |
| | | MONTHS. | | | | | | | | | | | |
| | | 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 |
| IV. Cephalitis | 34 | 1 | 1 | 4 | 6 | 1 | 2 | 2 | 4 | 3 | 1 | 1 | 4 |
| Apoplexy | 95 | 2 | 1 | 1 | 3 | 1 | – | 2 | 1 | 3 | – | 1 | 2 |
| Paralysis | 77 | – | – | – | – | – | – | – | – | 1 | 1 | 1 | 2 |
| Delirium Tremens | 6 | – | – | – | – | – | – | – | – | – | – | – | 2 |
| Chorea | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epilepsy | 14 | – | – | – | 1 | – | – | – | – | 3 | 2 | 1 | 1 |
| Tetanus | 7 | 3 | – | 1 | 1 | – | – | – | – | – | – | 1 | – |
| Insanity | 3 | – | – | – | – | – | – | – | – | – | – | – | – |
| Convulsions | 123 | 41 | 16 | 30 | 25 | 6 | 2 | 3 | – | – | – | – | – |
| Brain Disease | 90 | 1 | 2 | 3 | 11 | 3 | 2 | – | 6 | 8 | 1 | 1 | 2 |
| V. Pericarditis | 8 | – | – | – | – | – | – | – | – | 1 | 1 | 1 | – |
| Aneurism | 5 | – | – | – | – | – | – | – | – | – | – | – | – |
| Heart Disease | 195 | 1 | – | – | 1 | – | – | 1 | 3 | 3 | 5 | 7 | 7 |
| VI. Laryngitis | 22 | 1 | 1 | 6 | 4 | 2 | 2 | 2 | – | – | – | – | – |
| Bronchitis | 729 | 50 | 61 | 134 | 140 | 53 | 30 | 15 | 19 | 7 | 6 | 5 | 8 |
| Pleurisy | 20 | – | – | – | – | – | – | – | – | – | 3 | 2 | 1 |
| Pneumonia | 261 | 15 | 12 | 39 | 48 | 21 | 6 | 6 | 15 | 2 | 7 | 7 | 3 |
| Asthma | 50 | – | – | – | – | – | – | – | – | – | – | – | – |
| Lung Disease | 45 | – | 2 | 1 | 3 | 2 | 3 | 2 | 1 | 6 | 3 | 1 | 1 |
| VII. Teething | 165 | 1 | 2 | 62 | 83 | 17 | – | – | – | – | – | – | – |
| Quinsey | 7 | – | – | 1 | 2 | 2 | – | – | – | – | – | – | – |
| Gastritis | 13 | 1 | 1 | 1 | – | – | – | 1 | 2 | – | – | – | 1 |
| Enteritis | 112 | 31 | 18 | 9 | 16 | 6 | 2 | 5 | 2 | 3 | 4 | 4 | 1 |
| Peritonitis | 11 | 2 | – | – | – | – | – | – | 1 | 4 | 1 | – | – |
| Ascites | 2 | – | – | – | – | – | – | – | 1 | 1 | – | – | – |
| Ulceration of Intestines | 10 | – | – | – | – | 1 | – | – | 1 | – | 1 | 2 | – |
| Hernia | 7 | 1 | – | – | – | – | – | – | – | – | – | – | 1 |
| Ileus | 16 | 8 | 1 | – | – | – | – | – | 1 | – | – | 1 | – |
| Intussusception | 2 | – | – | 1 | 1 | – | – | – | – | – | – | – | – |
| Stricture of Intestines | 3 | – | – | – | – | – | – | – | – | – | – | – | – |
| Stomach Disease | 49 | 10 | 2 | 4 | 3 | 1 | 1 | – | 2 | 1 | 1 | 1 | – |
| Pancreas Disease | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hepatitis | 10 | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Jaundice | 10 | 4 | – | – | – | 1 | 1 | – | – | – | 1 | – | – |
| Liver Disease | 59 | 3 | 2 | 1 | 2 | – | – | – | – | – | 2 | 3 | – |
| Spleen Disease | 1 | – | – | – | – | – | – | – | – | – | – | – | 1 |
| VIII. Nephritis | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Nephria | 26 | – | – | – | – | – | – | – | – | 1 | – | 2 | 1 |
| Ischuria | 5 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Diabetes | 2 | – | – | – | – | – | – | – | – | – | – | 1 | 1 |
| Stone | 6 | – | – | 1 | – | 1 | – | – | – | 1 | – | – | – |
| Cystitis | 4 | – | – | – | – | – | – | – | – | 1 | – | – | 1 |
| Stricture of Urethra | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Kidney Disease | 17 | – | – | – | – | – | – | – | – | – | 1 | 1 | 2 |
| IX. Paramenia | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ovarian Dropsy | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Childbirth | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Organs of Generation | – | – | – | – | – | – | – | – | – | – | – | – | – |
| X. Arthritis | 2 | – | – | – | – | – | – | – | – | – | 1 | – | – |
| Rheumatism | 9 | – | – | – | – | – | – | – | – | – | 1 | – | – |
| Joint and Bone Disease | 24 | 1 | – | – | – | – | 1 | – | 2 | 4 | 1 | 1 | 1 |
| XI. Carbuncle | 2 | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Phlegmon | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Skin Disease | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| XII. Cyanosis | 3 | 3 | – | – | – | – | – | – | – | – | – | – | – |
| Spina Bifida | 4 | 4 | – | – | – | – | – | – | – | – | – | – | – |
| Other Malformations | 4 | 3 | – | – | – | 1 | – | – | – | – | – | – | – |
| XVII. Intemperance | 10 | – | – | – | – | – | – | – | – | – | – | – | – |
| Privation | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Want of Breast Milk | 16 | 8 | 7 | 1 | – | – | – | – | – | – | – | – | – |
| Neglect | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cold | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Poison | 6 | – | – | 1 | 1 | – | – | – | – | – | – | – | 1 |
| Burns and Scalds | 21 | – | – | – | 8 | – | 2 | 2 | 3 | 2 | – | 1 | – |
| Hanging, etc. | 7 | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Suffocation | 11 | 2 | 2 | 1 | 1 | – | – | – | – | – | – | – | – |
| Drowning | 48 | 2 | – | 1 | – | – | – | 1 | 1 | 2 | 3 | 1 | 4 |
| Fracture and Contusion | 84 | – | – | – | 1 | – | 1 | 2 | 7 | 6 | 4 | 4 | 7 |
| Wounds | 7 | – | – | – | – | – | – | – | 1 | 2 | – | – | – |
| Other Violent Causes | 14 | 1 | – | – | – | – | – | – | 1 | – | 2 | 2 | 1 |
| Not Specified | 94 | 29 | 14 | 8 | 5 | 3 | 1 | – | 3 | – | 6 | 1 | 2 |

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1862.—MALES. (*Continued.*)

| DISEASES. | MALES. AGE UNDER | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 35 | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| Cephalitis | – | 1 | – | 1 | – | 1 | 1 | – | – | – | – | – | – | – | – | – |
| Apoplexy | 3 | 4 | 5 | 6 | 12 | 16 | 15 | 4 | 8 | 3 | 1 | 1 | – | – | – | – |
| Paralysis | 3 | 2 | 4 | 8 | 8 | 6 | 10 | 9 | 9 | 7 | 6 | – | – | – | – | – |
| Delirium Tremens | 1 | 1 | – | – | 2 | – | – | – | – | – | – | – | – | – | – | – |
| Chorea | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epilepsy | 1 | – | 1 | – | – | 1 | 1 | 1 | 1 | – | – | – | – | – | – | – |
| Tetanus | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Insanity | 1 | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Convulsions | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Brain Disease | 3 | 10 | 4 | 8 | 4 | 5 | 5 | 6 | 2 | 2 | – | 1 | – | – | – | – |
| Pericarditis | – | 1 | – | 1 | 2 | – | 1 | – | – | – | – | – | – | – | – | – |
| Aneurism | 1 | 1 | 2 | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Heart Disease | 17 | 17 | 21 | 19 | 16 | 16 | 23 | 15 | 17 | 5 | 1 | – | – | – | – | – |
| Laryngitis | 1 | 2 | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Bronchitis | 13 | 10 | 18 | 19 | 34 | 21 | 27 | 30 | 13 | 10 | 6 | – | – | – | – | – |
| Pleurisy | 4 | 3 | 1 | 1 | 1 | – | 1 | 2 | – | 1 | – | – | – | – | – | – |
| Pneumonia | 5 | 7 | 12 | 14 | 14 | 7 | 10 | 6 | 4 | 1 | – | – | – | – | – | – |
| Asthma | 2 | 2 | 2 | 7 | 2 | 8 | 17 | 3 | 3 | 3 | 1 | – | – | – | – | – |
| Lung Disease | 1 | 3 | 6 | 4 | 2 | 1 | 3 | – | – | – | – | – | – | – | – | – |
| Teething | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Quinsey | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gastritis | – | – | – | 2 | 3 | – | – | 1 | – | – | – | – | – | – | – | – |
| Enteritis | 2 | 1 | 1 | – | 2 | 1 | 1 | 1 | 1 | 1 | – | – | – | – | – | – |
| Peritonitis | 1 | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Ascites | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ulceration of Intestines | – | – | 1 | 3 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Hernia | – | 1 | – | 1 | 1 | – | – | 1 | – | 1 | – | – | – | – | – | – |
| Ileus | 2 | – | – | 1 | 1 | – | – | – | 1 | – | – | – | – | – | – | – |
| Intussusception | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Stricture of Intestines | – | – | – | 1 | 1 | 1 | – | – | – | – | – | – | – | – | – | – |
| Stomach Disease | – | 2 | 1 | 2 | 3 | 4 | 4 | 2 | 5 | – | – | – | – | – | – | – |
| Pancreas Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hepatitis | – | 3 | 1 | – | 3 | 1 | – | 1 | – | – | – | – | – | – | – | – |
| Jaundice | – | 1 | – | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – |
| Liver Disease | 3 | 5 | 5 | 6 | 7 | 2 | 8 | 3 | 2 | 4 | – | – | 1 | – | – | – |
| Spleen Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Nephritis | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Nephria | 2 | 4 | 6 | 3 | 4 | 1 | 1 | – | 1 | – | – | – | – | – | – | – |
| Ischuria | – | – | 1 | – | – | – | 1 | – | 1 | 1 | – | – | – | – | – | – |
| Diabetes | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Stone | – | – | – | – | 1 | – | 1 | – | – | – | – | 1 | – | – | – | – |
| Cystitis | – | – | – | – | – | – | 1 | 1 | – | – | – | – | – | – | – | – |
| Stricture of Urethra | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Kidney Disease | – | 1 | – | 1 | 3 | – | 3 | – | 3 | 1 | 1 | – | – | – | – | – |
| Paramenia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ovarian Dropsy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Childbirth | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Organs of Generation | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Arthritis | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rheumatism | – | 1 | 1 | 1 | 2 | 1 | 1 | – | 1 | – | – | – | – | – | – | – |
| Joint Disease | – | 3 | 2 | 1 | 2 | – | 1 | 1 | 3 | – | – | – | – | – | – | – |
| Carbuncle | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmon | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Skin Disease | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Cyanosis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Spina Bifida | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Malformations | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intemperance | 1 | – | 3 | 5 | – | – | – | – | – | 1 | – | – | – | – | – | – |
| Privation | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Want of Breast Milk | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Neglect | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cold | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Poison | – | – | – | – | 2 | – | 1 | – | – | – | – | – | – | – | – | – |
| Burns and Scalds | 1 | 1 | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Hanging, etc. | – | 2 | – | 1 | 2 | 1 | – | – | – | – | – | – | – | – | – | – |
| Suffocation | 1 | 1 | 1 | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – |
| Drowning | 3 | 4 | 7 | 4 | 4 | 4 | 5 | – | 1 | – | – | – | – | – | – | 1 |
| Fracture and Contusion | 9 | 6 | 11 | 8 | 7 | 1 | 5 | 2 | – | 2 | 1 | – | – | – | – | – |
| Wounds | – | 1 | – | – | – | 2 | – | 1 | – | – | – | – | – | – | – | – |
| Other Violent Causes | 1 | – | 1 | 2 | – | 2 | 1 | – | – | – | – | – | – | – | – | – |
| Not Specified | 1 | 3 | 3 | 3 | 4 | 3 | 2 | – | – | – | – | – | – | – | – | 3 |

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1862.—FEMALES.

| DISEASES. | FEMALES. | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | |
| | | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 |
| | | 3 | 6 | 12 | | | | | | | | | |
| ALL CAUSES | 5869 | 448 | 202 | 512 | 777 | 406 | 244 | 141 | 300 | 136 | 201 | 240 | 222 |
| SPECIFIED CAUSES | 5801 | 423 | 197 | 506 | 772 | 403 | 241 | 138 | 297 | 136 | 199 | 238 | 221 |
| I. Zymotic Class | 1272 | 41 | 42 | 140 | 304 | 182 | 121 | 76 | 118 | 27 | 24 | 33 | 29 |
| II. Diseases of Uncertain Seat | 175 | 1 | – | 2 | 6 | 5 | 1 | – | 2 | 1 | – | 3 | 4 |
| III. Tubercular Class | 1274 | 4 | 30 | 76 | 109 | 59 | 44 | 29 | 91 | 72 | 141 | 138 | 119 |
| IV. Brain and Nervous System | 358 | 31 | 13 | 18 | 20 | 13 | 7 | 5 | 32 | 11 | 6 | 6 | 6 |
| V. Organs of Circulation | 216 | – | – | – | 1 | – | – | – | 1 | 4 | 7 | 15 | 10 |
| VI. Respiratory Organs | 1163 | 60 | 66 | 186 | 191 | 100 | 52 | 20 | 28 | 8 | 7 | 20 | 11 |
| VII. Organs of Digestion | 395 | 29 | 16 | 57 | 104 | 21 | 3 | 4 | 9 | 4 | 4 | 10 | 11 |
| VIII. Urinary Organs | 37 | – | – | – | 2 | – | 1 | – | 2 | 2 | – | 2 | 5 |
| IX. Organs of Generation | 58 | – | – | – | – | – | – | – | – | – | 6 | 7 | 9 |
| X. Organs of Locomotion | 19 | – | – | – | 1 | – | – | – | – | 2 | 1 | 1 | 1 |
| XI. Skin, etc. | – | – | – | – | – | – | – | – | – | – | – | – | – |
| XII. Malformation | 12 | 7 | 1 | 1 | 2 | – | – | – | – | – | – | – | – |
| XIII. Premature Debility | 283 | 237 | 24 | 22 | – | – | – | – | – | – | – | – | – |
| XIV. Atrophy | 93 | – | – | – | 25 | 15 | 4 | 2 | 8 | 2 | 2 | 1 | 3 |
| XV. Age | 331 | – | – | – | – | – | – | – | – | – | – | – | – |
| XVI. Sudden Deaths | 9 | – | 1 | – | 1 | – | – | – | – | – | – | 1 | 3 |
| XVII. Violent Deaths | 106 | 13 | 4 | 4 | 6 | 8 | 8 | 2 | 6 | 3 | 1 | 1 | 10 |
| I. Small Pox | 14 | 1 | 1 | 3 | 3 | 3 | – | 1 | 1 | – | 1 | – | – |
| Measles | 141 | – | 2 | 19 | 65 | 25 | 18 | 4 | 7 | 1 | – | – | – |
| Scarlatina | 49 | – | – | 1 | 5 | 12 | 4 | 7 | 17 | 2 | – | 1 | – |
| Diphtheria | 76 | 2 | 2 | 2 | 17 | 11 | 17 | 6 | 13 | 2 | 2 | 1 | 1 |
| Hooping Cough | 373 | 9 | 20 | 72 | 116 | 71 | 38 | 29 | 18 | – | – | – | – |
| Croup | 160 | 2 | 4 | 14 | 45 | 34 | 31 | 16 | 14 | – | – | – | – |
| Thrush | 4 | 1 | – | 1 | 2 | – | – | – | – | – | – | – | – |
| Diarrhœa | 101 | 15 | 9 | 15 | 26 | 7 | 1 | 2 | 3 | – | 1 | – | 2 |
| Dysentery | 22 | – | – | 5 | 3 | 2 | – | – | – | – | – | 1 | 2 |
| Cholera | 6 | – | – | – | 1 | 1 | – | 1 | 1 | – | – | – | – |
| Influenza | 14 | – | – | – | – | – | – | 1 | 1 | – | – | 2 | – |
| Purpura | 3 | – | – | – | 1 | – | – | – | – | 1 | – | – | – |
| Ague | 1 | – | – | – | – | – | – | – | – | – | 1 | – | – |
| Worms | 2 | – | – | – | – | 2 | – | – | – | – | – | – | – |
| Infantile Fever | 3 | – | – | – | 1 | 1 | 1 | – | – | – | – | – | – |
| Typhus | 241 | – | – | 5 | 12 | 11 | 11 | 9 | 41 | 20 | 16 | 18 | 18 |
| Metria | 18 | – | – | – | – | – | – | – | – | – | – | 7 | 6 |
| Rheumatic Fever | 2 | – | – | – | – | – | – | – | – | – | – | 2 | – |
| Erysipelas | 28 | 8 | 1 | 2 | 3 | 1 | – | – | 1 | 1 | 3 | 1 | – |
| Syphilis | 11 | 2 | 3 | 1 | 4 | – | – | – | – | – | – | – | – |
| Noma | 3 | 1 | – | – | – | 1 | – | – | 1 | – | – | – | – |
| Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – |
| II. Hæmorrhage | 3 | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Dropsy | 55 | – | – | – | 1 | 3 | – | – | 2 | 1 | – | 2 | 2 |
| Abscess | 10 | 1 | – | 1 | 2 | 2 | – | – | – | – | – | – | 1 |
| Ulcer | 7 | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Fistula | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mortification | 8 | – | – | 1 | 2 | – | 1 | – | – | – | – | – | – |
| Cancer | 91 | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Gout | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| III. Scrofula | 50 | – | 1 | 2 | 5 | 4 | 1 | 1 | 11 | 5 | 7 | 5 | 3 |
| Tabes Mesenterica | 81 | – | – | 9 | 22 | 12 | 8 | 1 | 17 | 10 | – | – | 1 |
| Phthisis | 959 | 2 | 9 | 15 | 34 | 29 | 14 | 18 | 49 | 52 | 134 | 133 | 114 |
| Hydrocephalus | 184 | 2 | 20 | 50 | 48 | 14 | 21 | 9 | 14 | 5 | – | – | 1 |

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1862.—FEMALES.

| DISEASES. | FEMALES. AGE UNDER | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 35 | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| ALL CAUSES | 215 | 216 | 209 | 191 | 200 | 174 | 215 | 162 | 175 | 125 | 88 | 50 | 11 | 6 | 2 | 1 |
| SPECIFIED CAUSES | 214 | 213 | 208 | 191 | 200 | 172 | 213 | 162 | 175 | 125 | 88 | 50 | 11 | 6 | 2 | – |
| Zymotic Class | 18 | 22 | 13 | 19 | 15 | 14 | 10 | 9 | 6 | 5 | 2 | 2 | – | – | – | – |
| Uncertain Seat | 7 | 14 | 22 | 18 | 26 | 11 | 14 | 14 | 9 | 6 | 5 | 4 | – | – | – | – |
| Tubercular Class | 109 | 81 | 68 | 45 | 32 | 11 | 10 | 3 | 2 | 1 | – | – | – | – | – | – |
| Brain, etc. | 10 | 14 | 13 | 18 | 24 | 20 | 26 | 17 | 22 | 15 | 3 | 7 | 1 | – | – | – |
| Heart, etc. | 5 | 16 | 21 | 19 | 21 | 19 | 28 | 23 | 15 | 9 | – | 1 | – | 1 | – | – |
| Respiratory Organs | 33 | 23 | 42 | 41 | 51 | 63 | 71 | 40 | 23 | 16 | 8 | 2 | 1 | – | – | – |
| Digestive Organs | 13 | 16 | 11 | 13 | 15 | 16 | 12 | 12 | 6 | 5 | 2 | 1 | 1 | – | – | – |
| Urinary Organs | 3 | 4 | 4 | 2 | 1 | 1 | 1 | 3 | 4 | – | – | – | – | – | – | – |
| Generative Organs | 10 | 11 | 7 | 5 | 2 | – | 1 | – | – | – | – | – | – | – | – | – |
| Locomotive Organs | 2 | 2 | 1 | 2 | – | – | 2 | 4 | – | – | – | – | – | – | – | – |
| Skin | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Malformation | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Premature Debility | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Atrophy | 1 | 2 | 4 | 5 | 8 | 11 | – | – | – | – | – | – | – | – | – | – |
| Age | – | – | – | – | – | – | 33 | 34 | 86 | 65 | 66 | 32 | 8 | 5 | 2 | – |
| Sudden Deaths | – | 2 | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Violent Deaths | 3 | 6 | 2 | 3 | 5 | 6 | 5 | 2 | 2 | 3 | 2 | 1 | – | – | – | – |
| Small Pox | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Measles | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scarlatina | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diphtheria | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hooping Cough | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Croup | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Thrush | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diarrhœa | – | 3 | 1 | 4 | 1 | 1 | 3 | 2 | 1 | 1 | 2 | 1 | – | – | – | – |
| Dysentery | – | – | – | – | – | 2 | 1 | 2 | 2 | 2 | – | – | – | – | – | – |
| Cholera | – | – | – | 1 | – | – | – | – | – | – | – | 1 | – | – | – | – |
| Influenza | 1 | – | 1 | – | 3 | 2 | – | – | 2 | 1 | – | – | – | – | – | – |
| Purpura | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Ague | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Worms | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Infantile Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Typhus | 16 | 15 | 10 | 12 | 9 | 7 | 5 | 4 | 1 | 1 | – | – | – | – | – | – |
| Metria | 1 | 4 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rheumatic Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Erysipelas | – | – | 1 | 2 | 1 | 1 | 1 | 1 | – | – | – | – | – | – | – | – |
| Syphilis | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Noma | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmorrhage | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Dropsy | 1 | 3 | 2 | 8 | 6 | 2 | 6 | 5 | 3 | 5 | 1 | 2 | – | – | – | – |
| Abscess | 1 | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Ulcer | – | 1 | 2 | – | 1 | – | – | – | 1 | – | – | 1 | – | – | – | – |
| Fistula | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mortification | – | – | – | – | 1 | – | 1 | – | 1 | – | 1 | – | – | – | – | – |
| Cancer | 4 | 9 | 18 | 10 | 16 | 9 | 7 | 9 | 4 | 1 | 2 | 1 | – | – | – | – |
| Gout | – | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| Scrofula | 2 | 1 | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Tabes Mesenterica | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phthisis | 107 | 79 | 67 | 45 | 31 | 11 | 10 | 3 | 2 | 1 | – | – | – | – | – | – |
| Hydrocephalus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1862.—FEMALES. (*Continued.*)

| DISEASES. | FEMALES. | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | |
| | | MONTHS. | | | | | | | | | | | |
| | | 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 |
| IV. Cephalitis | 23 | 1 | 2 | 1 | 3 | 2 | – | – | 6 | 3 | – | 1 | – |
| Apoplexy | 63 | – | 1 | 1 | 2 | 2 | 1 | – | 3 | – | – | – | 1 |
| Paralysis | 79 | – | – | – | 1 | – | – | – | 3 | – | 1 | 1 | 2 |
| Delirium Tremens | 3 | – | – | – | – | – | – | – | – | – | – | – | – |
| Chorea | 1 | – | – | – | – | – | – | – | 1 | – | – | – | – |
| Epilepsy | 17 | – | – | – | – | – | – | – | – | 4 | 1 | 2 | 1 |
| Tetanus | 3 | – | – | – | – | – | 1 | – | – | – | – | – | 2 |
| Insanity | 6 | – | – | – | – | – | – | – | – | 1 | – | – | – |
| Convulsions | 66 | 27 | 9 | 12 | 8 | 3 | 1 | 2 | 4 | – | – | – | – |
| Brain Disease | 97 | 3 | 1 | 4 | 6 | 6 | 4 | 3 | 15 | 3 | 4 | 2 | – |
| V. Pericarditis | 8 | – | – | – | – | – | – | – | – | – | 1 | 2 | – |
| Aneurism | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| Heart Disease | 206 | – | – | – | 1 | – | – | – | 1 | 4 | 6 | 13 | 10 |
| VI. Laryngitis | 20 | 2 | 1 | 3 | 6 | 3 | 3 | 1 | – | – | – | – | 1 |
| Bronchitis | 824 | 36 | 52 | 143 | 147 | 70 | 39 | 15 | 18 | 4 | 2 | 8 | 6 |
| Pleurisy | 12 | – | – | – | – | – | – | – | 1 | – | – | 3 | – |
| Pneumonia | 204 | 20 | 13 | 38 | 33 | 27 | 9 | 4 | 8 | 4 | 4 | 6 | 4 |
| Asthma | 67 | – | – | – | – | – | – | – | – | – | – | – | – |
| Lung Disease | 36 | 2 | – | 2 | 5 | – | 1 | – | 1 | – | 1 | 3 | – |
| VII. Teething | 143 | – | 2 | 43 | 85 | 13 | – | – | – | – | – | – | – |
| Quinsey | 8 | 1 | – | – | – | – | 1 | – | 1 | 1 | – | – | 1 |
| Gastritis | 12 | – | 1 | – | 1 | – | 1 | – | – | 1 | 1 | 1 | 1 |
| Enteritis | 78 | 21 | 8 | 10 | 11 | 4 | – | 1 | 1 | 1 | 2 | 3 | 1 |
| Peritonitis | 15 | – | – | – | 1 | – | – | – | 1 | 1 | – | 5 | 1 |
| Ascites | 3 | – | – | – | – | – | – | – | – | – | – | – | – |
| Ulceration of Intestines | 5 | – | – | – | 1 | – | – | – | – | – | 1 | – | – |
| Hernia | 6 | – | – | – | – | – | – | – | – | – | – | – | – |
| Ileus | 24 | 4 | – | 1 | – | – | – | – | 1 | – | – | – | 3 |
| Intussusception | 4 | – | – | 1 | – | – | – | – | 1 | – | – | – | – |
| Stricture of Intestines | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Stomach Disease | 45 | 3 | 2 | 2 | 5 | 4 | 1 | 2 | 1 | – | – | – | 2 |
| Pancreas Disease | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hepatitis | 10 | – | – | – | – | – | – | – | – | – | – | – | – |
| Jaundice | 8 | – | 2 | – | – | – | – | – | – | – | – | 1 | – |
| Liver Disease | 34 | – | 1 | – | – | – | – | 1 | 3 | – | – | – | 2 |
| Spleen Disease | – | – | – | – | – | – | – | – | – | – | – | – | – |
| VIII. Nephritis | 5 | – | – | – | – | – | 1 | – | – | 1 | – | – | – |
| Nephria | 14 | – | – | – | – | – | – | – | 2 | – | – | 1 | 3 |
| Ischuria | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diabetes | 6 | – | – | – | 1 | – | – | – | – | – | – | – | 2 |
| Stone | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cystitis | 3 | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Stricture of Urethra | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Kidney Disease | 9 | – | – | – | 1 | – | – | – | – | 1 | – | – | – |
| IX. Paramenia | 5 | – | – | – | – | – | – | – | – | – | 4 | – | – |
| Ovarian Dropsy | 7 | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Childbirth | 36 | – | – | – | – | – | – | – | – | – | 2 | 5 | 9 |
| Organs of Generation | 10 | – | – | – | – | – | – | – | – | – | – | 1 | – |
| X. Arthritis | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rheumatism | 11 | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Joint and Bone Disease | 8 | – | – | – | 1 | – | – | – | – | 2 | 1 | 1 | – |
| XI. Carbuncle | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmon | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Skin Disease | – | – | – | – | – | – | – | – | – | – | – | – | – |
| XII. Cyanosis | 3 | 2 | – | – | 1 | – | – | – | – | – | – | – | – |
| Spina Bifida | 2 | 1 | 1 | – | – | – | – | – | – | – | – | – | – |
| Other Malformations | 7 | 4 | – | 1 | 1 | – | – | – | – | – | – | – | – |
| XVII. Intemperance | 4 | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Privation | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Want of Breast Milk | 10 | 8 | 2 | – | – | – | – | – | – | – | – | – | – |
| Neglect | 2 | – | – | – | 1 | – | – | 1 | – | – | – | – | – |
| Cold | 1 | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Poison | 6 | 2 | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds | 36 | – | 1 | 3 | 3 | 6 | 7 | 1 | 4 | 1 | – | – | 1 |
| Hanging, etc. | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| Suffocation | 5 | 3 | 1 | – | – | – | – | – | – | – | – | – | – |
| Drowning | 13 | – | – | – | – | – | 1 | – | 1 | – | – | 1 | 4 |
| Fracture and Contusion | 20 | – | – | 1 | 2 | 1 | – | – | 1 | 2 | – | – | 1 |
| Wounds | 3 | – | – | – | – | – | – | – | – | – | 1 | – | 2 |
| Other Violent Causes | 4 | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Not Specified | 68 | 25 | 5 | 6 | 5 | 3 | 3 | 3 | 3 | – | 2 | 2 | 1 |

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1862.—FEMALES. (*Continued.*)

| DISEASES. | FEMALES. AGE UNDER | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 35 | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| Cephalitis | – | 1 | 1 | 1 | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Apoplexy | 2 | 3 | 3 | 4 | 8 | 10 | 11 | 4 | 3 | 2 | 1 | 1 | – | – | – | – |
| Paralysis | 2 | 3 | 3 | 6 | 7 | 4 | 8 | 9 | 12 | 11 | 1 | 4 | 1 | – | – | – |
| Delirium Tremens | 2 | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chorea | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epilepsy | 1 | – | 2 | 2 | – | – | 1 | – | 2 | – | 1 | – | – | – | – | – |
| Tetanus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Insanity | – | – | 1 | – | 1 | 2 | 1 | – | – | – | – | – | – | – | – | – |
| Convulsions | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Brain Disease | 3 | 7 | 2 | 5 | 8 | 4 | 5 | 4 | 4 | 2 | – | 2 | – | – | – | – |
| Pericarditis | – | 1 | 1 | – | 1 | 1 | – | 1 | – | – | – | – | – | – | – | – |
| Aneurism | – | – | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Heart Disease | 5 | 15 | 18 | 19 | 20 | 18 | 28 | 22 | 15 | 9 | – | 1 | – | 1 | – | – |
| Laryngitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Bronchitis | 20 | 13 | 27 | 27 | 32 | 49 | 49 | 30 | 15 | 11 | 8 | 2 | 1 | – | – | – |
| Pleurisy | 2 | 1 | 1 | 1 | – | 1 | – | 1 | 1 | – | – | – | – | – | – | – |
| Pneumonia | 7 | 6 | 2 | 4 | 4 | 3 | 3 | 2 | 1 | 2 | – | – | – | – | – | – |
| Asthma | – | 2 | 8 | 7 | 10 | 9 | 17 | 6 | 6 | 2 | – | – | – | – | – | – |
| Lung Disease | 4 | 1 | 4 | 2 | 5 | 1 | 2 | 1 | – | 1 | – | – | – | – | – | – |
| Teething | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Quinsey | 1 | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Gastritis | 1 | 1 | – | – | 1 | – | – | – | 1 | 1 | – | – | – | – | – | – |
| Enteritis | 1 | 4 | – | 1 | – | 2 | 2 | 1 | 2 | 1 | – | 1 | – | – | – | – |
| Peritonitis | 2 | 1 | – | 1 | – | 1 | 1 | – | – | – | – | – | – | – | – | – |
| Ascites | – | – | – | 1 | 1 | – | – | – | – | 1 | – | – | – | – | – | – |
| Ulceration of Intestines | – | 2 | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Hernia | – | – | 1 | 1 | – | 1 | 2 | – | – | 1 | – | – | – | – | – | – |
| Ileus | 1 | 1 | 1 | – | 2 | 2 | 3 | – | 2 | 1 | 1 | – | 1 | – | – | – |
| Intussusception | – | – | – | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – |
| Stricture of Intestines | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Stomach Disease | 5 | 3 | 3 | 2 | 2 | 5 | – | 2 | – | – | 1 | – | – | – | – | – |
| Pancreas Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hepatitis | – | 1 | 1 | 4 | – | 1 | 2 | 1 | – | – | – | – | – | – | – | – |
| Jaundice | – | – | 1 | – | 1 | 1 | – | 1 | 1 | – | – | – | – | – | – | – |
| Liver Disease | 2 | 2 | 4 | 3 | 6 | 2 | 2 | 6 | – | – | – | – | – | – | – | – |
| Spleen Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Nephritis | 1 | – | – | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Nephria | 1 | 2 | 1 | 1 | – | 1 | – | – | 2 | – | – | – | – | – | – | – |
| Ischuria | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diabetes | – | 1 | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Stone | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cystitis | – | – | 1 | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Stricture of Urethra | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Kidney Disease | 1 | 1 | 1 | – | – | – | 1 | 2 | 1 | – | – | – | – | – | – | – |
| Paramenia | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ovarian Dropsy | – | 1 | 1 | 3 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Childbirth | 8 | 7 | 5 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Organs of Generation | 2 | 2 | 1 | 2 | 1 | – | 1 | – | – | – | – | – | – | – | – | – |
| Arthritis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rheumatism | 1 | 1 | – | 2 | – | – | 2 | 4 | – | – | – | – | – | – | – | – |
| Joint Disease | 1 | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Carbuncle | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmon | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Skin Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cyanosis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Spina Bifida | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Malformations | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Intemperance | – | 1 | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Privation | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Want of Breast Milk | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Neglect | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cold | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Poison | 1 | 1 | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds | – | 1 | – | – | 2 | 1 | 1 | – | – | 2 | 1 | 1 | – | – | – | – |
| Hanging, etc. | – | – | – | – | – | 2 | – | – | – | – | – | – | – | – | – | – |
| Suffocation | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Drowning | 2 | 1 | – | 1 | – | 2 | – | – | – | – | – | – | – | – | – | – |
| Fracture and Contusion | – | 1 | 1 | – | 1 | – | 4 | 1 | 2 | 1 | 1 | – | – | – | – | – |
| Wounds | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Violent Causes | – | 1 | – | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Not Specified | 1 | 3 | 1 | – | – | 2 | 2 | – | – | – | – | – | – | – | – | 1 |

CAUSES of DEATH in the SUBURBAN DISTRICTS of BARONY and GOVAN, at different Periods of Life, in 1862.—Both Sexes.

| DISEASES. | BOTH SEXES. | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | |
| | | MONTHS. | | | | | | | | | | | |
| | | 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 |
| All Causes | 1572 | 128 | 59 | 127 | 204 | 84 | 58 | 34 | 96 | 38 | 44 | 63 | 45 |
| Specified Causes | 1492 | 111 | 51 | 117 | 195 | 78 | 56 | 31 | 87 | 38 | 42 | 61 | 45 |
| I. Zymotic Class | 311 | 11 | 6 | 40 | 72 | 39 | 28 | 15 | 41 | 6 | 6 | 6 | 3 |
| II. Diseases of Uncertain Seat | 40 | 1 | – | 1 | 2 | – | – | 1 | – | 1 | – | 1 | 1 |
| III. Tubercular Class | 305 | 2 | 5 | 25 | 31 | 15 | 5 | 8 | 17 | 23 | 28 | 28 | 21 |
| IV. Brain and Nervous System | 125 | 6 | 1 | 3 | 10 | 2 | 4 | 4 | 6 | 2 | – | 4 | 3 |
| V. Organs of Circulation | 36 | – | – | 1 | – | – | – | – | 3 | – | 2 | 1 | 1 |
| VI. Respiratory Organs | 301 | 12 | 15 | 32 | 51 | 18 | 13 | 1 | 10 | – | 2 | 12 | 5 |
| VII. Organs of Digestion | 102 | 10 | 7 | 13 | 20 | 2 | 3 | 1 | 3 | 4 | 2 | 1 | 2 |
| VIII. Urinary Organs | 20 | – | – | – | – | – | – | – | 1 | – | – | 1 | 1 |
| IX. Organs of Generation | 18 | – | – | – | – | – | – | – | – | – | 1 | 3 | 4 |
| X. Organs of Locomotion | 11 | – | – | – | – | – | – | – | 2 | 1 | – | 1 | – |
| XI. Skin, etc. | 2 | 1 | – | – | – | – | 1 | – | – | – | – | – | – |
| XII. Malformation | 5 | 4 | – | 1 | – | – | – | – | – | – | – | – | – |
| XIII. Premature Debility | 82 | 64 | 17 | 1 | – | – | – | – | – | – | – | – | – |
| XIV. Atrophy | 10 | – | – | – | 6 | – | – | – | – | – | – | – | – |
| XV. Age | 74 | – | – | – | – | – | – | – | – | – | – | – | – |
| XVI. Sudden Deaths | – | – | – | – | – | – | – | – | – | – | – | – | – |
| XVII. Violent Deaths | 50 | – | – | – | 3 | 2 | 2 | 1 | 4 | 1 | 1 | 3 | 4 |
| I. Small Pox | 2 | – | – | 2 | – | – | – | – | – | – | – | – | – |
| Measles | 23 | – | 1 | 2 | 11 | 4 | 3 | – | 2 | – | – | – | – |
| Scarlatina | 45 | – | 1 | 3 | 10 | 6 | 6 | 5 | 12 | 1 | 1 | – | – |
| Diphtheria | 32 | 1 | – | 1 | 4 | 7 | 4 | 2 | 10 | 2 | 1 | – | – |
| Hooping Cough | 43 | 2 | 1 | 11 | 17 | 6 | 4 | – | 2 | – | – | – | – |
| Croup | 42 | 2 | – | 5 | 17 | 10 | 5 | 2 | 1 | – | – | – | – |
| Thrush | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diarrhœa | 50 | 5 | 2 | 13 | 10 | 3 | 2 | 1 | 2 | – | – | 1 | – |
| Dysentery | 2 | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Cholera | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Influenza | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Purpura | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Ague | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Worms | 1 | – | – | – | – | – | – | 1 | – | – | – | – | – |
| Infantile Fever | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Typhus | 61 | – | – | 2 | 1 | 2 | 4 | 4 | 12 | 3 | 3 | 5 | 1 |
| Metria | 3 | – | – | – | – | – | – | – | – | – | – | – | 2 |
| Rheumatic Fever | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Erysipelas | 4 | – | – | 1 | – | 1 | – | – | – | – | 1 | – | – |
| Syphilis | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Noma | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – |
| II. Hæmorrhage | 2 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Dropsy | 15 | – | – | – | – | – | – | – | – | 1 | – | 1 | 1 |
| Abscess | 3 | – | – | 1 | 2 | – | – | – | – | – | – | – | – |
| Ulcer | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Fistula | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mortification | 2 | – | – | – | – | – | – | 1 | – | – | – | – | – |
| Cancer | 18 | – | – | – | – | – | – | – | – | – | – | – | – |
| Gout | – | – | – | – | – | – | – | – | – | – | – | – | – |
| III. Scrofula | 22 | – | 1 | – | 1 | 1 | – | – | 1 | 1 | 5 | 3 | 1 |
| Tabes Mesenterica | 23 | 1 | – | 4 | 7 | 6 | 2 | 1 | 1 | 1 | – | – | – |
| Phthisis | 207 | – | 2 | 4 | 10 | 2 | 2 | 6 | 6 | 18 | 23 | 25 | 20 |
| Hydrocephalus | 53 | 1 | 2 | 17 | 13 | 6 | 1 | 1 | 9 | 3 | – | – | – |

CAUSES of DEATH in the SUBURBAN DISTRICTS of BARONY and GOVAN, at different Periods of Life, in 1862.—Both Sexes.

| DISEASES. | BOTH SEXES. AGE UNDER | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 35 | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| All Causes | 52 | 64 | 57 | 58 | 48 | 56 | 67 | 59 | 41 | 39 | 31 | 13 | 1 | 3 | – | 3 |
| Specified Causes | 52 | 64 | 57 | 56 | 47 | 52 | 64 | 59 | 41 | 39 | 31 | 13 | 1 | 3 | – | 1 |
| Zymotic Class | 1 | 4 | 3 | 7 | 5 | 4 | 5 | 4 | 2 | 2 | 1 | – | – | – | – | – |
| Uncertain Seat | 4 | 2 | 4 | 2 | 5 | 6 | 3 | 1 | 3 | 1 | – | 1 | – | – | – | – |
| Tubercular Class | 22 | 20 | 25 | 7 | 7 | 3 | 7 | 3 | 2 | – | – | – | – | – | – | 1 |
| Brain, etc. | 7 | 8 | 4 | 9 | 3 | 7 | 11 | 13 | 9 | 7 | 1 | 1 | – | – | – | – |
| Heart, etc. | 2 | 2 | 3 | 3 | – | 4 | 2 | 4 | 5 | 1 | 2 | – | – | – | – | – |
| Respiratory Organs | 7 | 11 | 6 | 18 | 13 | 21 | 16 | 16 | 5 | 9 | 6 | 2 | – | – | – | – |
| Digestive Organs | 2 | 3 | 3 | 5 | 7 | – | 7 | 1 | 3 | 2 | 1 | – | – | – | – | – |
| Urinary Organs | 1 | 5 | 1 | 2 | 1 | 2 | 3 | – | 1 | 1 | – | – | – | – | – | – |
| Generative Organs | 3 | 2 | 3 | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Locomotive Organs | – | 2 | – | – | 1 | 1 | – | 2 | – | 1 | – | – | – | – | – | – |
| Skin | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Malformation | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Premature Debility | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Atrophy | – | – | 1 | – | 2 | 1 | – | – | – | – | – | – | – | – | – | – |
| Age | – | – | – | – | – | – | 6 | 11 | 10 | 14 | 20 | 9 | 1 | 3 | – | – |
| Sudden Deaths | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Violent Deaths | 3 | 5 | 4 | 2 | 3 | 3 | 3 | 4 | 1 | 1 | – | – | – | – | – | – |
| Small Pox | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Measles | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scarlatina | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diphtheria | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hooping Cough | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Croup | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Thrush | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diarrhœa | – | – | – | 2 | 2 | – | 2 | 1 | 2 | 2 | – | – | – | – | – | – |
| Dysentery | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Cholera | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Influenza | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Purpura | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ague | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Worms | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Infantile Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Typhus | 1 | 3 | 3 | 3 | 3 | 4 | 3 | 3 | – | – | 1 | – | – | – | – | – |
| Metria | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rheumatic Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Erysipelas | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Syphilis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Noma | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmorrhage | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Dropsy | 2 | 1 | 1 | 1 | 3 | 2 | – | – | 2 | – | – | – | – | – | – | – |
| Abscess | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ulcer | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Fistula | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mortification | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| Cancer | 2 | 1 | 2 | 1 | 2 | 4 | 3 | 1 | 1 | – | – | 1 | – | – | – | – |
| Gout | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scrofula | 2 | 1 | 1 | – | – | – | 1 | 2 | 1 | – | – | – | – | – | – | – |
| Tabes Mesenterica | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phthisis | 20 | 19 | 24 | 7 | 7 | 3 | 6 | 1 | 1 | – | – | – | – | – | – | 1 |
| Hydrocephalus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in the SUBURBAN DISTRICTS of BARONY and GOVAN, at different Periods of Life, in 1862.—BOTH SEXES. (*Continued.*)

| DISEASES. | BOTH SEXES. | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | |
| | | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 |
| | | 3 | 6 | 12 | | | | | | | | | |
| IV. Cephalitis | 6 | 1 | – | – | – | 2 | – | – | – | – | – | 1 | – |
| Apoplexy | 34 | – | 1 | 1 | 4 | – | 1 | – | – | – | – | 1 | – |
| Paralysis | 34 | – | – | – | – | – | – | – | – | – | – | – | – |
| Delirium Tremens | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chorea | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epilepsy | 9 | – | – | – | – | – | – | – | 1 | 1 | – | – | 1 |
| Tetanus | 1 | – | – | – | – | – | – | – | 1 | – | – | – | – |
| Insanity | 3 | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Convulsions | 15 | 5 | – | 1 | 4 | – | 2 | 1 | 2 | – | – | – | – |
| Brain Disease | 23 | – | – | 1 | 2 | – | 1 | 3 | 2 | 1 | – | 2 | 1 |
| V. Pericarditis | 3 | – | – | 1 | – | – | – | – | – | – | 1 | – | – |
| Aneurism | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Heart Disease | 32 | – | – | – | – | – | – | – | 3 | – | 1 | 1 | 1 |
| VI. Laryngitis | 4 | – | – | – | 2 | 1 | – | – | – | – | – | – | – |
| Bronchitis | 174 | 8 | 12 | 29 | 34 | 13 | 6 | 1 | 5 | – | 1 | 4 | 1 |
| Pleurisy | 9 | – | 1 | – | – | – | 1 | – | – | – | – | – | – |
| Pneumonia | 90 | 3 | 2 | 3 | 10 | 4 | 6 | – | 5 | – | – | 6 | 4 |
| Asthma | 12 | – | – | – | – | – | – | – | – | – | – | – | – |
| Lung Disease | 12 | 1 | – | – | 5 | – | – | – | – | – | 1 | 2 | – |
| VII. Teething | 28 | 1 | 3 | 11 | 13 | – | – | – | – | – | – | – | – |
| Quinsey | 3 | – | – | 1 | 1 | – | – | 1 | – | – | – | – | – |
| Gastritis | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Enteritis | 27 | 5 | 3 | 1 | 3 | 2 | 2 | – | 1 | 1 | 1 | – | 1 |
| Peritonitis | 8 | – | – | – | – | – | – | – | 1 | 3 | – | 1 | 1 |
| Ascites | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Ulceration of Intestines | 3 | – | – | – | – | – | – | – | – | – | – | – | – |
| Hernia | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ileus | 2 | 1 | – | – | 1 | – | – | – | – | – | – | – | – |
| Intussusception | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Stricture of Intestines | 1 | – | – | – | – | – | – | – | 1 | – | – | – | – |
| Stomach Disease | 9 | 2 | 1 | – | 1 | – | 1 | – | – | – | – | – | – |
| Pancreas Disease | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hepatitis | 6 | – | – | – | – | – | – | – | – | – | – | – | – |
| Jaundice | 2 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Liver Disease | 10 | – | – | – | – | – | – | – | – | – | 1 | – | – |
| Spleen Disease | 2 | – | – | – | 1 | – | – | – | – | – | – | – | – |
| VIII. Nephritis | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| Nephria | 10 | – | – | – | – | – | – | – | 1 | – | – | 1 | 1 |
| Ischuria | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diabetes | 3 | – | – | – | – | – | – | – | – | – | – | – | – |
| Stone | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cystitis | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Stricture of Urethra | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Kidney Disease | 5 | – | – | – | – | – | – | – | – | – | – | – | – |
| IX. Paramenia | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ovarian Dropsy | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Childbirth | 13 | – | – | – | – | – | – | – | – | – | 1 | 2 | 4 |
| Organs of Generation | 4 | – | – | – | – | – | – | – | – | – | – | 1 | – |
| X. Arthritis | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rheumatism | 5 | – | – | – | – | – | – | – | – | – | – | – | – |
| Joint and Bone Disease | 6 | – | – | – | – | – | – | – | 2 | 1 | – | 1 | – |
| XI. Carbuncle | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmon | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Skin Disease | 2 | 1 | – | – | – | – | 1 | – | – | – | – | – | – |
| XII. Cyanosis | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Spina Bifida | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Malformations | 4 | 3 | – | 1 | – | – | – | – | – | – | – | – | – |
| XVII. Intemperance | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Privation | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Want of Breast Milk | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Neglect | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cold | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Poison | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds | 11 | – | – | – | 2 | 1 | 2 | 1 | 2 | – | – | – | 1 |
| Hanging, etc. | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Suffocation | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Drowning | 14 | – | – | – | 1 | 1 | – | – | 1 | – | 1 | 2 | 2 |
| Fracture and Contusion | 19 | – | – | – | – | – | – | – | 1 | 1 | – | 1 | 1 |
| Wounds | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Violent Causes | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| Not Specified | 80 | 17 | 8 | 10 | 9 | 6 | 2 | 3 | 9 | – | 2 | 2 | – |

CAUSES of DEATH in the SUBURBAN DISTRICTS of BARONY and GOVAN, at different Periods of Life, in 1862.—Both Sexes. (*Continued.*)

| DISEASES. | BOTH SEXES. | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | AGE UNDER | | | | | | | | | | | | | | | |
| | 35 | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| Cephalitis | – | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Apoplexy | 2 | 2 | – | 3 | 1 | 4 | 5 | 4 | 2 | 3 | – | – | – | – | – | – |
| Paralysis | 1 | 2 | 1 | 5 | 1 | – | 3 | 9 | 7 | 3 | 1 | 1 | – | – | – | – |
| Delirium Tremens | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chorea | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epilepsy | 2 | 1 | 1 | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – |
| Tetanus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Insanity | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Convulsions | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Brain Disease | 2 | 1 | 2 | – | – | 2 | 2 | – | – | 1 | – | – | – | – | – | – |
| Pericarditis | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Aneurism | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Heart Disease | 1 | 2 | 3 | 2 | – | 4 | 2 | 4 | 5 | 1 | 2 | – | – | – | – | – |
| Laryngitis | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Bronchitis | 3 | 5 | 2 | 9 | 7 | 10 | 6 | 5 | 2 | 4 | 5 | 2 | – | – | – | – |
| Pleurisy | – | – | 1 | 3 | – | 1 | – | 2 | – | – | – | – | – | – | – | – |
| Pneumonia | 4 | 6 | 3 | 4 | 5 | 8 | 4 | 7 | 2 | 3 | 1 | – | – | – | – | – |
| Asthma | – | – | – | 2 | – | 2 | 4 | 2 | – | 2 | – | – | – | – | – | – |
| Lung Disease | – | – | – | – | 1 | – | 1 | – | 1 | – | – | – | – | – | – | – |
| Teething | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Quinsey | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gastritis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Enteritis | 2 | – | 1 | 1 | – | – | 1 | 1 | 1 | – | – | – | – | – | – | – |
| Peritonitis | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Ascites | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Ulceration of Intestines | – | 2 | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Hernia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ileus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intussusception | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Stricture of Intestines | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Stomach Disease | – | – | 1 | – | 1 | – | – | – | 2 | – | – | – | – | – | – | – |
| Pancreas Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hepatitis | – | – | – | 1 | 3 | – | 2 | – | – | – | – | – | – | – | – | – |
| Jaundice | – | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| Liver Disease | – | – | 1 | 2 | 1 | – | 3 | – | – | 2 | – | – | – | – | – | – |
| Spleen Disease | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Nephritis | – | 1 | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Nephria | 1 | 1 | – | 1 | – | 2 | 1 | – | – | 1 | – | – | – | – | – | – |
| Ischuria | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diabetes | – | 1 | – | 1 | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Stone | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cystitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Stricture of Urethra | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Kidney Disease | – | 2 | 1 | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – |
| Paramenia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ovarian Dropsy | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Childbirth | 3 | 1 | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Organs of Generation | – | 1 | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Arthritis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rheumatism | – | 1 | – | – | 1 | – | – | 2 | – | 1 | – | – | – | – | – | – |
| Joint Disease | – | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Carbuncle | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmon | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Skin Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cyanosis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Spina Bifida | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Malformations | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intemperance | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Privation | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Want of Breast Milk | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Neglect | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cold | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Poison | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds | – | – | – | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Hanging, etc. | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suffocation | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Drowning | 2 | – | 2 | – | – | 1 | – | – | – | 1 | – | – | – | – | – | – |
| Fracture and Contusion | 1 | 3 | – | 1 | 2 | 1 | 3 | 3 | 1 | – | – | – | – | – | – | – |
| Wounds | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Violent Causes | – | – | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Not Specified | – | – | – | 2 | 1 | 4 | 3 | – | – | – | – | – | – | – | – | 2 |

CAUSES of DEATH in the SUBURBAN DISTRICTS of BARONY and GOVAN, at different Periods of Life, in 1862.—MALES.

| DISEASES. | MALES. | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | |
| | | MONTHS. | | | | | | | | | | | |
| | | 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 |
| ALL CAUSES | 784 | 68 | 33 | 60 | 101 | 50 | 24 | 12 | 60 | 18 | 22 | 33 | 22 |
| SPECIFIED CAUSES | 743 | 59 | 29 | 56 | 97 | 46 | 24 | 11 | 54 | 18 | 20 | 32 | 22 |
| I. Zymotic Class | 158 | 6 | 3 | 20 | 39 | 24 | 13 | 6 | 26 | 3 | 1 | 4 | – |
| II. Diseases of Uncertain Seat | 12 | 1 | – | 1 | 1 | – | – | – | – | 1 | – | – | 1 |
| III. Tubercular Class | 146 | 2 | 2 | 10 | 20 | 8 | 2 | 2 | 7 | 8 | 14 | 15 | 9 |
| IV. Brain and Nervous System | 68 | 1 | 1 | 1 | 5 | – | 1 | 2 | 6 | 2 | – | 2 | 2 |
| V. Organs of Circulation | 21 | – | – | 1 | – | – | – | – | 1 | – | 1 | 1 | 1 |
| VI. Respiratory Organs | 153 | 7 | 8 | 15 | 19 | 11 | 4 | 1 | 7 | – | 1 | 5 | 3 |
| VII. Organs of Digestion | 50 | 7 | 5 | 7 | 6 | 1 | 2 | – | 2 | 2 | 2 | – | 1 |
| VIII. Urinary Organs | 10 | – | – | – | – | – | – | – | 1 | – | – | 1 | 1 |
| IX. Organs of Generation | – | – | – | – | – | – | – | – | – | – | – | – | – |
| X. Organs of Locomotion | 5 | – | – | – | – | – | – | – | 1 | 1 | – | 1 | – |
| XI. Skin, etc. | 1 | – | – | – | – | – | 1 | – | – | – | – | – | – |
| XII. Malformation | 4 | 4 | – | – | – | – | – | – | – | – | – | – | – |
| XIII. Premature Debility | 42 | 31 | 10 | 1 | – | – | – | – | – | – | – | – | – |
| XIV. Atrophy | 5 | – | – | – | 4 | – | – | – | – | – | – | – | – |
| XV. Age | 23 | – | – | – | – | – | – | – | – | – | – | – | – |
| XVI. Sudden Deaths | – | – | – | – | – | – | – | – | – | – | – | – | – |
| XVII. Violent Deaths | 45 | – | – | – | 3 | 2 | 1 | – | 3 | 1 | 1 | 3 | 4 |
| I. Small Pox | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Measles | 12 | – | 1 | 2 | 5 | 2 | – | – | 2 | – | – | – | – |
| Scarlatina | 26 | – | 1 | 1 | 6 | 3 | 4 | 2 | 8 | – | 1 | – | – |
| Diphtheria | 14 | 1 | – | – | 2 | 5 | 2 | – | 3 | 1 | – | – | – |
| Hooping Cough | 19 | 2 | – | 5 | 8 | 2 | – | – | 2 | – | – | – | – |
| Croup | 26 | – | – | 2 | 11 | 9 | 3 | – | 1 | – | – | – | – |
| Thrush | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diarrhœa | 24 | 2 | 1 | 7 | 5 | 2 | 1 | 1 | 1 | – | – | 1 | – |
| Dysentery | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Cholera | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Influenza | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Purpura | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ague | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Worms | 1 | – | – | – | – | – | – | 1 | – | – | – | – | – |
| Infantile Fever | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Typhus | 32 | – | – | 2 | 1 | 1 | 3 | 2 | 9 | 2 | – | 3 | – |
| Metria | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rheumatic Fever | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Erysipelas | 2 | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Syphilis | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Noma | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – |
| II. Hæmorrhage | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Dropsy | 5 | – | – | – | – | – | – | – | – | 1 | – | – | 1 |
| Abscess | 2 | – | – | 1 | 1 | – | – | – | – | – | – | – | – |
| Ulcer | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Fistula | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mortification | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cancer | 4 | – | – | – | – | – | – | – | – | – | – | – | – |
| Gout | – | – | – | – | – | – | – | – | – | – | – | – | – |
| III. Scrofula | 14 | – | 1 | – | – | 1 | – | – | – | 1 | 5 | 1 | – |
| Tabes Mesenterica | 11 | 1 | – | 1 | 4 | 2 | 1 | 1 | 1 | – | – | – | – |
| Phthisis | 91 | – | – | 1 | 5 | 1 | 1 | – | 2 | 7 | 9 | 14 | 9 |
| Hydrocephalus | 30 | 1 | 1 | 8 | 11 | 4 | – | 1 | 4 | – | – | – | – |

CAUSES of DEATH in the SUBURBAN DISTRICTS of BARONY and GOVAN, at different Periods of Life, in 1862.—MALES.

| DISEASES. | MALES. AGE UNDER | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 35 | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| ALL CAUSES | 23 | 31 | 28 | 26 | 25 | 34 | 34 | 25 | 20 | 18 | 12 | 1 | – | 2 | – | 2 |
| SPECIFIED CAUSES | 23 | 31 | 28 | 25 | 25 | 33 | 31 | 25 | 20 | 18 | 12 | 1 | – | 2 | – | 1 |
| Zymotic Class | – | 1 | 1 | 4 | 1 | 1 | 2 | 1 | – | 1 | 1 | – | – | – | – | – |
| Uncertain Seat | – | 1 | – | – | 1 | 3 | 1 | – | 1 | – | – | – | – | – | – | – |
| Tubercular Class | 10 | 8 | 14 | 3 | 3 | 2 | 2 | 2 | 2 | – | – | – | – | – | – | 1 |
| Brain, etc. | 5 | 7 | 2 | 4 | 2 | 6 | 5 | 8 | 2 | 4 | – | – | – | – | – | – |
| Heart, etc. | 1 | 1 | 1 | 1 | – | 4 | 2 | 1 | 4 | – | 1 | – | – | – | – | – |
| Respiratory Organs | 3 | 5 | 5 | 9 | 10 | 13 | 8 | 7 | 3 | 5 | 3 | 1 | – | – | – | – |
| Digestive Organs | – | 1 | 1 | 1 | 3 | – | 4 | 1 | 2 | 2 | – | – | – | – | – | – |
| Urinary Organs | 1 | 2 | – | 1 | 1 | 1 | – | – | 1 | – | – | – | – | – | – | – |
| Generative Organs | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Locomotive Organs | – | – | – | – | – | – | – | 1 | – | 1 | – | – | – | – | – | – |
| Skin | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Malformation | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Premature Debility | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Atrophy | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Age | – | – | – | – | – | – | 4 | 2 | 4 | 4 | 7 | – | – | 2 | – | – |
| Sudden Deaths | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Violent Deaths | 3 | 5 | 4 | 2 | 3 | 3 | 3 | 2 | 1 | 1 | – | – | – | – | – | – |
| Small Pox | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Measles | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scarlatina | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diphtheria | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hooping Cough | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Croup | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Thrush | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diarrhœa | – | – | – | 1 | – | – | 1 | – | – | 1 | – | – | – | – | – | – |
| Dysentery | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cholera | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Influenza | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Purpura | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ague | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Worms | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Infantile Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Typhus | – | 1 | 1 | 2 | 1 | 1 | 1 | 1 | – | – | 1 | – | – | – | – | – |
| Metria | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rheumatic Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Erysipelas | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Syphilis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Noma | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmorrhage | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Dropsy | – | – | – | – | 1 | 2 | – | – | – | – | – | – | – | – | – | – |
| Abscess | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ulcer | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Fistula | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mortification | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cancer | – | 1 | – | – | – | 1 | 1 | – | 1 | – | – | – | – | – | – | – |
| Gout | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scrofula | 1 | 1 | 1 | – | – | – | – | 1 | 1 | – | – | – | – | – | – | – |
| Tabes Mesenterica | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phthisis | 9 | 7 | 13 | 3 | 3 | 2 | 2 | 1 | 1 | – | – | – | – | – | – | 1 |
| Hydrocephalus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in the SUBURBAN DISTRICTS of BARONY and GOVAN, at different Periods of Life, in 1862.—MALES. (*Continued.*)

| DISEASES. | MALES. | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | |
| | | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 |
| | | 3 | 6 | 12 | | | | | | | | | |
| IV. Cephalitis | 3 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Apoplexy | 23 | – | 1 | 1 | 2 | – | – | – | – | – | – | 1 | – |
| Paralysis | 15 | – | – | – | – | – | – | – | – | – | – | – | – |
| Delirium Tremens | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chorea | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epilepsy | 7 | – | – | – | – | – | – | – | 1 | 1 | – | – | 1 |
| Tetanus | 1 | – | – | – | – | – | – | – | 1 | – | – | – | – |
| Insanity | 2 | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Convulsions | 5 | – | – | – | 2 | – | 1 | – | 2 | – | – | – | – |
| Brain Disease | 12 | – | – | – | 1 | – | – | 2 | 2 | 1 | – | 1 | – |
| V. Pericarditis | 3 | – | – | 1 | – | – | – | – | – | – | 1 | – | – |
| Aneurism | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Heart Disease | 17 | – | – | – | – | – | – | – | 1 | – | – | 1 | 1 |
| VI. Laryngitis | 3 | – | – | – | 1 | 1 | – | – | – | – | – | – | – |
| Bronchitis | 91 | 5 | 7 | 15 | 15 | 9 | 2 | 1 | 3 | – | 1 | 3 | 1 |
| Pleurisy | 5 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Pneumonia | 43 | 1 | – | – | 2 | 1 | 2 | – | 4 | – | – | 2 | 2 |
| Asthma | 6 | – | – | – | – | – | – | – | – | – | – | – | – |
| Lung Disease | 5 | 1 | – | – | 1 | – | – | – | – | – | – | – | – |
| VII. Teething | 13 | 1 | 2 | 7 | 3 | – | – | – | – | – | – | – | – |
| Quinsey | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gastritis | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Enteritis | 16 | 3 | 3 | – | 1 | 1 | 1 | – | – | – | 1 | – | 1 |
| Peritonitis | 4 | – | – | – | – | – | – | – | 1 | 2 | – | – | – |
| Ascites | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Ulceration of Intestines | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hernia | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ileus | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Intussusception | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Stricture of Intestines | 1 | – | – | – | – | – | – | – | 1 | – | – | – | – |
| Stomach Disease | 4 | 1 | – | – | 1 | – | 1 | – | – | – | – | – | – |
| Pancreas Disease | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hepatitis | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| Jaundice | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Liver Disease | 6 | – | – | – | – | – | – | – | – | – | 1 | – | – |
| Spleen Disease | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – |
| VIII. Nephritis | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Nephria | 7 | – | – | – | – | – | – | – | 1 | – | – | 1 | 1 |
| Ischuria | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diabetes | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Stone | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cystitis | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Stricture of Urethra | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Kidney Disease | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| IX. Paramenia | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ovarian Dropsy | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Childbirth | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Organs of Generation | – | – | – | – | – | – | – | – | – | – | – | – | – |
| X. Arthritis | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rheumatism | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| Joint and Bone Disease | 3 | – | – | – | – | – | – | – | 1 | 1 | – | 1 | – |
| XI. Carbuncle | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmon | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Skin Disease | 1 | – | – | – | – | – | 1 | – | – | – | – | – | – |
| XII. Cyanosis | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Spina Bifida | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Malformations | 3 | 3 | – | – | – | – | – | – | – | – | – | – | – |
| XVII. Intemperance | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Privation | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Want of Breast Milk | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Neglect | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cold | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Poison | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds | 8 | – | – | – | 2 | 1 | 1 | – | 2 | – | – | – | 1 |
| Hanging, etc. | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Suffocation | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Drowning | 14 | – | – | – | 1 | 1 | – | – | 1 | – | 1 | 2 | 2 |
| Fracture and Contusion | 17 | – | – | – | – | – | – | – | – | 1 | – | 1 | 1 |
| Wounds | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Violent Causes | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| Not Specified | 41 | 9 | 4 | 4 | 4 | 4 | – | 1 | 6 | – | 2 | 1 | – |

CAUSES of DEATH in the SUBURBAN DISTRICTS of BARONY and GOVAN, at different Periods of Life, in 1862.—MALES. (*Continued.*)

| DISEASES. | MALES. AGE UNDER | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 35 | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| Cephalitis | – | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Apoplexy | 1 | 2 | – | 1 | 1 | 3 | 3 | 2 | 2 | 3 | – | – | – | – | – | – |
| Paralysis | 1 | 2 | 1 | 3 | – | – | 1 | 6 | – | 1 | – | – | – | – | – | – |
| Delirium Tremens | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chorea | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epilepsy | 2 | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Tetanus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Insanity | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Convulsions | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Brain Disease | 1 | 1 | – | – | – | 2 | 1 | – | – | – | – | – | – | – | – | – |
| Pericarditis | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Aneurism | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Heart Disease | – | 1 | 1 | – | – | 4 | 2 | 1 | 4 | – | 1 | – | – | – | – | – |
| Laryngitis | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Bronchitis | 2 | 1 | 1 | 4 | 5 | 6 | 3 | 2 | 1 | 1 | 2 | 1 | – | – | – | – |
| Pleurisy | – | – | 1 | 2 | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Pneumonia | 1 | 4 | 3 | 2 | 4 | 5 | 2 | 3 | 1 | 3 | 1 | – | – | – | – | – |
| Asthma | – | – | – | 1 | – | 2 | 1 | 1 | – | 1 | – | – | – | – | – | – |
| Lung Disease | – | – | – | – | 1 | – | 1 | – | 1 | – | – | – | – | – | – | – |
| Teething | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Quinsey | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gastritis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Enteritis | – | – | 1 | 1 | – | – | 1 | 1 | 1 | – | – | – | – | – | – | – |
| Peritonitis | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ascites | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Ulceration of Intestines | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hernia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ileus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intussusception | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Stricture of Intestines | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Stomach Disease | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Pancreas | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hepatitis | – | – | – | – | 2 | – | – | – | – | – | – | – | – | – | – | – |
| Jaundice | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Liver Disease | – | – | – | – | 1 | – | 2 | – | – | 2 | – | – | – | – | – | – |
| Spleen Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Nephritis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Nephria | 1 | 1 | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Ischuria | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diabetes | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Stone | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cystitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Stricture of Urethra | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Kidney Disease | – | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Paramenia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ovarian Dropsy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Childbirth | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Organs of Generation | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Arthritis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rheumatism | – | – | – | – | – | – | – | 1 | – | 1 | – | – | – | – | – | – |
| Joint Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Carbuncle | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmon | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Skin Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cyanosis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Spina Bifida | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Malformations | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intemperance | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Privation | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Want of Breast Milk | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Neglect | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cold | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Poison | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Hanging, etc. | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suffocation | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Drowning | 2 | – | 2 | – | – | 1 | – | – | – | 1 | – | – | – | – | – | – |
| Fracture and Contusion | 1 | 3 | – | 1 | 2 | 1 | 3 | 2 | 1 | – | – | – | – | – | – | – |
| Wounds | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Violent Causes | – | – | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Not Specified | – | – | – | 1 | – | 1 | 3 | – | – | – | – | – | – | – | – | 1 |

CAUSES of DEATH in the SUBURBAN DISTRICTS of BARONY and GOVAN, at different Periods of Life, in 1862.—FEMALES.

| DISEASES. | FEMALES. | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | |
| | | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 |
| | | 3 | 6 | 12 | | | | | | | | | |
| ALL CAUSES | 788 | 60 | 26 | 67 | 103 | 34 | 34 | 22 | 36 | 20 | 22 | 30 | 23 |
| SPECIFIED CAUSES | 749 | 52 | 22 | 61 | 98 | 32 | 32 | 20 | 33 | 20 | 22 | 29 | 23 |
| I. Zymotic Class | 153 | 5 | 3 | 20 | 33 | 15 | 15 | 9 | 15 | 3 | 5 | 2 | 3 |
| II. Diseases of Uncertain Seat | 28 | – | – | – | 1 | – | – | 1 | – | – | – | 1 | – |
| III. Tubercular Class | 159 | – | 3 | 15 | 11 | 7 | 3 | 6 | 10 | 15 | 14 | 13 | 12 |
| IV. Brain and Nervous System | 57 | 5 | – | 2 | 5 | 2 | 3 | 2 | – | – | – | 2 | 1 |
| V. Organs of Circulation | 15 | – | – | – | – | – | – | – | 2 | – | 1 | – | – |
| VI. Respiratory Organs | 148 | 5 | 7 | 17 | 32 | 7 | 9 | – | 3 | – | 1 | 7 | 2 |
| VII. Organs of Digestion | 52 | 3 | 2 | 6 | 14 | 1 | 1 | 1 | 1 | 2 | – | 1 | 1 |
| VIII. Urinary Organs | 10 | – | – | – | – | – | – | – | – | – | – | – | – |
| IX. Organs of Generation | 18 | – | – | – | – | – | – | – | – | – | 1 | 3 | 4 |
| X. Organs of Locomotion | 6 | – | – | – | – | – | – | – | 1 | – | – | – | – |
| XI. Skin, etc. | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| XII. Malformation | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – |
| XIII. Premature Debility | 40 | 33 | 7 | – | – | – | – | – | – | – | – | – | – |
| XIV. Atrophy | 5 | – | – | – | 2 | – | – | – | – | – | – | – | – |
| XV. Age | 51 | – | – | – | – | – | – | – | – | – | – | – | – |
| XVI. Sudden Deaths | – | – | – | – | – | – | – | – | – | – | – | – | – |
| XVII. Violent Deaths | 5 | – | – | – | – | – | 1 | 1 | 1 | – | – | – | – |
| I. Small Pox | 2 | – | – | 2 | – | – | – | – | – | – | – | – | – |
| Measles | 11 | – | – | – | 6 | 2 | 3 | – | – | – | – | – | – |
| Scarlatina | 19 | – | – | 2 | 4 | 3 | 2 | 3 | 4 | 1 | – | – | – |
| Diphtheria | 18 | – | – | 1 | 2 | 2 | 2 | 2 | 7 | 1 | 1 | – | – |
| Hooping Cough | 24 | – | 1 | 6 | 9 | 4 | 4 | – | – | – | – | – | – |
| Croup | 16 | 2 | – | 3 | 6 | 1 | 2 | 2 | – | – | – | – | – |
| Thrush | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diarrhœa | 26 | 3 | 1 | 6 | 5 | 1 | 1 | – | 1 | – | – | – | – |
| Dysentery | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Cholera | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Influenza | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Purpura | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Ague | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Worms | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Infantile Fever | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Typhus | 29 | – | – | – | – | 1 | 1 | 2 | 3 | 1 | 3 | 2 | 1 |
| Metria | 3 | – | – | – | – | – | – | – | – | – | – | – | 2 |
| Rheumatic Fever | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Erysipelas | 2 | – | – | – | – | 1 | – | – | – | – | 1 | – | – |
| Syphilis | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Noma | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – |
| II. Hæmorrhage | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Dropsy | 10 | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Abscess | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Ulcer | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Fistula | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mortification | 2 | – | – | – | – | – | – | 1 | – | – | – | – | – |
| Cancer | 14 | – | – | – | – | – | – | – | – | – | – | – | – |
| Gout | – | – | – | – | – | – | – | – | – | – | – | – | – |
| III. Scrofula | 8 | – | – | – | 1 | – | – | – | 1 | – | – | 2 | 1 |
| Tabes Mesenterica | 12 | – | – | 3 | 3 | 4 | 1 | – | – | 1 | – | – | – |
| Phthisis | 116 | – | 2 | 3 | 5 | 1 | 1 | 6 | 4 | 11 | 14 | 11 | 11 |
| Hydrocephalus | 23 | – | 1 | 9 | 2 | 2 | 1 | – | 5 | 3 | – | – | – |

CAUSES of DEATH in the SUBURBAN DISTRICTS of BARONY and GOVAN, at different Periods of Life, in 1862.—FEMALES.

| DISEASES. | FEMALES. AGE UNDER | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 35 | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| ALL CAUSES | 29 | 33 | 29 | 32 | 23 | 22 | 33 | 34 | 21 | 21 | 19 | 12 | 1 | 1 | – | 1 |
| SPECIFIED CAUSES | 29 | 33 | 29 | 31 | 22 | 19 | 33 | 34 | 21 | 21 | 19 | 12 | 1 | 1 | – | – |
| Zymotic Class | 1 | 3 | 2 | 3 | 4 | 3 | 3 | 3 | 2 | 1 | – | – | – | – | – | – |
| Uncertain Seat | 4 | 1 | 4 | 2 | 4 | 3 | 2 | 1 | 2 | 1 | – | 1 | – | – | – | – |
| Tubercular Class | 12 | 12 | 11 | 4 | 4 | 1 | 5 | 1 | – | – | – | – | – | – | – | – |
| Brain, etc. | 2 | 1 | 2 | 5 | 1 | 1 | 6 | 5 | 7 | 3 | 1 | 1 | – | – | – | – |
| Heart, etc. | 1 | 1 | 2 | 2 | – | – | – | 3 | 1 | 1 | 1 | – | – | – | – | – |
| Respiratory Organs | 4 | 6 | 1 | 9 | 3 | 8 | 8 | 9 | 2 | 4 | 3 | 1 | – | – | – | – |
| Digestive Organs | 2 | 2 | 2 | 4 | 4 | – | 3 | – | 1 | – | 1 | – | – | – | – | – |
| Urinary Organs | – | 3 | 1 | 1 | – | 1 | 3 | – | – | 1 | – | – | – | – | – | – |
| Generative Organs | 3 | 2 | 3 | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Locomotive Organs | – | 2 | – | – | 1 | 1 | – | 1 | – | – | – | – | – | – | – | – |
| Skin | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Malformation | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Premature Debility | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Atrophy | – | – | 1 | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – |
| Age | – | – | – | – | – | – | 2 | 9 | 6 | 10 | 13 | 9 | 1 | 1 | – | – |
| Sudden Deaths | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Violent Deaths | – | – | – | – | – | – | – | 2 | – | – | – | – | – | – | – | – |
| Small Pox | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Measles | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scarlatina | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diphtheria | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hooping Cough | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Croup | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Thrush | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diarrhœa | – | – | – | 1 | 2 | – | 1 | 1 | 2 | 1 | – | – | – | – | – | – |
| Dysentery | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Cholera | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Influenza | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Purpura | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ague | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Worms | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Infantile Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Typhus | 1 | 2 | 2 | 1 | 2 | 3 | 2 | 2 | – | – | – | – | – | – | – | – |
| Metria | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rheumatic Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Erysipelas | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Syphilis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Noma | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmorrhage | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Dropsy | 2 | 1 | 1 | 1 | 2 | – | – | – | 2 | – | – | – | – | – | – | – |
| Abscess | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ulcer | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Fistula | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mortification | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| Cancer | 2 | – | 2 | 1 | 2 | 3 | 2 | 1 | – | – | – | 1 | – | – | – | – |
| Gout | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scrofula | 1 | – | – | – | – | – | 1 | 1 | – | – | – | – | – | – | – | – |
| Tabes Mesenterica | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phthisis | 11 | 12 | 11 | 4 | 4 | 1 | 4 | – | – | – | – | – | – | – | – | – |
| Hydrocephalus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in the SUBURBAN DISTRICTS of BARONY and GOVAN, at different Periods of Life, in 1862.—FEMALES. (*Continued.*)

| DISEASES. | FEMALES. | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | |
| | | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 |
| | | 3 | 6 | 12 | | | | | | | | | |
| IV. Cephalitis | 3 | – | – | – | – | 2 | – | – | – | – | – | 1 | – |
| Apoplexy | 11 | – | – | – | 2 | – | 1 | – | – | – | – | – | – |
| Paralysis | 19 | – | – | – | – | – | – | – | – | – | – | – | – |
| Delirium Tremens | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chorea | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epilepsy | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| Tetanus | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Insanity | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Convulsions | 10 | 5 | – | 1 | 2 | – | 1 | 1 | – | – | – | – | – |
| Brain Disease | 11 | – | – | 1 | 1 | – | 1 | 1 | – | – | – | 1 | 1 |
| V. Pericarditis | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Aneurism | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Heart Disease | 15 | – | – | – | – | – | – | – | 2 | – | 1 | – | – |
| VI. Laryngitis | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Bronchitis | 83 | 3 | 5 | 14 | 19 | 4 | 4 | – | 2 | – | – | 1 | – |
| Pleurisy | 4 | – | – | – | – | – | 1 | – | – | – | – | – | – |
| Pneumonia | 47 | 2 | 2 | 3 | 8 | 3 | 4 | – | 1 | – | – | 4 | 2 |
| Asthma | 6 | – | – | – | – | – | – | – | – | – | – | – | – |
| Lung Disease | 7 | – | – | – | 4 | – | – | – | – | – | 1 | 2 | – |
| VII. Teething | 15 | – | 1 | 4 | 10 | – | – | – | – | – | – | – | – |
| Quinsey | 3 | – | – | 1 | 1 | – | – | 1 | – | – | – | – | – |
| Gastritis | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Enteritis | 11 | 2 | – | 1 | 2 | 1 | 1 | – | 1 | 1 | – | – | – |
| Peritonitis | 4 | – | – | – | – | – | – | – | – | 1 | – | 1 | 1 |
| Ascites | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ulceration of Intestines | 3 | – | – | – | – | – | – | – | – | – | – | – | – |
| Hernia | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ileus | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Intussusception | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Stricture of Intestines | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Stomach Disease | 5 | 1 | 1 | – | – | – | – | – | – | – | – | – | – |
| Pancreas Disease | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hepatitis | 4 | – | – | – | – | – | – | – | – | – | – | – | – |
| Jaundice | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Liver Disease | 4 | – | – | – | – | – | – | – | – | – | – | – | – |
| Spleen Disease | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| VIII. Nephritis | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| Nephria | 3 | – | – | – | – | – | – | – | – | – | – | – | – |
| Ischuria | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diabetes | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| Stone | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cystitis | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Stricture of Urethra | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Kidney Disease | 3 | – | – | – | – | – | – | – | – | – | – | – | – |
| IX. Paramenia | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ovarian Dropsy | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Childbirth | 13 | – | – | – | – | – | – | – | – | – | 1 | 2 | 4 |
| Organs of Generation | 4 | – | – | – | – | – | – | – | – | – | – | 1 | – |
| X. Arthritis | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rheumatism | 3 | – | – | – | – | – | – | – | – | – | – | – | – |
| Joint and Bone Disease | 3 | – | – | – | – | – | – | – | 1 | – | – | – | – |
| XI. Carbuncle | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmon | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Skin Disease | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| XII. Cyanosis | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Spina Bifida | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Malformations | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – |
| XVII. Intemperance | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Privation | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Want of Breast Milk | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Neglect | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cold | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Poison | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds | 3 | – | – | – | – | – | 1 | 1 | – | – | – | – | – |
| Hanging, etc. | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suffocation | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Drowning | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Fracture and Contusion | 2 | – | – | – | – | – | – | – | 1 | – | – | – | – |
| Wounds | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Violent Causes | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Not Specified | 39 | 8 | 4 | 6 | 5 | 2 | 2 | 2 | 3 | – | – | 1 | – |

CAUSES of DEATH in the SUBURBAN DISTRICTS of BARONY and GOVAN, at different Periods of Life, in 1862.—FEMALES. (*Continued.*)

| DISEASES. | BOTH SEXES. AGE UNDER | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 35 | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| Cephalitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Apoplexy | 1 | – | – | 2 | – | 1 | 2 | 2 | – | – | – | – | – | – | – | – |
| Paralysis | – | – | – | 2 | 1 | – | 2 | 3 | 7 | 2 | 1 | 1 | – | – | – | – |
| Delirium Tremens | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chorea | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epilepsy | – | 1 | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Tetanus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Insanity | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Convulsions | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Brain Disease | 1 | – | 2 | – | – | – | 1 | – | – | 1 | – | – | – | – | – | – |
| Pericarditis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Aneurism | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Heart Disease | 1 | 1 | 2 | 2 | – | – | – | 3 | 1 | 1 | 1 | – | – | – | – | – |
| Laryngitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Bronchitis | 1 | 4 | 1 | 5 | 2 | 4 | 3 | 3 | 1 | 3 | 3 | 1 | – | – | – | – |
| Pleurisy | – | – | – | 1 | – | 1 | – | 1 | – | – | – | – | – | – | – | – |
| Pneumonia | 3 | 2 | – | 2 | 1 | 3 | 2 | 4 | 1 | – | – | – | – | – | – | – |
| Asthma | – | – | – | 1 | – | – | 3 | 1 | – | 1 | – | – | – | – | – | – |
| Lung Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Teething | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Quinsey | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gastritis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Enteritis | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Peritonitis | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Ascites | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ulceration of Intestines | – | 2 | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Hernia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ileus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intussusception | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Stricture of Intestines | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Stomach Disease | – | – | 1 | – | 1 | – | – | – | 1 | – | – | – | – | – | – | – |
| Pancreas Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hepatitis | – | – | – | 1 | 1 | – | 2 | – | – | – | – | – | – | – | – | – |
| Jaundice | – | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| Liver Disease | – | – | 1 | 2 | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Spleen Disease | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Nephritis | – | 1 | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Nephria | – | – | – | – | – | 1 | 1 | – | – | 1 | – | – | – | – | – | – |
| Ischuria | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diabetes | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Stone | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cystitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Stricture of Urethra | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Kidney Disease | – | 1 | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Paramenia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ovarian Dropsy | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Childbirth | 3 | 1 | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Organs of Generation | – | 1 | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Arthritis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rheumatism | – | 1 | – | – | 1 | – | – | 1 | – | – | – | – | – | – | – | – |
| Joint Disease | – | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Carbuncle | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmon | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Skin Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cyanosis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Spina Bifida | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Malformations | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intemperance | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Privation | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Want of Breast Milk | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Neglect | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cold | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Poison | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Hanging, etc. | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suffocation | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Drowning | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Fracture and Contusion | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Wounds | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Violent Causes | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Not Specified | – | – | – | 1 | 1 | 3 | – | – | – | – | – | – | – | – | – | 1 |

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1862.—Both Sexes.

| DISEASES. | BOTH SEXES. | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | |
| | | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 |
| | | 3 | 6 | 12 | | | | | | | | | |
| All Causes | 4760 | 411 | 153 | 338 | 456 | 246 | 148 | 134 | 250 | 89 | 137 | 196 | 173 |
| Specified Causes | 4733 | 404 | 151 | 336 | 453 | 246 | 147 | 134 | 249 | 89 | 136 | 196 | 170 |
| I. Zymotic Class | 1171 | 51 | 49 | 124 | 243 | 144 | 90 | 84 | 128 | 24 | 30 | 33 | 34 |
| II. Diseases of Uncertain Seat | 184 | 6 | 1 | 2 | – | 3 | 2 | 2 | 1 | 3 | 3 | 3 | 5 |
| III. Tubercular Class | 803 | 21 | 17 | 52 | 67 | 39 | 17 | 20 | 50 | 32 | 57 | 89 | 69 |
| IV. Brain and Nervous System | 418 | 44 | 10 | 14 | 21 | 8 | 6 | 3 | 16 | 5 | 8 | 9 | 13 |
| V. Organs of Circulation | 263 | 1 | – | 3 | – | – | – | – | 4 | 4 | 5 | 6 | 9 |
| VI. Respiratory Organs | 749 | 32 | 39 | 94 | 83 | 32 | 19 | 15 | 20 | 1 | 8 | 16 | 12 |
| VII. Organs of Digestion | 280 | 30 | 8 | 27 | 25 | 3 | 3 | 1 | 9 | 5 | 6 | 6 | 4 |
| VIII. Urinary Organs | 93 | 1 | – | – | – | – | 3 | 2 | 6 | 4 | 8 | 8 | 3 |
| IX. Organs of Generation | 41 | – | – | – | – | – | – | – | – | – | 1 | 6 | 8 |
| X. Organs of Locomotion | 38 | – | – | – | – | – | – | 2 | 3 | 2 | 5 | 3 | 1 |
| XI. Skin, etc. | 7 | 3 | – | 1 | – | – | – | – | – | – | – | – | – |
| XII. Malformation | 18 | 16 | 1 | – | – | – | – | – | – | 1 | – | – | – |
| XIII. Premature Debility | 210 | 175 | 21 | 14 | – | – | – | – | – | – | – | – | – |
| XIV. Atrophy | 35 | – | – | – | 11 | 7 | 2 | 2 | 2 | – | – | – | – |
| XV. Age | 218 | – | – | – | – | – | – | – | – | – | – | – | – |
| XVI. Sudden Deaths | 12 | – | 2 | 3 | – | 1 | – | – | – | – | – | – | – |
| XVII. Violent Deaths | 193 | 24 | 3 | 2 | 3 | 9 | 5 | 3 | 8 | 8 | 5 | 17 | 12 |
| I. Small Pox | 171 | 5 | 8 | 32 | 32 | 25 | 13 | 6 | 14 | 3 | 5 | 9 | 10 |
| Measles | 30 | – | 1 | 4 | 16 | 4 | 2 | 1 | 2 | – | – | – | – |
| Scarlatina | 232 | 1 | 3 | 8 | 37 | 37 | 25 | 40 | 60 | 11 | 4 | 1 | 1 |
| Diphtheria | 42 | 3 | – | 2 | 9 | 8 | 4 | 1 | 9 | 2 | 1 | 1 | – |
| Hooping Cough | 280 | 11 | 27 | 53 | 98 | 34 | 21 | 20 | 14 | 1 | 1 | – | – |
| Croup | 89 | 3 | 1 | 11 | 29 | 18 | 14 | 8 | 4 | – | – | – | 1 |
| Thrush | 5 | 1 | 3 | 1 | – | – | – | – | – | – | – | – | – |
| Diarrhœa | 67 | 14 | 3 | 8 | 5 | 4 | 1 | 1 | – | – | – | 2 | 1 |
| Dysentery | 22 | 1 | – | – | 1 | – | – | – | – | – | – | – | 2 |
| Cholera | 2 | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Influenza | 9 | – | 1 | – | 1 | 1 | – | – | – | – | – | – | – |
| Purpura | 8 | – | – | – | – | 1 | – | 1 | 1 | – | – | 2 | – |
| Ague | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Worms | 1 | – | – | – | – | – | 1 | – | – | – | – | – | – |
| Infantile Fever | 10 | – | – | 2 | 2 | 3 | 2 | 1 | – | – | – | – | – |
| Typhus | 147 | 1 | – | 1 | 9 | 9 | 7 | 5 | 24 | 7 | 15 | 10 | 11 |
| Metria | 16 | – | – | – | – | – | – | – | – | – | 3 | 4 | 6 |
| Rheumatic Fever | 5 | – | – | – | – | – | – | – | – | – | 1 | – | – |
| Erysipelas | 18 | 7 | 1 | – | – | – | – | – | – | – | – | 1 | 1 |
| Syphilis | 15 | 4 | 1 | – | 4 | – | – | – | – | – | – | 3 | 1 |
| Noma | 2 | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – |
| II. Hæmorrhage | 5 | 1 | – | – | – | – | – | – | – | – | – | 1 | 1 |
| Dropsy | 33 | – | – | – | – | 2 | 1 | 2 | 1 | 2 | 1 | 1 | 1 |
| Abscess | 16 | 2 | 1 | 2 | – | – | – | – | – | 1 | 1 | – | 1 |
| Ulcer | 4 | 1 | – | – | – | – | – | – | – | – | – | 1 | – |
| Fistula | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Mortification | 7 | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Cancer | 118 | 2 | – | – | – | – | 1 | – | – | – | 1 | – | 2 |
| Gout | – | – | – | – | – | – | – | – | – | – | – | – | – |
| III. Scrofula | 60 | 2 | 1 | 3 | 8 | 6 | 1 | 1 | 9 | 4 | 5 | 5 | 3 |
| Tabes Mesenterica | 92 | 14 | 7 | 14 | 17 | 12 | 4 | 6 | 8 | 3 | 3 | 3 | – |
| Phthisis | 514 | – | – | – | 3 | 6 | 2 | 5 | 20 | 22 | 49 | 81 | 66 |
| Hydrocephalus | 137 | 5 | 9 | 35 | 39 | 15 | 10 | 8 | 13 | 3 | – | – | – |

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1862.—Both Sexes.

| DISEASES. | BOTH SEXES. AGE UNDER | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 35 | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| All Causes | 179 | 184 | 162 | 172 | 197 | 148 | 247 | 218 | 210 | 157 | 91 | 46 | 11 | 4 | 1 | 2 |
| Specified Causes | 179 | 183 | 162 | 170 | 196 | 147 | 247 | 218 | 210 | 157 | 91 | 46 | 11 | 4 | 1 | 2 |
| Zymotic Class | 18 | 12 | 14 | 9 | 9 | 6 | 18 | 14 | 15 | 14 | 6 | 2 | – | – | – | – |
| Uncertain Seat | 9 | 8 | 15 | 17 | 24 | 17 | 20 | 16 | 14 | 9 | 2 | 2 | – | – | – | – |
| Tubercular Class | 71 | 62 | 43 | 40 | 26 | 10 | 11 | 8 | 1 | – | 1 | – | – | – | – | – |
| Brain, etc. | 13 | 14 | 20 | 22 | 23 | 20 | 46 | 31 | 31 | 21 | 15 | 4 | 1 | – | – | – |
| Heart, etc. | 15 | 20 | 15 | 20 | 23 | 25 | 34 | 34 | 30 | 12 | 2 | 1 | – | – | – | – |
| Respiratory Organs | 16 | 20 | 25 | 22 | 37 | 33 | 64 | 45 | 57 | 35 | 15 | 8 | 1 | – | – | – |
| Digestive Organs | 11 | 20 | 7 | 14 | 24 | 12 | 20 | 25 | 6 | 8 | 2 | 3 | 1 | – | – | – |
| Urinary Organs | 6 | 6 | 6 | 5 | 5 | 6 | 11 | 7 | 2 | 3 | – | 1 | – | – | – | – |
| Generative Organs | 7 | 7 | 6 | 2 | – | 2 | 1 | – | 1 | – | – | – | – | – | – | – |
| Locomotive Organs | 2 | 2 | 1 | 2 | – | 5 | 2 | 4 | 2 | 2 | – | – | – | – | – | – |
| Skin | 1 | – | – | – | – | 1 | – | – | 1 | – | – | – | – | – | – | – |
| Malformation | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Premature Debility | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Atrophy | 1 | 1 | – | 1 | 6 | 2 | – | – | – | – | – | – | – | – | – | – |
| Age | – | – | – | – | – | – | 10 | 25 | 49 | 50 | 47 | 24 | 8 | 4 | 1 | – |
| Sudden Deaths | – | 1 | – | 1 | 2 | 1 | – | 1 | – | – | – | – | – | – | – | – |
| Violent Deaths | 9 | 10 | 10 | 15 | 17 | 7 | 10 | 8 | 1 | 3 | 1 | 1 | – | – | – | 2 |
| Small Pox | – | 2 | 4 | 1 | 1 | – | – | 1 | – | – | – | – | – | – | – | – |
| Measles | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scarlatina | – | 2 | – | – | 1 | – | – | 1 | – | – | – | – | – | – | – | – |
| Diphtheria | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Hooping Cough | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Croup | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Thrush | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diarrhœa | 2 | 2 | 2 | 1 | 2 | 2 | 4 | – | 6 | 5 | 1 | 1 | – | – | – | – |
| Dysentery | 1 | 1 | 1 | – | – | – | 2 | 3 | 5 | 3 | 2 | – | – | – | – | – |
| Cholera | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| Influenza | 1 | – | – | – | – | 1 | 1 | – | – | 2 | – | 1 | – | – | – | – |
| Purpura | – | – | 1 | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – |
| Ague | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Worms | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Infantile Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Typhus | 6 | 4 | 5 | 4 | 5 | 2 | 7 | 7 | 3 | 3 | 2 | – | – | – | – | – |
| Metria | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rheumatic Fever | 1 | – | – | 2 | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Erysipelas | 2 | – | – | – | – | – | 2 | 2 | 1 | – | 1 | – | – | – | – | – |
| Syphilis | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Noma | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmorrhage | – | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Dropsy | – | 2 | 4 | 3 | 2 | 2 | 2 | 1 | 2 | 2 | 2 | – | – | – | – | – |
| Abscess | – | – | 1 | 3 | 3 | – | – | 1 | – | – | – | – | – | – | – | – |
| Ulcer | – | – | – | 1 | – | – | – | – | – | 1 | – | – | – | – | – | – |
| Fistula | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Mortification | 1 | – | – | – | – | – | – | 1 | 1 | 2 | – | 1 | – | – | – | – |
| Cancer | 8 | 6 | 10 | 9 | 18 | 15 | 18 | 12 | 11 | 4 | – | 1 | – | – | – | – |
| Gout | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scrofula | 2 | 4 | 2 | – | 2 | 2 | – | – | – | – | – | – | – | – | – | – |
| Tabes Mesenterica | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phthisis | 69 | 58 | 40 | 40 | 24 | 8 | 11 | 8 | 1 | – | 1 | – | – | – | – | – |
| Hydrocephalus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1862.—Both Sexes. (*Continued.*)

| DISEASES. | BOTH SEXES. | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | |
| | | MONTHS. | | | | | | | | | | | |
| | | 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 |
| IV. Cephalitis | 24 | – | – | 3 | 2 | 2 | 2 | 1 | 5 | 2 | 1 | 2 | 1 |
| Apoplexy | 87 | 4 | 1 | 1 | 2 | – | 1 | – | 1 | – | – | 1 | 2 |
| Paralysis | 106 | – | – | – | – | – | – | – | – | – | – | 1 | 4 |
| Delirium Tremens | 5 | – | – | – | – | – | – | – | – | – | – | 1 | 1 |
| Chorea | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Epilepsy | 20 | – | – | – | 1 | – | – | – | 1 | 1 | 1 | 2 | – |
| Tetanus | 5 | 2 | – | – | – | – | – | 1 | – | – | 1 | – | – |
| Insanity | 17 | – | – | – | – | – | – | – | – | 1 | – | 2 | 1 |
| Convulsions | 68 | 36 | 7 | 7 | 10 | 3 | 3 | 1 | 1 | – | – | – | – |
| Brain Disease | 85 | 2 | 2 | 3 | 6 | 3 | – | – | 8 | 1 | 5 | – | 4 |
| V. Pericarditis | 2 | – | – | – | – | – | – | – | – | – | – | 1 | 1 |
| Aneurism | 22 | – | – | – | – | – | – | – | – | – | – | – | – |
| Heart Disease | 239 | 1 | – | 3 | – | – | – | – | 4 | 4 | 5 | 5 | 8 |
| VI. Laryngitis | 18 | – | 5 | 1 | 4 | 2 | 1 | 1 | 1 | – | – | 1 | – |
| Bronchitis | 520 | 25 | 28 | 78 | 72 | 23 | 12 | 11 | 16 | 1 | 2 | 4 | 3 |
| Pleurisy | 22 | – | 1 | – | – | – | – | – | – | – | 1 | 4 | 3 |
| Pneumonia | 111 | 7 | 5 | 14 | 7 | 6 | 5 | 2 | 3 | – | – | 6 | 4 |
| Asthma | 46 | – | – | – | – | – | – | – | – | – | 2 | – | – |
| Lung Disease | 32 | – | – | 1 | – | 1 | 1 | 1 | – | – | 3 | 1 | 2 |
| VII. Teething | 44 | – | 2 | 23 | 18 | 1 | – | – | – | – | – | – | – |
| Quinsey | 1 | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Gastritis | 6 | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Enteritis | 39 | 14 | 1 | 1 | 4 | – | 1 | – | 4 | 3 | – | 2 | 2 |
| Peritonitis | 11 | 2 | 1 | – | – | – | – | – | 1 | 2 | – | 2 | – |
| Ascites | 4 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Ulceration of Intestines | 17 | – | – | – | – | – | – | 1 | 1 | – | 2 | 1 | – |
| Hernia | 11 | – | – | – | – | – | – | – | – | – | – | – | – |
| Ileus | 20 | 3 | 1 | – | – | – | 1 | – | – | – | 1 | – | 1 |
| Intussusception | 2 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Stricture of Intestines | 4 | – | – | – | – | – | – | – | – | – | – | – | – |
| Stomach Disease | 52 | 4 | 2 | 1 | 2 | 1 | 1 | – | 1 | – | 1 | 1 | – |
| Pancreas Disease | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hepatitis | 6 | – | – | – | – | – | – | – | – | – | 1 | – | – |
| Jaundice | 17 | 6 | – | 2 | – | – | – | – | 1 | – | – | – | – |
| Liver Disease | 45 | – | – | – | – | 1 | – | – | – | – | 1 | – | – |
| Spleen Disease | 1 | – | – | – | – | – | – | – | 1 | – | – | – | – |
| VIII. Nephritis | 5 | – | – | – | – | – | – | 1 | 2 | – | – | – | – |
| Nephria | 36 | – | – | – | – | – | – | – | 2 | 3 | 3 | 5 | 1 |
| Ischuria | 2 | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Diabetes | 8 | – | – | – | – | – | 1 | – | – | – | 1 | 1 | – |
| Stone | 5 | – | – | – | – | – | – | – | – | – | 1 | – | – |
| Cystitis | 5 | – | – | – | – | – | – | 1 | – | 1 | – | – | – |
| Stricture of Urethra | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| Kidney Disease | 30 | 1 | – | – | – | – | 2 | – | 2 | – | 3 | 1 | 2 |
| IX. Paramenia | 4 | – | – | – | – | – | – | – | – | – | 1 | – | 1 |
| Ovarian Dropsy | 10 | – | – | – | – | – | – | – | – | – | – | – | 4 |
| Childbirth | 19 | – | – | – | – | – | – | – | – | – | – | 5 | 1 |
| Organs of Generation | 8 | – | – | – | – | – | – | – | – | – | – | 1 | 2 |
| X. Arthritis | 2 | – | – | – | – | – | – | – | 1 | – | – | – | 1 |
| Rheumatism | 13 | – | – | – | – | – | – | – | – | – | – | – | – |
| Joint and Bone Disease | 23 | – | – | – | – | – | – | 2 | 2 | 2 | 5 | 3 | – |
| XI. Carbuncle | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmon | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Skin Disease | 4 | 2 | – | 1 | – | – | – | – | – | – | – | – | – |
| XII. Cyanosis | 6 | 5 | 1 | – | – | – | – | – | – | – | – | – | – |
| Spina Bifida | 2 | 2 | – | – | – | – | – | – | – | – | – | – | – |
| Other Malformations | 10 | 9 | – | – | – | – | – | – | – | 1 | – | – | – |
| XVII. Intemperance | 6 | – | – | – | – | – | – | – | – | – | – | – | – |
| Privation | 2 | – | – | – | 1 | 1 | – | – | – | – | – | – | – |
| Want of Breast Milk | 8 | 8 | – | – | – | – | – | – | – | – | – | – | – |
| Neglect | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cold | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Poison | 6 | 1 | – | – | – | 1 | – | – | – | – | – | – | – |
| Burns and Scalds | 23 | – | – | 1 | – | 5 | 4 | 2 | – | 2 | – | 1 | 4 |
| Hanging, etc. | 3 | – | – | – | – | – | – | – | – | – | – | – | – |
| Suffocation | 24 | 6 | 3 | 1 | – | – | 1 | – | – | – | – | 3 | 1 |
| Drowning | 8 | 1 | – | – | – | – | – | – | 1 | – | 1 | 1 | – |
| Fracture and Contusion | 97 | 2 | – | – | 1 | 2 | – | 1 | 7 | 6 | 3 | 12 | 6 |
| Wounds | 4 | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Other Violent Causes | 11 | 6 | – | – | – | – | – | – | – | – | 1 | – | – |
| Not Specified | 27 | 7 | 2 | 2 | 3 | – | 1 | – | 3 | – | 1 | – | 3 |

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1862.—Both Sexes. (*Continued.*)

| DISEASES. | BOTH SEXES. AGE UNDER | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 35 | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| Cephalitis | 1 | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Apoplexy | – | 2 | 4 | 4 | 5 | 11 | 19 | 7 | 8 | 5 | 6 | 2 | 1 | – | – | – |
| Paralysis | 2 | 2 | 6 | 7 | 9 | 9 | 17 | 16 | 15 | 12 | 5 | 1 | – | – | – | – |
| Delirium Tremens | 1 | – | – | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| Chorea | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epilepsy | 1 | 1 | 3 | 2 | 3 | – | – | 1 | – | 1 | 2 | – | – | – | – | – |
| Tetanus | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Insanity | 3 | 2 | 3 | 1 | 1 | – | 1 | 1 | 1 | – | – | – | – | – | – | – |
| Convulsions | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Brain Disease | 4 | 6 | 3 | 5 | 5 | – | 9 | 6 | 7 | 3 | 2 | 1 | – | – | – | – |
| Pericarditis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Aneurism | 2 | 5 | 1 | 5 | 3 | 3 | 1 | 2 | – | – | – | – | – | – | – | – |
| Heart Disease | 13 | 15 | 14 | 15 | 20 | 22 | 33 | 32 | 30 | 12 | 2 | 1 | – | – | – | – |
| Laryngitis | – | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Bronchitis | 4 | 13 | 15 | 13 | 25 | 19 | 37 | 32 | 41 | 29 | 10 | 6 | 1 | – | – | – |
| Pleurisy | 4 | – | – | 2 | – | 2 | – | – | 5 | – | – | – | – | – | – | – |
| Pneumonia | 6 | 3 | 4 | 6 | 4 | 5 | 10 | 3 | 5 | 3 | 1 | 2 | – | – | – | – |
| Asthma | – | 2 | 5 | 1 | 3 | 5 | 12 | 8 | 4 | 2 | 2 | – | – | – | – | – |
| Lung Disease | 2 | 1 | 1 | – | 4 | 2 | 5 | 2 | 2 | 1 | 2 | – | – | – | – | – |
| Teething | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Quinsey | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gastritis | – | 2 | – | – | – | 1 | 2 | – | – | – | – | – | – | – | – | – |
| Enteritis | – | 1 | – | – | – | – | 3 | 1 | 1 | 1 | – | – | – | – | – | – |
| Peritonitis | – | – | – | – | 2 | – | 1 | – | – | – | – | – | – | – | – | – |
| Ascites | – | – | – | – | 1 | – | 1 | 1 | – | – | – | – | – | – | – | – |
| Ulceration of Intestines | 2 | 4 | 3 | 1 | 1 | – | 1 | – | – | – | – | – | – | – | – | – |
| Hernia | – | – | – | 1 | 3 | 1 | 3 | 1 | 1 | – | 1 | – | – | – | – | – |
| Ileus | 2 | 1 | – | 1 | 2 | 2 | – | 2 | – | 1 | – | 2 | – | – | – | – |
| Intussusception | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Stricture of Intestines | 1 | – | – | – | 1 | – | – | 1 | – | 1 | – | – | – | – | – | – |
| Stomach Disease | 2 | 6 | 3 | 5 | 2 | 1 | 5 | 8 | 1 | 4 | 1 | – | – | – | – | – |
| Pancreas Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hepatitis | 1 | 1 | – | – | 2 | – | – | – | – | 1 | – | – | – | – | – | – |
| Jaundice | – | – | – | – | – | 3 | – | 3 | 1 | – | – | – | 1 | – | – | – |
| Liver Disease | 3 | 5 | – | 6 | 10 | 4 | 4 | 8 | 2 | – | – | 1 | – | – | – | – |
| Spleen Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Nephritis | – | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Nephria | 4 | 2 | 2 | 2 | 2 | 2 | 4 | 1 | 1 | 1 | – | 1 | – | – | – | – |
| Ischuria | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| Diabetes | – | 2 | 2 | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Stone | – | – | – | – | – | 1 | 2 | 1 | – | – | – | – | – | – | – | – |
| Cystitis | 2 | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Stricture of Urethra | – | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Kidney Disease | – | 1 | 2 | 2 | 1 | 2 | 4 | 5 | 1 | 1 | – | – | – | – | – | – |
| Paramenia | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ovarian Dropsy | 2 | 1 | 1 | – | – | 2 | – | – | – | – | – | – | – | – | – | – |
| Childbirth | 3 | 6 | 3 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Organs of Generation | 1 | – | 1 | 1 | – | – | 1 | – | 1 | – | – | – | – | – | – | – |
| Arthritis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rheumatism | 1 | 2 | – | 1 | – | 2 | 1 | 3 | 2 | 1 | – | – | – | – | – | – |
| Joint Disease | 1 | – | 1 | 1 | – | 3 | 1 | 1 | – | 1 | – | – | – | – | – | – |
| Carbuncle | – | – | – | – | – | 1 | – | – | 1 | – | – | – | – | – | – | – |
| Phlegmon | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Skin Disease | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cyanosis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Spina Bifida | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Malformations | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intemperance | – | 1 | 2 | 2 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Privation | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Want of Breast Milk | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Neglect | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cold | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Poison | – | 1 | 2 | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds | – | 1 | 1 | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Hanging, etc. | – | – | – | – | – | – | 2 | 1 | – | – | – | – | – | – | – | – |
| Suffocation | – | 1 | – | 2 | 3 | – | 1 | 1 | – | – | – | – | – | – | – | 1 |
| Drowning | 2 | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Fracture and Contusion | 5 | 5 | 5 | 10 | 12 | 7 | 5 | 4 | – | 2 | 1 | 1 | – | – | – | – |
| Wounds | 1 | – | – | – | – | – | – | – | 1 | 1 | – | – | – | – | – | – |
| Other Violent Causes | 1 | – | – | – | – | – | 2 | 1 | – | – | – | – | – | – | – | – |
| Not Specified | – | 1 | – | 2 | 1 | 1 | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1862.—MALES.

| DISEASES. | MALES. | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | |
| | | MONTHS. | | | | | | | | | | | |
| | | 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 |
| ALL CAUSES | 2306 | 237 | 84 | 182 | 221 | 112 | 64 | 63 | 108 | 39 | 82 | 102 | 77 |
| SPECIFIED CAUSES | 2290 | 232 | 83 | 180 | 219 | 112 | 64 | 63 | 107 | 39 | 82 | 102 | 75 |
| I. Zymotic Class | 517 | 25 | 23 | 59 | 114 | 63 | 37 | 36 | 51 | 14 | 11 | 16 | 14 |
| II. Diseases of Uncertain Seat | 62 | 5 | – | 2 | – | 2 | 1 | – | – | 1 | 2 | 1 | 2 |
| III. Tubercular Class | 429 | 12 | 9 | 27 | 35 | 20 | 10 | 12 | 27 | 7 | 40 | 45 | 33 |
| IV. Brain and Nervous System | 211 | 25 | 4 | 8 | 10 | 2 | 2 | 1 | 7 | 3 | 4 | 8 | 4 |
| V. Organs of Circulation | 136 | 1 | – | 1 | – | – | – | – | 2 | 2 | 2 | 2 | 5 |
| VI. Respiratory Organs | 369 | 16 | 26 | 57 | 41 | 14 | 11 | 7 | 9 | – | 3 | 7 | 6 |
| VII. Organs of Digestion | 120 | 22 | 6 | 11 | 13 | 2 | – | 1 | – | 2 | 4 | 3 | – |
| VIII. Urinary Organs | 60 | – | – | – | – | – | 1 | 2 | 3 | 4 | 7 | 6 | 1 |
| IX. Organs of Generation | – | – | – | – | – | – | – | – | – | – | – | – | – |
| X. Organs of Locomotion | 24 | – | – | – | – | – | – | 1 | 2 | 1 | 5 | 3 | 1 |
| XI. Skin, etc. | 4 | 2 | – | 1 | – | – | – | – | – | – | – | – | – |
| XII. Malformation | 8 | 8 | – | – | – | – | – | – | – | – | – | – | – |
| XIII. Premature Debility | 126 | 105 | 10 | 11 | – | – | – | – | – | – | – | – | – |
| XIV. Atrophy | 14 | – | – | – | 5 | 3 | 1 | 1 | 1 | – | – | – | – |
| XV. Age | 82 | – | – | – | – | – | – | – | – | – | – | – | – |
| XVI. Sudden Deaths | 10 | – | 2 | 3 | – | 1 | – | – | – | – | – | – | – |
| XVII. Violent Deaths | 118 | 11 | 3 | – | 1 | 5 | 1 | 2 | 5 | 5 | 4 | 11 | 9 |
| I. Small Pox | 86 | 2 | 5 | 16 | 12 | 11 | 5 | 4 | 7 | 2 | 2 | 7 | 7 |
| Measles | 8 | – | – | 1 | 5 | 1 | 1 | – | – | – | – | – | – |
| Scarlatina | 115 | – | 1 | 8 | 21 | 18 | 14 | 17 | 27 | 6 | 2 | 1 | – |
| Diphtheria | 18 | 1 | – | – | 5 | 3 | 3 | 1 | 1 | 2 | – | – | – |
| Hooping Cough | 126 | 6 | 13 | 21 | 52 | 16 | 3 | 9 | 4 | 1 | 1 | – | – |
| Croup | 34 | – | 1 | 6 | 10 | 8 | 5 | 2 | 1 | – | – | – | 1 |
| Thrush | 2 | 1 | – | 1 | – | – | – | – | – | – | – | – | – |
| Diarrhœa | 29 | 9 | 2 | 4 | 2 | 2 | – | – | – | – | – | 1 | – |
| Dysentery | 6 | 1 | – | – | 1 | – | – | – | – | – | – | – | – |
| Cholera | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Influenza | 3 | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Purpura | 2 | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Ague | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Worms | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Infantile Fever | 3 | – | – | – | 1 | – | 2 | – | – | – | – | – | – |
| Typhus | 63 | – | – | – | 3 | 3 | 4 | 3 | 11 | 3 | 5 | 4 | 4 |
| Metria | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rheumatic Fever | 3 | – | – | – | – | – | – | – | – | – | 1 | – | – |
| Erysipelas | 10 | 4 | – | – | – | – | – | – | – | – | – | 1 | 1 |
| Syphilis | 7 | 1 | 1 | – | 2 | – | – | – | – | – | – | 1 | 1 |
| Noma | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – |
| II. Hæmorrhage | 3 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Dropsy | 9 | – | – | – | – | 1 | 1 | – | – | 1 | – | 1 | – |
| Abscess | 10 | 2 | – | 2 | – | – | – | – | – | – | 1 | – | 1 |
| Ulcer | 2 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Fistula | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Mortification | 4 | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Cancer | 33 | 1 | – | – | – | – | – | – | – | – | 1 | – | 1 |
| Gout | – | – | – | – | – | – | – | – | – | – | – | – | – |
| III. Scrofula | 35 | 2 | 1 | 1 | 3 | 4 | – | – | 5 | 1 | 4 | 3 | 2 |
| Tabes Mesenterica | 49 | 8 | 3 | 9 | 8 | 6 | 2 | 5 | 3 | 1 | 2 | 1 | – |
| Phthisis | 271 | – | – | – | 2 | 2 | 1 | 1 | 13 | 4 | 34 | 41 | 31 |
| Hydrocephalus | 74 | 2 | 5 | 17 | 22 | 8 | 7 | 6 | 6 | 1 | – | – | – |

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1862.—MALES.

| DISEASES. | MALES. AGE UNDER | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 35 | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| ALL CAUSES | 87 | 95 | 81 | 83 | 102 | 68 | 113 | 88 | 102 | 66 | 30 | 16 | 3 | 1 | – | – |
| SPECIFIED CAUSES | 87 | 94 | 81 | 82 | 101 | 68 | 113 | 88 | 102 | 66 | 30 | 16 | 3 | 1 | – | – |
| Zymotic Class | 6 | 6 | 8 | 4 | 4 | 2 | 5 | 7 | 5 | 4 | 2 | 1 | – | – | – | – |
| Uncertain Seat | 2 | 2 | 4 | 4 | 10 | 7 | 2 | 6 | 4 | 4 | – | 1 | – | – | – | – |
| Tubercular Class | 38 | 33 | 24 | 22 | 14 | 7 | 8 | 4 | 1 | – | 1 | – | – | – | – | – |
| Brain, etc. | 9 | 6 | 13 | 14 | 14 | 7 | 26 | 13 | 19 | 9 | 2 | 1 | – | – | – | – |
| Heart, etc. | 7 | 12 | 8 | 13 | 10 | 15 | 21 | 15 | 15 | 5 | – | – | – | – | – | – |
| Respiratory Organs | 9 | 14 | 14 | 9 | 23 | 15 | 22 | 14 | 29 | 12 | 6 | 5 | – | – | – | – |
| Digestive Organs | 4 | 7 | 1 | 5 | 7 | 3 | 9 | 10 | 3 | 5 | 1 | 1 | – | – | – | – |
| Urinary Organs | 2 | 4 | 1 | 3 | 4 | 3 | 10 | 5 | 2 | 2 | – | – | – | – | – | – |
| Generative Organs | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Locomotive Organs | 2 | 2 | 1 | – | – | 2 | – | 1 | 1 | 2 | – | – | – | – | – | – |
| Skin | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Malformation | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Premature Debility | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Atrophy | – | – | – | – | 3 | – | – | – | – | – | – | – | – | – | – | – |
| Age | – | – | – | – | – | – | 2 | 7 | 22 | 22 | 18 | 7 | 3 | 1 | – | – |
| Sudden Deaths | – | – | – | 1 | 1 | 1 | – | 1 | – | – | – | – | – | – | – | – |
| Violent Deaths | 8 | 8 | 7 | 7 | 11 | 5 | 8 | 5 | 1 | 1 | – | – | – | – | – | – |
| Small Pox | – | 1 | 3 | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Measles | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scarlatina | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diphtheria | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Hooping Cough | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Croup | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Thrush | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diarrhœa | 2 | 1 | 1 | – | 1 | – | – | – | 1 | 2 | 1 | – | – | – | – | – |
| Dysentery | 1 | – | – | – | – | – | – | 1 | 2 | – | – | – | – | – | – | – |
| Cholera | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Influenza | – | – | – | – | – | – | – | – | – | 1 | – | 1 | – | – | – | – |
| Purpura | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Ague | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Worms | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Infantile Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Typhus | 1 | 3 | 4 | 1 | 3 | 1 | 4 | 3 | 1 | 1 | 1 | – | – | – | – | – |
| Metria | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rheumatic Fever | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Erysipelas | – | – | – | – | – | – | 1 | 2 | 1 | – | – | – | – | – | – | – |
| Syphilis | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Noma | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmorrhage | – | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Dropsy | – | 1 | – | – | 1 | 1 | – | – | 1 | 1 | – | – | – | – | – | – |
| Abscess | – | – | 1 | 1 | 1 | – | – | 1 | – | – | – | – | – | – | – | – |
| Ulcer | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Fistula | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Mortification | – | – | – | – | – | – | – | – | 1 | 1 | – | 1 | – | – | – | – |
| Cancer | 2 | 1 | 3 | 1 | 7 | 6 | 2 | 4 | 2 | 2 | – | – | – | – | – | – |
| Gout | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scrofula | 2 | 3 | 1 | – | 1 | 2 | – | – | – | – | – | – | – | – | – | – |
| Tabes Mesenterica | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phthisis | 36 | 30 | 22 | 22 | 13 | 5 | 8 | 4 | 1 | – | 1 | – | – | – | – | – |
| Hydrocephalus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1861.—MALES. (*Continued.*)

| DISEASES. | MALES. | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | |
| | | MONTHS. | | | | | | | | | | | |
| | | 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 |
| IV. Cephalitis | 11 | – | – | – | 1 | – | 1 | – | 2 | 1 | 1 | 2 | – |
| Apoplexy | 44 | 3 | 1 | 1 | – | – | – | – | 1 | – | – | 1 | 1 |
| Paralysis | 50 | – | – | – | – | – | – | – | – | – | – | 1 | 1 |
| Delirium Tremens | 5 | – | – | – | – | – | – | – | – | – | – | 1 | 1 |
| Chorea | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Epilepsy | 13 | – | – | – | – | – | – | – | 1 | 1 | 1 | 2 | – |
| Tetanus | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Insanity | 7 | – | – | – | – | – | – | – | – | 1 | – | 1 | – |
| Convulsions | 33 | 20 | 3 | 4 | 4 | – | 1 | 1 | – | – | – | – | – |
| Brain Disease | 46 | 1 | – | 3 | 5 | 2 | – | – | 3 | – | 2 | – | 1 |
| V. Pericarditis | 1 | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Aneurism | 15 | – | – | – | – | – | – | – | – | – | – | – | – |
| Heart Disease | 120 | 1 | – | 1 | – | – | – | – | 2 | 2 | 2 | 2 | 4 |
| VI. Laryngitis | 11 | – | 3 | – | 3 | – | 1 | 1 | 1 | – | – | 1 | – |
| Bronchitis | 248 | 12 | 19 | 47 | 36 | 11 | 5 | 3 | 7 | – | 2 | – | 1 |
| Pleurisy | 9 | – | – | – | – | – | – | – | – | – | 1 | 3 | – |
| Pneumonia | 62 | 4 | 4 | 9 | 2 | 3 | 4 | 2 | 1 | – | – | 3 | 3 |
| Asthma | 19 | – | – | – | – | – | – | – | – | – | – | – | – |
| Lung Disease | 20 | – | – | 1 | – | – | 1 | 1 | – | – | – | – | 2 |
| VII. Teething | 19 | – | 1 | 9 | 9 | – | – | – | – | – | – | – | – |
| Quinsey | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gastritis | 2 | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Enteritis | 21 | 10 | 1 | – | 2 | – | – | – | – | 2 | – | 2 | – |
| Peritonitis | 3 | 2 | 1 | – | – | – | – | – | – | – | – | – | – |
| Ascites | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ulceration of Intestines | 8 | – | – | – | – | – | – | 1 | – | – | 1 | – | – |
| Hernia | 3 | – | – | – | – | – | – | – | – | – | – | – | – |
| Ileus | 7 | 2 | 1 | – | – | – | – | – | – | – | 1 | – | – |
| Intussusception | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Stricture of Intestines | 3 | – | – | – | – | – | – | – | – | – | – | – | – |
| Stomach Disease | 28 | 2 | 2 | 1 | 1 | 1 | – | – | – | – | 1 | 1 | – |
| Pancreas Disease | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hepatitis | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Jaundice | 8 | 6 | – | 1 | – | – | – | – | – | – | – | – | – |
| Liver Disease | 17 | – | – | – | – | 1 | – | – | – | – | 1 | – | – |
| Spleen Disease | – | – | – | – | – | – | – | – | – | – | – | – | – |
| VIII. Nephritis | 4 | – | – | – | – | – | – | 1 | 1 | – | – | – | – |
| Nephria | 18 | – | – | – | – | – | – | – | 1 | 3 | 2 | 3 | 1 |
| Ischuria | 2 | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Diabetes | 4 | – | – | – | – | – | – | – | – | – | 1 | 1 | – |
| Stone | 5 | – | – | – | – | – | – | – | – | – | 1 | – | – |
| Cystitis | 4 | – | – | – | – | – | – | 1 | – | 1 | – | – | – |
| Stricture of Urethra | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| Kidney Disease | 21 | – | – | – | – | – | 1 | – | 1 | – | 3 | 1 | – |
| IX. Paramenia | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ovarian Dropsy | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Childbirth | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Organs of Generation | – | – | – | – | – | – | – | – | – | – | – | – | – |
| X. Arthritis | 2 | – | – | – | – | – | – | – | 1 | – | – | – | 1 |
| Rheumatism | 7 | – | – | – | – | – | – | – | – | – | – | – | – |
| Joint and Bone Disease | 15 | – | – | – | – | – | – | 1 | 1 | 1 | 5 | 3 | – |
| XI. Carbuncle | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmon | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Skin Disease | 2 | 1 | – | 1 | – | – | – | – | – | – | – | – | – |
| XII. Cyanosis | 3 | 3 | – | – | – | – | – | – | – | – | – | – | – |
| Spina Bifida | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Other Malformations | 4 | 4 | – | – | – | – | – | – | – | – | – | – | – |
| XVII. Intemperance | 4 | – | – | – | – | – | – | – | – | – | – | – | – |
| Privation | 1 | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Want of Breast Milk | 2 | 2 | – | – | – | – | – | – | – | – | – | – | – |
| Neglect | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cold | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Poison | 4 | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Burns and Scalds | 11 | – | – | – | – | 3 | 1 | 1 | – | 1 | – | – | 3 |
| Hanging, etc. | 3 | – | – | – | – | – | – | – | – | – | – | – | – |
| Suffocation | 12 | 4 | 3 | – | – | – | – | – | – | – | – | – | – |
| Drowning | 6 | – | – | – | – | – | – | – | 1 | – | 1 | 1 | – |
| Fracture and Contusion | 62 | – | – | – | 1 | – | – | 1 | 4 | 4 | 2 | 10 | 5 |
| Wounds | 3 | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Other Violent Causes | 10 | 5 | – | – | – | – | – | – | – | – | 1 | – | – |
| Not Specified | 16 | 5 | 1 | 2 | 2 | – | – | – | 1 | – | – | – | 2 |

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1862.—MALES. (*Continued.*)

| DISEASES. | MALES. AGE UNDER | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 35 | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| Cephalitis | 1 | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Apoplexy | – | 2 | 3 | 1 | 3 | 5 | 9 | 3 | 6 | 2 | 1 | 1 | – | – | – | – |
| Paralysis | 1 | 1 | 6 | 6 | 6 | 2 | 8 | 5 | 8 | 5 | – | – | – | – | – | – |
| Delirium Tremens | 1 | – | – | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| Chorea | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epilepsy | 1 | 1 | 1 | 1 | 2 | – | – | 1 | – | – | 1 | – | – | – | – | – |
| Tetanus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Insanity | 1 | – | 1 | – | 1 | – | 1 | 1 | – | – | – | – | – | – | – | – |
| Convulsions | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Brain Disease | 3 | 2 | 1 | 3 | 2 | – | 8 | 3 | 5 | 2 | – | – | – | – | – | – |
| Pericarditis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Aneurism | 2 | 3 | 1 | 3 | 1 | 3 | 1 | 1 | – | – | – | – | – | – | – | – |
| Heart Disease | 5 | 9 | 7 | 10 | 9 | 12 | 20 | 14 | 15 | 5 | – | – | – | – | – | – |
| Laryngitis | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Bronchitis | 3 | 8 | 8 | 6 | 13 | 11 | 12 | 7 | 20 | 10 | 3 | 4 | – | – | – | – |
| Pleurisy | 1 | – | – | – | – | 1 | – | – | 3 | – | – | – | – | – | – | – |
| Pneumonia | 3 | 3 | 3 | 3 | 4 | 1 | 4 | 2 | 2 | 1 | – | 1 | – | – | – | – |
| Asthma | – | 2 | 2 | – | 2 | – | 3 | 4 | 4 | 1 | 1 | – | – | – | – | – |
| Lung Disease | 2 | 1 | 1 | – | 3 | 2 | 3 | 1 | – | – | 2 | – | – | – | – | – |
| Teething | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Quinsey | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gastritis | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Enteritis | – | – | – | – | – | – | 2 | – | 1 | 1 | – | – | – | – | – | – |
| Peritonitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ascites | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ulceration of Intestines | 1 | 2 | 1 | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Hernia | – | – | – | 1 | – | – | 1 | – | – | – | 1 | – | – | – | – | – |
| Ileus | – | – | – | – | 1 | – | – | – | – | 1 | – | 1 | – | – | – | – |
| Intussusception | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Stricture of Intestines | 1 | – | – | – | – | – | – | 1 | – | 1 | – | – | – | – | – | – |
| Stomach Disease | 2 | 1 | – | – | 2 | 1 | 4 | 7 | – | 2 | – | – | – | – | – | – |
| Pancreas Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hepatitis | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Jaundice | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Liver Disease | – | 2 | – | 3 | 3 | 2 | 2 | 2 | 1 | – | – | – | – | – | – | – |
| Spleen Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Nephritis | – | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Nephria | 1 | 1 | – | 1 | 1 | – | 3 | – | 1 | – | – | – | – | – | – | – |
| Ischuria | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| Diabetes | – | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Stone | – | – | – | – | – | 1 | 2 | 1 | – | – | – | – | – | – | – | – |
| Cystitis | 1 | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Stricture of Urethra | – | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Kidney Disease | – | – | 1 | 1 | 1 | 2 | 4 | 4 | 1 | 1 | – | – | – | – | – | – |
| Paramenia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ovarian Dropsy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Childbirth | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Organs of Generation | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Arthritis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rheumatism | 1 | 2 | – | – | – | 1 | – | 1 | 1 | 1 | – | – | – | – | – | – |
| Joint Disease | 1 | – | 1 | – | – | 1 | – | – | – | 1 | – | – | – | – | – | – |
| Carbuncle | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Phlegmon | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Skin Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cyanosis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Spina Bifida | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Malformations | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intemperance | – | 1 | 1 | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Privation | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Want of Breast Milk | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Neglect | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cold | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Poison | – | 1 | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hanging, etc. | – | – | – | – | – | – | 2 | 1 | – | – | – | – | – | – | – | – |
| Suffocation | – | – | – | – | 3 | – | 1 | 1 | – | – | – | – | – | – | – | – |
| Drowning | 2 | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Fracture and Contusion | 4 | 4 | 3 | 6 | 7 | 5 | 3 | 2 | – | 1 | – | – | – | – | – | – |
| Wounds | 1 | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Other Violent Causes | 1 | – | – | – | – | – | 2 | 1 | – | – | – | – | – | – | – | – |
| Not Specified | – | 1 | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1862.—FEMALES.

| DISEASES. | FEMALES. | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | |
| | | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 |
| | | 3 | 6 | 12 | | | | | | | | | |
| ALL CAUSES | 2454 | 174 | 69 | 156 | 235 | 134 | 84 | 71 | 142 | 50 | 55 | 94 | 96 |
| SPECIFIED CAUSES | 2443 | 172 | 68 | 156 | 234 | 134 | 83 | 71 | 140 | 50 | 54 | 94 | 95 |
| I. Zymotic Class | 654 | 26 | 26 | 65 | 129 | 81 | 53 | 48 | 77 | 10 | 19 | 17 | 20 |
| II. Diseases of Uncertain Seat | 122 | 1 | 1 | – | – | 1 | 1 | 2 | 1 | 2 | 1 | 2 | 3 |
| III. Tubercular Class | 374 | 9 | 8 | 25 | 32 | 19 | 7 | 8 | 23 | 25 | 17 | 44 | 36 |
| IV. Brain and Nervous System | 207 | 19 | 6 | 6 | 11 | 6 | 4 | 2 | 9 | 2 | 4 | 1 | 9 |
| V. Organs of Circulation | 127 | – | – | 2 | – | – | – | – | 2 | 2 | 3 | 4 | 4 |
| VI. Respiratory Organs | 380 | 16 | 13 | 37 | 42 | 18 | 8 | 8 | 11 | 1 | 5 | 9 | 6 |
| VII. Organs of Digestion | 160 | 8 | 2 | 16 | 12 | 1 | 3 | – | 9 | 3 | 2 | 3 | 4 |
| VIII. Urinary Organs | 33 | 1 | – | – | – | – | 2 | – | 3 | – | 1 | 2 | 2 |
| IX. Organs of Generation | 41 | – | – | – | – | – | – | – | – | – | 1 | 6 | 8 |
| X. Organs of Locomotion | 14 | – | – | – | – | – | – | 1 | 1 | 1 | – | – | – |
| XI. Skin, etc. | 3 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| XII. Malformation | 10 | 8 | 1 | – | – | – | – | – | – | 1 | – | – | – |
| XIII. Premature Debility | 84 | 70 | 11 | 3 | – | – | – | – | – | – | – | – | – |
| XIV. Atrophy | 21 | – | – | – | 6 | 4 | 1 | 1 | 1 | – | – | – | – |
| XV. Age | 136 | – | – | – | – | – | – | – | – | – | – | – | – |
| XVI. Sudden Deaths | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| XVII. Violent Deaths | 75 | 13 | – | 2 | 2 | 4 | 4 | 1 | 3 | 3 | 1 | 6 | 3 |
| I. Small Pox | 85 | 3 | 3 | 16 | 20 | 14 | 8 | 2 | 7 | 1 | 3 | 2 | 3 |
| Measles | 22 | – | 1 | 3 | 11 | 3 | 1 | 1 | 2 | – | – | – | – |
| Scarlatina | 117 | 1 | 2 | – | 16 | 19 | 11 | 23 | 33 | 5 | 2 | – | 1 |
| Diphtheria | 24 | 2 | – | 2 | 4 | 5 | 1 | – | 8 | – | 1 | 1 | – |
| Hooping Cough | 154 | 5 | 14 | 32 | 46 | 18 | 18 | 11 | 10 | – | – | – | – |
| Croup | 55 | 3 | – | 5 | 19 | 10 | 9 | 6 | 3 | – | – | – | – |
| Thrush | 3 | – | 3 | – | – | – | – | – | – | – | – | – | – |
| Diarrhœa | 38 | 5 | 1 | 4 | 3 | 2 | 1 | 1 | – | – | – | 1 | 1 |
| Dysentery | 16 | – | – | – | – | – | – | – | – | – | – | – | 2 |
| Cholera | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Influenza | 6 | – | 1 | – | 1 | – | – | – | – | – | – | – | – |
| Purpura | 6 | – | – | – | – | 1 | – | 1 | 1 | – | – | 1 | – |
| Ague | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Worms | 1 | – | – | – | – | – | 1 | – | – | – | – | – | – |
| Infantile Fever | 7 | – | – | 2 | 1 | 3 | – | 1 | – | – | – | – | – |
| Typhus | 84 | 1 | – | 1 | 6 | 6 | 3 | 2 | 13 | 4 | 10 | 6 | 7 |
| Metria | 16 | – | – | – | – | – | – | – | – | – | 3 | 4 | 6 |
| Rheumatic Fever | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| Erysipelas | 8 | 3 | 1 | – | – | – | – | – | – | – | – | – | – |
| Syphilis | 8 | 3 | – | – | 2 | – | – | – | – | – | – | 2 | – |
| Noma | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – |
| II. Hæmorrhage | 2 | – | – | – | – | – | – | – | – | – | – | 1 | 1 |
| Dropsy | 24 | – | – | – | – | 1 | – | 2 | 1 | 1 | 1 | – | 1 |
| Abscess | 6 | – | 1 | – | – | – | – | – | – | 1 | – | – | – |
| Ulcer | 2 | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Fistula | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mortification | 3 | – | – | – | – | – | – | – | – | – | – | – | – |
| Cancer | 85 | 1 | – | – | – | – | 1 | – | – | – | – | – | 1 |
| Gout | – | – | – | – | – | – | – | – | – | – | – | – | – |
| III. Scrofula | 25 | – | – | 2 | 5 | 2 | 1 | 1 | 4 | 3 | 1 | 2 | 1 |
| Tabes Mesenterica | 43 | 6 | 4 | 5 | 9 | 6 | 2 | 1 | 5 | 2 | 1 | 2 | – |
| Phthisis | 243 | – | – | – | 1 | 4 | 1 | 4 | 7 | 18 | 15 | 40 | 35 |
| Hydrocephalus | 63 | 3 | 4 | 18 | 17 | 7 | 3 | 2 | 7 | 2 | – | – | – |

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1862.—FEMALES.

| DISEASES. | FEMALES. AGE UNDER | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 35 | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| ALL CAUSES | 92 | 89 | 81 | 89 | 95 | 80 | 134 | 130 | 108 | 91 | 61 | 30 | 8 | 3 | 1 | 2 |
| SPECIFIED CAUSES | 92 | 89 | 81 | 88 | 95 | 79 | 134 | 130 | 108 | 91 | 61 | 30 | 8 | 3 | 1 | 2 |
| Zymotic Class | 12 | 6 | 6 | 5 | 5 | 4 | 13 | 7 | 10 | 10 | 4 | 1 | – | – | – | – |
| Uncertain Seat | 7 | 6 | 11 | 13 | 14 | 10 | 18 | 10 | 10 | 5 | 2 | 1 | – | – | – | – |
| Tubercular Class | 33 | 29 | 19 | 18 | 12 | 3 | 3 | 4 | – | – | – | – | – | – | – | – |
| Brain, etc. | 4 | 8 | 7 | 8 | 9 | 13 | 20 | 18 | 12 | 12 | 13 | 3 | 1 | – | – | – |
| Heart, etc. | 8 | 8 | 7 | 7 | 13 | 10 | 13 | 19 | 15 | 7 | 2 | 1 | – | – | – | – |
| Respiratory Organs | 7 | 6 | 11 | 13 | 14 | 18 | 42 | 31 | 28 | 23 | 9 | 3 | 1 | – | – | – |
| Digestive Organs | 7 | 13 | 6 | 9 | 17 | 9 | 11 | 15 | 3 | 3 | 1 | 2 | 1 | – | – | – |
| Urinary Organs | 4 | 2 | 5 | 2 | 1 | 3 | 1 | 2 | – | 1 | – | 1 | – | – | – | – |
| Generative Organs | 7 | 7 | 6 | 2 | – | 2 | 1 | – | 1 | – | – | – | – | – | – | – |
| Locomotive Organs | – | – | – | 2 | – | 3 | 2 | 3 | 1 | – | – | – | – | – | – | – |
| Skin | 1 | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Malformation | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Premature Debility | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Atrophy | 1 | 1 | – | 1 | 3 | 2 | – | – | – | – | – | – | – | – | – | – |
| Age | – | – | – | – | – | – | 8 | 18 | 27 | 28 | 29 | 17 | 5 | 3 | 1 | – |
| Sudden Deaths | – | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Violent Deaths | 1 | 2 | 3 | 8 | 6 | 2 | 2 | 3 | – | 2 | 1 | 1 | – | – | – | 2 |
| Small Pox | – | 1 | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Measles | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scarlatina | – | 2 | – | – | 1 | – | – | 1 | – | – | – | – | – | – | – | – |
| Diphtheria | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hooping Cough | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Croup | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Thrush | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diarrhœa | – | 1 | 1 | 1 | 1 | 2 | 4 | – | 5 | 3 | – | 1 | – | – | – | – |
| Dysentery | – | 1 | 1 | – | – | – | 2 | 2 | 3 | 3 | 2 | – | – | – | – | – |
| Cholera | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| Influenza | 1 | – | – | – | – | 1 | 1 | – | – | 1 | – | – | – | – | – | – |
| Purpura | – | – | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Ague | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Worms | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Infantile Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Typhus | 5 | 1 | 1 | 3 | 2 | 1 | 3 | 4 | 2 | 2 | 1 | – | – | – | – | – |
| Metria | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rheumatic Fever | – | – | – | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Erysipelas | 2 | – | – | – | – | – | 1 | – | – | – | 1 | – | – | – | – | – |
| Syphilis | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Noma | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmorrhage | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Dropsy | – | 1 | 4 | 3 | 1 | 1 | 2 | 1 | 1 | 1 | 2 | – | – | – | – | – |
| Abscess | – | – | – | 2 | 2 | – | – | – | – | – | – | – | – | – | – | – |
| Ulcer | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| Fistula | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mortification | 1 | – | – | – | – | – | – | 1 | – | 1 | – | – | – | – | – | – |
| Cancer | 6 | 5 | 7 | 8 | 11 | 9 | 16 | 8 | 9 | 2 | – | 1 | – | – | – | – |
| Gout | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scrofula | – | 1 | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Tabes Mesenterica | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phthisis | 33 | 28 | 18 | 18 | 11 | 3 | 3 | 4 | – | – | – | – | – | – | – | – |
| Hydrocephalus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1862.—FEMALES. (*Continued.*)

| DISEASES. | FEMALES. | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | |
| | | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 |
| | | 3 | 6 | 12 | | | | | | | | | |
| IV. Cephalitis | 13 | – | – | 3 | 1 | 2 | 1 | 1 | 3 | 1 | – | – | 1 |
| Apoplexy | 43 | 1 | – | – | 2 | – | 1 | – | – | – | – | – | 1 |
| Paralysis | 56 | – | – | – | – | – | – | – | – | – | – | – | 3 |
| Delirium Tremens | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chorea | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epilepsy | 7 | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Tetanus | 4 | 1 | – | – | – | – | – | 1 | – | – | 1 | – | – |
| Insanity | 10 | – | – | – | – | – | – | – | – | – | – | 1 | 1 |
| Convulsions | 35 | 16 | 4 | 3 | 6 | 3 | 2 | – | 1 | – | – | – | – |
| Brain Disease | 39 | 1 | 2 | – | 1 | 1 | – | – | 5 | 1 | 3 | – | 3 |
| V. Pericarditis | 1 | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Aneurism | 7 | – | – | – | – | – | – | – | – | – | – | – | – |
| Heart Disease | 119 | – | – | 2 | – | – | – | – | 2 | 2 | 3 | 3 | 4 |
| VI. Laryngitis | 7 | – | 2 | 1 | 1 | 2 | – | – | – | – | – | – | – |
| Bronchitis | 272 | 13 | 9 | 31 | 36 | 12 | 7 | 8 | 9 | 1 | – | 4 | 2 |
| Pleurisy | 13 | – | 1 | – | – | – | – | – | – | – | – | 1 | 3 |
| Pneumonia | 49 | 3 | 1 | 5 | 5 | 3 | 1 | – | 2 | – | – | 3 | 1 |
| Asthma | 27 | – | – | – | – | – | – | – | – | – | 2 | – | – |
| Lung Disease | 12 | – | – | – | – | 1 | – | – | – | – | 3 | 1 | – |
| VII. Teething | 25 | – | 1 | 14 | 9 | 1 | – | – | – | – | – | – | – |
| Quinsey | 1 | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Gastritis | 4 | – | – | – | – | – | – | – | – | – | – | – | – |
| Enteritis | 18 | 4 | – | 1 | 2 | – | 1 | – | 4 | 1 | – | – | 2 |
| Peritonitis | 8 | – | – | – | – | – | – | – | 1 | 2 | – | 2 | – |
| Ascites | 4 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Ulceration of Intestines | 9 | – | – | – | – | – | – | – | 1 | – | 1 | 1 | – |
| Hernia | 8 | – | – | – | – | – | – | – | – | – | – | – | – |
| Ileus | 13 | 1 | – | – | – | – | 1 | – | – | – | – | – | 1 |
| Intussusception | 2 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Stricture of Intestines | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Stomach Disease | 24 | 2 | – | – | 1 | – | 1 | – | 1 | – | – | – | – |
| Pancreas Disease | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hepatitis | 5 | – | – | – | – | – | – | – | – | – | 1 | – | – |
| Jaundice | 9 | – | – | 1 | – | – | – | – | 1 | – | – | – | – |
| Liver Disease | 28 | – | – | – | – | – | – | – | – | – | – | – | – |
| Spleen Disease | 1 | – | – | – | – | – | – | – | 1 | – | – | – | – |
| VIII. Nephritis | 1 | – | – | – | – | – | – | – | 1 | – | – | – | – |
| Nephria | 18 | – | – | – | – | – | – | – | 1 | – | 1 | 2 | – |
| Ischuria | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diabetes | 4 | – | – | – | – | – | 1 | – | – | – | – | – | – |
| Stone | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cystitis | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Stricture of Urethra | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Kidney Disease | 9 | 1 | – | – | – | – | 1 | – | 1 | – | – | – | 2 |
| IX. Paramenia | 4 | – | – | – | – | – | – | – | – | – | 1 | – | 1 |
| Ovarian Dropsy | 10 | – | – | – | – | – | – | – | – | – | – | – | 4 |
| Childbirth | 19 | – | – | – | – | – | – | – | – | – | – | 5 | 1 |
| Organs of Generation | 8 | – | – | – | – | – | – | – | – | – | – | 1 | 2 |
| X. Arthritis | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rheumatism | 6 | – | – | – | – | – | – | – | – | – | – | – | – |
| Joint and Bone Disease | 8 | – | – | – | – | – | – | 1 | 1 | 1 | – | – | – |
| XI. Carbuncle | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmon | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Skin Disease | 2 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| XII. Cyanosis | 3 | 2 | 1 | – | – | – | – | – | – | – | – | – | – |
| Spina Bifida | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Other Malformations | 6 | 5 | – | – | – | – | – | – | – | 1 | – | – | – |
| XVII. Intemperance | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| Privation | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Want of Breast Milk | 6 | 6 | – | – | – | – | – | – | – | – | – | – | – |
| Neglect | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cold | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Poison | 2 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds | 12 | – | – | 1 | – | 2 | 3 | 1 | – | 1 | – | 1 | 1 |
| Hanging, etc. | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suffocation | 12 | 2 | – | 1 | – | – | 1 | – | – | – | – | 3 | 1 |
| Drowning | 2 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Fracture and Contusion | 35 | 2 | – | – | – | 2 | – | – | 3 | 2 | 1 | 2 | 1 |
| Wounds | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Violent Causes | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Not Specified | 11 | 2 | 1 | – | 1 | – | 1 | – | 2 | – | 1 | – | 1 |

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1862.—Females. (*Continued.*)

| DISEASES. | FEMALES. AGE UNDER | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 35 | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| Cephalitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Apoplexy | – | – | 1 | 3 | 2 | 6 | 10 | 4 | 2 | 3 | 5 | 1 | 1 | – | – | – |
| Paralysis | 1 | 1 | – | 1 | 3 | 7 | 9 | 11 | 7 | 7 | 5 | 1 | – | – | – | – |
| Delirium Tremens | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chorea | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epilepsy | – | – | 2 | 1 | 1 | – | – | – | – | 1 | 1 | – | – | – | – | – |
| Tetanus | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Insanity | 2 | 2 | 2 | 1 | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Convulsions | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Brain Disease | 1 | 4 | 2 | 2 | 3 | – | 1 | 3 | 2 | 1 | 2 | 1 | – | – | – | – |
| Pericarditis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Aneurism | – | 2 | – | 2 | 2 | – | – | 1 | – | – | – | – | – | – | – | – |
| Heart Disease | 8 | 6 | 7 | 5 | 11 | 10 | 13 | 18 | 15 | 7 | 2 | 1 | – | – | – | – |
| Laryngitis | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Bronchitis | 1 | 5 | 7 | 7 | 12 | 8 | 25 | 25 | 21 | 19 | 7 | 2 | 1 | – | – | – |
| Pleurisy | 3 | – | – | 2 | – | 1 | – | – | 2 | – | – | – | – | – | – | – |
| Pneumonia | 3 | – | 1 | 3 | – | 4 | 6 | 1 | 3 | 2 | 1 | 1 | – | – | – | – |
| Asthma | – | – | 3 | 1 | 1 | 5 | 9 | 4 | – | 1 | 1 | – | – | – | – | – |
| Lung Disease | – | – | – | – | 1 | – | 2 | 1 | 2 | 1 | – | – | – | – | – | – |
| Teething | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Quinsey | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gastritis | – | 1 | – | – | – | 1 | 2 | – | – | – | – | – | – | – | – | – |
| Enteritis | – | 1 | – | – | – | – | 1 | 1 | – | – | – | – | – | – | – | – |
| Peritonitis | – | – | – | – | 2 | – | 1 | – | – | – | – | – | – | – | – | – |
| Ascites | – | – | – | – | 1 | – | 1 | 1 | – | – | – | – | – | – | – | – |
| Ulceration of Intestines | 1 | 2 | 2 | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Hernia | – | – | – | – | 3 | 1 | 2 | 1 | 1 | – | – | – | – | – | – | – |
| Ileus | 2 | 1 | – | 1 | 1 | 2 | – | 2 | – | – | – | 1 | – | – | – | – |
| Intussusception | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Stricture of Intestines | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Stomach Disease | – | 5 | 3 | 5 | – | – | 1 | 1 | 1 | 2 | 1 | – | – | – | – | – |
| Pancreas Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hepatitis | 1 | – | – | – | 2 | – | – | – | – | 1 | – | – | – | – | – | – |
| Jaundice | – | – | – | – | – | 3 | – | 3 | – | – | – | – | 1 | – | – | – |
| Liver Disease | 3 | 3 | – | 3 | 7 | 2 | 2 | 6 | 1 | – | – | 1 | – | – | – | – |
| Spleen Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Nephritis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Nephria | 3 | 1 | 2 | 1 | 1 | 2 | 1 | 1 | – | 1 | – | 1 | – | – | – | – |
| Ischuria | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diabetes | – | – | 2 | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Stone | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cystitis | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Stricture of Urethra | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Kidney Disease | – | 1 | 1 | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Paramenia | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ovarian Dropsy | 2 | 1 | 1 | – | – | 2 | – | – | – | – | – | – | – | – | – | – |
| Childbirth | 3 | 6 | 3 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Organs of Generation | 1 | – | 1 | 1 | – | – | 1 | – | 1 | – | – | – | – | – | – | – |
| Arthritis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rheumatism | – | – | – | 1 | – | 1 | 1 | 2 | 1 | – | – | – | – | – | – | – |
| Joint Disease | – | – | – | 1 | – | 2 | 1 | 1 | – | – | – | – | – | – | – | – |
| Carbuncle | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Phlegmon | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Skin Disease | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cyanosis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Spina Bifida | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Malformations | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intemperance | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Privation | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Want of Breast Milk | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Neglect | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cold | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Poison | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds | – | – | – | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Hanging, etc. | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suffocation | – | 1 | – | 2 | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Drowning | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Fracture and Contusion | 1 | 1 | 2 | 4 | 5 | 2 | 2 | 2 | – | 1 | 1 | 1 | – | – | – | – |
| Wounds | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| Other Violent Causes | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Not Specified | – | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – |

CAUSES OF DEATH in DUNDEE, at different Periods of Life, in 1862.—Both Sexes.

| DISEASES. | BOTH SEXES. | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | |
| | | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 |
| | | 3 | 6 | 12 | | | | | | | | | |
| All Causes | 2599 | 320 | 115 | 259 | 378 | 173 | 88 | 47 | 108 | 45 | 61 | 88 | 79 |
| Specified Causes | 2551 | 299 | 108 | 251 | 373 | 172 | 87 | 47 | 107 | 45 | 61 | 86 | 78 |
| I. Zymotic Class | 769 | 46 | 39 | 128 | 226 | 102 | 59 | 33 | 53 | 6 | 7 | 5 | 6 |
| II. Diseases of Uncertain Seat | 80 | 1 | – | 3 | 2 | – | 3 | 1 | 1 | 2 | 1 | – | 5 |
| III. Tubercular Class | 411 | 4 | 11 | 31 | 39 | 25 | 11 | 8 | 27 | 21 | 32 | 57 | 33 |
| IV. Brain and Nervous System | 146 | 24 | 7 | 5 | 5 | 2 | – | – | 1 | 4 | 2 | 5 | 1 |
| V. Organs of Circulation | 83 | – | – | – | – | – | – | – | 1 | 1 | 4 | 4 | 5 |
| VI. Respiratory Organs | 415 | 33 | 28 | 47 | 43 | 30 | 10 | 5 | 13 | 2 | 8 | 6 | 9 |
| VII. Organs of Digestion | 141 | 9 | 6 | 28 | 40 | 8 | – | – | 3 | 2 | 2 | 4 | 2 |
| VIII. Urinary Organs | 33 | – | – | – | 1 | 2 | – | – | 1 | 2 | 3 | – | 2 |
| IX. Organs of Generation | 26 | – | – | – | – | – | – | – | – | – | 1 | 2 | 10 |
| X. Organs of Locomotion | 11 | – | – | – | – | – | 1 | – | 2 | – | – | – | 1 |
| XI. Skin, etc. | 4 | 1 | – | – | 1 | – | – | – | – | – | – | – | – |
| XII. Malformation | 2 | 2 | – | – | – | – | – | – | – | – | – | – | – |
| XIII. Premature Debility | 186 | 166 | 14 | 6 | – | – | – | – | – | – | – | – | – |
| XIV. Atrophy | 28 | – | – | – | 12 | 1 | – | – | 2 | – | – | 2 | – |
| XV. Age | 144 | – | – | – | – | – | – | – | – | – | – | – | – |
| XVI. Sudden Deaths | 14 | 7 | 2 | – | – | – | – | – | – | – | – | 1 | – |
| XVII. Violent Deaths | 58 | 6 | 1 | 3 | 4 | 2 | 3 | – | 3 | 5 | 1 | – | 4 |
| I. Small Pox | 16 | 2 | – | 3 | 5 | 4 | – | – | 2 | – | – | – | – |
| Measles | 240 | 4 | 6 | 42 | 94 | 42 | 20 | 9 | 21 | – | 2 | – | – |
| Scarlatina | 24 | 1 | 1 | 1 | 3 | 5 | 3 | 1 | 8 | 1 | – | – | – |
| Diphtheria | 27 | – | 1 | 1 | 8 | 6 | 4 | 4 | 2 | – | – | – | – |
| Hooping Cough | 213 | 9 | 17 | 59 | 66 | 30 | 18 | 9 | 5 | – | – | – | – |
| Croup | 77 | 11 | 3 | 9 | 23 | 9 | 9 | 6 | 7 | – | – | – | – |
| Thrush | 4 | 4 | – | – | – | – | – | – | – | – | – | – | – |
| Diarrhœa | 53 | 8 | 5 | 10 | 12 | 2 | 2 | – | – | 1 | 1 | 1 | 1 |
| Dysentery | 18 | 1 | 2 | 1 | 3 | – | 1 | – | – | – | 1 | 1 | – |
| Cholera | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Influenza | 9 | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Purpura | 3 | – | – | 1 | – | – | – | – | 1 | 1 | – | – | – |
| Ague | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Worms | 1 | – | – | – | – | – | – | 1 | – | – | – | – | – |
| Infantile Fever | 3 | – | – | 1 | 2 | – | – | – | – | – | – | – | – |
| Typhus | 64 | – | 1 | – | 9 | 2 | 2 | 2 | 7 | 3 | 3 | 2 | 5 |
| Metria | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Rheumatic Fever | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Erysipelas | 7 | 2 | 1 | – | – | 2 | – | 1 | – | – | – | – | – |
| Syphilis | 7 | 4 | 1 | – | 1 | – | – | – | – | – | – | – | – |
| Noma | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – |
| II. Hæmorrhage | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Dropsy | 38 | – | – | 1 | 1 | – | 2 | 1 | 1 | – | – | – | 3 |
| Abscess | 2 | – | – | 1 | – | – | – | – | – | 1 | – | – | – |
| Ulcer | 3 | – | – | 1 | – | – | 1 | – | – | – | – | – | – |
| Fistula | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mortification | 3 | 1 | – | – | 1 | – | – | – | – | – | – | – | – |
| Cancer | 33 | – | – | – | – | – | – | – | – | 1 | 1 | – | 2 |
| Gout | – | – | – | – | – | – | – | – | – | – | – | – | – |
| III. Scrofula | 10 | – | – | – | 1 | 3 | – | – | 1 | 1 | 1 | 1 | 1 |
| Tabes Mesenterica | 15 | – | – | 1 | 6 | 3 | – | – | 3 | 1 | – | – | – |
| Phthisis | 304 | – | 1 | 8 | 11 | 9 | 5 | 3 | 19 | 19 | 31 | 56 | 32 |
| Hydrocephalus | 82 | 4 | 10 | 22 | 21 | 10 | 6 | 5 | 4 | – | – | – | – |

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1862.—Both Sexes.

| DISEASES. | BOTH SEXES. AGE UNDER | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 35 | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| All Causes | 75 | 61 | 69 | 88 | 83 | 81 | 96 | 77 | 80 | 50 | 45 | 20 | 11 | 2 | – | – |
| Specified Causes | 75 | 61 | 69 | 88 | 83 | 81 | 95 | 77 | 80 | 50 | 45 | 20 | 11 | 2 | – | – |
| Zymotic Class | 6 | 2 | 5 | 10 | 7 | 6 | 11 | 6 | 1 | 3 | 1 | 1 | – | – | – | – |
| Uncertain Seat | 3 | 5 | 7 | 8 | 6 | 10 | 11 | 3 | 3 | 4 | 1 | – | – | – | – | – |
| Tubercular Class | 34 | 21 | 16 | 11 | 13 | 11 | 5 | 1 | – | – | – | – | – | – | – | – |
| Brain, etc. | 5 | 4 | 4 | 7 | 11 | 9 | 12 | 13 | 13 | 6 | 3 | 2 | 1 | – | – | – |
| Heart, etc. | 3 | 4 | 9 | 5 | 7 | 8 | 8 | 10 | 9 | 3 | 1 | 1 | – | – | – | – |
| Respiratory Organs | 12 | 8 | 15 | 28 | 19 | 25 | 25 | 18 | 13 | 11 | 3 | 2 | 2 | – | – | – |
| Digestive Organs | 3 | 3 | 1 | 3 | 8 | 4 | 5 | 4 | 4 | 2 | – | – | – | – | – | – |
| Urinary Organs | 1 | 4 | 3 | 6 | 3 | 1 | – | 3 | – | 1 | – | – | – | – | – | – |
| Generative Organs | 4 | 5 | 3 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Locomotive Organs | 1 | – | 1 | 2 | 1 | – | 1 | 1 | – | – | – | – | – | – | – | – |
| Skin | 1 | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Malformation | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Premature Debility | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Atrophy | – | 1 | 1 | 1 | 5 | 3 | – | – | – | – | – | – | – | – | – | – |
| Age | – | – | – | – | – | – | 14 | 15 | 35 | 20 | 36 | 14 | 8 | 2 | – | – |
| Sudden Deaths | – | – | 1 | 1 | 1 | – | – | 1 | – | – | – | – | – | – | – | – |
| Violent Deaths | 2 | 4 | 3 | 5 | 2 | 4 | 3 | 1 | 2 | – | – | – | – | – | – | – |
| Small Pox | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Measles | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scarlatina | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diphtheria | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Hooping Cough | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Croup | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Thrush | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diarrhœa | 2 | 1 | 2 | – | – | 2 | – | – | 1 | – | 1 | 1 | – | – | – | – |
| Dysentery | 1 | – | – | 2 | 1 | 1 | 1 | 1 | – | 1 | – | – | – | – | – | – |
| Cholera | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Influenza | 1 | – | – | 1 | 1 | 1 | 1 | 2 | – | 1 | – | – | – | – | – | – |
| Purpura | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ague | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Worms | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Infantile Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Typhus | 2 | – | 3 | 6 | 5 | 2 | 6 | 3 | – | 1 | – | – | – | – | – | – |
| Metria | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rheumatic Fever | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Erysipelas | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Syphilis | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Noma | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmorrhage | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Dropsy | 2 | 2 | 2 | 4 | 2 | 6 | 4 | 1 | 3 | 3 | – | – | – | – | – | – |
| Abscess | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ulcer | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Fistula | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mortification | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Cancer | 1 | 3 | 5 | 4 | 4 | 3 | 6 | 1 | – | 1 | 1 | – | – | – | – | – |
| Gout | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scrofula | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tabes Mesenterica | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phthisis | 32 | 21 | 16 | 11 | 13 | 11 | 5 | 1 | – | – | – | – | – | – | – | – |
| Hydrocephalus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1862.—Both Sexes. (*Continued.*)

| DISEASES. | BOTH SEXES. | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | |
| | | MONTHS. | | | | | | | | | | | |
| | | 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 |
| IV. Cephalitis | 7 | – | 1 | 1 | 1 | – | – | – | – | 1 | 1 | 1 | – |
| Apoplexy | 37 | – | – | – | – | 1 | – | – | – | – | – | 2 | – |
| Paralysis | 38 | – | – | – | – | – | – | – | – | – | – | – | – |
| Delirium Tremens | 4 | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Chorea | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epilepsy | 4 | – | – | – | – | – | – | – | – | 1 | – | – | – |
| Tetanus | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Insanity | 1 | – | – | – | – | – | – | – | – | 1 | – | – | – |
| Convulsions | 37 | 24 | 5 | 4 | 3 | – | – | – | 1 | – | – | – | – |
| Brain Disease | 18 | – | 1 | – | 1 | 1 | – | – | – | 1 | 1 | 2 | – |
| V. Pericarditis | 1 | – | – | – | – | – | – | – | 1 | – | – | – | – |
| Aneurism | 3 | – | – | – | – | – | – | – | – | – | 1 | – | – |
| Heart Disease | 79 | – | – | – | – | – | – | – | – | 1 | 3 | 4 | 5 |
| VI. Laryngitis | 5 | – | 1 | – | – | 1 | – | – | – | 1 | – | – | – |
| Bronchitis | 258 | 26 | 25 | 39 | 33 | 21 | 9 | 3 | 7 | – | 2 | 2 | 4 |
| Pleurisy | 11 | – | – | 1 | – | 1 | – | – | – | – | 1 | 2 | – |
| Pneumonia | 90 | 6 | 2 | 6 | 9 | 7 | 1 | 2 | 6 | 1 | 2 | 2 | 4 |
| Asthma | 39 | – | – | – | – | – | – | – | – | – | – | – | – |
| Lung Disease | 12 | 1 | – | 1 | 1 | – | – | – | – | – | 3 | – | 1 |
| VII. Teething | 64 | – | 3 | 22 | 35 | 4 | – | – | – | – | – | – | – |
| Quinsey | 2 | – | – | – | 1 | 1 | – | – | – | – | – | – | – |
| Gastritis | 7 | – | – | – | 1 | 1 | – | – | – | – | – | 1 | – |
| Enteritis | 13 | 2 | 2 | 2 | 2 | 1 | – | – | – | 1 | – | – | – |
| Peritonitis | 8 | 2 | – | 1 | – | 1 | – | – | 1 | – | – | 1 | – |
| Ascites | 2 | – | – | – | – | – | – | – | – | – | – | 1 | 1 |
| Ulceration of Intestines | 4 | – | – | – | – | – | – | – | – | – | – | – | – |
| Hernia | 4 | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Ileus | 6 | 2 | – | – | 1 | – | – | – | – | – | – | – | – |
| Intussusception | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Stricture of Intestines | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Stomach Disease | 14 | 2 | 1 | 2 | – | – | – | – | 2 | – | 2 | – | 1 |
| Pancreas Disease | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hepatitis | 2 | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Jaundice | 4 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Liver Disease | 9 | – | – | – | – | – | – | – | – | 1 | – | – | – |
| Spleen Disease | – | – | – | – | – | – | – | – | – | – | – | – | – |
| VIII. Nephritis | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Nephria | 12 | – | – | – | 1 | – | – | – | – | 2 | 1 | – | – |
| Ischuria | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Diabetes | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| Stone | 4 | – | – | – | – | – | – | – | – | – | 1 | – | – |
| Cystitis | 1 | – | – | – | – | – | – | – | – | – | 1 | – | – |
| Stricture of Urethra | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Kidney Disease | 13 | – | – | – | – | 2 | – | – | 1 | – | – | – | 2 |
| IX. Paramenia | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| Ovarian Dropsy | 2 | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Childbirth | 20 | – | – | – | – | – | – | – | – | – | 1 | 2 | 9 |
| Organs of Generation | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| X. Arthritis | 1 | – | – | – | – | – | 1 | – | – | – | – | – | – |
| Rheumatism | 5 | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Joint and Bone Disease | 5 | – | – | – | – | – | – | – | 2 | – | – | – | – |
| XI. Carbuncle | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmon | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| Skin Disease | 2 | 1 | – | – | 1 | – | – | – | – | – | – | – | – |
| XII. Cyanosis | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Spina Bifida | 2 | 2 | – | – | – | – | – | – | – | – | – | – | – |
| Other Malformations | – | – | – | – | – | – | – | – | – | – | – | – | – |
| XVII. Intemperance | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| Privation | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Want of Breast Milk | 4 | 2 | 1 | 1 | – | – | – | – | – | – | – | – | – |
| Neglect | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Cold | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Poison | 3 | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds | 15 | 1 | – | 2 | 4 | 2 | 3 | – | 2 | – | – | – | – |
| Hanging, etc. | 3 | – | – | – | – | – | – | – | – | – | – | – | – |
| Suffocation | 2 | 1 | – | – | – | – | – | – | – | 1 | – | – | – |
| Drowning | 9 | – | – | – | – | – | – | – | 1 | 2 | 1 | – | 1 |
| Fracture and Contusion | 14 | – | – | – | – | – | – | – | – | 1 | – | – | 3 |
| Wounds | 2 | – | – | – | – | – | – | – | – | 1 | – | – | – |
| Other Violent Causes | 2 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Not Specified | 48 | 21 | 7 | 8 | 5 | 1 | 1 | – | 1 | – | – | 2 | 1 |

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1862.—Both Sexes. (*Continued.*)

| DISEASES. | BOTH SEXES. AGE UNDER | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 35 | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| Cephalitis | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Apoplexy | 1 | 1 | 1 | 3 | 6 | 3 | 6 | 5 | 3 | – | 2 | 2 | 1 | – | – | – |
| Paralysis | 3 | 1 | – | 3 | 3 | 2 | 4 | 6 | 10 | 5 | 1 | – | – | – | – | – |
| Delirium Tremens | – | 1 | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – |
| Chorea | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epilepsy | 1 | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Tetanus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Insanity | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Convulsions | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Brain Disease | – | – | 3 | – | 1 | 3 | 1 | 2 | – | 1 | – | – | – | – | – | – |
| Pericarditis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Aneurism | – | – | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Heart Disease | 3 | 4 | 7 | 5 | 7 | 8 | 8 | 10 | 9 | 3 | 1 | 1 | – | – | – | – |
| Laryngitis | – | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Bronchitis | 4 | 3 | 5 | 10 | 4 | 11 | 18 | 14 | 7 | 6 | 3 | 1 | 1 | – | – | – |
| Pleurisy | 1 | 1 | 1 | 2 | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Pneumonia | 3 | 3 | 6 | 5 | 7 | 7 | 3 | 1 | 3 | 3 | – | – | 1 | – | – | – |
| Asthma | 3 | – | 2 | 9 | 8 | 5 | 3 | 3 | 3 | 2 | – | 1 | – | – | – | – |
| Lung Disease | 1 | – | 1 | 2 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Teething | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Quinsey | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gastritis | 1 | – | – | 1 | – | – | – | 1 | – | 1 | – | – | – | – | – | – |
| Enteritis | – | – | – | – | 2 | – | 1 | – | – | – | – | – | – | – | – | – |
| Peritonitis | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ascites | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ulceration of Intestines | – | – | – | – | 1 | – | 1 | 1 | 1 | – | – | – | – | – | – | – |
| Hernia | – | 1 | – | 1 | – | – | – | – | – | 1 | – | – | – | – | – | – |
| Ileus | – | – | – | – | 2 | – | 1 | – | – | – | – | – | – | – | – | – |
| Intussusception | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Stricture of Intestines | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Stomach Disease | 1 | – | – | – | – | 2 | 1 | – | – | – | – | – | – | – | – | – |
| Pancreas Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hepatitis | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Jaundice | – | – | – | – | – | – | – | 1 | 2 | – | – | – | – | – | – | – |
| Liver Disease | – | 1 | 1 | 1 | 2 | 1 | 1 | – | 1 | – | – | – | – | – | – | – |
| Spleen Disease | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Nephritis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Nephria | – | 3 | 2 | 2 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Ischuria | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Diabetes | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Stone | – | – | – | 1 | – | – | – | 1 | – | 1 | – | – | – | – | – | – |
| Cystitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Stricture of Urethra | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Kidney Disease | 1 | – | 1 | 2 | 2 | 1 | – | 1 | – | – | – | – | – | – | – | – |
| Paramenia | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Ovarian Dropsy | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Childbirth | 3 | 5 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Organs of Generation | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Arthritis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rheumatism | 1 | – | – | 1 | – | – | 1 | 1 | – | – | – | – | – | – | – | – |
| Joint Disease | – | – | 1 | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Carbuncle | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmon | 1 | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Skin Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cyanosis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Spina Bifida | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Malformations | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intemperance | – | – | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Privation | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Want of Breast Milk | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Neglect | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cold | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Poison | 1 | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Hanging, etc. | – | 1 | – | – | – | – | 2 | – | – | – | – | – | – | – | – | – |
| Suffocation | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Drowning | – | 1 | 1 | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| Fracture and Contusion | – | 1 | 1 | 2 | 2 | 1 | 1 | – | 2 | – | – | – | – | – | – | – |
| Wounds | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Other Violent Causes | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Not Specified | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1862.—MALES.

| DISEASES. | MALES. | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | |
| | | MONTHS. | | | | | | | | | | | |
| | | 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 |
| ALL CAUSES | 1289 | 196 | 66 | 130 | 205 | 88 | 41 | 18 | 56 | 26 | 27 | 37 | 26 |
| SPECIFIED CAUSES | 1260 | 183 | 62 | 125 | 200 | 87 | 41 | 18 | 55 | 26 | 27 | 37 | 26 |
| I. Zymotic Class | 406 | 30 | 29 | 61 | 123 | 50 | 31 | 14 | 25 | 4 | 3 | 2 | 3 |
| II. Diseases of Uncertain Seat | 31 | – | – | 2 | 2 | – | – | 1 | 1 | 2 | 1 | – | 4 |
| III. Tubercular Class | 179 | – | 6 | 14 | 24 | 15 | 6 | 2 | 14 | 9 | 12 | 23 | 10 |
| IV. Brain and Nervous System | 70 | 16 | 2 | 1 | 1 | 2 | – | – | 1 | 2 | – | 2 | 1 |
| V. Organs of Circulation | 38 | – | – | – | – | – | – | – | 1 | – | 2 | 1 | 1 |
| VI. Respiratory Organs | 217 | 23 | 16 | 24 | 18 | 11 | 3 | 1 | 7 | 1 | 5 | 4 | 3 |
| VII. Organs of Digestion | 76 | 4 | 3 | 18 | 23 | 5 | – | – | 2 | 2 | 1 | 3 | – |
| VIII. Urinary Organs | 21 | – | – | – | – | 2 | – | – | 1 | 2 | 2 | – | – |
| IX. Organs of Generation | – | – | – | – | – | – | – | – | – | – | – | – | – |
| X. Organs of Locomotion | 5 | – | – | – | – | – | – | – | – | – | – | – | – |
| XI. Skin, etc. | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| XII. Malformation | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| XIII. Premature Debility | 112 | 102 | 6 | 4 | – | – | – | – | – | – | – | – | – |
| XIV. Atrophy | 17 | – | – | – | 7 | 1 | – | – | 1 | – | – | 2 | – |
| XV. Age | 48 | – | – | – | – | – | – | – | – | – | – | – | – |
| XVI. Sudden Deaths | 4 | 4 | – | – | – | – | – | – | – | – | – | – | – |
| XVII. Violent Deaths | 33 | 3 | – | 1 | 2 | 1 | 1 | – | 2 | 4 | 1 | – | 4 |
| I. Small Pox | 5 | 1 | – | 2 | 2 | – | – | – | – | – | – | – | – |
| Measles | 125 | 1 | 4 | 16 | 54 | 20 | 12 | 4 | 14 | – | – | – | – |
| Scarlatina | 13 | 1 | 1 | – | 1 | 4 | 2 | 1 | 2 | 1 | – | – | – |
| Diphtheria | 17 | – | – | 1 | 4 | 3 | 4 | 2 | 2 | – | – | – | – |
| Hooping Cough | 113 | 6 | 13 | 31 | 38 | 12 | 8 | 2 | 3 | – | – | – | – |
| Croup | 42 | 9 | 3 | 5 | 12 | 7 | 3 | 2 | 1 | – | – | – | – |
| Thrush | 3 | 3 | – | – | – | – | – | – | – | – | – | – | – |
| Diarrhœa | 25 | 4 | 3 | 4 | 4 | 1 | 1 | – | – | 1 | – | 1 | 1 |
| Dysentery | 12 | – | 2 | 1 | 3 | – | 1 | – | – | – | 1 | – | – |
| Cholera | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Influenza | 4 | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Purpura | 2 | – | – | – | – | – | – | – | 1 | 1 | – | – | – |
| Ague | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Worms | 1 | – | – | – | – | – | – | 1 | – | – | – | – | – |
| Infantile Fever | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Typhus | 33 | – | 1 | – | 5 | 2 | – | 1 | 2 | 1 | 2 | – | 2 |
| Metria | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rheumatic Fever | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Erysipelas | 4 | 1 | – | – | – | 1 | – | 1 | – | – | – | – | – |
| Syphilis | 5 | 4 | 1 | – | – | – | – | – | – | – | – | – | – |
| Noma | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – |
| II. Hæmorrhage | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Dropsy | 13 | – | – | – | 1 | – | – | 1 | 1 | – | – | – | 2 |
| Abscess | 2 | – | – | 1 | – | – | – | – | – | 1 | – | – | – |
| Ulcer | 2 | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Fistula | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mortification | 2 | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Cancer | 11 | – | – | – | – | – | – | – | – | 1 | 1 | – | 2 |
| Gout | – | – | – | – | – | – | – | – | – | – | – | – | – |
| III. Scrofula | 7 | – | – | – | – | 2 | – | – | 1 | 1 | 1 | 1 | – |
| Tabes Mesenterica | 9 | – | – | – | 3 | 3 | – | – | 1 | 1 | – | – | – |
| Phthisis | 120 | – | 1 | 3 | 7 | 5 | 2 | – | 10 | 7 | 11 | 22 | 10 |
| Hydrocephalus | 43 | – | 5 | 11 | 14 | 5 | 4 | 2 | 2 | – | – | – | – |

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1862.—MALES.

| DISEASES. | MALES. AGE UNDER | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 35 | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| ALL CAUSES | 29 | 25 | 28 | 48 | 40 | 41 | 50 | 36 | 24 | 21 | 20 | 7 | 3 | 1 | – | – |
| SPECIFIED CAUSES | 29 | 25 | 28 | 48 | 40 | 41 | 50 | 36 | 24 | 21 | 20 | 7 | 3 | 1 | – | – |
| Zymotic Class | 2 | 1 | 2 | 7 | 2 | 4 | 6 | 3 | – | 2 | 1 | 1 | – | – | – | – |
| Uncertain Seat | 1 | 2 | – | 3 | 1 | 3 | 2 | 3 | 1 | 1 | 1 | – | – | – | – | – |
| Tubercular Class | 10 | 8 | 7 | 3 | 8 | 4 | 3 | 1 | – | – | – | – | – | – | – | – |
| Brain, etc. | 3 | 2 | 1 | 4 | 7 | 5 | 7 | 2 | 6 | 1 | 2 | 2 | – | – | – | – |
| Heart, etc. | 3 | 1 | 4 | 2 | 3 | 4 | 5 | 5 | 3 | 1 | 1 | 1 | – | – | – | – |
| Respiratory Organs | 7 | 5 | 10 | 18 | 9 | 13 | 16 | 12 | 3 | 5 | 1 | – | 2 | – | – | – |
| Digestive Organs | 1 | 1 | – | 3 | 4 | 2 | 2 | 1 | – | 1 | – | – | – | – | – | – |
| Urinary Organs | – | 2 | 1 | 3 | 3 | 1 | – | 3 | – | 1 | – | – | – | – | – | – |
| Generative Organs | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Locomotive Organs | 1 | – | – | 2 | 1 | – | 1 | – | – | – | – | – | – | – | – | – |
| Skin | 1 | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Malformation | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Premature Debility | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Atrophy | – | 1 | – | 1 | 2 | 2 | – | – | – | – | – | – | – | – | – | – |
| Age | – | – | – | – | – | – | 6 | 5 | 9 | 9 | 14 | 3 | 1 | 1 | – | – |
| Sudden Deaths | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Violent Deaths | – | 2 | 3 | 2 | – | 3 | 2 | – | 2 | – | – | – | – | – | – | – |
| Small Pox | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Measles | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scarlatina | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diphtheria | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Hooping Cough | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Croup | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Thrush | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diarrhœa | 1 | 1 | – | – | – | 1 | – | – | – | – | 1 | 1 | – | – | – | – |
| Dysentery | – | – | – | 1 | – | 1 | – | 1 | – | 1 | – | – | – | – | – | – |
| Cholera | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Influenza | – | – | – | 1 | 1 | – | 1 | – | – | – | – | – | – | – | – | – |
| Purpura | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ague | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Worms | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Infantile Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Typhus | 1 | – | 2 | 4 | 1 | 2 | 4 | 2 | – | 1 | – | – | – | – | – | – |
| Metria | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rheumatic Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Erysipelas | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Syphilis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Noma | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmorrhage | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Dropsy | 1 | – | – | 2 | – | 2 | – | 1 | 1 | 1 | – | – | – | – | – | – |
| Abscess | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ulcer | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Fistula | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mortification | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Cancer | – | 2 | – | 1 | 1 | – | 1 | 1 | – | – | 1 | – | – | – | – | – |
| Gout | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scrofula | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tabes Mesenterica | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phthisis | 8 | 8 | 7 | 3 | 8 | 4 | 3 | 1 | – | – | – | – | – | – | – | – |
| Hydrocephalus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1862.—MALES. (*Continued.*)

| DISEASES. | MALES. | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | |
| | | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 |
| | | 3 | 6 | 12 | | | | | | | | | |
| IV. Cephalitis | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Apoplexy | 18 | – | – | – | – | 1 | – | – | – | – | – | 1 | – |
| Paralysis | 15 | – | – | – | – | – | – | – | – | – | – | – | – |
| Delirium Tremens | 4 | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Chorea | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epilepsy | 2 | – | – | – | – | – | – | – | – | 1 | – | – | – |
| Tetanus | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Insanity | 1 | – | – | – | – | – | – | – | – | 1 | – | – | – |
| Convulsions | 20 | 16 | 2 | 1 | – | – | – | – | 1 | – | – | – | – |
| Brain Disease | 9 | – | – | – | 1 | 1 | – | – | – | – | – | 1 | – |
| V. Pericarditis | 1 | – | – | – | – | – | – | – | 1 | – | – | – | – |
| Aneurism | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Heart Disease | 36 | – | – | – | – | – | – | – | – | – | 2 | 1 | 1 |
| VI. Laryngitis | 2 | – | – | – | – | – | – | – | – | 1 | – | – | – |
| Bronchitis | 131 | 18 | 16 | 20 | 13 | 7 | 3 | 1 | 2 | – | 1 | 1 | 2 |
| Pleurisy | 6 | – | – | – | – | – | – | – | – | – | 1 | 2 | – |
| Pneumonia | 50 | 4 | – | 3 | 4 | 4 | – | – | 5 | – | 2 | 1 | – |
| Asthma | 20 | – | – | – | – | – | – | – | – | – | – | – | – |
| Lung Disease | 8 | 1 | – | 1 | 1 | – | – | – | – | – | 1 | – | 1 |
| VII. Teething | 37 | – | 2 | 13 | 20 | 2 | – | – | – | – | – | – | – |
| Quinsey | 2 | – | – | – | 1 | 1 | – | – | – | – | – | – | – |
| Gastritis | 5 | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Enteritis | 8 | 1 | 1 | 1 | 1 | 1 | – | – | – | 1 | – | – | – |
| Peritonitis | 3 | – | – | 1 | – | 1 | – | – | – | – | – | 1 | – |
| Ascites | 1 | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Ulceration of Intestines | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Hernia | 2 | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Ileus | 2 | 2 | – | – | – | – | – | – | – | – | – | – | – |
| Intussusception | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Stricture of Intestines | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Stomach Disease | 8 | 1 | – | 2 | – | – | – | – | 2 | – | 1 | – | – |
| Pancreas Disease | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hepatitis | 1 | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Jaundice | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Liver Disease | 5 | – | – | – | – | – | – | – | – | 1 | – | – | – |
| Spleen Disease | – | – | – | – | – | – | – | – | – | – | – | – | – |
| VIII. Nephritis | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Nephria | 5 | – | – | – | – | – | – | – | – | 2 | – | – | – |
| Ischuria | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Diabetes | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| Stone | 3 | – | – | – | – | – | – | – | – | – | 1 | – | – |
| Cystitis | 1 | – | – | – | – | – | – | – | – | – | 1 | – | – |
| Stricture of Urethra | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Kidney Disease | 9 | – | – | – | – | 2 | – | – | 1 | – | – | – | – |
| IX. Paramenia | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ovarian Dropsy | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Childbirth | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Organs of Generation | – | – | – | – | – | – | – | – | – | – | – | – | – |
| X. Arthritis | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rheumatism | 3 | – | – | – | – | – | – | – | – | – | – | – | – |
| Joint and Bone Disease | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| XI. Carbuncle | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmon | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| Skin Disease | – | – | – | – | – | – | – | – | – | – | – | – | – |
| XII. Cyanosis | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Spina Bifida | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Other Malformations | – | – | – | – | – | – | – | – | – | – | – | – | – |
| XVII. Intemperance | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| Privation | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Want of Breast Milk | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Neglect | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Cold | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Poison | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds | 6 | – | – | 1 | 2 | 1 | 1 | – | 1 | – | – | – | – |
| Hanging, etc. | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| Suffocation | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Drowning | 6 | – | – | – | – | – | – | – | 1 | 2 | 1 | – | 1 |
| Fracture and Contusion | 10 | – | – | – | – | – | – | – | – | 1 | – | – | 3 |
| Wounds | 1 | – | – | – | – | – | – | – | – | 1 | – | – | – |
| Other Violent Causes | 2 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Not Specified | 29 | 13 | 4 | 5 | 5 | 1 | – | – | 1 | – | – | – | – |

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1862.—MALES. (*Continued.*)

| DISEASES. | MALES. AGE UNDER | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 35 | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| Cephalitis | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Apoplexy | – | – | – | 2 | 3 | 1 | 3 | 2 | 1 | – | 2 | 2 | – | – | – | – |
| Paralysis | 3 | 1 | – | 1 | 2 | 1 | 2 | – | 5 | – | – | – | – | – | – | – |
| Delirium Tremens | – | 1 | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – |
| Chorea | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epilepsy | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Tetanus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Insanity | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Convulsions | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Brain Disease | – | – | 1 | – | 1 | 2 | 1 | – | – | 1 | – | – | – | – | – | – |
| Pericarditis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Aneurism | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Heart Disease | 3 | 1 | 3 | 2 | 3 | 4 | 5 | 5 | 3 | 1 | 1 | 1 | – | – | – | – |
| Laryngitis | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Bronchitis | 3 | 2 | 2 | 5 | 3 | 5 | 10 | 11 | 2 | 2 | 1 | – | 1 | – | – | – |
| Pleurisy | – | – | 1 | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Pneumonia | 2 | 2 | 5 | 3 | 3 | 5 | 3 | – | – | 3 | – | – | 1 | – | – | – |
| Asthma | 1 | – | 2 | 7 | 3 | 3 | 2 | 1 | 1 | – | – | – | – | – | – | – |
| Lung Disease | 1 | – | – | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| Teething | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Quinsey | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gastritis | 1 | – | – | 1 | – | – | – | 1 | – | 1 | – | – | – | – | – | – |
| Enteritis | – | – | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – |
| Peritonitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ascites | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ulceration of Intestines | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Hernia | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Ileus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intussusception | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Stricture of Intestines | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Stomach Disease | – | – | – | – | – | 2 | – | – | – | – | – | – | – | – | – | – |
| Pancreas Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hepatitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Jaundice | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Liver Disease | – | 1 | – | 1 | 1 | – | 1 | – | – | – | – | – | – | – | – | – |
| Spleen Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Nephritis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Nephria | – | 1 | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Ischuria | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Diabetes | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Stone | – | – | – | – | – | – | – | 1 | – | 1 | – | – | – | – | – | – |
| Cystitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Stricture of Urethra | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Kidney Disease | – | – | 1 | 1 | 2 | 1 | – | 1 | – | – | – | – | – | – | – | – |
| Paramenia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ovarian Dropsy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Childbirth | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Organs of Generation | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Arthritis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rheumatism | 1 | – | – | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Joint Disease | – | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Carbuncle | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmon | 1 | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Skin Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cyanosis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Spina Bifida | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Malformations | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intemperance | – | – | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Privation | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Want of Breast Milk | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Neglect | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cold | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Poison | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hanging, etc. | – | – | – | – | – | – | 2 | – | – | – | – | – | – | – | – | – |
| Suffocation | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Drowning | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Fracture and Contusion | – | 1 | 1 | 1 | – | 1 | – | – | 2 | – | – | – | – | – | – | – |
| Wounds | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Violent Causes | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Not Specified | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1862.—FEMALES.

| DISEASES. | FEMALES. | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | |
| | | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 |
| | | 3 | 6 | 12 | | | | | | | | | |
| ALL CAUSES | 1310 | 124 | 49 | 129 | 173 | 85 | 47 | 29 | 52 | 19 | 34 | 51 | 53 |
| SPECIFIED CAUSES | 1291 | 116 | 46 | 126 | 173 | 85 | 46 | 29 | 52 | 19 | 34 | 49 | 52 |
| I. Zymotic Class | 363 | 16 | 10 | 67 | 103 | 52 | 28 | 19 | 28 | 2 | 4 | 3 | 3 |
| II. Diseases of Uncertain Seat | 49 | 1 | – | 1 | – | – | 3 | – | – | – | – | – | 1 |
| III. Tubercular Class | 232 | 4 | 5 | 17 | 15 | 10 | 5 | 6 | 13 | 12 | 20 | 34 | 23 |
| IV. Brain and Nervous System | 76 | 8 | 5 | 4 | 4 | – | – | – | – | 2 | 2 | 3 | – |
| V. Organs of Circulation | 45 | – | – | – | – | – | – | – | – | 1 | 2 | 3 | 4 |
| VI. Respiratory Organs | 198 | 10 | 12 | 23 | 25 | 19 | 7 | 4 | 6 | 1 | 3 | 2 | 6 |
| VII. Organs of Digestion | 65 | 5 | 3 | 10 | 17 | 3 | – | – | 1 | – | 1 | 1 | 2 |
| VIII. Urinary Organs | 12 | – | – | – | 1 | – | – | – | – | – | 1 | – | 2 |
| IX. Organs of Generation | 26 | – | – | – | – | – | – | – | – | – | 1 | 2 | 10 |
| X. Organs of Locomotion | 6 | – | – | – | – | – | 1 | – | 2 | – | – | – | 1 |
| XI. Skin, etc. | 2 | 1 | – | – | 1 | – | – | – | – | – | – | – | – |
| XII. Malformation | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| XIII. Premature Debility | 74 | 64 | 8 | 2 | – | – | – | – | – | – | – | – | – |
| XIV. Atrophy | 11 | – | – | – | 5 | – | – | – | 1 | – | – | – | – |
| XV. Age | 96 | – | – | – | – | – | – | – | – | – | – | – | – |
| XVI. Sudden Deaths | 10 | 3 | 2 | – | – | – | – | – | – | – | – | 1 | – |
| XVII. Violent Deaths | 25 | 3 | 1 | 2 | 2 | 1 | 2 | – | 1 | 1 | – | – | – |
| I. Small Pox | 11 | 1 | – | 1 | 3 | 4 | – | – | 2 | – | – | – | – |
| Measles | 115 | 3 | – | 26 | 40 | 22 | 8 | 5 | 7 | – | 2 | – | – |
| Scarlatina | 11 | – | – | 1 | 2 | 1 | 1 | – | 6 | – | – | – | – |
| Diphtheria | 10 | – | 1 | – | 4 | 3 | – | 2 | – | – | – | – | – |
| Hooping Cough | 100 | 3 | 4 | 28 | 28 | 18 | 10 | 7 | 2 | – | – | – | – |
| Croup | 35 | 2 | – | 4 | 11 | 2 | 6 | 4 | 6 | – | – | – | – |
| Thrush | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Diarrhœa | 28 | 4 | 2 | 6 | 8 | 1 | 1 | – | – | – | 1 | – | – |
| Dysentery | 6 | 1 | – | – | – | – | – | – | – | – | – | 1 | – |
| Cholera | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Influenza | 5 | – | – | – | – | – | – | – | – | – | – | – | – |
| Purpura | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Ague | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Worms | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Infantile Fever | 2 | – | – | – | 2 | – | – | – | – | – | – | – | – |
| Typhus | 31 | – | – | – | 4 | – | 2 | 1 | 5 | 2 | 1 | 2 | 3 |
| Metria | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Rheumatic Fever | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Erysipelas | 3 | 1 | 1 | – | – | 1 | – | – | – | – | – | – | – |
| Syphilis | 2 | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Noma | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – |
| II. Hæmorrhage | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Dropsy | 25 | – | – | 1 | – | – | 2 | – | – | – | – | – | 1 |
| Abscess | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ulcer | 1 | – | – | – | – | – | 1 | – | – | – | – | – | – |
| Fistula | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mortification | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Cancer | 22 | – | – | – | – | – | – | – | – | – | – | – | – |
| Gout | – | – | – | – | – | – | – | – | – | – | – | – | – |
| III. Scrofula | 3 | – | – | – | 1 | 1 | – | – | – | – | – | – | 1 |
| Tabes Mesenterica | 6 | – | – | 1 | 3 | – | – | – | 2 | – | – | – | – |
| Phthisis | 184 | – | – | 5 | 4 | 4 | 3 | 3 | 9 | 12 | 20 | 34 | 22 |
| Hydrocephalus | 39 | 4 | 5 | 11 | 7 | 5 | 2 | 3 | 2 | – | – | – | – |

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1862.—FEMALES.

| DISEASES. | FEMALES. AGE UNDER | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 35 | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| ALL CAUSES | 46 | 36 | 41 | 40 | 43 | 40 | 46 | 41 | 56 | 29 | 25 | 13 | 8 | 1 | – | – |
| SPECIFIED CAUSES | 46 | 36 | 41 | 40 | 43 | 40 | 45 | 41 | 56 | 29 | 25 | 13 | 8 | 1 | – | – |
| Zymotic Class | 4 | 1 | 3 | 3 | 5 | 2 | 5 | 3 | 1 | 1 | – | – | – | – | – | – |
| Uncertain Seat | 2 | 3 | 7 | 5 | 5 | 7 | 9 | – | 2 | 3 | – | – | – | – | – | – |
| Tubercular Class | 24 | 13 | 9 | 8 | 5 | 7 | 2 | – | – | – | – | – | – | – | – | – |
| Brain, etc. | 2 | 2 | 3 | 3 | 4 | 4 | 5 | 11 | 7 | 5 | 1 | – | 1 | – | – | – |
| Heart, etc. | – | 3 | 5 | 3 | 4 | 4 | 3 | 5 | 6 | 2 | – | – | – | – | – | – |
| Respiratory Organs | 5 | 3 | 5 | 10 | 10 | 12 | 9 | 6 | 10 | 6 | 2 | 2 | – | – | – | – |
| Digestive Organs | 2 | 2 | 1 | – | 4 | 2 | 3 | 3 | 4 | 1 | – | – | – | – | – | – |
| Urinary Organs | 1 | 2 | 2 | 3 | – | – | – | – | – | – | – | – | – | – | – | – |
| Generative Organs | 4 | 5 | 3 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Locomotive Organs | – | – | 1 | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Skin | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Malformation | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Premature Debility | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Atrophy | – | – | 1 | – | 3 | 1 | – | – | – | – | – | – | – | – | – | – |
| Age | – | – | – | – | – | – | 8 | 10 | 26 | 11 | 22 | 11 | 7 | 1 | – | – |
| Sudden Deaths | – | – | 1 | 1 | 1 | – | – | 1 | – | – | – | – | – | – | – | – |
| Violent Deaths | 2 | 2 | – | 3 | 2 | 1 | 1 | 1 | – | – | – | – | – | – | – | – |
| Small Pox | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Measles | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scarlatina | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diphtheria | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hooping Cough | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Croup | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Thrush | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diarrhœa | 1 | – | 2 | – | – | 1 | – | – | 1 | – | – | – | – | – | – | – |
| Dysentery | 1 | – | – | 1 | 1 | – | 1 | – | – | – | – | – | – | – | – | – |
| Cholera | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Influenza | 1 | – | – | – | – | 1 | – | 2 | – | 1 | – | – | – | – | – | – |
| Purpura | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ague | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Worms | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Infantile Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Typhus | 1 | – | 1 | 2 | 4 | – | 2 | 1 | – | – | – | – | – | – | – | – |
| Metria | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rheumatic Fever | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Erysipelas | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Syphilis | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Noma | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmorrhage | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Dropsy | 1 | 2 | 2 | 2 | 2 | 4 | 4 | – | 2 | 2 | – | – | – | – | – | – |
| Abscess | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ulcer | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Fistula | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mortification | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cancer | 1 | 1 | 5 | 3 | 3 | 3 | 5 | – | – | 1 | – | – | – | – | – | – |
| Gout | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scrofula | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tabes Mesenterica | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phthisis | 24 | 13 | 9 | 8 | 5 | 7 | 2 | – | – | – | – | – | | – | – | – |
| Hydrocephalus | – | – | – | – | – | – | – | – | – | – | – | – | | – | – | – |

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1862.—FEMALES. (*Continued.*)

| DISEASES. | FEMALES. | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | |
| | | MONTHS. | | | | | | | | | | | |
| | | 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 |
| IV. Cephalitis | 6 | – | 1 | 1 | 1 | – | – | – | – | 1 | 1 | 1 | – |
| Apoplexy | 19 | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Paralysis | 23 | – | – | – | – | – | – | – | – | – | – | – | – |
| Delirium Tremens | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chorea | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epilepsy | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| Tetanus | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Insanity | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Convulsions | 17 | 8 | 3 | 3 | 3 | – | – | – | – | – | – | – | – |
| Brain Disease | 9 | – | 1 | – | – | – | – | – | – | 1 | 1 | 1 | – |
| V. Pericarditis | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Aneurism | 2 | – | – | – | – | – | – | – | – | – | 1 | – | – |
| Heart Disease | 43 | – | – | – | – | – | – | – | – | 1 | 1 | 3 | 4 |
| VI. Laryngitis | 3 | – | 1 | – | – | 1 | – | – | – | – | – | – | – |
| Bronchitis | 127 | 8 | 9 | 19 | 20 | 14 | 6 | 2 | 5 | – | 1 | 1 | 2 |
| Pleurisy | 5 | – | – | 1 | – | 1 | – | – | – | – | – | – | – |
| Pneumonia | 40 | 2 | 2 | 3 | 5 | 3 | 1 | 2 | 1 | 1 | – | 1 | 4 |
| Asthma | 19 | – | – | – | – | – | – | – | – | – | – | – | – |
| Lung Disease | 4 | – | – | – | – | – | – | – | – | – | 2 | – | – |
| VII. Teething | 27 | – | 1 | 9 | 15 | 2 | – | – | – | – | – | – | – |
| Quinsey | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gastritis | 2 | – | – | – | – | 1 | – | – | – | – | – | 1 | – |
| Enteritis | 5 | 1 | 1 | 1 | 1 | – | – | – | – | – | – | – | – |
| Peritonitis | 5 | 2 | – | – | – | – | – | – | 1 | – | – | – | – |
| Ascites | 1 | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Ulceration of Intestines | 3 | – | – | – | – | – | – | – | – | – | – | – | – |
| Hernia | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| Ileus | 4 | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Intussusception | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Stricture of Intestines | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Stomach Disease | 6 | 1 | 1 | – | – | – | – | – | – | – | 1 | – | 1 |
| Pancreas Disease | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hepatitis | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Jaundice | 4 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Liver Disease | 4 | – | – | – | – | – | – | – | – | – | – | – | – |
| Spleen Disease | – | – | – | – | – | – | – | – | – | – | – | – | – |
| VIII. Nephritis | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Nephria | 7 | – | – | – | 1 | – | – | – | – | – | 1 | – | – |
| Ischuria | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diabetes | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Stone | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Cystitis | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Stricture of Urethra | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Kidney Disease | 4 | – | – | – | – | – | – | – | – | – | – | – | 2 |
| IX. Paramenia | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| Ovarian Dropsy | 2 | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Childbirth | 20 | – | – | – | – | – | – | – | – | – | 1 | 2 | 9 |
| Organs of Generation | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| X. Arthritis | 1 | – | – | – | – | – | 1 | – | – | – | – | – | – |
| Rheumatism | 2 | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Joint and Bone Disease | 3 | – | – | – | – | – | – | – | 2 | – | – | – | – |
| XI. Carbuncle | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmon | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Skin Disease | 2 | 1 | – | – | 1 | – | – | – | – | – | – | – | – |
| XII. Cyanosis | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Spina Bifida | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Other Malformations | – | – | – | – | – | – | – | – | – | – | – | – | – |
| XVII. Intemperance | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Privation | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Want of Breast Milk | 3 | 1 | 1 | 1 | – | – | – | – | – | – | – | – | – |
| Neglect | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cold | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Poison | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds | 9 | 1 | – | 1 | 2 | 1 | 2 | – | 1 | – | – | – | – |
| Hanging, etc. | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Suffocation | 2 | 1 | – | – | – | – | – | – | – | 1 | – | – | – |
| Drowning | 3 | – | – | – | – | – | – | – | – | – | – | – | – |
| Fracture and Contusion | 4 | – | – | – | – | – | – | – | – | – | – | – | – |
| Wounds | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Violent Causes | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Not Specified | 19 | 8 | 3 | 3 | – | – | 1 | – | – | – | – | 2 | 1 |

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1862.—FEMALES. (*Continued.*)

| DISEASES. | FEMALES. AGE UNDER 35 | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Cephalitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Apoplexy | 1 | 1 | 1 | 1 | 3 | 2 | 3 | 3 | 2 | – | – | – | 1 | – | – | – |
| Paralysis | – | – | – | 2 | 1 | 1 | 2 | 6 | 5 | 5 | 1 | – | – | – | – | – |
| Delirium Tremens | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chorea | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epilepsy | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tetanus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Insanity | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Convulsions | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Brain Disease | – | – | 2 | – | – | 1 | – | 2 | – | – | – | – | – | – | – | – |
| Pericarditis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Aneurism | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Heart Disease | – | 3 | 4 | 3 | 4 | 4 | 3 | 5 | 6 | 2 | – | – | – | – | – | – |
| Laryngitis | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Bronchitis | 1 | 1 | 3 | 5 | 1 | 6 | 8 | 3 | 5 | 4 | 2 | 1 | – | – | – | – |
| Pleurisy | 1 | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Pneumonia | 1 | 1 | 1 | 2 | 4 | 2 | – | 1 | 3 | – | – | – | – | – | – | – |
| Asthma | 2 | – | – | 2 | 5 | 2 | 1 | 2 | 2 | 2 | – | 1 | – | – | – | – |
| Lung Disease | – | – | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Teething | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Quinsey | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gastritis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Enteritis | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Peritonitis | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ascites | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ulceration of Intestines | – | – | – | – | – | – | 1 | 1 | 1 | – | – | – | – | – | – | – |
| Hernia | – | 1 | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| Ileus | – | – | – | – | 2 | – | 1 | – | – | – | – | – | – | – | – | – |
| Intussusception | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Stricture of Intestines | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Stomach Disease | 1 | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Pancreas Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hepatitis | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Jaundice | – | – | – | – | – | – | – | 1 | 2 | – | – | – | – | – | – | – |
| Liver Disease | – | – | 1 | – | 1 | 1 | – | – | 1 | – | – | – | – | – | – | – |
| Spleen Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Nephritis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Nephria | – | 2 | 2 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Ischuria | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diabetes | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Stone | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Cystitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Stricture of Urethra | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Kidney Disease | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Paramenia | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Ovarian Dropsy | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Childbirth | 3 | 5 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Organs of Generation | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Arthritis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rheumatism | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Joint Disease | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Carbuncle | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmon | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Skin Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cyanosis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Spina Bifida | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Malformations | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intemperance | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Privation | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Want of Breast Milk | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Neglect | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cold | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Poison | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Hanging, etc. | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suffocation | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Drowning | – | 1 | – | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| Fracture and Contusion | – | – | – | 1 | 2 | – | 1 | – | – | – | – | – | – | – | – | – |
| Wounds | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Other Violent Causes | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Not Specified | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1862.—Both Sexes.

| DISEASES. | BOTH SEXES. | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | |
| | | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 |
| | | 3 | 6 | 12 | | | | | | | | | |
| All Causes | 1923 | 164 | 68 | 98 | 203 | 89 | 59 | 39 | 87 | 50 | 58 | 70 | 70 |
| Specified Causes | 1916 | 162 | 67 | 98 | 203 | 89 | 59 | 39 | 86 | 49 | 58 | 70 | 70 |
| I. Zymotic Class | 424 | 18 | 22 | 39 | 110 | 52 | 35 | 20 | 34 | 7 | 8 | 8 | 6 |
| II. Diseases of Uncertain Seat | 74 | – | – | 1 | – | – | – | 1 | 1 | 3 | – | 4 | – |
| III. Tubercular Class | 347 | 3 | 12 | 10 | 32 | 19 | 11 | 12 | 28 | 21 | 32 | 28 | 36 |
| IV. Brain and Nervous System | 163 | 12 | 7 | 5 | 4 | 1 | – | 1 | 6 | 3 | 5 | 6 | 4 |
| V. Organs of Circulation | 85 | – | – | – | – | – | – | 1 | – | 3 | 1 | 2 | 3 |
| VI. Respiratory Organs | 255 | 18 | 10 | 18 | 16 | 9 | 8 | 3 | 2 | 3 | 1 | 10 | 6 |
| VII. Organs of Digestion | 174 | 12 | 5 | 21 | 35 | 6 | 1 | 1 | 3 | 3 | 4 | 1 | 1 |
| VIII. Urinary Organs | 51 | – | – | – | – | – | – | – | 3 | – | 1 | 7 | 3 |
| IX. Organs of Generation | 13 | – | – | – | – | – | – | – | – | – | – | 1 | 4 |
| X. Organs of Locomotion | 18 | – | – | – | – | – | 1 | – | 4 | 3 | 3 | – | 1 |
| XI. Skin, etc. | 3 | – | 1 | 1 | 1 | – | – | – | – | – | – | – | – |
| XII. Malformation | 3 | 2 | – | – | – | – | 1 | – | – | – | – | – | – |
| XIII. Premature Debility | 96 | 91 | 4 | 1 | – | – | – | – | – | – | – | – | – |
| XIV. Atrophy | 13 | – | – | – | 4 | 1 | – | – | 2 | – | – | – | – |
| XV. Age | 132 | – | – | – | – | – | – | – | – | – | – | – | – |
| XVI. Sudden Deaths | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| XVII. Violent Deaths | 64 | 6 | 6 | 2 | 1 | 1 | 2 | – | 3 | 3 | 3 | 3 | 6 |
| I. Small Pox | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Measles | 156 | 1 | 6 | 17 | 71 | 27 | 16 | 9 | 8 | – | – | – | – |
| Scarlatina | 21 | 2 | – | – | 4 | 2 | 5 | 3 | 2 | 1 | – | 1 | 1 |
| Diphtheria | 16 | 3 | 1 | – | 3 | 3 | 1 | 1 | 2 | 1 | – | – | – |
| Hooping Cough | 80 | 5 | 11 | 16 | 20 | 14 | 4 | 4 | 6 | – | – | – | – |
| Croup | 12 | – | – | 1 | 3 | 2 | 2 | 1 | 3 | – | – | – | – |
| Thrush | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diarrhœa | 33 | – | 3 | 3 | 3 | 1 | – | – | – | – | 1 | – | 2 |
| Dysentery | 12 | – | – | 1 | 1 | – | – | 1 | 1 | – | 1 | – | – |
| Cholera | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| Influenza | 9 | 1 | – | – | – | – | – | – | 1 | – | – | – | – |
| Purpura | 1 | – | – | – | – | – | – | – | 1 | – | – | – | – |
| Ague | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Worms | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Infantile Fever | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Typhus | 61 | – | – | – | 3 | 3 | 7 | 1 | 10 | 5 | 5 | 5 | 3 |
| Metria | 3 | – | – | – | – | – | – | – | – | – | 1 | 1 | – |
| Rheumatic Fever | 4 | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Erysipelas | 5 | 2 | – | – | – | – | – | – | – | – | – | – | – |
| Syphilis | 8 | 4 | 1 | 1 | 2 | – | – | – | – | – | – | – | – |
| Noma | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – |
| II. Hæmorrhage | 1 | – | – | – | – | – | – | – | – | 1 | – | – | – |
| Dropsy | 20 | – | – | – | – | – | – | 1 | 1 | 1 | – | 2 | – |
| Abscess | 5 | – | – | – | – | – | – | – | – | – | – | – | – |
| Ulcer | 4 | – | – | 1 | – | – | – | – | – | 1 | – | – | – |
| Fistula | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Mortification | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| Cancer | 41 | – | – | – | – | – | – | – | – | – | – | 2 | – |
| Gout | – | – | – | – | – | – | – | – | – | – | – | – | – |
| III. Scrofula | 22 | – | – | – | 1 | 1 | 1 | 2 | 2 | 3 | 3 | – | 3 |
| Tabes Mesenterica | 15 | 1 | – | 1 | 3 | 4 | 1 | – | 4 | 1 | – | – | – |
| Phthisis | 244 | – | 4 | 3 | 10 | 5 | 2 | 6 | 11 | 17 | 29 | 27 | 33 |
| Hydrocephalus | 66 | 2 | 8 | 6 | 18 | 9 | 7 | 4 | 11 | – | – | 1 | – |

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1862.—Both Sexes.

| DISEASES. | BOTH SEXES. AGE UNDER | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 35 | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| All Causes | 58 | 49 | 53 | 66 | 72 | 66 | 89 | 95 | 87 | 88 | 75 | 47 | 17 | 4 | 1 | 1 |
| Specified Causes | 57 | 49 | 53 | 66 | 72 | 66 | 88 | 95 | 87 | 88 | 75 | 47 | 17 | 4 | 1 | 1 |
| Zymotic Class | 3 | 4 | 5 | 4 | 6 | 6 | 6 | 5 | 6 | 8 | 7 | 4 | 1 | – | – | – |
| Uncertain Seat | 4 | 3 | 3 | 4 | 6 | 6 | 9 | 12 | 5 | 6 | 2 | 3 | 1 | – | – | – |
| Tubercular Class | 30 | 19 | 16 | 18 | 11 | 4 | 2 | 3 | – | – | – | – | – | – | – | – |
| Brain, etc. | 5 | 6 | 9 | 8 | 10 | 7 | 11 | 11 | 15 | 13 | 10 | 4 | – | – | – | – |
| Heart, etc. | 3 | 3 | 7 | 5 | 6 | 11 | 9 | 15 | 7 | 3 | 4 | 1 | 1 | – | – | – |
| Respiratory Organs | 4 | 5 | 5 | 12 | 12 | 15 | 18 | 22 | 19 | 18 | 16 | 5 | – | – | – | – |
| Digestive Organs | 3 | 1 | 3 | 3 | 7 | 13 | 14 | 10 | 13 | 7 | 5 | 1 | 1 | – | – | – |
| Urinary Organs | 2 | 3 | 1 | 4 | 7 | 1 | 3 | 7 | 3 | 3 | 2 | 1 | – | – | – | – |
| Generative Organs | 1 | – | 1 | 2 | 1 | – | 1 | 1 | – | 1 | – | – | – | – | – | – |
| Locomotive Organs | – | 1 | – | 1 | 1 | – | 1 | 1 | 1 | – | – | – | – | – | – | – |
| Skin | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Malformation | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Premature Debility | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Atrophy | 1 | 1 | – | 1 | 2 | 1 | – | – | – | – | – | – | – | – | – | – |
| Age | – | – | – | – | – | – | 9 | 6 | 17 | 27 | 29 | 27 | 12 | 4 | 1 | – |
| Sudden Deaths | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Violent Deaths | 1 | 3 | 3 | 4 | 3 | 1 | 5 | 2 | 1 | 2 | – | 1 | 1 | – | – | 1 |
| Small Pox | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Measles | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scarlatina | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diphtheria | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hooping Cough | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Croup | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Thrush | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diarrhœa | – | – | – | 1 | 2 | 2 | 3 | 3 | 1 | 5 | 2 | 1 | – | – | – | – |
| Dysentery | – | 1 | 1 | – | 1 | 1 | – | – | 1 | – | 1 | 1 | – | – | – | – |
| Cholera | – | – | – | 1 | – | – | – | – | – | – | 1 | – | – | – | – | – |
| Influenza | – | – | – | 1 | – | – | 1 | – | 1 | – | 2 | 1 | 1 | – | – | – |
| Purpura | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ague | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Worms | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Infantile Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Typhus | 1 | 2 | 1 | 1 | 2 | 3 | 1 | 2 | 3 | 2 | 1 | – | – | – | – | – |
| Metria | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rheumatic Fever | 2 | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Erysipelas | – | – | – | – | – | – | 1 | – | – | 1 | – | 1 | – | – | – | – |
| Syphilis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Noma | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmorrhage | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Dropsy | 2 | – | – | 1 | 1 | 2 | 1 | 3 | 1 | 3 | – | – | 1 | – | – | – |
| Abscess | – | 1 | – | – | – | – | – | 1 | 1 | 2 | – | – | – | – | – | – |
| Ulcer | – | – | – | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Fistula | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Mortification | – | – | – | – | – | – | – | – | – | – | 1 | 1 | – | – | – | – |
| Cancer | 2 | 2 | 3 | 2 | 5 | 4 | 6 | 8 | 3 | 1 | 1 | 2 | – | – | – | – |
| Gout | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scrofula | 1 | – | – | 4 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Tabes Mesenterica | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phthisis | 29 | 19 | 16 | 14 | 11 | 3 | 2 | 3 | – | – | – | – | – | – | – | – |
| Hydrocephalus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1862.—Both Sexes. (*Continued.*)

| DISEASES. | BOTH SEXES. | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | |
| | | MONTHS. | | | | | | | | | | | |
| | | 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 |
| IV. Cephalitis | 8 | – | – | – | 1 | – | – | – | 1 | 1 | 1 | 1 | – |
| Apoplexy | 29 | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Paralysis | 46 | – | – | – | 1 | – | – | – | 1 | – | – | – | 1 |
| Delirium Tremens | 5 | – | – | – | – | – | – | – | – | – | – | – | – |
| Chorea | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epilepsy | 5 | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Tetanus | 1 | – | – | – | – | – | – | 1 | – | – | – | – | – |
| Insanity | 8 | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Convulsions | 26 | 12 | 7 | 4 | 1 | 1 | – | – | 1 | – | – | – | – |
| Brain Disease | 35 | – | – | 1 | 1 | – | – | – | 3 | 2 | 4 | 3 | 2 |
| V. Pericarditis | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Aneurism | 5 | – | – | – | – | – | – | – | – | – | – | – | – |
| Heart Disease | 80 | – | – | – | – | – | – | 1 | – | 3 | 1 | 2 | 3 |
| VI. Laryngitis | 5 | 1 | – | 1 | – | – | 1 | – | – | – | – | – | 1 |
| Bronchitis | 181 | 11 | 7 | 13 | 13 | 6 | 5 | 2 | 1 | 2 | – | 8 | – |
| Pleurisy | 10 | 2 | – | – | – | – | – | 1 | – | – | 1 | 1 | – |
| Pneumonia | 40 | 4 | 3 | 4 | 3 | 3 | 2 | – | 1 | 1 | – | – | 3 |
| Asthma | 13 | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Lung Disease | 6 | – | – | – | – | – | – | – | – | – | – | 1 | 1 |
| VII. Teething | 62 | 1 | 4 | 20 | 32 | 5 | – | – | – | – | – | – | – |
| Quinsey | 2 | 1 | – | – | – | – | – | 1 | – | – | – | – | – |
| Gastritis | 3 | – | – | – | – | – | – | – | 1 | – | – | 1 | – |
| Enteritis | 13 | 1 | 1 | – | 1 | – | – | – | 2 | – | 1 | – | – |
| Peritonitis | 7 | 1 | – | – | 1 | – | – | – | – | 1 | 1 | – | – |
| Ascites | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| Ulceration of Intestines | 10 | – | – | – | – | – | – | – | – | – | 1 | – | – |
| Hernia | 5 | – | – | – | – | – | – | – | – | – | – | – | – |
| Ileus | 28 | 2 | – | – | – | – | – | – | – | – | 1 | – | – |
| Intussusception | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Stricture of Intestines | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Stomach Disease | 14 | 2 | – | 1 | – | 1 | – | – | – | – | – | – | – |
| Pancreas Disease | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hepatitis | 2 | – | – | – | – | – | – | – | – | 1 | – | – | 1 |
| Jaundice | 7 | 4 | – | – | – | – | – | – | – | – | – | – | – |
| Liver Disease | 15 | – | – | – | – | – | 1 | – | – | 1 | – | – | – |
| Spleen Disease | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| VIII. Nephritis | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Nephria | 6 | – | – | – | – | – | – | – | – | – | – | 2 | – |
| Ischuria | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| Diabetes | 5 | – | – | – | – | – | – | – | – | – | – | – | 2 |
| Stone | 3 | – | – | – | – | – | – | – | – | – | – | – | – |
| Cystitis | 4 | – | – | – | – | – | – | – | – | – | – | 2 | – |
| Stricture of Urethra | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Kidney Disease | 31 | – | – | – | – | – | – | – | 3 | – | 1 | 3 | 1 |
| IX. Paramenia | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ovarian Dropsy | 4 | – | – | – | – | – | – | – | – | – | – | – | – |
| Childbirth | 7 | – | – | – | – | – | – | – | – | – | – | 1 | 3 |
| Organs of Generation | 2 | – | – | – | – | – | – | – | – | – | – | – | 1 |
| X. Arthritis | 2 | – | – | – | – | – | – | – | – | 1 | 1 | – | – |
| Rheumatism | 5 | – | – | – | – | – | – | – | – | – | 1 | – | 1 |
| Joint and Bone Disease | 11 | – | – | – | – | – | 1 | – | 4 | 2 | 1 | – | – |
| XI. Carbuncle | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmon | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Skin Disease | 3 | – | 1 | 1 | 1 | – | – | – | – | – | – | – | – |
| XII. Cyanosis | 2 | 2 | – | – | – | – | – | – | – | – | – | – | – |
| Spina Bifida | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Malformations | 1 | – | – | – | – | – | 1 | – | – | – | – | – | – |
| XVII. Intemperance | 4 | – | – | – | – | – | – | – | – | – | – | – | – |
| Privation | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Want of Breast Milk | 8 | 5 | 2 | 1 | – | – | – | – | – | – | – | – | – |
| Neglect | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cold | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Poison | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds | 5 | – | – | – | 1 | 1 | 1 | – | – | – | – | – | – |
| Hanging, etc. | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| Suffocation | 7 | 1 | 4 | – | – | – | – | – | – | – | – | – | – |
| Drowning | 11 | – | – | – | – | – | – | – | 1 | 2 | – | 2 | 1 |
| Fracture and Contusion | 21 | – | – | – | – | – | 1 | – | 2 | 1 | 3 | 1 | 4 |
| Wounds | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Violent Causes | 5 | – | – | 1 | – | – | – | – | – | – | – | – | 1 |
| Not Specified | 7 | 2 | 1 | – | – | – | – | – | 1 | 1 | – | – | – |

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1862.—Both Sexes. (*Continued.*)

| DISEASES. | BOTH SEXES. AGE UNDER | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 35 | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| Cephalitis | – | – | 1 | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Apoplexy | 1 | 2 | 1 | 1 | 3 | 1 | 4 | 3 | 3 | 4 | 4 | 1 | – | – | – | – |
| Paralysis | 1 | 3 | 1 | 2 | 2 | 3 | 5 | 3 | 9 | 7 | 4 | 3 | – | – | – | – |
| Delirium Tremens | 1 | – | 1 | 1 | 1 | – | – | 1 | – | – | – | – | – | – | – | – |
| Chorea | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epilepsy | – | – | 2 | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – |
| Tetanus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Insanity | – | 1 | – | 1 | – | 2 | 1 | – | 1 | 1 | – | – | – | – | – | – |
| Convulsions | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Brain Disease | 2 | – | 3 | 2 | 3 | – | 1 | 3 | 2 | 1 | 2 | – | – | – | – | – |
| Pericarditis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Aneurism | – | 1 | 1 | 1 | 1 | – | 1 | – | – | – | – | – | – | – | – | – |
| Heart Disease | 3 | 2 | 6 | 4 | 5 | 11 | 8 | 15 | 7 | 3 | 4 | 1 | 1 | – | – | – |
| Laryngitis | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Bronchitis | 1 | 1 | 3 | 9 | 7 | 8 | 13 | 18 | 17 | 17 | 14 | 5 | – | – | – | – |
| Pleurisy | 1 | 1 | – | – | – | – | 2 | 1 | – | – | – | – | – | – | – | – |
| Pneumonia | 1 | 1 | 2 | 2 | 3 | 3 | – | 2 | 1 | – | 1 | – | – | – | – | – |
| Asthma | – | 2 | – | – | 1 | 3 | 3 | – | 1 | 1 | 1 | – | – | – | – | – |
| Lung Disease | 1 | – | – | 1 | – | 1 | – | 1 | – | – | – | – | – | – | – | – |
| Teething | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Quinsey | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gastritis | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| Enteritis | – | – | – | – | – | 2 | 2 | 1 | 2 | – | – | – | – | – | – | – |
| Peritonitis | – | – | – | – | – | 1 | 1 | 1 | – | – | – | – | – | – | – | – |
| Ascites | – | – | – | – | – | 1 | – | – | – | – | – | – | 1 | – | – | – |
| Ulceration of Intestines | 1 | – | – | 1 | 2 | – | 1 | 1 | 1 | – | 2 | – | – | – | – | – |
| Hernia | – | – | 1 | – | – | – | 2 | – | 2 | – | – | – | – | – | – | – |
| Ileus | 2 | – | – | 1 | – | 2 | 4 | 4 | 6 | 2 | 3 | 1 | – | – | – | – |
| Intussusception | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Stricture of Intestines | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Stomach Disease | – | 1 | – | 1 | – | 2 | 1 | 3 | – | 2 | – | – | – | – | – | – |
| Pancreas Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hepatitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Jaundice | – | – | – | – | 1 | – | – | – | 1 | 1 | – | – | – | – | – | – |
| Liver Disease | – | – | 2 | – | 4 | 3 | 2 | – | 1 | 1 | – | – | – | – | – | – |
| Spleen Disease | – | – | – | – | – | 2 | – | – | – | – | – | – | – | – | – | – |
| Nephritis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Nephria | – | 1 | – | 1 | – | – | – | 1 | 1 | – | – | – | – | – | – | – |
| Ischuria | – | – | – | – | – | – | – | 2 | – | – | – | – | – | – | – | – |
| Diabetes | – | – | – | 1 | 1 | – | 1 | – | – | – | – | – | – | – | – | – |
| Stone | – | – | – | – | – | – | 1 | 1 | – | 1 | – | – | – | – | – | – |
| Cystitis | – | – | – | – | 1 | – | – | – | – | 1 | – | – | – | – | – | – |
| Stricture of Urethra | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Kidney Disease | 2 | 2 | 1 | 2 | 5 | 1 | 1 | 3 | 2 | 1 | 2 | 1 | – | – | – | – |
| Paramenia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ovarian Dropsy | – | – | – | – | 1 | – | 1 | 1 | – | 1 | – | – | – | – | – | – |
| Childbirth | 1 | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Organs of Generation | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Arthritis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rheumatism | – | – | – | – | – | – | 1 | 1 | 1 | – | – | – | – | – | – | – |
| Joint Disease | – | 1 | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Carbuncle | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmon | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Skin Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cyanosis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Spina Bifida | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Malformations | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intemperance | – | 1 | – | 1 | 2 | – | – | – | – | – | – | – | – | – | – | – |
| Privation | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Want of Breast Milk | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Neglect | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cold | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Poison | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds | – | – | – | – | – | – | – | – | – | 1 | – | 1 | – | – | – | – |
| Hanging, etc. | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suffocation | – | – | – | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Drowning | – | 2 | 2 | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Fracture and Contusion | – | – | – | 2 | 1 | – | 2 | 1 | 1 | 1 | – | – | 1 | – | – | – |
| Wounds | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Other Violent Causes | – | – | – | – | – | – | 2 | – | – | – | – | – | – | – | – | 1 |
| Not Specified | 1 | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1862.—MALES.

| DISEASES. | MALES. | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | |
| | | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 |
| | | 3 | 6 | 12 | | | | | | | | | |
| ALL CAUSES | 938 | 93 | 35 | 51 | 99 | 42 | 35 | 23 | 38 | 34 | 33 | 40 | 37 |
| SPECIFIED CAUSES | 937 | 93 | 35 | 51 | 99 | 42 | 35 | 23 | 38 | 33 | 33 | 40 | 37 |
| I. Zymotic Class | 206 | 10 | 10 | 17 | 55 | 23 | 23 | 12 | 12 | 4 | 2 | 6 | 5 |
| II. Diseases of Uncertain Seat | 29 | – | – | 1 | – | – | – | 1 | 1 | 2 | – | 2 | – |
| III. Tubercular Class | 165 | 1 | 8 | 9 | 16 | 8 | 5 | 6 | 13 | 13 | 18 | 16 | 14 |
| IV. Brain and Nervous System | 94 | 8 | 4 | 2 | 1 | 1 | – | – | 4 | 2 | 2 | 2 | 4 |
| V. Organs of Circulation | 49 | – | – | – | – | – | – | 1 | – | 2 | 1 | 1 | 2 |
| VI. Respiratory Organs | 124 | 12 | 5 | 7 | 8 | 6 | 3 | 2 | – | 2 | 1 | 5 | 3 |
| VII. Organs of Digestion | 81 | 7 | 2 | 13 | 17 | 2 | 1 | 1 | 1 | 2 | 3 | – | – |
| VIII. Urinary Organs | 37 | – | – | – | – | – | – | – | 2 | – | 1 | 6 | 3 |
| IX. Organs of Generation | – | – | – | – | – | – | – | – | – | – | – | – | – |
| X. Organs of Locomotion | 14 | – | – | – | – | – | 1 | – | 3 | 3 | 2 | – | 1 |
| XI. Skin, etc. | 3 | – | 1 | 1 | 1 | – | – | – | – | – | – | – | – |
| XII. Malformation | 2 | 1 | – | – | – | – | 1 | – | – | – | – | – | – |
| XIII. Premature Debility | 52 | 51 | 1 | – | – | – | – | – | – | – | – | – | – |
| XIV. Atrophy | 3 | – | – | – | 1 | 1 | – | – | – | – | – | – | – |
| XV. Age | 39 | – | – | – | – | – | – | – | – | – | – | – | – |
| XVI. Sudden Deaths | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| XVII. Violent Deaths | 38 | 3 | 4 | 1 | – | 1 | 1 | – | 2 | 3 | 3 | 2 | 5 |
| I. Small Pox | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Measles | 88 | 1 | 3 | 8 | 38 | 16 | 13 | 5 | 4 | – | – | – | – |
| Scarlatina | 17 | 2 | – | – | 3 | 1 | 4 | 3 | 2 | – | – | 1 | 1 |
| Diphtheria | 7 | 2 | 1 | – | – | 2 | – | 1 | 1 | – | – | – | – |
| Hooping Cough | 26 | 1 | 4 | 6 | 9 | 1 | 2 | 1 | 2 | – | – | – | – |
| Croup | 5 | – | – | – | 2 | 1 | – | 1 | 1 | – | – | – | – |
| Thrush | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diarrhœa | 15 | – | 2 | 2 | 1 | – | – | – | – | – | – | – | 2 |
| Dysentery | 3 | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Cholera | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Influenza | 6 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Purpura | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ague | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Worms | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Infantile Fever | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Typhus | 30 | – | – | – | 1 | 2 | 4 | 1 | 2 | 4 | 2 | 4 | 2 |
| Metria | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rheumatic Fever | 2 | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Erysipelas | 2 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Syphilis | 3 | 2 | – | – | 1 | – | – | – | – | – | – | – | – |
| Noma | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – |
| II. Hæmorrhage | 1 | – | – | – | – | – | – | – | – | 1 | – | – | – |
| Dropsy | 9 | – | – | – | – | – | – | 1 | 1 | 1 | – | 1 | – |
| Abscess | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| Ulcer | 3 | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Fistula | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Mortification | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| Cancer | 11 | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Gout | – | – | – | – | – | – | – | – | – | – | – | – | – |
| III. Scrofula | 14 | – | – | – | – | – | – | 2 | 2 | 3 | 1 | – | 3 |
| Tabes Mesenterica | 7 | – | – | 1 | 2 | 1 | – | – | 2 | 1 | – | – | – |
| Phthisis | 104 | – | 3 | 2 | 5 | – | 2 | 2 | 3 | 9 | 17 | 15 | 11 |
| Hydrocephalus | 40 | 1 | 5 | 6 | 9 | 7 | 3 | 2 | 6 | – | – | 1 | – |

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1862.—MALES.

| DISEASES. | MALES. AGE UNDER | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 35 | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| ALL CAUSES | 24 | 23 | 25 | 33 | 36 | 33 | 40 | 45 | 36 | 36 | 29 | 11 | 5 | 2 | – | – |
| SPECIFIED CAUSES | 24 | 23 | 25 | 33 | 36 | 33 | 40 | 45 | 36 | 36 | 29 | 11 | 5 | 2 | – | – |
| Zymotic Class | 2 | 1 | 1 | 3 | 3 | 1 | 4 | 2 | 2 | 2 | 4 | 1 | 1 | – | – | – |
| Uncertain Seat | – | 1 | – | 2 | 2 | 2 | 5 | 4 | 2 | 1 | 1 | 2 | – | – | – | – |
| Tubercular Class | 10 | 8 | 7 | 5 | 2 | 3 | 1 | 2 | – | – | – | – | – | – | – | – |
| Brain, etc. | 3 | 3 | 6 | 6 | 9 | 4 | 7 | 7 | 7 | 5 | 6 | 1 | – | – | – | – |
| Heart, etc. | 3 | 2 | 3 | 2 | 4 | 6 | 5 | 8 | 6 | 1 | 1 | – | 1 | – | – | – |
| Respiratory Organs | 4 | 2 | 5 | 7 | 5 | 9 | 6 | 9 | 7 | 8 | 6 | 2 | – | – | – | – |
| Digestive Organs | 1 | – | 2 | 2 | 3 | 5 | 5 | 4 | 5 | 4 | 1 | – | – | – | – | – |
| Urinary Organs | – | 1 | – | 3 | 7 | 1 | 2 | 5 | 1 | 3 | 1 | 1 | – | – | – | – |
| Generative Organs | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Locomotive Organs | – | 1 | – | 1 | – | – | – | 1 | 1 | – | – | – | – | – | – | – |
| Skin | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Malformation | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Premature Debility | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Atrophy | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Age | – | – | – | – | – | – | 3 | 2 | 5 | 11 | 9 | 4 | 3 | 2 | – | – |
| Sudden Deaths | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Violent Deaths | 1 | 3 | 1 | 2 | 1 | 1 | 2 | 1 | – | 1 | – | – | – | – | – | – |
| Small Pox | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Measles | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scarlatina | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diphtheria | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hooping Cough | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Croup | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Thrush | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diarrhœa | – | – | – | 1 | 1 | – | 1 | 1 | – | 2 | 2 | – | – | – | – | – |
| Dysentery | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cholera | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Influenza | – | – | – | – | – | – | 1 | – | 1 | – | 1 | 1 | 1 | – | – | – |
| Purpura | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ague | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Worms | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Infantile Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Typhus | 1 | – | – | 1 | 1 | 1 | 1 | 1 | 1 | – | 1 | – | – | – | – | – |
| Metria | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rheumatic Fever | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Erysipelas | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Syphilis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Noma | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmorrhage | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Dropsy | – | – | – | – | – | 2 | 1 | – | 1 | 1 | – | – | – | – | – | – |
| Abscess | – | 1 | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Ulcer | – | – | – | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Fistula | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Mortification | – | – | – | – | – | – | – | – | – | – | 1 | 1 | – | – | – | – |
| Cancer | – | – | – | 1 | 2 | – | 2 | 4 | – | – | – | 1 | – | – | – | – |
| Gout | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scrofula | – | – | – | 2 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Tabes Mesenterica | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phthisis | 10 | 8 | 7 | 3 | 2 | 2 | 1 | 2 | – | – | – | – | – | – | – | – |
| Hydrocephalus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1862.—MALES. (*Continued.*)

| DISEASES. | MALES. | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | |
| | | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 |
| | | 3 | 6 | 12 | | | | | | | | | |
| IV. Cephalitis | 6 | – | – | – | – | – | – | – | 1 | 1 | – | 1 | – |
| Apoplexy | 12 | – | – | – | – | – | – | – | – | – | – | – | – |
| Paralysis | 28 | – | – | – | – | – | – | – | 1 | – | – | – | 1 |
| Delirium Tremens | 5 | – | – | – | – | – | – | – | – | – | – | – | – |
| Chorea | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epilepsy | 4 | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Tetanus | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Insanity | 4 | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Convulsions | 14 | 8 | 4 | 1 | – | 1 | – | – | – | – | – | – | – |
| Brain Disease | 21 | – | – | 1 | 1 | – | – | – | 2 | 1 | 2 | – | 2 |
| V. Pericarditis | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Aneurism | 4 | – | – | – | – | – | – | – | – | – | – | – | – |
| Heart Disease | 45 | – | – | – | – | – | – | 1 | – | 2 | 1 | 1 | 2 |
| VI. Laryngitis | 4 | 1 | – | 1 | – | – | 1 | – | – | – | – | – | – |
| Bronchitis | 85 | 8 | 4 | 6 | 7 | 5 | 1 | 1 | – | 1 | – | 4 | – |
| Pleurisy | 6 | 1 | – | – | – | – | – | 1 | – | – | 1 | – | – |
| Pneumonia | 20 | 2 | 1 | – | 1 | 1 | 1 | – | – | 1 | – | – | 2 |
| Asthma | 6 | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Lung Disease | 3 | – | – | – | – | – | – | – | – | – | – | 1 | – |
| VII. Teething | 33 | 1 | 1 | 12 | 17 | 2 | – | – | – | – | – | – | – |
| Quinsey | 2 | 1 | – | – | – | – | – | 1 | – | – | – | – | – |
| Gastritis | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Enteritis | 7 | – | 1 | – | – | – | – | – | 1 | – | 1 | – | – |
| Peritonitis | 2 | 1 | – | – | – | – | – | – | – | – | 1 | – | – |
| Ascites | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ulceration of Intestines | 3 | – | – | – | – | – | – | – | – | – | – | – | – |
| Hernia | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| Ileus | 12 | 1 | – | – | – | – | – | – | – | – | 1 | – | – |
| Intussusception | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Stricture of Intestines | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Stomach Disease | 4 | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Pancreas Disease | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hepatitis | 1 | – | – | – | – | – | – | – | – | 1 | – | – | – |
| Jaundice | 5 | 3 | – | – | – | – | – | – | – | – | – | – | – |
| Liver Disease | 10 | – | – | – | – | – | 1 | – | – | 1 | – | – | – |
| Spleen Disease | – | – | – | – | – | – | – | – | – | – | – | – | – |
| VIII. Nephritis | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Nephria | 3 | – | – | – | – | – | – | – | – | – | – | 2 | – |
| Ischuria | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Diabetes | 5 | – | – | – | – | – | – | – | – | – | – | – | 2 |
| Stone | 3 | – | – | – | – | – | – | – | – | – | – | – | – |
| Cystitis | 4 | – | – | – | – | – | – | – | – | – | – | 2 | – |
| Stricture of Urethra | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Kidney Disease | 21 | – | – | – | – | – | – | – | 2 | – | 1 | 2 | 1 |
| IX. Paramenia | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ovarian Dropsy | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Childbirth | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Organs of Generation | – | – | – | – | – | – | – | – | – | – | – | – | – |
| X. Arthritis | 2 | – | – | – | – | – | – | – | – | 1 | 1 | – | – |
| Rheumatism | 3 | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Joint and Bone Disease | 9 | – | – | – | – | – | 1 | – | 3 | 2 | 1 | – | – |
| XI. Carbuncle | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmon | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Skin Disease | 3 | – | 1 | 1 | 1 | – | – | – | – | – | – | – | – |
| XII. Cyanosis | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Spina Bifida | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Malformations | 1 | – | – | – | – | – | 1 | – | – | – | – | – | – |
| XVII. Intemperance | 3 | – | – | – | – | – | – | – | – | – | – | – | – |
| Privation | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Want of Breast Milk | 5 | 3 | 2 | – | – | – | – | – | – | – | – | – | – |
| Neglect | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cold | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Poison | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds | 2 | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Hanging, etc. | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| Suffocation | 3 | – | 2 | – | – | – | – | – | – | – | – | – | – |
| Drowning | 8 | – | – | – | – | – | – | – | 1 | 2 | – | 2 | 1 |
| Fracture and Contusion | 11 | – | – | – | – | – | 1 | – | 1 | 1 | 3 | – | 3 |
| Wounds | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Violent Causes | 3 | – | – | 1 | – | – | – | – | – | – | – | – | 1 |
| Not Specified | 1 | – | – | – | – | – | – | – | – | 1 | – | – | – |

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1862.—MALES. (*Continued.*)

| DISEASES. | MALES. AGE UNDER | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 35 | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| Cephalitis | – | – | 1 | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Apoplexy | – | – | – | 1 | 2 | 1 | 2 | 1 | 1 | 1 | 3 | – | – | – | – | – |
| Paralysis | – | 3 | 1 | 2 | 2 | 2 | 4 | 1 | 5 | 3 | 2 | 1 | – | – | – | – |
| Delirium Tremens | 1 | – | 1 | 1 | 1 | – | – | 1 | – | – | – | – | – | – | – | – |
| Chorea | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epilepsy | – | – | 2 | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Tetanus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Insanity | – | – | – | – | – | 1 | 1 | – | – | 1 | – | – | – | – | – | – |
| Convulsions | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Brain Disease | 2 | – | 1 | 1 | 3 | – | – | 3 | 1 | – | 1 | – | – | – | – | – |
| Pericarditis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Aneurism | – | 1 | – | 1 | 1 | – | 1 | – | – | – | – | – | – | – | – | – |
| Heart Disease | 3 | 1 | 3 | 1 | 3 | 6 | 4 | 8 | 6 | 1 | 1 | – | 1 | – | – | – |
| Laryngitis | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Bronchitis | 1 | – | 3 | 5 | 2 | 2 | 5 | 9 | 7 | 7 | 5 | 2 | – | – | – | – |
| Pleurisy | 1 | 1 | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Pneumonia | 1 | 1 | 2 | 2 | 2 | 3 | – | – | – | – | – | – | – | – | – | – |
| Asthma | – | – | – | – | – | 3 | – | – | – | 1 | 1 | – | – | – | – | – |
| Lung Disease | 1 | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Teething | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Quinsey | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gastritis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Enteritis | – | – | – | – | – | 2 | 1 | – | 1 | – | – | – | – | – | – | – |
| Peritonitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ascites | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ulceration of Intestines | – | – | – | 1 | – | – | 1 | – | – | – | 1 | – | – | – | – | – |
| Hernia | – | – | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Ileus | 1 | – | – | 1 | – | 1 | 1 | 2 | 2 | 2 | – | – | – | – | – | – |
| Intussusception | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Stricture of Intestines | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Stomach Disease | – | – | – | – | – | – | 1 | 2 | – | – | – | – | – | – | – | – |
| Pancreas Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hepatitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Jaundice | – | – | – | – | – | – | – | – | 1 | 1 | – | – | – | – | – | – |
| Liver Disease | – | – | 1 | – | 3 | 2 | – | – | 1 | 1 | – | – | – | – | – | – |
| Spleen Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Nephritis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Nephria | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Ischuria | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Diabetes | – | – | – | 1 | 1 | – | 1 | – | – | – | – | – | – | – | – | – |
| Stone | – | – | – | – | – | – | 1 | 1 | – | 1 | – | – | – | – | – | – |
| Cystitis | – | – | – | – | 1 | – | – | – | – | 1 | – | – | – | – | – | – |
| Stricture of Urethra | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Kidney Disease | – | 1 | – | 1 | 5 | 1 | – | 3 | 1 | 1 | 1 | 1 | – | – | – | – |
| Paramenia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ovarian Dropsy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Childbirth | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Organs of Generation | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Arthritis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rheumatism | – | – | – | – | – | – | – | 1 | 1 | – | – | – | – | – | – | – |
| Joint Disease | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Carbuncle | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmon | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Skin Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cyanosis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Spina Bifida | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Malformations | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intemperance | – | 1 | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Privation | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Want of Breast Milk | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Neglect | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cold | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Poison | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| Hanging, etc. | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suffocation | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Drowning | – | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Fracture and Contusion | – | – | – | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Wounds | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Other Violent Causes | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Not Specified | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1862.—FEMALES.

| DISEASES. | FEMALES. | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | |
| | | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 |
| | | 3 | 6 | 12 | | | | | | | | | |
| ALL CAUSES | 985 | 71 | 33 | 47 | 104 | 47 | 24 | 16 | 49 | 16 | 25 | 30 | 33 |
| SPECIFIED CAUSES | 979 | 69 | 32 | 47 | 104 | 47 | 24 | 16 | 48 | 16 | 25 | 30 | 33 |
| I. Zymotic Class | 218 | 8 | 12 | 22 | 55 | 29 | 12 | 8 | 22 | 3 | 6 | 2 | 1 |
| II. Diseases of Uncertain Seat | 45 | – | – | – | – | – | – | – | – | 1 | – | 2 | – |
| III. Tubercular Class | 182 | 2 | 4 | 1 | 16 | 11 | 6 | 6 | 15 | 8 | 14 | 12 | 22 |
| IV. Brain and Nervous System | 69 | 4 | 3 | 3 | 3 | – | – | 1 | 2 | 1 | 3 | 4 | – |
| V. Organs of Circulation | 36 | – | – | – | – | – | – | – | – | 1 | – | 1 | 1 |
| VI. Respiratory Organs | 131 | 6 | 5 | 11 | 8 | 3 | 5 | 1 | 2 | 1 | – | 5 | 3 |
| VII. Organs of Digestion | 93 | 5 | 3 | 8 | 18 | 4 | – | – | 2 | 1 | 1 | 1 | 1 |
| VIII. Urinary Organs | 14 | – | – | – | – | – | – | – | 1 | – | – | 1 | – |
| IX. Organs of Generation | 13 | – | – | – | – | – | – | – | – | – | – | 1 | 4 |
| X. Organs of Locomotion | 4 | – | – | – | – | – | – | – | 1 | – | 1 | – | – |
| XI. Skin, etc. | – | – | – | – | – | – | – | – | – | – | – | – | – |
| XII. Malformation | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| XIII. Premature Debility | 44 | 40 | 3 | 1 | – | – | – | – | – | – | – | – | – |
| XIV. Atrophy | 10 | – | – | – | 3 | – | – | – | 2 | – | – | – | – |
| XV. Age | 93 | – | – | – | – | – | – | – | – | – | – | – | – |
| XVI. Sudden Deaths | – | – | – | – | – | – | – | – | – | – | – | – | – |
| XVII. Violent Deaths | 26 | 3 | 2 | 1 | 1 | – | 1 | – | 1 | – | – | 1 | 1 |
| I. Small Pox | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Measles | 68 | – | 3 | 9 | 33 | 11 | 3 | 4 | 4 | – | – | – | – |
| Scarlatina | 4 | – | – | – | 1 | 1 | 1 | – | – | 1 | – | – | – |
| Diphtheria | 9 | 1 | – | – | 3 | 1 | 1 | – | 1 | 1 | – | – | – |
| Hooping Cough | 54 | 4 | 7 | 10 | 11 | 13 | 2 | 3 | 4 | – | – | – | – |
| Croup | 7 | – | – | 1 | 1 | 1 | 2 | – | 2 | – | – | – | – |
| Thrush | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diarrhœa | 18 | – | 1 | 1 | 2 | 1 | – | – | – | – | 1 | – | – |
| Dysentery | 9 | – | – | – | 1 | – | – | 1 | 1 | – | 1 | – | – |
| Cholera | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Influenza | 3 | – | – | – | – | – | – | – | 1 | – | – | – | – |
| Purpura | 1 | – | – | – | – | – | – | – | 1 | – | – | – | – |
| Ague | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Worms | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Infantile Fever | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Typhus | 31 | – | – | – | 2 | 1 | 3 | – | 8 | 1 | 3 | 1 | 1 |
| Metria | 3 | – | – | – | – | – | – | – | – | – | 1 | 1 | – |
| Rheumatic Fever | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| Erysipelas | 3 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Syphilis | 5 | 2 | 1 | 1 | 1 | – | – | – | – | – | – | – | – |
| Noma | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – |
| II. Hæmorrhage | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Dropsy | 11 | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Abscess | 3 | – | – | – | – | – | – | – | – | – | – | – | – |
| Ulcer | 1 | – | – | – | – | – | – | – | – | 1 | – | – | – |
| Fistula | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mortification | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cancer | 30 | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Gout | – | – | – | – | – | – | – | – | – | – | – | – | – |
| III. Scrofula | 8 | – | – | – | 1 | 1 | 1 | – | – | – | 2 | – | – |
| Tabes Mesenterica | 8 | 1 | – | – | 1 | 3 | 1 | – | 2 | – | – | – | – |
| Phthisis | 140 | – | 1 | 1 | 5 | 5 | – | 4 | 8 | 8 | 12 | 12 | 22 |
| Hydrocephalus | 26 | 1 | 3 | – | 9 | 2 | 4 | 2 | 5 | – | – | – | – |

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1862.—FEMALES.

| DISEASES. | FEMALES. AGE UNDER | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 35 | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| ALL CAUSES | 34 | 26 | 28 | 33 | 36 | 33 | 49 | 50 | 51 | 52 | 46 | 36 | 12 | 2 | 1 | 1 |
| SPECIFIED CAUSES | 33 | 26 | 28 | 33 | 36 | 33 | 48 | 50 | 51 | 52 | 46 | 36 | 12 | 2 | 1 | 1 |
| Zymotic Class | 1 | 3 | 4 | 1 | 3 | 5 | 2 | 3 | 4 | 6 | 3 | 3 | – | – | – | – |
| Uncertain Seat | 4 | 2 | 3 | 2 | 4 | 4 | 4 | 8 | 3 | 5 | 1 | 1 | 1 | – | – | – |
| Tubercular Class | 20 | 11 | 9 | 13 | 9 | 1 | 1 | 1 | – | – | – | – | – | – | – | – |
| Brain, etc. | 2 | 3 | 3 | 2 | 1 | 3 | 4 | 4 | 8 | 8 | 4 | 3 | – | – | – | – |
| Heart, etc. | – | 1 | 4 | 3 | 2 | 5 | 4 | 7 | 1 | 2 | 3 | 1 | – | – | – | – |
| Respiratory Organs | – | 3 | – | 5 | 7 | 6 | 12 | 13 | 12 | 10 | 10 | 3 | – | – | – | – |
| Digestive Organs | 2 | 1 | 1 | 1 | 4 | 8 | 9 | 6 | 8 | 3 | 4 | 1 | 1 | – | – | – |
| Urinary Organs | 2 | 2 | 1 | 1 | – | – | 1 | 2 | 2 | – | 1 | – | – | – | – | – |
| Generative Organs | 1 | – | 1 | 2 | 1 | – | 1 | 1 | – | 1 | – | – | – | – | – | – |
| Locomotive Organs | – | – | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – |
| Skin | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Malformation | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Premature Debility | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Atrophy | 1 | – | – | 1 | 2 | 1 | – | – | – | – | – | – | – | – | – | – |
| Age | – | – | – | – | – | – | 6 | 4 | 12 | 16 | 20 | 23 | 9 | 2 | 1 | – |
| Sudden Deaths | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Violent Deaths | – | – | 2 | 2 | 2 | – | 3 | 1 | 1 | 1 | – | 1 | 1 | – | – | 1 |
| Small Pox | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Measles | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scarlatina | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diphtheria | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hooping Cough | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Croup | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Thrush | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diarrhœa | – | – | – | – | 1 | 2 | 2 | 2 | 1 | 3 | – | 1 | – | – | – | – |
| Dysentery | – | – | – | – | 1 | 1 | – | – | 1 | – | 1 | 1 | – | – | – | – |
| Cholera | – | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| Influenza | – | – | – | 1 | – | – | – | – | – | – | 1 | – | – | – | – | – |
| Purpura | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ague | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Worms | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Infantile Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Typhus | – | 2 | 1 | – | 1 | 2 | – | 1 | 2 | 2 | – | – | – | – | – | – |
| Metria | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rheumatic Fever | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Erysipelas | – | – | – | – | – | – | – | – | – | 1 | – | 1 | – | – | – | – |
| Syphilis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Noma | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmorrhage | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Dropsy | 2 | – | – | 1 | 1 | – | – | 3 | – | 2 | – | – | 1 | – | – | – |
| Abscess | – | – | – | – | – | – | – | 1 | – | 2 | – | – | – | – | – | – |
| Ulcer | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Fistula | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mortification | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cancer | 2 | 2 | 3 | 1 | 3 | 4 | – | 4 | 3 | 1 | 1 | 1 | – | – | – | – |
| Gout | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scrofula | 1 | – | – | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| Tabes Mesenterica | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phthisis | 19 | 11 | 9 | 11 | 9 | 1 | 1 | 1 | – | – | – | – | – | – | – | – |
| Hydrocephalus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1862.—FEMALES. (*Continued.*)

| DISEASES. | FEMALES. | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | |
| | | MONTHS. | | | | | | | | | | | |
| | | 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 |
| IV. Cephalitis | 2 | – | – | – | 1 | – | – | – | – | – | 1 | – | – |
| Apoplexy | 17 | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Paralysis | 18 | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Delirium Tremens | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chorea | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epilepsy | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Tetanus | 1 | – | – | – | – | – | – | 1 | – | – | – | – | – |
| Insanity | 4 | – | – | – | – | – | – | – | – | – | – | – | – |
| Convulsions | 12 | 4 | 3 | 3 | 1 | – | – | – | 1 | – | – | – | – |
| Brain Disease | 14 | – | – | – | – | – | – | – | 1 | 1 | 2 | 3 | – |
| V. Pericarditis | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Aneurism | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Heart Disease | 35 | – | – | – | – | – | – | – | – | 1 | – | 1 | 1 |
| VI. Laryngitis | 1 | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Bronchitis | 96 | 3 | 3 | 7 | 6 | 1 | 4 | 1 | 1 | 1 | – | 4 | – |
| Pleurisy | 4 | 1 | – | – | – | – | – | – | – | – | – | 1 | – |
| Pneumonia | 20 | 2 | 2 | 4 | 2 | 2 | 1 | – | 1 | – | – | – | 1 |
| Asthma | 7 | – | – | – | – | – | – | – | – | – | – | – | – |
| Lung Disease | 3 | – | – | – | – | – | – | – | – | – | – | – | 1 |
| VII. Teething | 29 | – | 3 | 8 | 15 | 3 | – | – | – | – | – | – | – |
| Quinsey | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gastritis | 3 | – | – | – | – | – | – | – | 1 | – | – | 1 | – |
| Enteritis | 6 | 1 | – | – | 1 | – | – | – | 1 | – | – | – | – |
| Peritonitis | 5 | – | – | – | 1 | – | – | – | – | 1 | – | – | – |
| Ascites | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| Ulceration of Intestines | 7 | – | – | – | – | – | – | – | – | – | 1 | – | – |
| Hernia | 3 | – | – | – | – | – | – | – | – | – | – | – | – |
| Ileus | 16 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Intussusception | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Stricture of Intestines | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Stomach Disease | 10 | 2 | – | – | – | 1 | – | – | – | – | – | – | – |
| Pancreas Disease | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hepatitis | 1 | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Jaundice | 2 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Liver Disease | 5 | – | – | – | – | – | – | – | – | – | – | – | – |
| Spleen Disease | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| VIII. Nephritis | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Nephria | 3 | – | – | – | – | – | – | – | – | – | – | – | – |
| Ischuria | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Diabetes | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Stone | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cystitis | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Stricture of Urethra | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Kidney Disease | 10 | – | – | – | – | – | – | – | 1 | – | – | 1 | – |
| IX. Paramenia | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ovarian Dropsy | 4 | – | – | – | – | – | – | – | – | – | – | – | – |
| Childbirth | 7 | – | – | – | – | – | – | – | – | – | – | 1 | 3 |
| Organs of Generation | 2 | – | – | – | – | – | – | – | – | – | – | – | 1 |
| X. Arthritis | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rheumatism | 2 | – | – | – | – | – | – | – | – | – | 1 | – | – |
| Joint and Bone Disease | 2 | – | – | – | – | – | – | – | 1 | – | – | – | – |
| XI. Carbuncle | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmon | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Skin Disease | – | – | – | – | – | – | – | – | – | – | – | – | – |
| XII. Cyanosis | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Spina Bifida | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Malformations | – | – | – | – | – | – | – | – | – | – | – | – | – |
| XVII. Intemperance | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Privation | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Want of Breast Milk | 3 | 2 | – | 1 | – | – | – | – | – | – | – | – | – |
| Neglect | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cold | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Poison | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds | 3 | – | – | – | 1 | – | 1 | – | – | – | – | – | – |
| Hanging, etc. | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suffocation | 4 | 1 | 2 | – | – | – | – | – | – | – | – | – | – |
| Drowning | 3 | – | – | – | – | – | – | – | – | – | – | – | – |
| Fracture and Contusion | 10 | – | – | – | – | – | – | – | – | 1 | – | – | 1 | 1 |
| Wounds | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Violent Causes | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| Not Specified | 6 | 2 | 1 | – | – | – | – | – | – | 1 | – | – | – | – |

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1862.—FEMALES. (*Continued.*)

| DISEASES. | FEMALES. AGE UNDER | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 35 | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| Cephalitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Apoplexy | 1 | 2 | 1 | – | 1 | – | 2 | 2 | 2 | 3 | 1 | 1 | – | – | – | – |
| Paralysis | 1 | – | – | – | – | 1 | 1 | 2 | 4 | 4 | 2 | 2 | – | – | – | – |
| Delirium Tremens | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chorea | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epilepsy | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Tetanus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Insanity | – | 1 | – | 1 | – | 1 | – | – | 1 | – | – | – | – | – | – | – |
| Convulsions | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Brain Disease | – | – | 2 | 1 | – | – | 1 | – | 1 | 1 | 1 | – | – | – | – | – |
| Pericarditis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Aneurism | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Heart Disease | – | 1 | 3 | 3 | 2 | 5 | 4 | 7 | 1 | 2 | 3 | 1 | – | – | – | – |
| Laryngitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Bronchitis | – | 1 | – | 4 | 5 | 6 | 8 | 9 | 10 | 10 | 9 | 3 | – | – | – | – |
| Pleurisy | – | – | – | – | – | – | 1 | 1 | – | – | – | – | – | – | – | – |
| Pneumonia | – | – | – | – | 1 | – | – | 2 | 1 | – | 1 | – | – | – | – | – |
| Asthma | – | 2 | – | – | 1 | – | 3 | – | 1 | – | – | – | – | – | – | – |
| Lung Disease | – | – | – | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Teething | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Quinsey | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gastritis | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| Enteritis | – | – | – | – | – | – | 1 | 1 | 1 | – | – | – | – | – | – | – |
| Peritonitis | – | – | – | – | – | 1 | 1 | 1 | – | – | – | – | – | – | – | – |
| Ascites | – | – | – | – | – | 1 | – | – | – | – | – | – | 1 | – | – | – |
| Ulceration of Intestines | 1 | – | – | – | 2 | – | – | 1 | 1 | – | 1 | – | – | – | – | – |
| Hernia | – | – | – | – | – | – | 1 | – | 2 | – | – | – | – | – | – | – |
| Ileus | 1 | – | – | – | – | 1 | 3 | 2 | 4 | – | 3 | 1 | – | – | – | – |
| Intussusception | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Stricture of Intestines | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Stomach Disease | – | 1 | – | 1 | – | 2 | – | 1 | – | 2 | – | – | – | – | – | – |
| Pancreas Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hepatitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Jaundice | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Liver Disease | – | – | 1 | – | 1 | 1 | 2 | – | – | – | – | – | – | – | – | – |
| Spleen Disease | – | – | – | – | – | 2 | – | – | – | – | – | – | – | – | – | – |
| Nephritis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Nephria | – | 1 | – | – | – | – | – | 1 | 1 | – | – | – | – | – | – | – |
| Ischuria | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Diabetes | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Stone | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cystitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Stricture of Urethra | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Kidney Disease | 2 | 1 | 1 | 1 | – | – | 1 | – | 1 | – | 1 | – | – | – | – | – |
| Paramenia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ovarian Dropsy | – | – | – | – | 1 | – | 1 | 1 | – | 1 | – | – | – | – | – | – |
| Childbirth | 1 | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Organs of Generation | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Arthritis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rheumatism | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Joint Disease | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Carbuncle | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmon | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Skin Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cyanosis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Spina Bifida | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Malformations | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intemperance | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Privation | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Want of Breast Milk | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Neglect | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cold | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Poison | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds | – | – | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – |
| Hanging, etc. | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suffocation | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Drowning | – | – | 2 | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Fracture and Contusion | – | – | – | 1 | 1 | – | 1 | 1 | 1 | 1 | – | – | 1 | – | – | – |
| Wounds | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Violent Causes | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | 1 |
| Not Specified | 1 | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in PAISLEY, at different Periods of Life, in 1862.—Both Sexes.

| DISEASES. | BOTH SEXES. | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | |
| | | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 |
| | | 3 | 6 | 12 | | | | | | | | | |
| All Causes | 1253 | 108 | 61 | 87 | 108 | 51 | 41 | 17 | 49 | 33 | 44 | 57 | 38 |
| Specified Causes | 1214 | 90 | 50 | 84 | 106 | 50 | 40 | 17 | 49 | 33 | 43 | 57 | 38 |
| I. Zymotic Class | 206 | 8 | 8 | 26 | 26 | 20 | 17 | 11 | 18 | 10 | 3 | 11 | 10 |
| II. Diseases of Uncertain Seat | 54 | 2 | – | – | 2 | – | – | – | 3 | 2 | 1 | 2 | 4 |
| III. Tubercular Class | 235 | 1 | 9 | 17 | 25 | 6 | 12 | 2 | 15 | 11 | 26 | 26 | 12 |
| IV. Brain and Nervous System | 102 | 1 | 2 | 5 | 1 | 1 | 1 | – | 4 | 3 | 3 | 2 | 2 |
| V. Organs of Circulation | 35 | – | – | 1 | – | – | – | – | – | 1 | 2 | 3 | – |
| VI. Respiratory Organs | 182 | 7 | 12 | 10 | 19 | 13 | 5 | 1 | 1 | 3 | – | 4 | 4 |
| VII. Organs of Digestion | 124 | 17 | 7 | 20 | 28 | 4 | 2 | 1 | 3 | 2 | 1 | 5 | – |
| VIII. Urinary Organs | 7 | – | – | – | – | – | – | – | 1 | – | 1 | – | 1 |
| IX. Organs of Generation | 9 | – | – | – | – | – | – | – | – | – | 1 | 4 | – |
| X. Organs of Locomotion | 8 | 1 | – | – | – | – | – | – | 1 | – | 2 | – | – |
| XI. Skin, etc. | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| XII. Malformation | 4 | 1 | 2 | – | – | – | – | – | – | – | 1 | – | – |
| XIII. Premature Debility | 63 | 50 | 8 | 5 | – | – | – | – | – | – | – | – | – |
| XIV. Atrophy | 21 | – | – | – | 4 | 3 | 3 | 1 | – | – | 1 | – | – |
| XV. Age | 134 | – | – | – | – | – | – | – | – | – | – | – | – |
| XVI. Sudden Deaths | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| XVII Violent Deaths | 28 | 2 | – | – | 1 | 3 | – | 1 | 3 | 1 | 1 | – | 5 |
| I. Small Pox | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Measles | 15 | – | – | 2 | 5 | 4 | 3 | – | 1 | – | – | – | – |
| Scarlatina | 4 | – | – | – | 1 | – | – | – | 1 | – | – | 2 | – |
| Diphtheria | 10 | – | – | 1 | 1 | – | – | 2 | 3 | 1 | – | – | 1 |
| Hooping Cough | 30 | 1 | 2 | 4 | 10 | 7 | 1 | 1 | 4 | – | – | – | – |
| Croup | 30 | – | 1 | 8 | 7 | 3 | 5 | 4 | 2 | – | – | – | – |
| Thrush | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diarrhœa | 20 | 2 | 2 | 9 | – | – | – | – | – | – | – | – | 1 |
| Dysentery | 4 | – | – | 1 | 1 | – | – | – | – | – | – | – | – |
| Cholera | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Influenza | 2 | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Purpura | 2 | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Ague | 7 | – | – | 1 | – | 3 | – | – | 1 | 1 | – | – | – |
| Worms | 2 | – | – | – | – | – | 2 | – | – | – | – | – | – |
| Infantile Fever | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Typhus | 60 | – | 2 | – | 1 | 2 | 6 | 3 | 6 | 8 | 3 | 7 | 4 |
| Metria | 6 | – | – | – | – | – | – | – | – | – | – | 1 | 3 |
| Rheumatic Fever | 3 | – | – | – | – | – | – | – | – | – | – | – | – |
| Erysipelas | 4 | 1 | 1 | – | – | 1 | – | – | – | – | – | – | – |
| Syphilis | 3 | 3 | – | – | – | – | – | – | – | – | – | – | – |
| Noma | 2 | – | – | – | – | – | – | 1 | – | – | – | – | – |
| Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – |
| II. Hæmorrhage | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Dropsy | 31 | – | – | – | 1 | – | – | – | 2 | 2 | – | 1 | 4 |
| Abscess | 6 | 2 | – | – | – | – | – | – | 1 | – | 1 | 1 | – |
| Ulcer | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Fistula | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mortification | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Cancer | 14 | – | – | – | – | – | – | – | – | – | – | – | – |
| Gout | – | – | – | – | – | – | – | – | – | – | – | – | – |
| III. Scrofula | 8 | – | – | – | – | – | – | 1 | 2 | 1 | 1 | 3 | – |
| Tabes Mesenterica | 18 | – | 1 | 5 | 4 | 1 | 4 | – | 2 | – | – | – | – |
| Phthisis | 173 | – | 2 | 3 | 8 | 4 | 5 | 1 | 9 | 9 | 25 | 23 | 12 |
| Hydrocephalus | 36 | 1 | 6 | 9 | 13 | 1 | 3 | – | 2 | 1 | – | – | – |

CAUSES of DEATH in PAISLEY, at different Periods of Life, in 1862.—Both Sexes.

| DISEASES. | BOTH SEXES. AGE UNDER | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 35 | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| All Causes | 47 | 48 | 32 | 32 | 47 | 51 | 54 | 60 | 68 | 54 | 34 | 25 | 4 | 3 | – | – |
| Specified Causes | 47 | 48 | 32 | 32 | 47 | 50 | 53 | 60 | 68 | 54 | 34 | 25 | 4 | 3 | – | – |
| Zymotic Class | 5 | 6 | 4 | 3 | 5 | 5 | 6 | 2 | 1 | 1 | – | – | – | – | – | – |
| Uncertain Seat | 2 | – | 3 | 8 | 4 | 3 | 2 | 5 | 4 | 5 | 1 | 1 | – | – | – | – |
| Tubercular Class | 27 | 19 | 6 | 2 | 6 | 3 | 4 | 5 | 1 | – | – | – | – | – | – | – |
| Brain, etc. | 4 | 3 | 3 | 5 | 9 | 13 | 10 | 8 | 11 | 6 | 2 | 3 | – | – | – | – |
| Heart, etc. | – | 4 | 1 | 3 | 1 | 5 | 4 | 5 | 3 | – | 1 | 1 | – | – | – | – |
| Respiratory Organs | 5 | 11 | 7 | 9 | 14 | 10 | 14 | 18 | 10 | 3 | – | 2 | – | – | – | – |
| Digestive Organs | 1 | 3 | 2 | – | 6 | 6 | 6 | 3 | 5 | 2 | – | – | – | – | – | – |
| Urinary Organs | 1 | – | – | – | 1 | – | – | – | – | 1 | 1 | – | – | – | – | – |
| Generative Organs | – | 1 | 2 | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Locomotive Organs | – | – | – | 1 | – | – | – | 3 | – | – | – | – | – | – | – | – |
| Skin | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Malformation | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Premature Debility | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Atrophy | – | 1 | 2 | 1 | 1 | 4 | – | – | – | – | – | – | – | – | – | – |
| Age | – | – | – | – | – | 1 | 5 | 9 | 32 | 34 | 28 | 18 | 4 | 3 | – | – |
| Sudden Deaths | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Violent Deaths | 2 | – | 2 | – | – | – | 2 | 1 | 1 | 2 | 1 | – | – | – | – | – |
| Small Pox | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Measles | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scarlatina | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diphtheria | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hooping Cough | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Croup | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Thrush | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diarrhœa | – | 1 | 1 | – | 1 | 1 | – | 1 | – | 1 | – | – | – | – | – | – |
| Dysentery | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Cholera | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Influenza | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Purpura | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Ague | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Worms | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Infantile Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Typhus | 3 | 3 | 1 | 2 | 2 | 2 | 4 | 1 | – | – | – | – | – | – | – | – |
| Metria | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rheumatic Fever | – | – | 1 | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – |
| Erysipelas | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Syphilis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Noma | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmorrhage | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Dropsy | 1 | – | 2 | 5 | 2 | 3 | – | 2 | 1 | 3 | 1 | 1 | – | – | – | – |
| Abscess | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Ulcer | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Fistula | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mortification | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cancer | 1 | – | 1 | 3 | 2 | – | 1 | 3 | 1 | 2 | – | – | – | – | – | – |
| Gout | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scrofula | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tabes Mesenterica | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phthisis | 26 | 19 | 6 | 2 | 6 | 3 | 4 | 5 | 1 | – | – | – | – | – | – | – |
| Hydrocephalus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in PAISLEY, at different Periods of Life, in 1862.—Both Sexes. (*Continued.*)

| DISEASES. | BOTH SEXES. | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | |
| | | MONTHS. | | | | | | | | | | | |
| | | 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 |
| IV. Cephalitis | 7 | 1 | – | 1 | – | – | – | – | – | – | 1 | – | 2 |
| Apoplexy | 27 | – | – | 2 | – | 1 | 1 | – | 1 | – | 1 | – | – |
| Paralysis | 33 | – | – | – | – | – | – | – | – | – | – | – | – |
| Delirium Tremens | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| Chorea | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epilepsy | 4 | – | – | – | – | – | – | – | 1 | – | – | 1 | – |
| Tetanus | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Insanity | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| Convulsions | 4 | – | 2 | 2 | – | – | – | – | – | – | – | – | – |
| Brain Disease | 23 | – | – | – | 1 | – | – | – | 2 | 3 | 1 | 1 | – |
| V. Pericarditis | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Aneurism | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| Heart Disease | 32 | – | – | 1 | – | – | – | – | – | 1 | 2 | 3 | – |
| VI. Laryngitis | 3 | – | – | 1 | – | 1 | – | 1 | – | – | – | – | – |
| Bronchitis | 135 | 5 | 9 | 7 | 14 | 12 | 5 | – | – | – | – | 2 | 2 |
| Pleurisy | 2 | – | – | – | – | – | – | – | – | 1 | – | – | – |
| Pneumonia | 32 | 2 | 3 | 2 | 5 | – | – | – | 1 | 2 | – | 2 | 2 |
| Asthma | 9 | – | – | – | – | – | – | – | – | – | – | – | – |
| Lung Disease | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| VII. Teething | 47 | – | 2 | 13 | 27 | 4 | 1 | – | – | – | – | – | – |
| Quinsey | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gastritis | 5 | 1 | – | 1 | – | – | – | – | 1 | – | – | – | – |
| Enteritis | 36 | 14 | 5 | 5 | 1 | – | 1 | 1 | 1 | – | 1 | 2 | – |
| Peritonitis | 3 | – | – | – | – | – | – | – | – | 1 | – | 1 | – |
| Ascites | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ulceration of Intestines | 2 | – | – | – | – | – | – | – | 1 | – | – | – | – |
| Hernia | 3 | – | – | – | – | – | – | – | – | – | – | – | – |
| Ileus | 2 | 1 | – | – | – | – | – | – | – | – | – | 1 | – |
| Intussusception | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Stricture of Intestines | 1 | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Stomach Disease | 8 | 1 | – | 1 | – | – | – | – | – | – | – | – | – |
| Pancreas Disease | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hepatitis | 6 | – | – | – | – | – | – | – | – | – | – | – | – |
| Jaundice | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| Liver Disease | 9 | – | – | – | – | – | – | – | – | 1 | – | – | – |
| Spleen Disease | – | – | – | – | – | – | – | – | – | – | – | – | – |
| VIII. Nephritis | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Nephria | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| Ischuria | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diabetes | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Stone | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cystitis | 2 | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Stricture of Urethra | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Kidney Disease | 3 | – | – | – | – | – | – | – | 1 | – | 1 | – | – |
| IX. Paramenia | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ovarian Dropsy | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Childbirth | 8 | – | – | – | – | – | – | – | – | – | 1 | 4 | – |
| Organs of Generation | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| X. Arthritis | 1 | – | – | – | – | – | – | – | – | – | 1 | – | – |
| Rheumatism | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| Joint and Bone Disease | 5 | 1 | – | – | – | – | – | – | 1 | – | 1 | – | – |
| XI. Carbuncle | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmon | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Skin Disease | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| XII. Cyanosis | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Spina Bifida | 2 | – | 2 | – | – | – | – | – | – | – | – | – | – |
| Other Malformations | 2 | 1 | – | – | – | – | – | – | – | – | 1 | – | – |
| XVII. Intemperance | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Privation | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Want of Breast Milk | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Neglect | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cold | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Poison | 1 | – | – | – | – | – | – | – | 1 | – | – | – | – |
| Burns and Scalds | 7 | 1 | – | – | 1 | 3 | – | 1 | – | – | – | – | – |
| Hanging, etc. | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suffocation | 3 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Drowning | 5 | – | – | – | – | – | – | – | 1 | 1 | – | – | 2 |
| Fracture and Contusion | 10 | – | – | – | – | – | – | – | – | – | 1 | – | 3 |
| Wounds | 2 | – | – | – | – | – | – | – | 1 | – | – | – | – |
| Other Violent Causes | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Not Specified | 39 | 18 | 11 | 3 | 2 | 1 | 1 | – | – | – | 1 | – | – |

CAUSES of DEATH in PAISLEY, at different Periods of Life, in 1862.—Both Sexes. (*Continued.*)

| DISEASES. | BOTH SEXES. AGE UNDER | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 35 | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| Cephalitis | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Apoplexy | 1 | – | – | 1 | 4 | 4 | 4 | 2 | 3 | – | 1 | 1 | – | – | – | – |
| Paralysis | – | – | 3 | 1 | – | 3 | 4 | 6 | 8 | 5 | 1 | 2 | – | – | – | – |
| Delirium Tremens | – | – | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – |
| Chorea | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epilepsy | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Tetanus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Insanity | 1 | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Convulsions | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Brain Disease | 1 | 1 | – | 2 | 4 | 4 | 2 | – | – | 1 | – | – | – | – | – | – |
| Pericarditis | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Aneurism | – | 1 | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Heart Disease | – | 2 | 1 | 3 | 1 | 5 | 4 | 4 | 3 | – | 1 | 1 | – | – | – | – |
| Laryngitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Bronchitis | 2 | 6 | 5 | 8 | 12 | 9 | 12 | 13 | 8 | 2 | – | 2 | – | – | – | – |
| Pleurisy | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pneumonia | 1 | 5 | 1 | 1 | 1 | 1 | – | 3 | – | – | – | – | – | – | – | – |
| Asthma | – | – | 1 | – | 1 | – | 2 | 2 | 2 | 1 | – | – | – | – | – | – |
| Lung Disease | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Teething | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Quinsey | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gastritis | – | – | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Enteritis | – | 2 | – | – | 2 | – | – | – | – | 1 | – | – | – | – | – | – |
| Peritonitis | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Ascites | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ulceration of Intestines | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Hernia | – | – | – | – | – | – | 2 | – | 1 | – | – | – | – | – | – | – |
| Ileus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intussusception | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Stricture of Intestines | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Stomach Disease | – | – | – | – | 1 | – | 3 | – | 2 | – | – | – | – | – | – | – |
| Pancreas Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hepatitis | 1 | – | 1 | – | 2 | 2 | – | – | – | – | – | – | – | – | – | – |
| Jaundice | – | – | – | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – |
| Liver Disease | – | 1 | – | – | 1 | 2 | 1 | – | 2 | 1 | – | – | – | – | – | – |
| Spleen Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Nephritis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Nephria | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Ischuria | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diabetes | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Stone | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cystitis | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| Stricture of Urethra | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Kidney Disease | – | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| Paramenia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ovarian Dropsy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Childbirth | – | 1 | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Organs of Generation | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Arthritis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rheumatism | – | – | – | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Joint Disease | – | – | – | – | – | – | – | 2 | – | – | – | – | – | – | – | – |
| Carbuncle | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmon | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Skin Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cyanosis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Spina Bifida | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Malformations | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intemperance | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Privation | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Want of Breast Milk | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Neglect | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cold | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Poison | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Hanging, etc. | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suffocation | 1 | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Drowning | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Fracture and Contusion | – | – | 2 | – | – | – | – | 1 | – | 2 | 1 | – | – | – | – | – |
| Wounds | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Other Violent Causes | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Not Specified | – | – | – | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in PAISLEY, at different Periods of Life, in 1862.—MALES.

| DISEASES. | MALES. | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | |
| | | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 |
| | | 3 | 6 | 12 | | | | | | | | | |
| ALL CAUSES | 602 | 54 | 32 | 38 | 62 | 24 | 21 | 7 | 22 | 16 | 23 | 22 | 15 |
| SPECIFIED CAUSES | 580 | 46 | 24 | 37 | 60 | 24 | 21 | 7 | 22 | 16 | 22 | 22 | 15 |
| I. Zymotic Class | 85 | 2 | 2 | 11 | 13 | 9 | 7 | 5 | 6 | 5 | 2 | 4 | 3 |
| II. Diseases of Uncertain Seat | 21 | 1 | – | – | 2 | – | – | – | 1 | 1 | 1 | – | 1 |
| III. Tubercular Class | 107 | – | 2 | 7 | 15 | 6 | 9 | 1 | 9 | 5 | 9 | 12 | 3 |
| IV. Brain and Nervous System | 68 | – | – | 3 | – | 1 | 1 | – | 2 | 2 | 2 | 1 | 1 |
| V. Organs of Circulation | 15 | – | – | – | – | – | – | – | – | – | 1 | 1 | – |
| VI. Respiratory Organs | 93 | 2 | 10 | 6 | 11 | 5 | 2 | 1 | – | 1 | – | 3 | 2 |
| VII. Organs of Digestion | 67 | 12 | 4 | 9 | 16 | 1 | 1 | – | – | 1 | 1 | 1 | – |
| VIII. Urinary Organs | 6 | – | – | – | – | – | – | – | 1 | – | 1 | – | 1 |
| IX. Organs of Generation | – | – | – | – | – | – | – | – | – | – | – | – | – |
| X. Organs of Locomotion | 7 | 1 | – | – | – | – | – | – | – | – | 2 | – | – |
| XI. Skin, etc. | – | – | – | – | – | – | – | – | – | – | – | – | – |
| XII. Malformation | 3 | – | 2 | – | – | – | – | – | – | – | 1 | – | – |
| XIII. Premature Debility | 31 | 27 | 3 | 1 | – | – | – | – | – | – | – | – | – |
| XIV. Atrophy | 7 | – | – | – | 2 | 1 | 1 | – | – | – | 1 | – | – |
| XV. Age | 51 | – | – | – | – | – | – | – | – | – | – | – | – |
| XVI. Sudden Deaths | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| XVII. Violent Deaths | 18 | 1 | – | – | 1 | 1 | – | – | 3 | 1 | 1 | – | 4 |
| I. Small Pox | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Measles | 8 | – | – | 2 | 3 | 2 | 1 | – | – | – | – | – | – |
| Scarlatina | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diphtheria | 4 | – | – | – | – | – | – | 1 | 1 | 1 | – | – | 1 |
| Hooping Cough | 12 | – | 1 | – | 4 | 4 | 1 | 1 | 1 | – | – | – | – |
| Croup | 13 | – | – | 2 | 5 | 1 | 3 | 2 | – | – | – | – | – |
| Thrush | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diarrhœa | 9 | 1 | – | 6 | – | – | – | – | – | – | – | – | – |
| Dysentery | 2 | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Cholera | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Influenza | 2 | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Purpura | 2 | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Ague | 2 | – | – | – | – | 1 | – | – | 1 | – | – | – | – |
| Worms | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Infantile Fever | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Typhus | 26 | – | – | – | 1 | 1 | 2 | 1 | 3 | 4 | 2 | 3 | – |
| Metria | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rheumatic Fever | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| Erysipelas | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Syphilis | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Noma | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – |
| II. Hæmorrhage | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Dropsy | 12 | – | – | – | 1 | – | – | – | 1 | 1 | – | – | 1 |
| Abscess | 2 | 1 | – | – | – | – | – | – | – | – | 1 | – | – |
| Ulcer | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Fistula | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mortification | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Cancer | 6 | – | – | – | – | – | – | – | – | – | – | – | – |
| Gout | – | – | – | – | – | – | – | – | – | – | – | – | – |
| III. Scrofula | 4 | – | – | – | – | – | – | 1 | 1 | 1 | – | 1 | – |
| Tabes Mesenterica | 10 | – | 1 | 2 | 1 | 1 | 3 | – | 2 | – | – | – | – |
| Phthisis | 72 | – | – | – | 5 | 4 | 4 | – | 4 | 3 | 9 | 11 | 3 |
| Hydrocephalus | 21 | – | 1 | 5 | 9 | 1 | 2 | – | 2 | 1 | – | – | – |

CAUSES of DEATH in PAISLEY, at different Periods of Life, in 1862.—MALES.

| DISEASES. | MALES. AGE UNDER | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 35 | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| ALL CAUSES | 15 | 22 | 20 | 14 | 24 | 27 | 27 | 31 | 32 | 26 | 13 | 10 | 3 | 2 | – | – |
| SPECIFIED CAUSES | 15 | 22 | 20 | 14 | 24 | 26 | 26 | 31 | 32 | 26 | 13 | 10 | 3 | 2 | – | – |
| Zymotic Class | 1 | 3 | 1 | 2 | 2 | 2 | 3 | 1 | – | 1 | – | – | – | – | – | – |
| Uncertain Seat | – | – | 2 | 3 | – | 1 | 1 | 2 | 1 | 4 | – | – | – | – | – | – |
| Tubercular Class | 8 | 8 | 4 | 1 | 2 | 2 | 1 | 2 | 1 | – | – | – | – | – | – | – |
| Brain, etc. | 3 | 3 | 2 | 4 | 6 | 9 | 7 | 6 | 10 | 2 | 1 | 2 | – | – | – | – |
| Heart, etc. | – | 4 | 1 | 1 | – | 1 | 2 | 1 | 1 | – | 1 | 1 | – | – | – | – |
| Respiratory Organs | 2 | 2 | 6 | 2 | 7 | 7 | 5 | 10 | 5 | 2 | – | 2 | – | – | – | – |
| Digestive Organs | – | 2 | 2 | – | 5 | 3 | 3 | 2 | 3 | 1 | – | – | – | – | – | – |
| Urinary Organs | – | – | – | – | 1 | – | – | – | – | 1 | 1 | – | – | – | – | – |
| Generative Organs | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Locomotive Organs | – | – | – | 1 | – | – | – | 3 | – | – | – | – | – | – | – | – |
| Skin | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Malformation | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Premature Debility | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Atrophy | – | – | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – |
| Age | – | – | – | – | – | – | 3 | 4 | 10 | 14 | 10 | 5 | 3 | 2 | – | – |
| Sudden Deaths | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Violent Deaths | 1 | – | 2 | – | – | – | 1 | – | 1 | 1 | – | – | – | – | – | – |
| Small Pox | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Measles | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scarlatina | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diphtheria | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hooping Cough | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Croup | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Thrush | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diarrhœa | – | 1 | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| Dysentery | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cholera | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Influenza | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Purpura | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Ague | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Worms | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Infantile Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Typhus | 1 | 1 | – | 2 | – | 1 | 2 | 1 | – | – | – | – | – | – | – | – |
| Metria | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rheumatic Fever | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Erysipelas | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Syphilis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Noma | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmorrhage | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Dropsy | – | – | 2 | 2 | – | 1 | – | 1 | – | 2 | – | – | – | – | – | – |
| Abscess | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ulcer | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Fistula | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mortification | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cancer | – | – | – | 1 | – | – | 1 | 1 | 1 | 2 | – | – | – | – | – | – |
| Gout | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scrofula | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tabes Mesenterica | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phthisis | 8 | 8 | 4 | 1 | 2 | 2 | 1 | 2 | 1 | – | – | – | – | – | – | – |
| Hydrocephalus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in PAISLEY, at different Periods of Life, in 1862.—MALES. (*Continued.*)

| DISEASES. | MALES. | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | |
| | | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 |
| | | 3 | 6 | 12 | | | | | | | | | |
| IV. Cephalitis | 5 | – | – | 1 | – | – | – | – | – | – | 1 | – | 1 |
| Apoplexy | 17 | – | – | – | – | 1 | 1 | – | – | – | – | – | – |
| Paralysis | 23 | – | – | – | – | – | – | – | – | – | – | – | – |
| Delirium Tremens | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Chorea | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epilepsy | 3 | – | – | – | – | – | – | – | 1 | – | – | – | – |
| Tetanus | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Insanity | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| Convulsions | 2 | – | – | 2 | – | – | – | – | – | – | – | – | – |
| Brain Disease | 15 | – | – | – | – | – | – | – | 1 | 2 | 1 | 1 | – |
| V. Pericarditis | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Aneurism | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Heart Disease | 13 | – | – | – | – | – | – | – | – | – | 1 | 1 | – |
| VI. Laryngitis | 1 | – | – | – | – | – | – | 1 | – | – | – | – | – |
| Bronchitis | 68 | 1 | 7 | 5 | 7 | 5 | 2 | – | – | – | – | 1 | 2 |
| Pleurisy | 2 | – | – | – | – | – | – | – | – | 1 | – | – | – |
| Pneumonia | 17 | 1 | 3 | 1 | 4 | – | – | – | – | – | – | 2 | – |
| Asthma | 5 | – | – | – | – | – | – | – | – | – | – | – | – |
| Lung Disease | – | – | – | – | – | – | – | – | – | – | – | – | – |
| VII. Teething | 26 | – | 1 | 7 | 16 | 1 | 1 | – | – | – | – | – | – |
| Quinsey | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gastritis | 2 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Enteritis | 20 | 10 | 3 | 2 | – | – | – | – | – | – | 1 | – | – |
| Peritonitis | 1 | – | – | – | – | – | – | – | – | 1 | – | – | – |
| Ascites | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ulceration of Intestines | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Hernia | 3 | – | – | – | – | – | – | – | – | – | – | – | – |
| Ileus | 2 | 1 | – | – | – | – | – | – | – | – | – | 1 | – |
| Intussusception | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Stricture of Intestines | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Stomach Disease | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| Pancreas Disease | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hepatitis | 4 | – | – | – | – | – | – | – | – | – | – | – | – |
| Jaundice | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| Liver Disease | 4 | – | – | – | – | – | – | – | – | – | – | – | – |
| Spleen Disease | – | – | – | – | – | – | – | – | – | – | – | – | – |
| VIII. Nephritis | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Nephria | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Ischuria | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diabetes | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Stone | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cystitis | 2 | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Stricture of Urethra | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Kidney Disease | 3 | – | – | – | – | – | – | – | 1 | – | 1 | – | – |
| IX. Paramenia | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ovarian Dropsy | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Childbirth | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Organs of Generation | – | – | – | – | – | – | – | – | – | – | – | – | – |
| X. Arthritis | 1 | – | – | – | – | – | – | – | – | – | 1 | – | – |
| Rheumatism | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| Joint and Bone Disease | 4 | 1 | – | – | – | – | – | – | – | – | 1 | – | – |
| XI. Carbuncle | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmon | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Skin Disease | – | – | – | – | – | – | – | – | – | – | – | – | – |
| XII. Cyanosis | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Spina Bifida | 2 | – | 2 | – | – | – | – | – | – | – | – | – | – |
| Other Malformations | 1 | – | – | – | – | – | – | – | – | – | 1 | – | – |
| XVII. Intemperance | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Privation | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Want of Breast Milk | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Neglect | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cold | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Poison | 1 | – | – | – | – | – | – | – | 1 | – | – | – | – |
| Burns and Scalds | 3 | 1 | – | – | 1 | 1 | – | – | – | – | – | – | – |
| Hanging, etc. | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suffocation | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| Drowning | 3 | – | – | – | – | – | – | – | 1 | 1 | – | – | 1 |
| Fracture and Contusion | 7 | – | – | – | – | – | – | – | – | – | 1 | – | 3 |
| Wounds | 2 | – | – | – | – | – | – | – | 1 | – | – | – | – |
| Other Violent Causes | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Not Specified | 22 | 8 | 8 | 1 | 2 | – | – | – | – | – | 1 | – | – |

CAUSES of DEATH in PAISLEY, at different Periods of Life, in 1862.—MALES. (*Continued.*)

| DISEASES. | MALES. AGE UNDER | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 35 | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| Cephalitis | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Apoplexy | 1 | – | – | – | 2 | 3 | 3 | 2 | 3 | – | 1 | – | – | – | – | – |
| Paralysis | – | – | 2 | 1 | – | 2 | 3 | 4 | 7 | 2 | – | 2 | – | – | – | – |
| Delirium Tremens | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Chorea | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epilepsy | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Tetanus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Insanity | 1 | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Convulsions | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Brain Disease | – | 1 | – | 2 | 4 | 2 | 1 | – | – | – | – | – | – | – | – | – |
| Pericarditis | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Aneurism | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Heart Disease | – | 2 | 1 | 1 | – | 1 | 2 | 1 | 1 | – | 1 | 1 | – | – | – | – |
| Laryngitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Bronchitis | 1 | 1 | 4 | 2 | 5 | 6 | 4 | 7 | 5 | 1 | – | 2 | – | – | – | – |
| Pleurisy | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pneumonia | – | 1 | 1 | – | 1 | 1 | – | 2 | – | – | – | – | – | – | – | – |
| Asthma | – | – | 1 | – | 1 | – | 1 | 1 | – | 1 | – | – | – | – | – | – |
| Lung Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Teething | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Quinsey | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gastritis | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Enteritis | – | 2 | – | – | 1 | – | – | – | – | 1 | – | – | – | – | – | – |
| Peritonitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ascites | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ulceration of Intestines | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Hernia | – | – | – | – | – | – | 2 | – | 1 | – | – | – | – | – | – | – |
| Ileus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intussusception | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Stricture of Intestines | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Stomach Disease | – | – | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – |
| Pancreas Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hepatitis | – | – | 1 | – | 2 | 1 | – | – | – | – | – | – | – | – | – | – |
| Jaundice | – | – | – | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – |
| Liver Disease | – | – | – | – | 1 | 1 | – | – | 2 | – | – | – | – | – | – | – |
| Spleen Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Nephritis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Nephria | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Ischuria | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diabetes | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Stone | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cystitis | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| Stricture of Urethra | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Kidney Disease | – | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| Paramenia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ovarian Dropsy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Childbirth | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Organs of Generation | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Arthritis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rheumatism | – | – | – | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Joint Disease | – | – | – | – | – | – | – | 2 | – | – | – | – | – | – | – | – |
| Carbuncle | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmon | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Skin Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cyanosis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Spina Bifida | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Malformations | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intemperance | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Privation | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Want of Breast Milk | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Neglect | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cold | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Poison | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hanging, etc. | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suffocation | 1 | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Drowning | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Fracture and Contusion | – | – | 2 | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| Wounds | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Violent Causes | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Not Specified | – | – | – | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in PAISLEY, at different Periods of Life, in 1862.—FEMALES.

| DISEASES. | FEMALES. | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | |
| | | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 |
| | | 3 | 6 | 12 | | | | | | | | | |
| ALL CAUSES | 651 | 54 | 29 | 49 | 46 | 27 | 20 | 10 | 27 | 17 | 21 | 35 | 23 |
| SPECIFIED CAUSES | 634 | 44 | 26 | 47 | 46 | 26 | 19 | 10 | 27 | 17 | 21 | 35 | 23 |
| I. Zymotic Class | 121 | 6 | 6 | 15 | 13 | 11 | 10 | 6 | 12 | 5 | 1 | 7 | 7 |
| II. Diseases of Uncertain Seat | 33 | 1 | – | – | – | – | – | – | 2 | 1 | – | 2 | 3 |
| III. Tubercular Class | 128 | 1 | 7 | 10 | 10 | – | 3 | 1 | 6 | 6 | 17 | 14 | 9 |
| IV. Brain and Nervous System | 34 | 1 | 2 | 2 | 1 | – | – | – | 2 | 1 | 1 | 1 | 1 |
| V. Organs of Circulation | 20 | – | – | 1 | – | – | – | – | – | 1 | 1 | 2 | – |
| VI. Respiratory Organs | 89 | 5 | 2 | 4 | 8 | 8 | 3 | – | 1 | 2 | – | 1 | 2 |
| VII. Organs of Digestion | 57 | 5 | 3 | 11 | 12 | 3 | 1 | 1 | 3 | 1 | – | 4 | – |
| VIII. Urinary Organs | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| IX. Organs of Generation | 9 | – | – | – | – | – | – | – | – | – | 1 | 4 | – |
| X. Organs of Locomotion | 1 | – | – | – | – | – | – | – | 1 | – | – | – | – |
| XI. Skin, etc. | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| XII. Malformation | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| XIII. Premature Debility | 32 | 23 | 5 | 4 | – | – | – | – | – | – | – | – | – |
| XIV. Atrophy | 14 | – | – | – | 2 | 2 | 2 | 1 | – | – | – | – | – |
| XV. Age | 83 | – | – | – | – | – | – | – | – | – | – | – | – |
| XVI. Sudden Deaths | – | – | – | – | – | – | – | – | – | – | – | – | – |
| XVII. Violent Deaths | 10 | 1 | – | – | – | 2 | – | 1 | – | – | – | – | 1 |
| I. Small Pox | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Measles | 7 | – | – | – | 2 | 2 | 2 | – | 1 | – | – | – | – |
| Scarlatina | 4 | – | – | – | 1 | – | – | – | 1 | – | – | 2 | – |
| Diphtheria | 6 | – | – | 1 | 1 | – | – | 1 | 2 | – | – | – | – |
| Hooping Cough | 18 | 1 | 1 | 4 | 6 | 3 | – | – | 3 | – | – | – | – |
| Croup | 17 | – | 1 | 6 | 2 | 2 | 2 | 2 | 2 | – | – | – | – |
| Thrush | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diarrhœa | 11 | 1 | 2 | 3 | – | – | – | – | – | – | – | – | 1 |
| Dysentery | 2 | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Cholera | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Influenza | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Purpura | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ague | 5 | – | – | 1 | – | 2 | – | – | – | 1 | – | – | – |
| Worms | 2 | – | – | – | – | – | 2 | – | – | – | – | – | – |
| Infantile Fever | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Typhus | 34 | – | 2 | – | – | 1 | 4 | 2 | 3 | 4 | 1 | 4 | 3 |
| Metria | 6 | – | – | – | – | – | – | – | – | – | – | 1 | 3 |
| Rheumatic Fever | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Erysipelas | 3 | 1 | – | – | – | 1 | – | – | – | – | – | – | – |
| Syphilis | 2 | 2 | – | – | – | – | – | – | – | – | – | – | – |
| Noma | 1 | – | – | – | – | – | – | 1 | – | – | – | – | – |
| Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – |
| II. Hæmorrhage | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Dropsy | 19 | – | – | – | – | – | – | – | 1 | 1 | – | 1 | 3 |
| Abscess | 4 | 1 | – | – | – | – | – | – | 1 | – | – | 1 | – |
| Ulcer | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Fistula | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mortification | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cancer | 8 | – | – | – | – | – | – | – | – | – | – | – | – |
| Gout | – | – | – | – | – | – | – | – | – | – | – | – | – |
| III. Scrofula | 4 | – | – | – | – | – | – | – | 1 | – | 1 | 2 | – |
| Tabes Mesenterica | 8 | – | – | 3 | 3 | – | 1 | – | – | – | – | – | – |
| Phthisis | 101 | – | 2 | 3 | 3 | – | 1 | 1 | 5 | 6 | 16 | 12 | 9 |
| Hydrocephalus | 15 | 1 | 5 | 4 | 4 | – | 1 | – | – | – | – | – | – |

CAUSES OF DEATH in PAISLEY, at different Periods of Life, in 1862.—FEMALES.

| DISEASES. | FEMALES. AGE UNDER | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 35 | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| ALL CAUSES | 32 | 26 | 12 | 18 | 23 | 24 | 27 | 29 | 36 | 28 | 21 | 15 | 1 | 1 | – | – |
| SPECIFIED CAUSES | 32 | 26 | 12 | 18 | 23 | 24 | 27 | 29 | 36 | 28 | 21 | 15 | 1 | 1 | – | – |
| Zymotic Class | 4 | 3 | 3 | 1 | 3 | 3 | 3 | 1 | 1 | – | – | – | – | – | – | – |
| Uncertain Seat | 2 | – | 1 | 5 | 4 | 2 | 1 | 3 | 3 | 1 | 1 | 1 | – | – | – | – |
| Tubercular Class | 19 | 11 | 2 | 1 | 4 | 1 | 3 | 3 | – | – | – | – | – | – | – | – |
| Brain, etc. | 1 | – | 1 | 1 | 3 | 4 | 3 | 2 | 1 | 4 | 1 | 1 | – | – | – | – |
| Heart, etc. | – | – | – | 2 | 1 | 4 | 2 | 4 | 2 | – | – | – | – | – | – | – |
| Respiratory Organs | 3 | 9 | 1 | 7 | 7 | 3 | 9 | 8 | 5 | 1 | – | – | – | – | – | – |
| Digestive Organs | 1 | 1 | – | – | 1 | 3 | 3 | 1 | 2 | 1 | – | – | – | – | – | – |
| Urinary Organs | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Generative Organs | – | 1 | 2 | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Locomotive Organs | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Skin | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Malformation | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Premature Debility | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Atrophy | – | 1 | 2 | 1 | – | 3 | – | – | – | – | – | – | – | – | – | – |
| Age | – | – | – | – | – | 1 | 2 | 5 | 22 | 20 | 18 | 13 | 1 | 1 | – | – |
| Sudden Deaths | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Violent Deaths | 1 | – | – | – | – | – | 1 | 1 | – | 1 | 1 | – | – | – | – | – |
| Small Pox | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Measles | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scarlatina | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diphtheria | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hooping Cough | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Croup | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Thrush | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diarrhœa | – | – | 1 | – | 1 | 1 | – | 1 | – | – | – | – | – | – | – | – |
| Dysentery | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Cholera | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Influenza | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Purpura | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ague | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Worms | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Infantile Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Typhus | 2 | 2 | 1 | – | 2 | 1 | 2 | – | – | – | – | – | – | – | – | – |
| Metria | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rheumatic Fever | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Erysipelas | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Syphilis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Noma | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmorrhage | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Dropsy | 1 | – | – | 3 | 2 | 2 | – | 1 | 1 | 1 | 1 | 1 | – | – | – | – |
| Abscess | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Ulcer | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Fistula | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mortification | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cancer | 1 | – | 1 | 2 | 2 | – | – | 2 | – | – | – | – | – | – | – | – |
| Gout | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scrofula | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tabes Mesenterica | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phthisis | 18 | 11 | 2 | 1 | 4 | 1 | 3 | 3 | – | – | – | – | – | – | – | – |
| Hydrocephalus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in PAISLEY, at different Periods of Life, in 1862.—FEMALES. (*Continued.*)

| DISEASES. | FEMALES. | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | |
| | | MONTHS. | | | | | | | | | | | |
| | | 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 |
| IV. Cephalitis | 2 | 1 | – | – | – | – | – | – | – | – | – | – | 1 |
| Apoplexy | 10 | – | – | 2 | – | – | – | – | 1 | – | 1 | – | – |
| Paralysis | 10 | – | – | – | – | – | – | – | – | – | – | – | – |
| Delirium Tremens | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Chorea | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epilepsy | 1 | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Tetanus | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Insanity | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Convulsions | 2 | – | 2 | – | – | – | – | – | – | – | – | – | – |
| Brain Disease | 8 | – | – | – | 1 | – | – | – | 1 | 1 | – | – | – |
| V. Pericarditis | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Aneurism | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Heart Disease | 19 | – | – | 1 | – | – | – | – | – | 1 | 1 | 2 | – |
| VI. Laryngitis | 2 | – | – | 1 | – | 1 | – | – | – | – | – | – | – |
| Bronchitis | 67 | 4 | 2 | 2 | 7 | 7 | 3 | – | – | – | – | 1 | – |
| Pleurisy | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pneumonia | 15 | 1 | – | 1 | 1 | – | – | – | 1 | 2 | – | – | 2 |
| Asthma | 4 | – | – | – | – | – | – | – | – | – | – | – | – |
| Lung Disease | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| VII. Teething | 21 | – | 1 | 6 | 11 | 3 | – | – | – | – | – | – | – |
| Quinsey | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gastritis | 3 | – | – | 1 | – | – | – | – | 1 | – | – | – | – |
| Enteritis | 16 | 4 | 2 | 3 | 1 | – | 1 | 1 | 1 | – | – | 2 | – |
| Peritonitis | 2 | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Ascites | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ulceration of Intestines | 1 | – | – | – | – | – | – | – | 1 | – | – | – | – |
| Hernia | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ileus | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intussusception | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Stricture of Intestines | 1 | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Stomach Disease | 6 | 1 | – | 1 | – | – | – | – | – | – | – | – | – |
| Pancreas Disease | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hepatitis | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| Jaundice | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Liver Disease | 5 | – | – | – | – | – | – | – | – | 1 | – | – | – |
| Spleen Disease | – | – | – | – | – | – | – | – | – | – | – | – | – |
| VIII. Nephritis | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Nephria | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Ischuria | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diabetes | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Stone | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cystitis | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Stricture of Urethra | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Kidney Disease | – | – | – | – | – | – | – | – | – | – | – | – | – |
| IX. Paramenia | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ovarian Dropsy | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Childbirth | 8 | – | – | – | – | – | – | – | – | – | 1 | 4 | – |
| Organs of Generation | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| X. Arthritis | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rheumatism | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Joint and Bone Disease | 1 | – | – | – | – | – | – | – | 1 | – | – | – | – |
| XI. Carbuncle | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmon | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Skin Disease | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| XII. Cyanosis | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Spina Bifida | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Malformations | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| XVII. Intemperance | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Privation | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Want of Breast Milk | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Neglect | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cold | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Poison | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds | 4 | – | – | – | – | 2 | – | 1 | – | – | – | – | – |
| Hanging, etc. | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suffocation | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Drowning | 2 | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Fracture and Contusion | 3 | – | – | – | – | – | – | – | – | – | – | – | – |
| Wounds | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Violent Causes | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Not Specified | 17 | 10 | 3 | 2 | – | 1 | 1 | – | – | – | – | – | – |

CAUSES of DEATH in PAISLEY, at different Periods of Life, in 1862.—FEMALES. (*Continued.*)

| DISEASES. | FEMALES. AGE UNDER | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 35 | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| Cephalitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Apoplexy | – | – | – | 1 | 2 | 1 | 1 | – | – | – | – | 1 | – | – | – | – |
| Paralysis | – | – | 1 | – | – | 1 | 1 | 2 | 1 | 3 | 1 | – | – | – | – | – |
| Delirium Tremens | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Chorea | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epilepsy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tetanus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Insanity | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Convulsions | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Brain Disease | 1 | – | – | – | – | 2 | 1 | – | – | 1 | – | – | – | – | – | – |
| Pericarditis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Aneurism | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Heart Disease | – | – | – | 2 | 1 | 4 | 2 | 3 | 2 | – | – | – | – | – | – | – |
| Laryngitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Bronchitis | 1 | 5 | 1 | 6 | 7 | 3 | 8 | 6 | 3 | 1 | – | – | – | – | – | – |
| Pleurisy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pneumonia | 1 | 4 | – | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Asthma | – | – | – | – | – | – | 1 | 1 | 2 | – | – | – | – | – | – | – |
| Lung Disease | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Teething | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Quinsey | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gastritis | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Enteritis | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Peritonitis | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Ascites | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ulceration of Intestines | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hernia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ileus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intussusception | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Stricture of Intestines | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Stomach Disease | – | – | – | – | – | – | 2 | – | 2 | – | – | – | – | – | – | – |
| Pancreas Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hepatitis | 1 | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Jaundice | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Liver Disease | – | 1 | – | – | – | 1 | 1 | – | – | 1 | – | – | – | – | – | – |
| Spleen Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Nephritis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Nephria | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ischuria | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diabetes | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Stone | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cystitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Stricture of Urethra | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Kidney Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Paramenia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ovarian Dropsy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Childbirth | – | 1 | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Organs of Generation | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Arthritis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rheumatism | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Joint Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Carbuncle | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmon | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Skin Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cyanosis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Spina Bifida | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Malformations | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intemperance | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Privation | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Want of Breast Milk | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Neglect | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cold | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Poison | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Hanging, etc. | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suffocation | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Drowning | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Fracture and Contusion | – | – | – | – | – | – | – | 1 | – | 1 | 1 | – | – | – | – | – |
| Wounds | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Violent Causes | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Not Specified | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in GREENOCK, at different Periods of Life, in 1862.—Both Sexes.

| DISEASES. | BOTH SEXES. | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | |
| | | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 |
| | | 3 | 6 | 12 | | | | | | | | | |
| All Causes | 1370 | 142 | 52 | 128 | 184 | 85 | 47 | 37 | 70 | 31 | 40 | 49 | 52 |
| Specified Causes | 1315 | 125 | 45 | 123 | 176 | 84 | 47 | 35 | 68 | 30 | 39 | 49 | 49 |
| I. Zymotic Class | 313 | 16 | 11 | 42 | 75 | 49 | 19 | 18 | 27 | 10 | 5 | 7 | 5 |
| II. Diseases of Uncertain Seat | 40 | 1 | – | 2 | – | 1 | 3 | – | – | – | – | – | 2 |
| III. Tubercular Class | 286 | 1 | 6 | 25 | 31 | 14 | 11 | 8 | 23 | 17 | 21 | 29 | 29 |
| IV. Brain and Nervous System | 104 | 7 | – | 4 | 7 | 7 | 2 | 2 | 4 | – | 1 | 3 | 2 |
| V. Organs of Circulation | 37 | – | – | – | – | – | – | – | – | 1 | 2 | 1 | 2 |
| VI. Respiratory Organs | 162 | 10 | 11 | 19 | 21 | 4 | 7 | 3 | 6 | – | 3 | 7 | 2 |
| VII. Organs of Digestion | 113 | 10 | 7 | 23 | 27 | 4 | – | – | 2 | 2 | 2 | 1 | – |
| VIII. Urinary Organs | 15 | – | – | – | – | – | 1 | – | – | – | – | – | 1 |
| IX. Organs of Generation | 6 | – | – | – | – | – | – | – | – | – | – | – | 2 |
| X. Organs of Locomotion | 5 | – | – | – | 1 | – | – | – | 2 | – | – | – | – |
| XI. Skin, etc. | 4 | 2 | 1 | – | – | – | – | – | – | – | – | – | – |
| XII. Malformation | 4 | 4 | – | – | – | – | – | – | – | – | – | – | – |
| XIII. Premature Debility | 90 | 74 | 8 | 8 | – | – | – | – | – | – | – | – | – |
| XIV. Atrophy | 27 | – | – | – | 12 | 3 | 3 | 4 | 2 | – | – | – | – |
| XV. Age | 59 | – | – | – | – | – | – | – | – | – | – | – | – |
| XVI. Sudden Deaths | 6 | – | – | – | – | 1 | – | – | – | – | – | – | 1 |
| XVII. Violent Deaths | 44 | – | 1 | – | 2 | 1 | 1 | – | 2 | – | 5 | 1 | 3 |
| I. Small Pox | 2 | – | – | 1 | – | 1 | – | – | – | – | – | – | – |
| Measles | 99 | – | 4 | 14 | 38 | 21 | 9 | 5 | 8 | – | – | – | – |
| Scarlatina | 2 | – | – | 1 | – | 1 | – | – | – | – | – | – | – |
| Diphtheria | 32 | – | 2 | 4 | 10 | 7 | 3 | 2 | 4 | – | – | – | – |
| Hooping Cough | 16 | 1 | – | 5 | 6 | 3 | – | 1 | – | – | – | – | – |
| Croup | 43 | 2 | 1 | 7 | 12 | 12 | 3 | 3 | 3 | – | – | – | – |
| Thrush | 2 | 1 | – | – | – | 1 | – | – | – | – | – | – | – |
| Diarrhœa | 32 | 7 | 3 | 7 | 5 | 1 | 1 | 2 | – | – | – | 1 | 1 |
| Dysentery | 5 | – | 1 | 1 | 1 | – | – | – | – | – | – | – | – |
| Cholera | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Influenza | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Purpura | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ague | 1 | – | – | – | – | – | – | – | – | 1 | – | – | – |
| Worms | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Infantile Fever | 1 | – | – | – | – | – | – | 1 | – | – | – | – | – |
| Typhus | 63 | – | – | 1 | 3 | 2 | 3 | 3 | 11 | 9 | 5 | 5 | 3 |
| Metria | 2 | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Rheumatic Fever | 2 | – | – | – | – | – | – | 1 | 1 | – | – | – | – |
| Erysipelas | 4 | – | – | 1 | – | – | – | – | – | – | – | – | 1 |
| Syphilis | 5 | 4 | – | – | – | – | – | – | – | – | – | – | – |
| Noma | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – |
| II. Hæmorrhage | 2 | 1 | – | 1 | – | – | – | – | – | – | – | – | – |
| Dropsy | 14 | – | – | – | – | 1 | 3 | – | – | – | – | – | 1 |
| Abscess | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ulcer | 2 | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Fistula | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mortification | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Cancer | 21 | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Gout | – | – | – | – | – | – | – | – | – | – | – | – | – |
| III. Scrofula | 11 | – | 1 | 1 | – | – | – | 1 | 2 | – | 2 | 1 | 1 |
| Tabes Mesenterica | 18 | – | – | 4 | 6 | 2 | 1 | – | 3 | 1 | – | 1 | – |
| Phthisis | 210 | – | 4 | 5 | 15 | 8 | 6 | 4 | 12 | 14 | 19 | 27 | 27 |
| Hydrocephalus | 47 | 1 | 1 | 15 | 10 | 4 | 4 | 3 | 6 | 2 | – | – | 1 |

CAUSES of DEATH in GREENOCK, at different Periods of Life, in 1862.—Both Sexes.

| DISEASES. | BOTH SEXES. AGE UNDER | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 35 | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| All Causes | 37 | 42 | 53 | 50 | 46 | 36 | 46 | 42 | 37 | 29 | 17 | 8 | 5 | 2 | 1 | 2 |
| Specified Causes | 36 | 41 | 52 | 47 | 46 | 36 | 45 | 42 | 37 | 29 | 17 | 8 | 5 | 2 | 1 | 1 |
| Zymotic Class | 4 | 6 | 5 | 4 | 1 | 1 | 3 | 1 | 2 | – | 2 | – | – | – | – | – |
| Uncertain Seat | 2 | 3 | 3 | – | 9 | 3 | 4 | 3 | 1 | 2 | 1 | – | – | – | – | – |
| Tubercular Class | 15 | 14 | 11 | 13 | 8 | 3 | 2 | 3 | 2 | – | – | – | – | – | – | – |
| Brain, etc. | 2 | 2 | 11 | 6 | 3 | 9 | 7 | 8 | 8 | 7 | – | 1 | – | – | 1 | – |
| Heart, etc. | 2 | 3 | 7 | – | 3 | 3 | 3 | 4 | 1 | 4 | 1 | – | – | – | – | – |
| Respiratory Organs | 4 | 4 | 4 | 8 | 13 | 5 | 14 | 9 | 2 | 4 | 1 | – | 1 | – | – | – |
| Digestive Organs | 1 | 3 | 2 | 7 | 5 | 4 | 5 | 2 | 4 | 2 | – | – | – | – | – | – |
| Urinary Organs | 1 | 1 | 3 | 1 | – | 1 | 1 | 2 | 2 | 1 | – | – | – | – | – | – |
| Generative Organs | 1 | – | 1 | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – |
| Locomotive Organs | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Skin | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Malformation | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Premature Debility | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Atrophy | – | – | – | 1 | – | 2 | – | – | – | – | – | – | – | – | – | – |
| Age | – | – | – | – | – | – | 3 | 9 | 14 | 9 | 12 | 7 | 3 | 2 | – | – |
| Sudden Deaths | – | – | – | 2 | – | 2 | – | – | – | – | – | – | – | – | – | – |
| Violent Deaths | 4 | 4 | 3 | 5 | 3 | 3 | 2 | 1 | 1 | – | – | – | 1 | – | – | 1 |
| Small Pox | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Measles | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scarlatina | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diphtheria | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hooping Cough | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Croup | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Thrush | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diarrhœa | – | – | – | 1 | – | – | 2 | – | 1 | – | 2 | – | – | – | – | – |
| Dysentery | 1 | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Cholera | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Influenza | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Purpura | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ague | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Worms | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Infantile Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Typhus | 2 | 6 | 4 | 1 | – | 1 | 3 | – | 1 | – | – | – | – | – | – | – |
| Metria | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rheumatic Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Erysipelas | – | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Syphilis | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Noma | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmorrhage | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Dropsy | – | – | – | – | 5 | 1 | 1 | 1 | – | 1 | – | – | – | – | – | – |
| Abscess | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ulcer | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Fistula | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mortification | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Cancer | 2 | 3 | 3 | – | 4 | 2 | 3 | – | 1 | 1 | 1 | – | – | – | – | – |
| Gout | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scrofula | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tabes Mesenterica | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phthisis | 13 | 14 | 11 | 13 | 8 | 3 | 2 | 3 | 2 | – | – | – | – | – | – | – |
| Hydrocephalus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in GREENOCK, at different Periods of Life, in 1862.—Both Sexes. (*Continued.*)

| DISEASES. | BOTH SEXES. | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | |
| | | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 |
| | | 3 | 6 | 12 | | | | | | | | | |
| IV. Cephalitis | 8 | 4 | – | 1 | – | 1 | – | – | – | – | – | – | 1 |
| Apoplexy | 25 | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Paralysis | 28 | – | – | – | – | – | – | – | – | – | – | – | – |
| Delirium Tremens | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Chorea | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Epilepsy | 5 | – | – | – | – | – | – | – | – | – | – | 1 | 1 |
| Tetanus | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Insanity | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Convulsions | 10 | 3 | – | – | 3 | 2 | 1 | 1 | – | – | – | – | – |
| Brain Disease | 26 | – | – | 3 | 4 | 4 | 1 | 1 | 4 | – | 1 | 1 | – |
| V. Pericarditis | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Aneurism | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Heart Disease | 36 | – | – | – | – | – | – | – | – | 1 | 2 | 1 | 2 |
| VI. Laryngitis | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Bronchitis | 113 | 8 | 7 | 16 | 19 | 4 | 6 | 1 | 4 | – | – | – | – |
| Pleurisy | 8 | – | 1 | 1 | 1 | – | 1 | – | – | – | – | – | – |
| Pneumonia | 30 | 2 | 2 | 2 | 1 | – | – | 2 | 2 | – | 3 | 6 | 2 |
| Asthma | 6 | – | – | – | – | – | – | – | – | – | – | – | – |
| Lung Disease | 5 | – | 1 | – | – | – | – | – | – | – | – | 1 | – |
| VII. Teething | 46 | 1 | 2 | 19 | 21 | 3 | – | – | – | – | – | – | – |
| Quinsey | 1 | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Gastritis | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| Enteritis | 20 | 5 | 4 | 3 | 5 | – | – | – | 2 | – | – | – | – |
| Peritonitis | 4 | – | – | – | – | – | – | – | – | 1 | – | – | – |
| Ascites | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ulceration of Intestines | 2 | – | – | – | – | – | – | – | – | – | 1 | – | – |
| Hernia | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Ileus | 4 | 1 | – | 1 | – | – | – | – | – | – | – | – | – |
| Intussusception | 1 | – | – | – | – | – | – | – | – | – | 1 | – | – |
| Stricture of Intestines | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Stomach Disease | 8 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Pancreas Disease | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hepatitis | 4 | – | – | – | – | – | – | – | – | – | – | – | – |
| Jaundice | 2 | 1 | – | – | 1 | – | – | – | – | – | – | – | – |
| Liver Disease | 18 | 1 | 1 | – | – | – | – | – | – | 1 | – | 1 | – |
| Spleen Disease | – | – | – | – | – | – | – | – | – | – | – | – | – |
| VIII. Nephritis | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Nephria | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| Ischuria | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diabetes | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Stone | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Cystitis | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| Stricture of Urethra | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Kidney Disease | 9 | – | – | – | – | – | 1 | – | – | – | – | – | 1 |
| IX. Paramenia | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ovarian Dropsy | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| Childbirth | 3 | – | – | – | – | – | – | – | – | – | – | – | 2 |
| Organs of Generation | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| X. Arthritis | 1 | – | – | – | – | – | – | – | 1 | – | – | – | – |
| Rheumatism | 2 | – | – | – | – | – | – | – | 1 | – | – | – | – |
| Joint and Bone Disease | 2 | – | – | – | 1 | – | – | – | – | – | – | – | – |
| XI. Carbuncle | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmon | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Skin Disease | 3 | 2 | 1 | – | – | – | – | – | – | – | – | – | – |
| XII. Cyanosis | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Spina Bifida | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Other Malformations | 3 | 3 | – | – | – | – | – | – | – | – | – | – | – |
| XVII. Intemperance | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Privation | 1 | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Want of Breast Milk | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Neglect | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cold | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Poison | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds | 6 | – | – | – | 1 | – | 1 | – | – | – | – | – | 1 |
| Hanging, etc. | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| Suffocation | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Drowning | 9 | – | – | – | – | – | – | – | – | – | 2 | 1 | – |
| Fracture and Contusion | 21 | – | – | – | 1 | – | – | – | 2 | – | 3 | – | 2 |
| Wounds | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Violent Causes | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Not Specified | 55 | 17 | 7 | 5 | 8 | 1 | – | 2 | 2 | 1 | 1 | – | 3 |

CAUSES of DEATH in GREENOCK, at different Periods of Life, in 1862.—Both Sexes. (*Continued.*)

| DISEASES. | BOTH SEXES. AGE UNDER | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 35 | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| Cephalitis | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Apoplexy | 1 | 1 | 4 | 2 | – | 3 | 5 | 3 | 3 | 2 | – | – | – | – | – | – |
| Paralysis | 1 | 1 | 3 | 1 | 1 | 4 | 1 | 5 | 4 | 5 | – | 1 | – | – | 1 | – |
| Delirium Tremens | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chorea | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epilepsy | – | – | 1 | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Tetanus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Insanity | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Convulsions | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Brain Disease | – | – | 1 | 1 | 2 | 1 | 1 | – | 1 | – | – | – | – | – | – | – |
| Pericarditis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Aneurism | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Heart Disease | 2 | 3 | 6 | – | 3 | 3 | 3 | 4 | 1 | 4 | 1 | – | – | – | – | – |
| Laryngitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Bronchitis | 4 | 3 | – | 7 | 8 | 3 | 9 | 6 | 2 | 4 | 1 | – | 1 | – | – | – |
| Pleurisy | – | – | 1 | 1 | 1 | 1 | – | – | – | – | – | – | – | – | – | – |
| Pneumonia | – | – | 2 | – | 1 | – | 3 | 2 | – | – | – | – | – | – | – | – |
| Asthma | – | – | – | – | 2 | 1 | 2 | 1 | – | – | – | – | – | – | – | – |
| Lung Disease | – | 1 | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Teething | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Quinsey | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gastritis | – | – | – | – | 1 | – | – | – | – | 1 | – | – | – | – | – | – |
| Enteritis | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Peritonitis | – | 1 | – | – | – | – | 1 | 1 | – | – | – | – | – | – | – | – |
| Ascites | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ulceration of Intestines | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hernia | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Ileus | – | – | – | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – |
| Intussusception | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Stricture of Intestines | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Stomach Disease | – | 1 | – | 3 | – | – | 1 | 1 | 1 | – | – | – | – | – | – | – |
| Pancreas Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hepatitis | – | – | – | – | 1 | 1 | 1 | – | 1 | – | – | – | – | – | – | – |
| Jaundice | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Liver Disease | – | 1 | 2 | 4 | 2 | 1 | 1 | – | 2 | 1 | – | – | – | – | – | – |
| Spleen Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Nephritis | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Nephria | 1 | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Ischuria | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diabetes | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Stone | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Cystitis | – | – | 1 | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Stricture of Urethra | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Kidney Disease | – | 1 | 2 | – | – | – | – | 2 | 1 | 1 | – | – | – | – | – | – |
| Paramenia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ovarian Dropsy | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Childbirth | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Organs of Generation | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Arthritis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rheumatism | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Joint Disease | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Carbuncle | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmon | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Skin Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cyanosis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Spina Bifida | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Malformations | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intemperance | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Privation | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Want of Breast Milk | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Neglect | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cold | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Poison | – | – | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds | – | 1 | – | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Hanging, etc. | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Suffocation | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Drowning | 1 | 2 | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | 1 |
| Fracture and Contusion | 2 | 1 | – | 3 | 1 | 2 | 1 | 1 | 1 | – | – | – | 1 | – | – | – |
| Wounds | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Violent Causes | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Not Specified | 1 | 1 | 1 | 3 | – | – | 1 | – | – | – | – | – | – | – | – | 1 |

CAUSES of DEATH in GREENOCK, at different Periods of Life, in 1862.—MALES.

| DISEASES. | MALES. | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | |
| | | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 |
| | | 3 | 6 | 12 | | | | | | | | | |
| ALL CAUSES | 703 | 81 | 29 | 63 | 94 | 43 | 28 | 19 | 39 | 12 | 23 | 32 | 27 |
| SPECIFIED CAUSES | 673 | 70 | 27 | 59 | 90 | 43 | 28 | 18 | 37 | 11 | 22 | 32 | 26 |
| I. Zymotic Class | 156 | 9 | 6 | 21 | 38 | 20 | 12 | 6 | 14 | 3 | 2 | 5 | 3 |
| II. Diseases of Uncertain Seat | 18 | 1 | – | 1 | – | 1 | 2 | – | – | – | – | – | 1 |
| III. Tubercular Class | 142 | – | 4 | 12 | 20 | 8 | 6 | 5 | 15 | 5 | 9 | 17 | 14 |
| IV. Brain and Nervous System | 53 | 7 | – | 1 | 5 | 4 | 2 | 1 | – | – | – | 3 | 2 |
| V. Organs of Circulation | 24 | – | – | – | – | – | – | – | – | 1 | 2 | 1 | 1 |
| VI. Respiratory Organs | 82 | 4 | 6 | 10 | 9 | 4 | 4 | 2 | 2 | – | 3 | 5 | 2 |
| VII. Organs of Digestion | 57 | 7 | 6 | 9 | 13 | 3 | – | – | – | 2 | 2 | – | – |
| VIII. Urinary Organs | 7 | – | – | – | – | – | – | – | – | – | – | – | – |
| IX. Organs of Generation | – | – | – | – | – | – | – | – | – | – | – | – | – |
| X. Organs of Locomotion | 3 | – | – | – | – | – | – | – | 2 | – | – | – | – |
| XI. Skin, etc. | 4 | 2 | 1 | – | – | – | – | – | – | – | – | – | – |
| XII. Malformation | 2 | 2 | – | – | – | – | – | – | – | – | – | – | – |
| XIII. Premature Debility | 47 | 38 | 4 | 5 | – | – | – | – | – | – | – | – | – |
| XIV. Atrophy | 14 | – | – | – | 5 | 2 | 1 | 4 | 2 | – | – | – | – |
| XV. Age | 24 | – | – | – | – | – | – | – | – | – | – | – | – |
| XVI. Sudden Deaths | 3 | – | – | – | – | – | – | – | – | – | – | – | – |
| XVII. Violent Deaths | 37 | – | – | – | – | 1 | 1 | – | 2 | – | 4 | 1 | 3 |
| I. Small Pox | 1 | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Measles | 52 | – | 2 | 9 | 23 | 7 | 6 | 1 | 4 | – | – | – | – |
| Scarlatina | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diphtheria | 12 | – | 1 | 2 | 3 | 3 | 1 | – | 2 | – | – | – | – |
| Hooping Cough | 8 | 1 | – | 3 | 2 | 2 | – | – | – | – | – | – | – |
| Croup | 24 | 1 | – | 3 | 7 | 7 | 3 | 2 | 1 | – | – | – | – |
| Thrush | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Diarrhœa | 16 | 3 | 2 | 3 | 2 | – | – | 1 | – | – | – | 1 | 1 |
| Dysentery | 4 | – | 1 | – | 1 | – | – | – | – | – | – | – | – |
| Cholera | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Influenza | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Purpura | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ague | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Worms | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Infantile Fever | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Typhus | 31 | – | – | 1 | – | – | 2 | 1 | 6 | 3 | 2 | 4 | 2 |
| Metria | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rheumatic Fever | 2 | – | – | – | – | – | – | 1 | 1 | – | – | – | – |
| Erysipelas | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Syphilis | 3 | 2 | – | – | – | – | – | – | – | – | – | – | – |
| Noma | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – |
| II. Hæmorrhage | 2 | 1 | – | 1 | – | – | – | – | – | – | – | – | – |
| Dropsy | 7 | – | – | – | – | 1 | 2 | – | – | – | – | – | – |
| Abscess | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ulcer | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Fistula | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mortification | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Cancer | 7 | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Gout | – | – | – | – | – | – | – | – | – | – | – | – | – |
| III. Scrofula | 6 | – | 1 | 1 | – | – | – | 1 | 2 | – | 1 | – | – |
| Tabes Mesenterica | 7 | – | – | 1 | 4 | 1 | – | – | – | – | – | 1 | – |
| Phthisis | 99 | – | 2 | 3 | 9 | 5 | 3 | 1 | 7 | 5 | 8 | 16 | 13 |
| Hydrocephalus | 30 | – | 1 | 7 | 7 | 2 | 3 | 3 | 6 | – | – | – | 1 |

CAUSES of DEATH in GREENOCK, at different Periods of Life, in 1862.—MALES.

| DISEASES. | MALES. AGE UNDER | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 35 | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| ALL CAUSES | 14 | 21 | 27 | 24 | 23 | 18 | 18 | 20 | 22 | 13 | 6 | 2 | 3 | – | – | 2 |
| SPECIFIED CAUSES | 14 | 21 | 27 | 23 | 23 | 18 | 17 | 20 | 22 | 13 | 6 | 2 | 3 | – | – | 1 |
| Zymotic Class | 2 | 6 | 4 | 2 | – | – | – | 1 | 1 | – | 1 | – | – | – | – | – |
| Uncertain Seat | 1 | 1 | 1 | – | 3 | 1 | 1 | 2 | – | 1 | 1 | – | – | – | – | – |
| Tubercular Class | 5 | 5 | 4 | 4 | 5 | 1 | 1 | 1 | 1 | – | – | – | – | – | – | – |
| Brain, etc. | 1 | 1 | 5 | 2 | – | 5 | 3 | 4 | 4 | 3 | – | – | – | – | – | – |
| Heart, etc. | 1 | 2 | 5 | – | 3 | 2 | 1 | 3 | – | 1 | 1 | – | – | – | – | – |
| Respiratory Organs | – | 1 | 2 | 5 | 6 | 2 | 5 | 5 | 1 | 3 | – | – | 1 | – | – | – |
| Digestive Organs | 1 | – | 1 | 3 | 3 | 2 | 2 | – | 3 | – | – | – | – | – | – | – |
| Urinary Organs | – | – | 1 | 1 | – | 1 | 1 | 1 | 2 | – | – | – | – | – | – | – |
| Generative Organs | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Locomotive Organs | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Skin | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Malformation | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Premature Debility | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Atrophy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Age | – | – | – | – | – | – | 1 | 2 | 9 | 5 | 3 | 2 | 2 | – | – | – |
| Sudden Deaths | – | – | – | 1 | – | 2 | – | – | – | – | – | – | – | – | – | – |
| Violent Deaths | 3 | 4 | 3 | 5 | 3 | 2 | 2 | 1 | 1 | – | – | – | – | – | – | 1 |
| Small Pox | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Measles | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scarlatina | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diphtheria | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hooping Cough | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Croup | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Thrush | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diarrhœa | – | – | – | 1 | – | – | – | – | 1 | – | 1 | – | – | – | – | – |
| Dysentery | 1 | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Cholera | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Influenza | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Purpura | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ague | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Worms | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Infantile Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Typhus | 1 | 6 | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Metria | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rheumatic Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Erysipelas | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Syphilis | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Noma | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmorrhage | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Dropsy | – | – | – | – | 2 | 1 | – | – | – | 1 | – | – | – | – | – | – |
| Abscess | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ulcer | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Fistula | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mortification | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Cancer | 1 | 1 | 1 | – | 1 | – | 1 | – | – | – | 1 | – | – | – | – | – |
| Gout | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scrofula | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tabes Mesenterica | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phthisis | 5 | 5 | 4 | 4 | 5 | 1 | 1 | 1 | 1 | – | – | – | – | – | – | – |
| Hydrocephalus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in GREENOCK, at different Periods of Life, in 1862.—MALES. (*Continued.*)

| DISEASES. | MALES. | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | |
| | | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 |
| | | 3 | 6 | 12 | | | | | | | | | |
| IV. Cephalitis | 7 | 4 | – | – | – | 1 | – | – | – | – | – | – | 1 |
| Apoplexy | 12 | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Paralysis | 13 | – | – | – | – | – | – | – | – | – | – | – | – |
| Delirium Tremens | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Chorea | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epilepsy | 2 | – | – | – | – | – | – | – | – | – | – | 1 | 1 |
| Tetanus | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Insanity | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Convulsions | 5 | 3 | – | – | 1 | – | 1 | – | – | – | – | – | – |
| Brain Disease | 13 | – | – | 1 | 4 | 3 | 1 | 1 | – | – | – | 1 | – |
| V. Pericarditis | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Aneurism | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Heart Disease | 23 | – | – | – | – | – | – | – | – | 1 | 2 | 1 | 1 |
| VI. Laryngitis | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Bronchitis | 52 | 4 | 3 | 9 | 7 | 4 | 4 | – | 2 | – | – | – | – |
| Pleurisy | 4 | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Pneumonia | 21 | – | 2 | 1 | 1 | – | – | 2 | – | – | 3 | 4 | 2 |
| Asthma | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| Lung Disease | 3 | – | 1 | – | – | – | – | – | – | – | – | 1 | – |
| VII. Teething | 20 | 1 | 2 | 7 | 8 | 2 | – | – | – | – | – | – | – |
| Quinsey | 1 | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Gastritis | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Enteritis | 14 | 4 | 3 | 2 | 4 | – | – | – | – | – | – | – | – |
| Peritonitis | 1 | – | – | – | – | – | – | – | – | 1 | – | – | – |
| Ascites | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ulceration of Intestines | 2 | – | – | – | – | – | – | – | – | – | 1 | – | – |
| Hernia | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Ileus | 3 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Intussusception | 1 | – | – | – | – | – | – | – | – | – | 1 | – | – |
| Stricture of Intestines | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Stomach Disease | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| Pancreas Disease | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hepatitis | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| Jaundice | 2 | 1 | – | – | 1 | – | – | – | – | – | – | – | – |
| Liver Disease | 8 | – | 1 | – | – | – | – | – | – | 1 | – | – | – |
| Spleen Disease | – | – | – | – | – | – | – | – | – | – | – | – | – |
| VIII. Nephritis | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Nephria | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Ischuria | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diabetes | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Stone | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Cystitis | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| Stricture of Urethra | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Kidney Disease | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| IX. Paramenia | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ovarian Dropsy | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Childbirth | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Organs of Generation | – | – | – | – | – | – | – | – | – | – | – | – | – |
| X. Arthritis | 1 | – | – | – | – | – | – | – | 1 | – | – | – | – |
| Rheumatism | 1 | – | – | – | – | – | – | – | 1 | – | – | – | – |
| Joint and Bone Disease | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| XI. Carbuncle | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmon | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Skin Disease | 3 | 2 | 1 | – | – | – | – | – | – | – | – | – | – |
| XII. Cyanosis | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Spina Bifida | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Other Malformations | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| XVII. Intemperance | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Privation | 1 | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Want of Breast Milk | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Neglect | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cold | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Poison | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds | 5 | – | – | – | – | – | 1 | – | – | – | – | – | 1 |
| Hanging, etc. | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| Suffocation | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Drowning | 9 | – | – | – | – | – | – | – | – | – | 2 | 1 | – |
| Fracture and Contusion | 18 | – | – | – | – | – | – | – | 2 | – | 2 | – | 2 |
| Wounds | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Violent Causes | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Not Specified | 30 | 11 | 2 | 4 | 4 | – | – | 1 | 2 | 1 | 1 | – | 1 |

CAUSES of DEATH in GREENOCK, at different Periods of Life, in 1862.—MALES. (*Continued.*)

| DISEASES. | MALES. AGE UNDER 35 | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Cephalitis | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Apoplexy | 1 | 1 | 2 | 1 | – | 2 | 2 | 2 | – | – | – | – | – | – | – | – |
| Paralysis | – | – | 1 | – | – | 3 | 1 | 2 | 3 | 3 | – | – | – | – | – | – |
| Delirium Tremens | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chorea | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epilepsy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tetanus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Insanity | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Convulsions | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Brain Disease | – | – | 1 | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Pericarditis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Aneurism | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Heart Disease | 1 | 2 | 4 | – | 3 | 2 | 1 | 3 | – | 1 | 1 | – | – | – | – | – |
| Laryngitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Bronchitis | – | 1 | – | 4 | 3 | 1 | 1 | 4 | 1 | 3 | – | – | 1 | – | – | – |
| Pleurisy | – | – | – | 1 | 1 | 1 | – | – | – | – | – | – | – | – | – | – |
| Pneumonia | – | – | 1 | – | 1 | – | 3 | 1 | – | – | – | – | – | – | – | – |
| Asthma | – | – | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – |
| Lung Disease | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Teething | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Quinsey | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gastritis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Enteritis | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Peritonitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ascites | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ulceration of Intestines | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hernia | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Ileus | – | – | – | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – |
| Intussusception | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Stricture of Intestines | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Stomach Disease | – | – | – | 1 | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Pancreas Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hepatitis | – | – | – | – | – | – | 1 | – | 1 | – | – | – | – | – | – | – |
| Jaundice | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Liver Disease | – | – | 1 | 2 | 2 | – | – | – | 1 | – | – | – | – | – | – | – |
| Spleen Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Nephritis | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Nephria | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Ischuria | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diabetes | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Stone | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Cystitis | – | – | 1 | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Stricture of Urethra | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Kidney Disease | – | – | – | – | – | – | – | 1 | 1 | – | – | – | – | – | – | – |
| Paramenia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ovarian Dropsy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Childbirth | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Organs of Generation | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Arthritis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rheumatism | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Joint Disease | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Carbuncle | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmon | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Skin Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cyanosis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Spina Bifida | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Malformations | – | – | – | – | – | – | | – | – | – | – | – | – | – | – | – |
| Intemperance | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Privation | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Want of Breast Milk | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Neglect | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cold | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Poison | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds | – | 1 | – | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Hanging, etc. | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Suffocation | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Drowning | 1 | 2 | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | 1 |
| Fracture and Contusion | 2 | 1 | – | 3 | 1 | 2 | 1 | 1 | 1 | – | – | – | – | – | – | – |
| Wounds | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Violent Causes | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Not Specified | – | – | – | 1 | – | – | 1 | – | – | – | – | – | – | – | – | 1 |

CAUSES of DEATH in GREENOCK, at different Periods of Life, in 1862.—FEMALES.

| DISEASES. | FEMALES. | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | |
| | | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 |
| | | 3 | 6 | 12 | | | | | | | | | |
| ALL CAUSES | 667 | 61 | 23 | 65 | 90 | 42 | 19 | 18 | 31 | 19 | 17 | 17 | 25 |
| SPECIFIED CAUSES | 642 | 55 | 18 | 64 | 86 | 41 | 19 | 17 | 31 | 19 | 17 | 17 | 23 |
| I. Zymotic Class | 157 | 7 | 5 | 21 | 37 | 29 | 7 | 12 | 13 | 7 | 3 | 2 | 2 |
| II. Diseases of Uncertain Seat | 22 | – | – | 1 | – | – | 1 | – | – | – | – | – | 1 |
| III. Tubercular Class | 144 | 1 | 2 | 13 | 11 | 6 | 5 | 3 | 8 | 12 | 12 | 12 | 15 |
| IV. Brain and Nervous System | 51 | – | – | 3 | 2 | 3 | – | 1 | 4 | – | 1 | – | – |
| V. Organs of Circulation | 13 | – | – | – | – | – | – | – | – | – | – | – | 1 |
| VI. Respiratory Organs | 80 | 6 | 5 | 9 | 12 | – | 3 | 1 | 4 | – | – | 2 | – |
| VII. Organs of Digestion | 56 | 3 | 1 | 14 | 14 | 1 | – | – | 2 | – | – | 1 | – |
| VIII. Urinary Organs | 8 | – | – | – | – | – | 1 | – | – | – | – | – | 1 |
| IX. Organs of Generation | 6 | – | – | – | – | – | – | – | – | – | – | – | 2 |
| X. Organs of Locomotion | 2 | – | – | – | 1 | – | – | – | – | – | – | – | – |
| XI. Skin, etc. | – | – | – | – | – | – | – | – | – | – | – | – | – |
| XII. Malformation | 2 | 2 | – | – | – | – | – | – | – | – | – | – | – |
| XIII. Premature Debility | 43 | 36 | 4 | 3 | – | – | – | – | – | – | – | – | – |
| XIV. Atrophy | 13 | – | – | – | 7 | 1 | 2 | – | – | – | – | – | – |
| XV. Age | 35 | – | – | – | – | – | – | – | – | – | – | – | – |
| XVI. Sudden Deaths | 3 | – | – | – | – | 1 | – | – | – | – | – | – | 1 |
| XVII. Violent Deaths | 7 | – | 1 | – | 2 | – | – | – | – | – | 1 | – | – |
| I. Small Pox | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Measles | 47 | – | 2 | 5 | 15 | 14 | 3 | 4 | 4 | – | – | – | – |
| Scarlatina | 2 | – | – | 1 | – | 1 | – | – | – | – | – | – | – |
| Diphtheria | 20 | – | 1 | 2 | 7 | 4 | 2 | 2 | 2 | – | – | – | – |
| Hooping Cough | 8 | – | – | 2 | 4 | 1 | – | 1 | – | – | – | – | – |
| Croup | 19 | 1 | 1 | 4 | 5 | 5 | – | 1 | 2 | – | – | – | – |
| Thrush | 1 | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Diarrhœa | 16 | 4 | 1 | 4 | 3 | 1 | 1 | 1 | – | – | – | – | – |
| Dysentery | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Cholera | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Influenza | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Purpura | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ague | 1 | – | – | – | – | – | – | – | – | 1 | – | – | – |
| Worms | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Infantile Fever | 1 | – | – | – | – | – | – | 1 | – | – | – | – | – |
| Typhus | 32 | – | – | – | 3 | 2 | 1 | 2 | 5 | 6 | 3 | 1 | 1 |
| Metria | 2 | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Rheumatic Fever | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Erysipelas | 4 | – | – | 1 | – | – | – | – | – | – | – | – | 1 |
| Syphilis | 2 | 2 | – | – | – | – | – | – | – | – | – | – | – |
| Noma | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – |
| II. Hæmorrhage | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Dropsy | 7 | – | – | – | – | – | 1 | – | – | – | – | – | 1 |
| Abscess | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ulcer | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Fistula | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mortification | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cancer | 14 | – | – | – | – | – | – | – | – | – | – | – | – |
| Gout | – | – | – | – | – | – | – | – | – | – | – | – | – |
| III. Scrofula | 5 | – | – | – | – | – | – | – | – | – | 1 | 1 | 1 |
| Tabes Mesenterica | 11 | – | – | 3 | 2 | 1 | 1 | – | 3 | 1 | – | – | – |
| Phthisis | 111 | – | 2 | 2 | 6 | 3 | 3 | 3 | 5 | 9 | 11 | 11 | 14 |
| Hydrocephalus | 17 | 1 | – | 8 | 3 | 2 | 1 | – | – | – | – | – | – |

CAUSES of DEATH in GREENOCK, at different Periods of Life, in 1862.—FEMALES.

| DISEASES. | FEMALES. AGE UNDER | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 35 | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| ALL CAUSES | 23 | 21 | 26 | 26 | 23 | 18 | 28 | 22 | 15 | 16 | 11 | 6 | 2 | 2 | 1 | – |
| SPECIFIED CAUSES | 22 | 20 | 25 | 24 | 23 | 18 | 28 | 22 | 15 | 16 | 11 | 6 | 2 | 2 | 1 | – |
| Zymotic Class | 2 | – | 1 | 2 | 1 | 1 | 3 | – | 1 | – | 1 | – | – | – | – | – |
| Uncertain Seat | 1 | 2 | 2 | – | 6 | 2 | 3 | 1 | 1 | 1 | – | – | – | – | – | – |
| Tubercular Class | 10 | 9 | 7 | 9 | 3 | 2 | 1 | 2 | 1 | – | – | – | – | – | – | – |
| Brain, etc. | 1 | 1 | 6 | 4 | 3 | 4 | 4 | 4 | 4 | 4 | – | 1 | – | – | 1 | – |
| Heart, etc. | 1 | 1 | 2 | – | – | 1 | 2 | 1 | 1 | 3 | – | – | – | – | – | – |
| Respiratory Organs | 4 | 3 | 2 | 3 | 7 | 3 | 9 | 4 | 1 | 1 | 1 | – | – | – | – | – |
| Digestive Organs | – | 3 | 1 | 4 | 2 | 2 | 3 | 2 | 1 | 2 | – | – | – | – | – | – |
| Urinary Organs | 1 | 1 | 2 | – | – | – | – | 1 | – | 1 | – | – | – | – | – | – |
| Generative Organs | 1 | – | 1 | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – |
| Locomotive Organs | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Skin | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Malformation | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Premature Debility | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Atrophy | – | – | – | 1 | – | 2 | – | – | – | – | – | – | – | – | – | – |
| Age | – | – | – | – | – | – | 2 | 7 | 5 | 4 | 9 | 5 | 1 | 2 | – | – |
| Sudden Deaths | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Violent Deaths | 1 | – | – | – | – | 1 | – | – | – | – | – | – | 1 | – | – | – |
| Small Pox | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Measles | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scarlatina | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diphtheria | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hooping Cough | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Croup | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Thrush | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diarrhœa | – | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| Dysentery | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cholera | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Influenza | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Purpura | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ague | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Worms | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Infantile Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Typhus | 1 | – | 1 | 1 | – | 1 | 3 | – | 1 | – | – | – | – | – | – | – |
| Metria | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rheumatic Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Erysipelas | – | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Syphilis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Noma | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmorrhage | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Dropsy | – | – | – | – | 3 | – | 1 | 1 | – | – | – | – | – | – | – | – |
| Abscess | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ulcer | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Fistula | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mortification | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cancer | 1 | 2 | 2 | – | 3 | 2 | 2 | – | 1 | 1 | – | – | – | – | – | – |
| Gout | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scrofula | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tabes Mesenterica | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phthisis | 8 | 9 | 7 | 9 | 3 | 2 | 1 | 2 | 1 | – | – | – | – | – | – | – |
| Hydrocephalus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in GREENOCK, at different Periods of Life, in 1862.—FEMALES. (*Continued.*)

| DISEASES. | FEMALES. | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | |
| | | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 |
| | | 3 | 6 | 12 | | | | | | | | | |
| IV. Cephalitis | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Apoplexy | 13 | – | – | – | – | – | – | – | – | – | – | – | – |
| Paralysis | 15 | – | – | – | – | – | – | – | – | – | – | – | – |
| Delirium Tremens | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chorea | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Epilepsy | 3 | – | – | – | – | – | – | – | – | – | – | – | – |
| Tetanus | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Insanity | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Convulsions | 5 | – | – | – | 2 | 2 | – | 1 | – | – | – | – | – |
| Brain Disease | 13 | – | – | 2 | – | 1 | – | – | 4 | – | 1 | – | – |
| V. Pericarditis | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Aneurism | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Heart Disease | 13 | – | – | – | – | – | – | – | – | – | – | – | 1 |
| VI. Laryngitis | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Bronchitis | 61 | 4 | 4 | 7 | 12 | – | 2 | 1 | 2 | – | – | – | – |
| Pleurisy | 4 | – | 1 | 1 | – | – | 1 | – | – | – | – | – | – |
| Pneumonia | 9 | 2 | – | 1 | – | – | – | – | 2 | – | – | 2 | – |
| Asthma | 4 | – | – | – | – | – | – | – | – | – | – | – | – |
| Lung Disease | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| VII. Teething | 26 | – | – | 12 | 13 | 1 | – | – | – | – | – | – | – |
| Quinsey | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gastritis | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| Enteritis | 6 | 1 | 1 | 1 | 1 | – | – | – | 2 | – | – | – | – |
| Peritonitis | 3 | – | – | – | – | – | – | – | – | – | – | – | – |
| Ascites | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ulceration of Intestines | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hernia | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ileus | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Intussusception | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Stricture of Intestines | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Stomach Disease | 6 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Pancreas Disease | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hepatitis | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| Jaundice | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Liver Disease | 10 | 1 | – | – | – | – | – | – | – | – | – | 1 | – |
| Spleen Disease | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| VIII. Nephritis | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Nephria | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Ischuria | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diabetes | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Stone | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cystitis | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Stricture of Urethra | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Kidney Disease | 7 | – | – | – | – | – | 1 | – | – | – | – | – | 1 |
| IX. Paramenia | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ovarian Dropsy | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| Childbirth | 3 | – | – | – | – | – | – | – | – | – | – | – | 2 |
| Organs of Generation | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| X. Arthritis | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rheumatism | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Joint and Bone Disease | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – |
| XI. Carbuncle | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmon | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Skin Disease | – | – | – | – | – | – | – | – | – | – | – | – | – |
| XII. Cyanosis | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Spina Bifida | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Malformations | 2 | 2 | – | – | – | – | – | – | – | – | – | – | – |
| XVII. Intemperance | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Privation | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Want of Breast Milk | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Neglect | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cold | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Poison | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Hanging, etc. | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suffocation | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Drowning | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Fracture and Contusion | 3 | – | – | – | 1 | – | – | – | – | – | 1 | – | – |
| Wounds | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Violent Causes | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Not Specified | 25 | 6 | 5 | 1 | 4 | 1 | – | 1 | – | – | – | – | 2 |

CAUSES of DEATH in GREENOCK, at different Periods of Life, in 1862.—FEMALES. (*Continued.*)

| DISEASES. | FEMALES. AGE UNDER | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 35 | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| Cephalitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Apoplexy | – | – | 2 | 1 | – | 1 | 3 | 1 | 3 | 2 | – | – | – | – | – | – |
| Paralysis | 1 | 1 | 2 | 1 | 1 | 1 | – | 3 | 1 | 2 | – | 1 | – | – | 1 | – |
| Delirium Tremens | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chorea | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epilepsy | – | – | 1 | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Tetanus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Insanity | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Convulsions | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Brain Disease | – | – | – | 1 | 2 | 1 | 1 | – | – | – | – | – | – | – | – | – |
| Pericarditis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Aneurism | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Heart Disease | 1 | 1 | 2 | – | – | 1 | 2 | 1 | 1 | 3 | – | – | – | – | – | – |
| Laryngitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Bronchitis | 4 | 2 | – | 3 | 5 | 2 | 8 | 2 | 1 | 1 | 1 | – | – | – | – | – |
| Pleurisy | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pneumonia | – | – | 1 | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Asthma | – | – | – | – | 1 | 1 | 1 | 1 | – | – | – | – | – | – | – | – |
| Lung Disease | – | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Teething | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Quinsey | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gastritis | – | – | – | – | 1 | – | – | – | – | 1 | – | – | – | – | – | – |
| Enteritis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Peritonitis | – | 1 | – | – | – | – | 1 | 1 | – | – | – | – | – | – | – | – |
| Ascites | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ulceration of Intestines | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hernia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ileus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intussusception | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Stricture of Intestines | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Stomach Disease | – | 1 | – | 2 | – | – | 1 | 1 | – | – | – | – | – | – | – | – |
| Pancreas Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hepatitis | – | – | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – |
| Jaundice | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Liver Disease | – | 1 | 1 | 2 | – | 1 | 1 | – | 1 | 1 | – | – | – | – | – | – |
| Spleen Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Nephritis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Nephria | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ischuria | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diabetes | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Stone | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cystitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Stricture of Urethra | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Kidney Disease | – | 1 | 2 | – | – | – | – | 1 | – | 1 | – | – | – | – | – | – |
| Paramenia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ovarian Dropsy | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Childbirth | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Organs of Generation | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Arthritis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rheumatism | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Joint Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Carbuncle | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmon | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Skin Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cyanosis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Spina Bifida | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Malformations | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intemperance | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Privation | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Want of Breast Milk | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Neglect | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cold | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Poison | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hanging, etc. | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suffocation | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Drowning | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Fracture and Contusion | – | – | – | – | – | – | – | – | – | – | – | – | 1 | – | – | – |
| Wounds | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Violent Causes | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Not Specified | 1 | 1 | 1 | 2 | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in LEITH, at different Periods of Life, in 1862.—Both Sexes.

| DISEASES. | BOTH SEXES. | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | |
| | | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 |
| | | 3 | 6 | 12 | | | | | | | | | |
| All Causes | 872 | 100 | 46 | 71 | 87 | 52 | 38 | 29 | 44 | 12 | 14 | 29 | 29 |
| Specified Causes | 859 | 95 | 44 | 71 | 86 | 52 | 38 | 29 | 44 | 12 | 13 | 29 | 29 |
| I. Zymotic Class | 291 | 19 | 15 | 41 | 53 | 40 | 31 | 18 | 25 | 3 | 2 | 7 | 7 |
| II. Diseases of Uncertain Seat | 26 | – | – | – | – | – | – | – | – | – | – | – | 1 |
| III. Tubercular Class | 111 | 3 | 4 | 12 | 7 | 4 | 4 | 5 | 7 | 2 | 6 | 12 | 12 |
| IV. Brain and Nervous System | 68 | 5 | – | 2 | 2 | 1 | – | 2 | 4 | 2 | – | 2 | 1 |
| V. Organs of Circulation | 51 | – | – | – | – | – | – | – | 1 | – | 2 | 1 | – |
| VI. Respiratory Organs | 117 | 18 | 13 | 6 | 16 | 6 | 2 | 2 | 2 | 2 | – | 1 | 3 |
| VII. Organs of Digestion | 48 | 2 | 3 | 6 | 5 | – | – | – | – | 1 | – | 2 | 2 |
| VIII. Urinary Organs | 8 | – | – | – | – | – | – | – | – | – | – | – | 1 |
| IX. Organs of Generation | 4 | – | – | – | – | – | – | – | – | – | – | 1 | 1 |
| X. Organs of Locomotion | 6 | – | – | 1 | – | – | – | – | 1 | – | 1 | – | – |
| XI. Skin, etc. | 2 | 1 | – | 1 | – | – | – | – | – | – | – | – | – |
| XII. Malformation | 2 | 1 | 1 | – | – | – | – | – | – | – | – | – | – |
| XIII. Premature Debility | 51 | 43 | 7 | 1 | – | – | – | – | – | – | – | – | – |
| XIV. Atrophy | 6 | – | – | – | 1 | 1 | – | – | 1 | 2 | – | – | – |
| XV. Age | 37 | – | – | – | – | – | – | – | – | – | – | – | – |
| XVI. Sudden Deaths | – | – | – | – | – | – | – | – | – | – | – | – | – |
| XVII. Violent Deaths | 31 | 3 | 1 | 1 | 2 | – | 1 | 2 | 3 | – | 2 | 3 | 1 |
| I. Small Pox | 77 | 7 | 4 | 13 | 15 | 15 | 7 | 9 | 2 | – | 1 | 1 | – |
| Measles | 5 | – | 1 | 1 | 2 | 1 | – | – | – | – | – | – | – |
| Scarlatina | 30 | – | 2 | 1 | 3 | 8 | 4 | 1 | 10 | 1 | – | – | – |
| Diphtheria | 10 | – | – | 1 | 5 | – | – | 1 | 3 | – | – | – | – |
| Hooping Cough | 81 | 7 | 5 | 21 | 19 | 11 | 10 | 5 | 3 | – | – | – | – |
| Croup | 15 | – | 1 | 3 | 4 | 1 | 4 | 1 | 1 | – | – | – | – |
| Thrush | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diarrhœa | 11 | 3 | – | 1 | 3 | – | 1 | – | – | – | – | – | – |
| Dysentery | 7 | – | – | – | – | – | – | – | 1 | – | – | 2 | 1 |
| Cholera | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Influenza | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Purpura | 1 | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Ague | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Worms | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Infantile Fever | 1 | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Typhus | 39 | – | – | – | 2 | 3 | 4 | 1 | 5 | 2 | 1 | 2 | 5 |
| Metria | 3 | – | – | – | – | – | – | – | – | – | – | 1 | 1 |
| Rheumatic Fever | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Erysipelas | 6 | 2 | – | – | – | – | – | – | – | – | – | – | – |
| Syphilis | 3 | – | 1 | – | – | – | 1 | – | – | – | – | – | – |
| Noma | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – |
| II. Hæmorrhage | 2 | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Dropsy | 9 | – | – | – | – | – | – | – | – | – | – | – | – |
| Abscess | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Ulcer | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Fistula | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mortification | 3 | – | – | – | – | – | – | – | – | – | – | – | – |
| Cancer | 10 | – | – | – | – | – | – | – | – | – | – | – | – |
| Gout | – | – | – | – | – | – | – | – | – | – | – | – | – |
| III. Scrofula | 10 | – | – | 1 | – | – | – | 1 | 2 | 1 | – | 1 | – |
| Tabes Mesenterica | 21 | 2 | 2 | 5 | 5 | 1 | 3 | – | 1 | 1 | 1 | – | – |
| Phthisis | 60 | – | – | – | – | – | 1 | – | 2 | – | 5 | 11 | 12 |
| Hydrocephalus | 20 | 1 | 2 | 6 | 2 | 3 | – | 4 | 2 | – | – | – | – |

CAUSES of DEATH in LEITH, at different Periods of Life, in 1862.—Both Sexes.

| DISEASES. | BOTH SEXES. AGE UNDER | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 35 | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| All Causes | 31 | 37 | 27 | 26 | 22 | 29 | 25 | 37 | 37 | 23 | 17 | 6 | 2 | – | – | 2 |
| Specified Causes | 31 | 37 | 25 | 26 | 22 | 28 | 25 | 37 | 37 | 23 | 17 | 6 | 2 | – | – | 1 |
| Zymotic Class | 4 | 4 | 6 | 5 | 4 | 1 | 3 | – | 1 | – | 1 | – | 1 | – | – | – |
| Uncertain Seat | 3 | 1 | 2 | 2 | 2 | 2 | 1 | 6 | 4 | 2 | – | – | – | – | – | – |
| Tubercular Class | 6 | 12 | 4 | 3 | – | 3 | 2 | 3 | – | – | – | – | – | – | – | – |
| Brain, etc. | 2 | 3 | 3 | 3 | 4 | 6 | 5 | 4 | 10 | 2 | 4 | 1 | – | – | – | – |
| Heart, etc. | 3 | 3 | 3 | 6 | 3 | 6 | 3 | 8 | 6 | 4 | 2 | – | – | – | – | – |
| Respiratory Organs | 5 | 5 | 5 | 3 | 4 | 3 | 4 | 6 | 5 | 4 | 2 | – | – | – | – | – |
| Digestive Organs | 4 | 5 | – | 2 | 3 | 6 | – | 5 | 1 | 1 | – | – | – | – | – | – |
| Urinary Organs | 1 | 1 | – | – | – | – | 2 | 2 | 1 | – | – | – | – | – | – | – |
| Generative Organs | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Locomotive Organs | 1 | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Skin | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Malformation | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Premature Debility | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Atrophy | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Age | – | – | – | – | – | – | 3 | 3 | 8 | 10 | 7 | 5 | 1 | – | – | – |
| Sudden Deaths | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Violent Deaths | 2 | 2 | 1 | – | 1 | 1 | 2 | – | 1 | – | 1 | – | – | – | – | 1 |
| Small Pox | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Measles | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scarlatina | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diphtheria | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hooping Cough | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Croup | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Thrush | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diarrhœa | – | 1 | – | – | – | – | 2 | – | – | – | – | – | – | – | – | – |
| Dysentery | – | 1 | 1 | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| Cholera | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Influenza | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Purpura | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ague | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Worms | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Infantile Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Typhus | 1 | 2 | 1 | 4 | 2 | 1 | 1 | – | 1 | – | – | – | 1 | – | – | – |
| Metria | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rheumatic Fever | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Erysipelas | – | – | 1 | 1 | 2 | – | – | – | – | – | – | – | – | – | – | – |
| Syphilis | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Noma | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmorrhage | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Dropsy | – | – | – | – | 2 | – | 1 | 3 | 3 | – | – | – | – | – | – | – |
| Abscess | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ulcer | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| Fistula | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mortification | – | – | – | – | – | – | – | 1 | 1 | 1 | – | – | – | – | – | – |
| Cancer | 2 | 1 | 1 | 2 | – | 2 | – | 2 | – | – | – | – | – | – | – | – |
| Gout | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scrofula | – | 2 | – | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Tabes Mesenterica | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phthisis | 6 | 10 | 4 | 2 | – | 3 | 2 | 2 | – | – | – | – | – | – | – | – |
| Hydrocephalus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in LEITH, at different Periods of Life, in 1862.—Both Sexes. (*Continued.*)

| DISEASES. | BOTH SEXES. | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | |
| | | MONTHS. | | | | | | | | | | | |
| | | 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 |
| IV. Cephalitis | 8 | – | – | – | – | 1 | – | 1 | 1 | 1 | – | – | 1 |
| Apoplexy | 16 | – | – | 1 | – | – | – | – | – | 1 | – | 1 | – |
| Paralysis | 19 | – | – | – | – | – | – | – | – | – | – | – | – |
| Delirium Tremens | 3 | – | – | – | – | – | – | – | – | – | – | – | – |
| Chorea | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epilepsy | 4 | – | – | – | – | – | – | – | 1 | – | – | – | – |
| Tetanus | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Insanity | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Convulsions | 7 | 4 | – | 1 | 2 | – | – | – | – | – | – | – | – |
| Brain Disease | 10 | – | – | – | – | – | – | 1 | 2 | – | – | 1 | – |
| V. Pericarditis | 1 | – | – | – | – | – | – | – | – | – | 1 | – | – |
| Aneurism | 3 | – | – | – | – | – | – | – | – | – | – | – | – |
| Heart Disease | 47 | – | – | – | – | – | – | – | 1 | – | 1 | 1 | – |
| VI. Laryngitis | 3 | – | – | – | 1 | 1 | 1 | – | – | – | – | – | – |
| Bronchitis | 59 | 17 | 9 | 5 | 6 | 4 | 1 | 1 | 1 | – | – | – | – |
| Pleurisy | 3 | 1 | – | – | – | – | – | – | – | – | – | – | 2 |
| Pneumonia | 40 | – | 4 | 1 | 9 | 1 | – | 1 | 1 | 2 | – | 1 | 1 |
| Asthma | 7 | – | – | – | – | – | – | – | – | – | – | – | – |
| Lung Disease | 5 | – | – | – | – | – | – | – | – | – | – | – | – |
| VII. Teething | 9 | – | – | 5 | 4 | – | – | – | – | – | – | – | – |
| Quinsey | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gastritis | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Enteritis | 10 | 1 | 2 | 1 | – | – | – | – | – | – | – | – | 1 |
| Peritonitis | 4 | – | – | – | – | – | – | – | – | 1 | – | 2 | – |
| Ascites | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ulceration of Intestines | 3 | – | – | – | – | – | – | – | – | – | – | – | – |
| Hernia | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ileus | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| Intussusception | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Stricture of Intestines | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| Stomach Disease | 7 | 1 | 1 | – | – | – | – | – | – | – | – | – | – |
| Pancreas Disease | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hepatitis | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Jaundice | 3 | – | – | – | 1 | – | – | – | – | – | – | – | 1 |
| Liver Disease | 7 | – | – | – | – | – | – | – | – | – | – | – | – |
| Spleen Disease | – | – | – | – | – | – | – | – | – | – | – | – | – |
| VIII. Nephritis | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Nephria | 3 | – | – | – | – | – | – | – | – | – | – | – | – |
| Ischuria | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diabetes | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Stone | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cystitis | 3 | – | – | – | – | – | – | – | – | – | – | – | – |
| Stricture of Urethra | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Kidney Disease | 2 | – | – | – | – | – | – | – | – | – | – | – | 1 |
| IX. Paramenia | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ovarian Dropsy | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Childbirth | 3 | – | – | – | – | – | – | – | – | – | – | 1 | 1 |
| Organs of Generation | – | – | – | – | – | – | – | – | – | – | – | – | – |
| X. Arthritis | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rheumatism | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| Joint and Bone Disease | 4 | – | – | 1 | – | – | – | – | 1 | – | 1 | – | – |
| XI. Carbuncle | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmon | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Skin Disease | 2 | 1 | – | 1 | – | – | – | – | – | – | – | – | – |
| XII. Cyanosis | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Spina Bifida | 2 | 1 | 1 | – | – | – | – | – | – | – | – | – | – |
| Other Malformations | – | – | – | – | – | – | – | – | – | – | – | – | – |
| XVII. Intemperance | 1 | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Privation | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Want of Breast Milk | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Neglect | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cold | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Poison | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds | 2 | – | – | – | 1 | – | – | – | – | – | 1 | – | – |
| Hanging, etc. | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suffocation | 4 | 1 | 1 | – | 1 | – | – | – | – | – | – | – | – |
| Drowning | 8 | 1 | – | – | – | – | – | 1 | 2 | – | – | 1 | – |
| Fracture and Contusion | 11 | – | – | – | – | – | 1 | 1 | 1 | – | 1 | 2 | – |
| Wounds | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Violent Causes | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| Not Specified | 13 | 5 | 2 | – | 1 | – | – | – | – | – | 1 | – | – |

CAUSES of DEATH in LEITH, at different Periods of Life, in 1862.—Both Sexes (*Continued.*)

| DISEASES. | BOTH SEXES. AGE UNDER | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 35 | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| Cephalitis | – | – | – | 1 | 1 | – | 1 | – | – | – | – | – | – | – | – | – |
| Apoplexy | – | 1 | – | 1 | – | 3 | – | 2 | 2 | 1 | 2 | 1 | – | – | – | – |
| Paralysis | – | 1 | 1 | 1 | 1 | 1 | 3 | 2 | 6 | 1 | 2 | – | – | – | – | – |
| Delirium Tremens | 1 | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Chorea | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epilepsy | 1 | – | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Tetanus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Insanity | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Convulsions | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Brain Disease | – | – | 1 | – | 1 | 2 | – | – | 2 | – | – | – | – | – | – | – |
| Pericarditis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Aneurism | – | 1 | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Heart Disease | 3 | 2 | 3 | 5 | 3 | 5 | 3 | 8 | 6 | 4 | 2 | – | – | – | – | – |
| Laryngitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Bronchitis | 1 | – | 2 | – | 2 | 1 | 2 | 2 | 4 | 1 | – | – | – | – | – | – |
| Pleurisy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pneumonia | 2 | 2 | 3 | 3 | 1 | 2 | – | 3 | 1 | – | 2 | – | – | – | – | – |
| Asthma | – | 3 | – | – | – | – | 2 | 1 | – | 1 | – | – | – | – | – | – |
| Lung Disease | 2 | – | – | – | 1 | – | – | – | – | 2 | – | – | – | – | – | – |
| Teething | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Quinsey | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gastritis | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Enteritis | – | 1 | – | – | 1 | – | – | 2 | – | 1 | – | – | – | – | – | – |
| Peritonitis | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ascites | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ulceration of Intestines | 2 | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Hernia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ileus | – | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Intussusception | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Stricture of Intestines | – | – | – | – | – | – | – | 1 | 1 | – | – | – | – | – | – | – |
| Stomach Disease | – | 2 | – | – | – | 2 | – | 1 | – | – | – | – | – | – | – | – |
| Pancreas Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hepatitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Jaundice | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Liver Disease | 1 | – | – | 1 | 2 | 3 | – | – | – | – | – | – | – | – | – | – |
| Spleen Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Nephritis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Nephria | 1 | 1 | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Ischuria | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diabetes | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Stone | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cystitis | – | – | – | – | – | – | 2 | 1 | – | – | – | – | – | – | – | – |
| Stricture of Urethra | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Kidney Disease | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Paramenia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ovarian Dropsy | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Childbirth | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Organs of Generation | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Arthritis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rheumatism | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Joint Disease | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Carbuncle | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmon | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Skin Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cyanosis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Spina Bifida | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Malformations | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intemperance | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Privation | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Want of Breast Milk | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Neglect | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cold | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Poison | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hanging, etc. | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suffocation | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Drowning | 1 | – | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Fracture and Contusion | – | 2 | – | – | – | 1 | – | – | 1 | – | 1 | – | – | – | – | – |
| Wounds | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Other Violent Causes | 1 | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Not Specified | – | – | 2 | – | – | 1 | – | – | – | – | – | – | – | – | – | 1 |

CAUSES of DEATH in LEITH, at different Periods of Life, in 1862.—MALES.

| DISEASES. | MALES. | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | |
| | | MONTHS. | | | | | | | | | | | |
| | | 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 |
| ALL CAUSES | 441 | 53 | 25 | 39 | 45 | 32 | 15 | 18 | 21 | 5 | 7 | 18 | 12 |
| SPECIFIED CAUSES | 435 | 50 | 24 | 39 | 45 | 32 | 15 | 18 | 21 | 5 | 7 | 18 | 12 |
| I. Zymotic Class | 143 | 10 | 5 | 21 | 24 | 24 | 14 | 13 | 11 | 3 | 1 | 3 | 2 |
| II. Diseases of Uncertain Seat | 8 | – | – | – | – | – | – | – | – | – | – | – | – |
| III. Tubercular Class | 57 | 2 | 2 | 6 | 5 | 2 | – | 2 | 2 | – | 1 | 8 | 8 |
| IV. Brain and Nervous System | 38 | 3 | – | 2 | 2 | 1 | – | 1 | 2 | – | – | 1 | 1 |
| V. Organs of Circulation | 28 | – | – | – | – | – | – | – | – | – | 2 | 1 | – |
| VI. Respiratory Organs | 62 | 8 | 9 | 3 | 10 | 5 | – | 1 | 1 | – | – | 1 | 1 |
| VII. Organs of Digestion | 21 | – | 1 | 4 | 3 | – | – | – | – | – | – | 1 | – |
| VIII. Urinary Organs | 6 | – | – | – | – | – | – | – | – | – | – | – | – |
| IX. Organs of Generation | – | – | – | – | – | – | – | – | – | – | – | – | – |
| X. Organs of Locomotion | 4 | – | – | 1 | – | – | – | – | 1 | – | 1 | – | – |
| XI. Skin, etc. | – | – | – | – | – | – | – | – | – | – | – | – | – |
| XII. Malformation | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| XIII. Premature Debility | 31 | 25 | 5 | 1 | – | – | – | – | – | – | – | – | – |
| XIV. Atrophy | 3 | – | – | – | – | – | – | – | 1 | 2 | – | – | – |
| XV. Age | 8 | – | – | – | – | – | – | – | – | – | – | – | – |
| XVI. Sudden Deaths | – | – | – | – | – | – | – | – | – | – | – | – | – |
| XVII. Violent Deaths | 25 | 2 | 1 | 1 | 1 | – | 1 | 1 | 3 | – | 2 | 3 | – |
| I. Small Pox | 44 | 3 | 3 | 6 | 8 | 8 | 6 | 7 | 1 | – | 1 | – | – |
| Measles | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Scarlatina | 14 | – | – | – | 2 | 6 | – | 1 | 4 | 1 | – | – | – |
| Diphtheria | 4 | – | – | 1 | 3 | – | – | – | – | – | – | – | – |
| Hooping Cough | 44 | 4 | 2 | 13 | 8 | 6 | 4 | 4 | 3 | – | – | – | – |
| Croup | 5 | – | – | – | 2 | – | 2 | – | 1 | – | – | – | – |
| Thrush | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diarrhœa | 4 | 2 | – | – | – | – | 1 | – | – | – | – | – | – |
| Dysentery | 3 | – | – | – | – | – | – | – | 1 | – | – | 1 | – |
| Cholera | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Influenza | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Purpura | 1 | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Ague | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Worms | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Infantile Fever | 1 | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Typhus | 20 | – | – | – | 1 | 3 | 1 | 1 | 1 | 2 | – | 1 | 2 |
| Metria | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rheumatic Fever | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Erysipelas | 2 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Syphilis | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Noma | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – |
| II. Hæmorrhage | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Dropsy | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| Abscess | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Ulcer | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Fistula | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mortification | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Cancer | 3 | – | – | – | – | – | – | – | – | – | – | – | – |
| Gout | – | – | – | – | – | – | – | – | – | – | – | – | – |
| III. Scrofula | 4 | – | – | – | – | – | – | – | 1 | – | – | – | – |
| Tabes Mesenterica | 10 | 1 | 1 | 3 | 4 | 1 | – | – | – | – | – | – | – |
| Phthisis | 33 | – | – | – | – | – | – | – | – | – | 1 | 8 | 8 |
| Hydrocephalus | 10 | 1 | 1 | 3 | 1 | 1 | – | 2 | 1 | – | – | – | – |

CAUSES of DEATH in LEITH, at different Periods of Life, in 1862.—MALES.

| DISEASES. | MALES. AGE UNDER | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 35 | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| ALL CAUSES | 17 | 21 | 12 | 17 | 12 | 13 | 12 | 19 | 14 | 7 | 4 | – | 1 | – | – | 2 |
| SPECIFIED CAUSES | 17 | 21 | 12 | 17 | 12 | 12 | 12 | 19 | 14 | 7 | 4 | – | 1 | – | – | 1 |
| Zymotic Class | 1 | 2 | 2 | 3 | 2 | – | 1 | – | – | – | – | – | 1 | – | – | – |
| Uncertain Seat | – | – | 1 | 1 | – | 1 | – | 2 | 1 | 2 | – | – | – | – | – | – |
| Tubercular Class | 3 | 7 | 2 | 1 | – | 2 | 1 | 3 | – | – | – | – | – | – | – | – |
| Brain, etc. | 2 | 2 | 3 | 2 | 4 | 3 | 1 | 2 | 4 | 1 | 1 | – | – | – | – | – |
| Heart, etc. | 1 | 2 | – | 5 | 2 | 4 | 2 | 4 | 4 | 1 | – | – | – | – | – | – |
| Respiratory Organs | 3 | 4 | 3 | 3 | 2 | – | 2 | 2 | 2 | 1 | 1 | – | – | – | – | – |
| Digestive Organs | 4 | 2 | – | 1 | 1 | 2 | – | 2 | – | – | – | – | – | – | – | – |
| Urinary Organs | 1 | – | – | – | – | – | 2 | 2 | 1 | – | – | – | – | – | – | – |
| Generative Organs | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Locomotive Organs | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Skin | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Malformation | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Premature Debility | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Atrophy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Age | – | – | – | – | – | – | 1 | 2 | 1 | 2 | 2 | – | – | – | – | – |
| Sudden Deaths | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Violent Deaths | 2 | 2 | 1 | – | 1 | – | 2 | – | 1 | – | – | – | – | – | – | 1 |
| Small Pox | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Measles | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scarlatina | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diphtheria | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hooping Cough | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Croup | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Thrush | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diarrhœa | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Dysentery | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cholera | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Influenza | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Purpura | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ague | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Worms | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Infantile Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Typhus | – | 1 | 1 | 2 | 2 | – | 1 | – | – | – | – | – | 1 | – | – | – |
| Metria | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rheumatic Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Erysipelas | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Syphilis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Noma | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmorrhage | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Dropsy | – | – | – | – | – | – | – | 1 | 1 | – | – | – | – | – | – | – |
| Abscess | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ulcer | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| Fistula | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mortification | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| Cancer | – | – | – | 1 | – | 1 | – | 1 | – | – | – | – | – | – | – | – |
| Gout | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scrofula | – | 2 | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Tabes Mesenterica | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phthisis | 3 | 5 | 2 | 1 | – | 2 | 1 | 2 | – | – | – | – | – | – | – | – |
| Hydrocephalus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in LEITH, at different Periods of Life, in 1862.—MALES. (*Continued.*)

| DISEASES. | MALES. | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | |
| | | MONTHS. | | | | | | | | | | | |
| | | 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 |
| IV. Cephalitis | 4 | – | – | – | – | 1 | – | 1 | – | – | – | – | 1 |
| Apoplexy | 9 | – | – | 1 | – | – | – | – | – | – | – | 1 | – |
| Paralysis | 8 | – | – | – | – | – | – | – | – | – | – | – | – |
| Delirium Tremens | 3 | – | – | – | – | – | – | – | – | – | – | – | – |
| Chorea | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epilepsy | 3 | – | – | – | – | – | – | – | 1 | – | – | – | – |
| Tetanus | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Insanity | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Convulsions | 5 | 2 | – | 1 | 2 | – | – | – | – | – | – | – | – |
| Brain Disease | 5 | – | – | – | – | – | – | – | 1 | – | – | – | – |
| V. Pericarditis | 1 | – | – | – | – | – | – | – | – | – | 1 | – | – |
| Aneurism | 3 | – | – | – | – | – | – | – | – | – | – | – | – |
| Heart Disease | 24 | – | – | – | – | – | – | – | – | – | 1 | 1 | – |
| VI. Laryngitis | 1 | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Bronchitis | 32 | 8 | 7 | 3 | 4 | 3 | – | – | 1 | – | – | – | – |
| Pleurisy | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pneumonia | 23 | – | 2 | – | 6 | 1 | – | 1 | – | – | – | 1 | 1 |
| Asthma | 3 | – | – | – | – | – | – | – | – | – | – | – | – |
| Lung Disease | 3 | – | – | – | – | – | – | – | – | – | – | – | – |
| VII. Teething | 6 | – | – | 4 | 2 | – | – | – | – | – | – | – | – |
| Quinsey | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gastritis | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Enteritis | 3 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Peritonitis | 1 | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Ascites | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ulceration of Intestines | 3 | – | – | – | – | – | – | – | – | – | – | – | – |
| Hernia | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ileus | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Intussusception | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Stricture of Intestines | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Stomach Disease | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Pancreas Disease | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hepatitis | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Jaundice | 2 | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Liver Disease | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| Spleen Disease | – | – | – | – | – | – | – | – | – | – | – | – | – |
| VIII. Nephritis | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Nephria | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| Ischuria | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diabetes | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Stone | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cystitis | 3 | – | – | – | – | – | – | – | – | – | – | – | – |
| Stricture of Urethra | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Kidney Disease | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| IX. Paramenia | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ovarian Dropsy | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Childbirth | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Organs of Generation | – | – | – | – | – | – | – | – | – | – | – | – | – |
| X. Arthritis | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rheumatism | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Joint and Bone Disease | 3 | – | – | 1 | – | – | – | – | 1 | – | 1 | – | – |
| XI. Carbuncle | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmon | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Skin Disease | – | – | – | – | – | – | – | – | – | – | – | – | – |
| XII. Cyanosis | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Spina Bifida | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Other Malformations | – | – | – | – | – | – | – | – | – | – | – | – | – |
| XVII. Intemperance | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Privation | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Want of Breast Milk | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Neglect | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cold | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Poison | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds | 2 | – | – | – | 1 | – | – | – | – | – | 1 | – | – |
| Hanging, etc. | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suffocation | 3 | 1 | 1 | – | – | – | – | – | – | – | – | – | – |
| Drowning | 7 | – | – | – | – | – | – | 1 | 2 | – | – | 1 | – |
| Fracture and Contusion | 8 | – | – | – | – | – | 1 | – | 1 | – | 1 | 2 | – |
| Wounds | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Violent Causes | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| Not Specified | 6 | 3 | 1 | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in LEITH, at different Periods of Life, in 1862.—MALES. (*Continued.*)

| DISEASES. | MALES. AGE UNDER | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 35 | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| Cephalitis | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Apoplexy | – | – | – | 1 | – | 1 | – | 1 | 2 | 1 | 1 | – | – | – | – | – |
| Paralysis | – | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | – | – | – | – | – | – | – |
| Delirium Tremens | 1 | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Chorea | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epilepsy | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tetanus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Insanity | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Convulsions | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Brain Disease | – | – | 1 | – | 1 | 1 | – | – | 1 | – | – | – | – | – | – | – |
| Pericarditis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Aneurism | – | 1 | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Heart Disease | 1 | 1 | – | 4 | 2 | 3 | 2 | 4 | 4 | 1 | – | – | – | – | – | – |
| Laryngitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Bronchitis | – | – | 1 | – | – | – | 1 | 2 | 2 | – | – | – | – | – | – | – |
| Pleurisy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pneumonia | 2 | 2 | 2 | 3 | 1 | – | – | – | – | – | 1 | – | – | – | – | – |
| Asthma | – | 2 | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Lung Disease | 1 | – | – | – | 1 | – | – | – | – | 1 | – | – | – | – | – | – |
| Teething | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Quinsey | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gastritis | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Enteritis | – | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Peritonitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ascites | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ulceration of Intestines | 2 | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Hernia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ileus | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Intussusception | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Stricture of Intestines | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Stomach Disease | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Pancreas Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hepatitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Jaundice | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Liver Disease | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Spleen Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Nephritis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Nephria | 1 | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Ischuria | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diabetes | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Stone | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cystitis | – | – | – | – | – | – | 2 | 1 | – | – | – | – | – | – | – | – |
| Stricture of Urethra | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Kidney Disease | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Paramenia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ovarian Dropsy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Childbirth | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Organs of Generation | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Arthritis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rheumatism | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Joint Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Carbuncle | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmon | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Skin Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cyanosis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Spina Bifida | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Malformations | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intemperance | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Privation | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Want of Breast Milk | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Neglect | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cold | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Poison | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hanging, etc. | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suffocation | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Drowning | 1 | – | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Fracture and Contusion | – | 2 | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Wounds | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Other Violent Causes | 1 | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Not Specified | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | 1 |

CAUSES of DEATH in LEITH, at different Periods of Life, in 1862.—FEMALES.

| DISEASES. | FEMALES. | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | |
| | | MONTHS. | | | | | | | | | | | |
| | | 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 |
| ALL CAUSES | 431 | 47 | 21 | 32 | 42 | 20 | 23 | 11 | 23 | 7 | 7 | 11 | 17 |
| SPECIFIED CAUSES | 424 | 45 | 20 | 32 | 41 | 20 | 23 | 11 | 23 | 7 | 6 | 11 | 17 |
| I. Zymotic Class | 148 | 9 | 10 | 20 | 29 | 16 | 17 | 5 | 14 | – | 1 | 4 | 5 |
| II. Diseases of Uncertain Seat | 18 | – | – | – | – | – | – | – | – | – | – | – | 1 |
| III. Tubercular Class | 54 | 1 | 2 | 6 | 2 | 2 | 4 | 3 | 5 | 2 | 5 | 4 | 4 |
| IV. Brain and Nervous System | 30 | 2 | – | – | – | – | – | 1 | 2 | 2 | – | 1 | – |
| V. Organs of Circulation | 23 | – | – | – | – | – | – | – | 1 | – | – | – | – |
| VI. Respiratory Organs | 55 | 10 | 4 | 3 | 6 | 1 | 2 | 1 | 1 | 2 | – | – | 2 |
| VII. Organs of Digestion | 27 | 2 | 2 | 2 | 2 | – | – | – | – | 1 | – | 1 | 2 |
| VIII. Urinary Organs | 2 | – | – | – | – | – | – | – | – | – | – | – | 1 |
| IX. Organs of Generation | 4 | – | – | – | – | – | – | – | – | – | – | 1 | 1 |
| X. Organs of Locomotion | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| XI. Skin, etc. | 2 | 1 | – | 1 | – | – | – | – | – | – | – | – | – |
| XII. Malformation | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| XIII. Premature Debility | 20 | 18 | 2 | – | – | – | – | – | – | – | – | – | – |
| XIV. Atrophy | 3 | – | – | – | 1 | 1 | – | – | – | – | – | – | – |
| XV. Age | 29 | – | – | – | – | – | – | – | – | – | – | – | – |
| XVI. Sudden Deaths | – | – | – | – | – | – | – | – | – | – | – | – | – |
| XVII. Violent Deaths | 6 | 1 | – | – | 1 | – | – | 1 | – | – | – | – | 1 |
| I. Small Pox | 33 | 4 | 1 | 7 | 7 | 7 | 1 | 2 | 1 | – | – | 1 | – |
| Measles | 4 | – | 1 | – | 2 | 1 | – | – | – | – | – | – | – |
| Scarlatina | 16 | – | 2 | 1 | 1 | 2 | 4 | – | 6 | – | – | – | – |
| Diphtheria | 6 | – | – | – | 2 | – | – | 1 | 3 | – | – | – | – |
| Hooping Cough | 37 | 3 | 3 | 8 | 11 | 5 | 6 | 1 | – | – | – | – | – |
| Croup | 10 | – | 1 | 3 | 2 | 1 | 2 | 1 | – | – | – | – | – |
| Thrush | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diarrhœa | 7 | 1 | – | 1 | 3 | – | – | – | – | – | – | – | – |
| Dysentery | 4 | – | – | – | – | – | – | – | – | – | – | 1 | 1 |
| Cholera | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Influenza | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Purpura | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ague | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Worms | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Infantile Fever | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Typhus | 19 | – | – | – | 1 | – | 3 | – | 4 | – | 1 | 1 | 3 |
| Metria | 3 | – | – | – | – | – | – | – | – | – | – | 1 | 1 |
| Rheumatic Fever | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Erysipelas | 4 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Syphilis | 3 | – | 1 | – | – | – | 1 | – | – | – | – | – | – |
| Noma | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – |
| II. Hæmorrhage | 2 | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Dropsy | 7 | – | – | – | – | – | – | – | – | – | – | – | – |
| Abscess | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ulcer | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Fistula | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mortification | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| Cancer | 7 | – | – | – | – | – | – | – | – | – | – | – | – |
| Gout | – | – | – | – | – | – | – | – | – | – | – | – | – |
| III. Scrofula | 6 | – | – | 1 | – | – | – | 1 | 1 | 1 | – | 1 | – |
| Tabes Mesenterica | 11 | 1 | 1 | 2 | 1 | – | 3 | – | 1 | 1 | 1 | – | – |
| Phthisis | 27 | – | – | – | – | – | 1 | – | 2 | – | 4 | 3 | 4 |
| Hydrocephalus | 10 | – | 1 | 3 | 1 | 2 | – | 2 | 1 | – | – | – | – |

CAUSES of DEATH in LEITH, at different Periods of Life, in 1862.—FEMALES.

| DISEASES. | FEMALES. AGE UNDER | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 35 | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| ALL CAUSES | 14 | 16 | 15 | 9 | 10 | 16 | 13 | 18 | 23 | 16 | 13 | 6 | 1 | – | – | – |
| SPECIFIED CAUSES | 14 | 16 | 13 | 9 | 10 | 16 | 13 | 18 | 23 | 16 | 13 | 6 | 1 | – | – | – |
| Zymotic Class | 3 | 2 | 4 | 2 | 2 | 1 | 2 | – | 1 | – | 1 | – | – | – | – | – |
| Uncertain Seat | 3 | 1 | 1 | 1 | 2 | 1 | 1 | 4 | 3 | – | – | – | – | – | – | – |
| Tubercular Class | 3 | 5 | 2 | 2 | – | 1 | 1 | – | – | – | – | – | – | – | – | – |
| Brain, etc. | – | 1 | – | 1 | – | 3 | 4 | 2 | 6 | 1 | 3 | 1 | – | – | – | – |
| Heart, etc. | 2 | 1 | 3 | 1 | 1 | 2 | 1 | 4 | 2 | 3 | 2 | – | – | – | – | – |
| Respiratory Organs | 2 | 1 | 2 | – | 2 | 3 | 2 | 4 | 3 | 3 | 1 | – | – | – | – | – |
| Digestive Organs | – | 3 | – | 1 | 2 | 4 | – | 3 | 1 | 1 | – | – | – | – | – | – |
| Urinary Organs | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Generative Organs | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Locomotive Organs | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Skin | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Malformation | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Premature Debility | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Atrophy | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Age | – | – | – | – | – | – | 2 | 1 | 7 | 8 | 5 | 5 | 1 | – | – | – |
| Sudden Deaths | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Violent Deaths | – | – | – | – | – | 1 | – | – | – | – | 1 | – | – | – | – | – |
| Small Pox | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Measles | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scarlatina | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diphtheria | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hooping Cough | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Croup | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Thrush | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diarrhœa | – | – | – | – | – | – | 2 | – | – | – | – | – | – | – | – | – |
| Dysentery | – | 1 | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| Cholera | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Influenza | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Purpura | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ague | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Worms | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Infantile Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Typhus | 1 | 1 | – | 2 | – | 1 | – | – | 1 | – | – | – | – | – | – | – |
| Metria | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rheumatic Fever | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Erysipelas | – | – | 1 | – | 2 | – | – | – | – | – | – | – | – | – | – | – |
| Syphilis | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Noma | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmorrhage | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Dropsy | – | – | – | – | 2 | – | 1 | 2 | 2 | – | – | – | – | – | – | – |
| Abscess | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ulcer | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Fistula | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mortification | – | – | – | – | – | – | – | 1 | 1 | – | – | – | – | – | – | – |
| Cancer | 2 | 1 | 1 | 1 | – | 1 | – | 1 | – | – | – | – | – | – | – | – |
| Gout | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scrofula | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Tabes Mesenterica | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phthisis | 3 | 5 | 2 | 1 | – | 1 | 1 | – | – | – | – | – | – | – | – | – |
| Hydrocephalus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in LEITH, at different Periods of Life, in 1862.—Females. (*Continued.*)

| DISEASES. | FEMALES. | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | |
| | | MONTHS. | | | | | | | | | | | |
| | | 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 |
| IV. Cephalitis | 4 | – | – | – | – | – | – | – | 1 | 1 | – | – | – |
| Apoplexy | 7 | – | – | – | – | – | – | – | – | 1 | – | – | – |
| Paralysis | 11 | – | – | – | – | – | – | – | – | – | – | – | – |
| Delirium Tremens | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chorea | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epilepsy | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Tetanus | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Insanity | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Convulsions | 2 | 2 | – | – | – | – | – | – | – | – | – | – | – |
| Brain Disease | 5 | – | – | – | – | – | – | 1 | 1 | – | – | 1 | – |
| V. Pericarditis | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Aneurism | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Heart Disease | 23 | – | – | – | – | – | – | – | 1 | – | – | – | – |
| VI. Laryngitis | 2 | – | – | – | 1 | – | 1 | – | – | – | – | – | – |
| Bronchitis | 27 | 9 | 2 | 2 | 2 | 1 | 1 | 1 | – | – | – | – | – |
| Pleurisy | 3 | 1 | – | – | – | – | – | – | – | – | – | – | 2 |
| Pneumonia | 17 | – | 2 | 1 | 3 | – | – | – | 1 | 2 | – | – | – |
| Asthma | 4 | – | – | – | – | – | – | – | – | – | – | – | – |
| Lung Disease | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| VII. Teething | 3 | – | – | 1 | 2 | – | – | – | – | – | – | – | – |
| Quinsey | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gastritis | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Enteritis | 7 | 1 | 1 | 1 | – | – | – | – | – | – | – | – | 1 |
| Peritonitis | 3 | – | – | – | – | – | – | – | – | 1 | – | 1 | – |
| Ascites | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ulceration of Intestines | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hernia | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ileus | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Intussusception | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Stricture of Intestines | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Stomach Disease | 6 | 1 | 1 | – | – | – | – | – | – | – | – | – | – |
| Pancreas Disease | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hepatitis | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Jaundice | 1 | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Liver Disease | 5 | – | – | – | – | – | – | – | – | – | – | – | – |
| Spleen Disease | – | – | – | – | – | – | – | – | – | – | – | – | – |
| VIII. Nephritis | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Nephria | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Ischuria | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diabetes | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Stone | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cystitis | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Stricture of Urethra | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Kidney Disease | 1 | – | – | – | – | – | – | – | – | – | – | – | 1 |
| IX. Paramenia | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ovarian Dropsy | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Childbirth | 3 | – | – | – | – | – | – | – | – | – | – | 1 | 1 |
| Organs of Generation | – | – | – | – | – | – | – | – | – | – | – | – | – |
| X. Arthritis | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rheumatism | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Joint and Bone Disease | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| XI. Carbuncle | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmon | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Skin Disease | 2 | 1 | – | 1 | – | – | – | – | – | – | – | – | – |
| XII. Cyanosis | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Spina Bifida | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Other Malformations | – | – | – | – | – | – | – | – | – | – | – | – | – |
| XVII. Intemperance | 1 | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Privation | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Want of Breast Milk | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Neglect | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cold | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Poison | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hanging, etc. | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suffocation | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Drowning | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Fracture and Contusion | 3 | – | – | – | – | – | – | 1 | – | – | – | – | – |
| Wounds | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Violent Causes | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Not Specified | 7 | 2 | 1 | – | 1 | – | – | – | – | – | 1 | – | – |

CAUSES of DEATH in LEITH, at different Periods of Life, in 1862.—FEMALES. (*Continued.*)

| DISEASES. | FEMALES. AGE UNDER | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 35 | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| Cephalitis | – | – | – | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Apoplexy | – | 1 | – | – | – | 2 | – | 1 | – | – | 1 | 1 | – | – | – | – |
| Paralysis | – | – | – | – | – | – | 2 | 1 | 5 | 1 | 2 | – | – | – | – | – |
| Delirium Tremens | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chorea | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epilepsy | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Tetanus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Insanity | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Convulsions | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Brain Disease | – | – | – | – | – | 1 | – | – | 1 | – | – | – | – | – | – | – |
| Pericarditis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Aneurism | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Heart Disease | 2 | 1 | 3 | 1 | 1 | 2 | 1 | 4 | 2 | 3 | 2 | – | – | – | – | – |
| Laryngitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Bronchitis | 1 | – | 1 | – | 2 | 1 | 1 | – | 2 | 1 | – | – | – | – | – | – |
| Pleurisy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pneumonia | – | – | 1 | – | – | 2 | – | 3 | 1 | – | 1 | – | – | – | – | – |
| Asthma | – | 1 | – | – | – | – | 1 | 1 | – | 1 | – | – | – | – | – | – |
| Lung Disease | 1 | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| Teething | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Quinsey | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gastritis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Enteritis | – | – | – | – | – | – | – | 2 | – | 1 | – | – | – | – | – | – |
| Peritonitis | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ascites | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ulceration of Intestines | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hernia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ileus | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Intussusception | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Stricture of Intestines | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Stomach Disease | – | 2 | – | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – |
| Pancreas Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hepatitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Jaundice | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Liver Disease | – | – | – | – | 2 | 3 | – | – | – | – | – | – | – | – | – | – |
| Spleen Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Nephritis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Nephria | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ischuria | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diabetes | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Stone | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cystitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Stricture of Urethra | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Kidney Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Paramenia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ovarian Dropsy | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Childbirth | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Organs of Generation | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Arthritis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rheumatism | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Joint Disease | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Carbuncle | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmon | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Skin Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cyanosis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Spina Bifida | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Malformations | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intemperance | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Privation | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Want of Breast Milk | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Neglect | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cold | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Poison | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hanging, etc. | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suffocation | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Drowning | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Fracture and Contusion | – | – | – | – | – | 1 | – | – | – | – | 1 | – | – | – | – | – |
| Wounds | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Violent Causes | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Not Specified | – | – | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in PERTH, at different Periods of Life, in 1862.—Both Sexes.

| DISEASES. | BOTH SEXES. | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | |
| | | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 |
| | | 3 | 6 | 12 | | | | | | | | | |
| All Causes | 618 | 47 | 11 | 43 | 66 | 26 | 28 | 15 | 22 | 12 | 15 | 23 | 22 |
| Specified Causes | 603 | 41 | 11 | 43 | 66 | 23 | 28 | 15 | 22 | 12 | 15 | 23 | 22 |
| I. Zymotic Class | 149 | 5 | 4 | 23 | 27 | 15 | 19 | 7 | 13 | 5 | 5 | 4 | 4 |
| II. Diseases of Uncertain Seat | 22 | – | – | – | – | – | – | – | – | 1 | – | – | – |
| III. Tubercular Class | 89 | – | – | 4 | 9 | 6 | 2 | 2 | 5 | 5 | 7 | 12 | 11 |
| IV. Brain and Nervous System | 58 | 2 | 2 | 1 | 1 | 1 | 3 | 3 | 1 | – | – | – | 1 |
| V. Organs of Circulation | 38 | – | – | – | – | – | – | – | 3 | – | – | – | – |
| VI. Respiratory Organs | 81 | 6 | 1 | 9 | 11 | 1 | 3 | 3 | – | – | – | 2 | 3 |
| VII. Organs of Digestion | 44 | 2 | 2 | 4 | 17 | – | 1 | – | – | – | – | 2 | 1 |
| VIII. Urinary Organs | 4 | – | – | – | – | – | – | – | – | – | – | – | – |
| IX. Organs of Generation | 6 | – | – | – | – | – | – | – | – | – | – | 1 | 2 |
| X. Organs of Locomotion | 3 | – | – | – | – | – | – | – | – | – | 1 | – | – |
| XI. Skin, etc. | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| XII. Malformation | 2 | 1 | 1 | – | – | – | – | – | – | – | – | – | – |
| XIII. Premature Debility | 28 | 25 | 1 | 2 | – | – | – | – | – | – | – | – | – |
| XIV. Atrophy | 6 | – | – | – | 1 | – | – | – | – | – | – | 1 | – |
| XV. Age | 54 | – | – | – | – | – | – | – | – | – | – | – | – |
| XVI. Sudden Deaths | 3 | – | – | – | – | – | – | – | – | – | – | – | – |
| XVII. Violent Deaths | 15 | – | – | – | – | – | – | – | – | 1 | 2 | 1 | – |
| I. Small Pox | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Measles | 5 | – | – | 1 | – | 2 | 1 | – | 1 | – | – | – | – |
| Scarlatina | 16 | – | – | 1 | 3 | 2 | 4 | 1 | 4 | – | 1 | – | – |
| Diphtheria | 7 | – | – | 1 | 1 | 1 | 1 | – | 3 | – | – | – | – |
| Hooping Cough | 60 | 4 | 4 | 18 | 17 | 5 | 6 | 5 | 1 | – | – | – | – |
| Croup | 16 | 1 | – | 1 | 4 | 4 | 5 | 1 | – | – | – | – | – |
| Thrush | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diarrhœa | 5 | – | – | – | 1 | – | – | – | – | – | – | – | 1 |
| Dysentery | 1 | – | – | – | – | – | – | – | – | 1 | – | – | – |
| Cholera | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Influenza | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| Purpura | 2 | – | – | – | – | – | – | – | – | 1 | – | – | – |
| Ague | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Worms | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Infantile Fever | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Typhus | 33 | – | – | – | 1 | 1 | 2 | – | 4 | 3 | 4 | 4 | 2 |
| Metria | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rheumatic Fever | 1 | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Erysipelas | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Syphilis | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Noma | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – |
| II. Hæmorrhage | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Dropsy | 7 | – | – | – | – | – | – | – | – | 1 | – | – | – |
| Abscess | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ulcer | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Fistula | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mortification | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Cancer | 13 | – | – | – | – | – | – | – | – | – | – | – | – |
| Gout | – | – | – | – | – | – | – | – | – | – | – | – | – |
| III. Scrofula | 9 | – | – | – | 2 | 1 | – | 1 | 1 | – | – | 2 | – |
| Tabes Mesenterica | 4 | – | – | 1 | 1 | 1 | – | – | – | – | – | – | – |
| Phthisis | 65 | – | – | – | 4 | 1 | 1 | 1 | 2 | 5 | 7 | 10 | 11 |
| Hydrocephalus | 11 | – | – | 3 | 2 | 3 | 1 | – | 2 | – | – | – | – |

CAUSES of DEATH in PERTH, at different Periods of Life, in 1862.—Both Sexes.

| DISEASES. | BOTH SEXES. AGE UNDER | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 35 | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| All Causes | 16 | 12 | 21 | 13 | 17 | 27 | 42 | 36 | 35 | 29 | 26 | 9 | 3 | – | – | 2 |
| Specified Causes | 15 | 12 | 19 | 13 | 17 | 27 | 41 | 36 | 35 | 29 | 26 | 9 | 3 | – | – | – |
| Zymotic Class | – | 1 | 3 | 1 | – | 3 | 3 | 2 | 2 | 3 | – | – | – | – | – | – |
| Uncertain Seat | – | – | – | 2 | 3 | 5 | 4 | 3 | 1 | 3 | – | – | – | – | – | – |
| Tubercular Class | 6 | 1 | 6 | 2 | 3 | 4 | 2 | – | 1 | 1 | – | – | – | – | – | – |
| Brain, etc. | – | 3 | 2 | 3 | 2 | 2 | 10 | 9 | 4 | 3 | 5 | – | – | – | – | – |
| Heart, etc. | 2 | 2 | 1 | 1 | 2 | 3 | 6 | 6 | 9 | 2 | 1 | – | – | – | – | – |
| Respiratory Organs | 4 | 1 | 4 | 1 | 1 | 3 | 6 | 7 | 8 | 4 | – | 2 | 1 | – | – | – |
| Digestive Organs | 1 | 1 | 1 | – | 1 | 3 | 4 | 2 | 1 | 1 | – | – | – | – | – | – |
| Urinary Organs | 1 | – | – | 1 | – | – | 1 | – | – | – | 1 | – | – | – | – | – |
| Generative Organs | 1 | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Locomotive Organs | – | – | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – |
| Skin | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Malformation | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Premature Debility | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Atrophy | – | 1 | – | 1 | – | 2 | – | – | – | – | – | – | – | – | – | – |
| Age | – | – | – | – | – | – | 4 | 4 | 7 | 12 | 18 | 7 | 2 | – | – | – |
| Sudden Deaths | – | – | 1 | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Violent Deaths | – | – | 1 | – | 2 | 2 | – | 3 | 2 | – | 1 | – | – | – | – | – |
| Small Pox | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Measles | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scarlatina | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diphtheria | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hooping Cough | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Croup | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Thrush | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diarrhœa | – | – | 2 | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Dysentery | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cholera | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Influenza | – | – | – | – | – | – | – | – | 2 | – | – | – | – | – | – | – |
| Purpura | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| Ague | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Worms | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Infantile Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Typhus | – | 1 | 1 | 1 | – | 2 | 3 | 2 | – | 2 | – | – | – | – | – | – |
| Metria | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rheumatic Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Erysipelas | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Syphilis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Noma | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmorrhage | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Dropsy | – | – | – | – | – | – | 1 | 2 | 1 | 2 | – | – | – | – | – | – |
| Abscess | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ulcer | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Fistula | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mortification | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Cancer | – | – | – | 2 | 2 | 5 | 2 | 1 | – | 1 | – | – | – | – | – | – |
| Gout | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scrofula | – | – | 1 | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Tabes Mesenterica | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Phthisis | 6 | 1 | 5 | 2 | 3 | 3 | 2 | – | – | 1 | – | – | – | – | – | – |
| Hydrocephalus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in PERTH, at different Periods of Life, in 1862.—Both Sexes. (*Continued.*)

| DISEASES. | BOTH SEXES. | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | |
| | | MONTHS | | | | | | | | | | | |
| | | 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 |
| IV. Cephalitis | 4 | – | – | 1 | – | – | 1 | – | 1 | – | – | – | – |
| Apoplexy | 20 | – | 1 | – | – | – | – | 1 | – | – | – | – | – |
| Paralysis | 17 | – | – | – | – | – | – | – | – | – | – | – | – |
| Delirium Tremens | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chorea | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epilepsy | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tetanus | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Insanity | 4 | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Convulsions | 5 | 1 | 1 | – | 1 | 1 | 1 | – | – | – | – | – | – |
| Brain Disease | 7 | – | – | – | – | – | 1 | 2 | – | – | – | – | – |
| V. Pericarditis | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Aneurism | 3 | – | – | – | – | – | – | – | – | – | – | – | – |
| Heart Disease | 35 | – | – | – | – | – | – | – | 3 | – | – | – | – |
| VI. Laryngitis | 2 | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Bronchitis | 63 | 6 | 1 | 8 | 10 | 1 | 3 | 3 | – | – | – | 1 | 2 |
| Pleurisy | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Pneumonia | 11 | – | – | 1 | – | – | – | – | – | – | – | 1 | 1 |
| Asthma | 4 | – | – | – | – | – | – | – | – | – | – | – | – |
| Lung Disease | – | – | – | – | – | – | – | – | – | – | – | – | – |
| VII. Teething | 21 | – | 2 | 4 | 15 | – | – | – | – | – | – | – | – |
| Quinsey | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Gastritis | 2 | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Enteritis | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Peritonitis | 2 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Ascites | 3 | – | – | – | 1 | – | – | – | – | – | – | – | 1 |
| Ulceration of Intestines | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Hernia | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Ileus | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Intussusception | 1 | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Stricture of Intestines | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Stomach Disease | 4 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Pancreas Disease | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hepatitis | 1 | – | – | – | – | – | 1 | – | – | – | – | – | – |
| Jaundice | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Liver Disease | 5 | – | – | – | – | – | – | – | – | – | – | – | – |
| Spleen Disease | – | – | – | – | – | – | – | – | – | – | – | – | – |
| VIII. Nephritis | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Nephria | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ischuria | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diabetes | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Stone | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cystitis | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Stricture of Urethra | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Kidney Disease | 3 | – | – | – | – | – | – | – | – | – | – | – | – |
| IX. Paramenia | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ovarian Dropsy | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Childbirth | 6 | – | – | – | – | – | – | – | – | – | – | 1 | 2 |
| Organs of Generation | – | – | – | – | – | – | – | – | – | – | – | – | – |
| X. Arthritis | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rheumatism | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| Joint and Bone Disease | 1 | – | – | – | – | – | – | – | – | – | 1 | – | – |
| XI. Carbuncle | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmon | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Skin Disease | – | – | – | – | – | – | – | – | – | – | – | – | – |
| XII. Cyanosis | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Spina Bifida | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Other Malformations | – | – | – | – | – | – | – | – | – | – | – | – | – |
| XVII. Intemperance | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Privation | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Want of Breast Milk | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Neglect | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cold | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Poison | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| Hanging, etc. | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Suffocation | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Drowning | 3 | – | – | – | – | – | – | – | – | – | 1 | – | – |
| Fracture and Contusion | 8 | – | – | – | – | – | – | – | – | 1 | 1 | – | – |
| Wounds | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Violent Causes | 1 | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Not Specified | 15 | 6 | – | – | – | 3 | – | – | – | – | – | – | – |

CAUSES of DEATH in PERTH, at different Periods of Life, in 1862.—Both Sexes. (*Continued.*)

| DISEASES. | BOTH SEXES. AGE UNDER | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 35 | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| Cephalitis | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Apoplexy | – | 2 | 1 | 1 | 1 | 1 | 4 | 2 | 3 | 1 | 2 | – | – | – | – | – |
| Paralysis | – | 1 | 1 | – | 1 | 1 | 4 | 5 | – | 2 | 2 | – | – | – | – | – |
| Delirium Tremens | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chorea | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epilepsy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tetanus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Insanity | – | – | – | 1 | – | – | 1 | 1 | – | – | – | – | – | – | – | – |
| Convulsions | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Brain Disease | – | – | – | – | – | – | 1 | 1 | 1 | – | 1 | – | – | – | – | – |
| Pericarditis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Aneurism | – | 1 | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Heart Disease | 2 | 1 | 1 | – | 2 | 2 | 6 | 6 | 9 | 2 | 1 | – | – | – | – | – |
| Laryngitis | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Bronchitis | 2 | 1 | 3 | 1 | – | 1 | 4 | 3 | 6 | 4 | – | 2 | 1 | – | – | – |
| Pleurisy | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Pneumonia | 1 | – | 1 | – | 1 | 2 | – | 2 | 1 | – | – | – | – | – | – | – |
| Asthma | – | – | – | – | – | – | 2 | 1 | 1 | – | – | – | – | – | – | – |
| Lung Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Teething | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Quinsey | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gastritis | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Enteritis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Peritonitis | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Ascites | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ulceration of Intestines | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| Hernia | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Ileus | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Intussusception | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Stricture of Intestines | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Stomach Disease | – | – | – | – | – | – | 2 | 1 | – | – | – | – | – | – | – | – |
| Pancreas Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hepatitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Jaundice | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Liver Disease | 1 | – | 1 | – | 1 | 1 | 1 | – | – | – | – | – | – | – | – | – |
| Spleen Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Nephritis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Nephria | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ischuria | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diabetes | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Stone | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cystitis | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Stricture of Urethra | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Kidney Disease | 1 | – | – | 1 | – | – | – | – | – | – | 1 | – | – | – | – | – |
| Paramenia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ovarian Dropsy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Childbirth | 1 | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Organs of Generation | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Arthritis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rheumatism | – | – | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – |
| Joint Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Carbuncle | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmon | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Skin Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cyanosis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Spina Bifida | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Malformations | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intemperance | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Privation | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Want of Breast Milk | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Neglect | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cold | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Poison | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds | – | – | – | – | – | – | – | 1 | – | – | 1 | – | – | – | – | – |
| Hanging, etc. | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Suffocation | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Drowning | – | – | – | – | – | 2 | – | – | – | – | – | – | – | – | – | – |
| Fracture and Contusion | – | – | 1 | – | 2 | – | – | 1 | 2 | – | – | – | – | – | – | – |
| Wounds | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Violent Causes | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Not Specified | 1 | – | 2 | – | – | – | 1 | – | – | – | – | – | – | – | – | 2 |

CAUSES of DEATH in PERTH, at different Periods of Life, in 1862.—MALES.

| DISEASES. | MALES. | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | |
| | | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 |
| | | 3 | 6 | 12 | | | | | | | | | |
| ALL CAUSES | 295 | 23 | 8 | 25 | 29 | 16 | 17 | 8 | 15 | 6 | 7 | 12 | 8 |
| SPECIFIED CAUSES | 289 | 21 | 8 | 25 | 29 | 13 | 17 | 8 | 15 | 6 | 7 | 12 | 8 |
| I. Zymotic Class | 71 | 2 | 2 | 10 | 10 | 7 | 10 | 2 | 8 | 2 | 2 | 3 | 4 |
| II. Diseases of Uncertain Seat | 7 | – | – | – | – | – | – | – | – | 1 | – | – | – |
| III. Tubercular Class | 46 | – | – | 4 | 6 | 5 | 2 | 1 | 3 | 2 | 2 | 6 | 2 |
| IV. Brain and Nervous System | 37 | 2 | 2 | 1 | 1 | 1 | 3 | 3 | 1 | – | – | – | – |
| V. Organs of Circulation | 22 | – | – | – | – | – | – | – | 3 | – | – | – | – |
| VI. Respiratory Organs | 35 | 2 | 1 | 5 | 4 | – | 1 | 2 | – | – | – | 1 | 1 |
| VII. Organs of Digestion | 21 | 2 | 2 | 3 | 8 | – | 1 | – | – | – | – | 1 | 1 |
| VIII. Urinary Organs | 3 | – | – | – | – | – | – | – | – | – | – | – | – |
| IX. Organs of Generation | – | – | – | – | – | – | – | – | – | – | – | – | – |
| X. Organs of Locomotion | 1 | – | – | – | – | – | – | – | – | – | 1 | – | – |
| XI. Skin, etc. | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| XII. Malformation | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| XIII. Premature Debility | 15 | 13 | – | 2 | – | – | – | – | – | – | – | – | – |
| XIV. Atrophy | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| XV. Age | 17 | – | – | – | – | – | – | – | – | – | – | – | – |
| XVI. Sudden Deaths | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| XVII. Violent Deaths | 9 | – | – | – | – | – | – | – | – | 1 | 2 | 1 | – |
| I. Small Pox | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Measles | 1 | – | – | – | – | – | – | – | 1 | – | – | – | – |
| Scarlatina | 6 | – | – | – | – | 1 | 2 | – | 3 | – | – | – | – |
| Diphtheria | 4 | – | – | 1 | 1 | 1 | – | – | 1 | – | – | – | – |
| Hooping Cough | 24 | 1 | 2 | 8 | 5 | 2 | 4 | 2 | – | – | – | – | – |
| Croup | 10 | 1 | – | 1 | 2 | 3 | 3 | – | – | – | – | – | – |
| Thrush | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diarrhœa | 3 | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Dysentery | 1 | – | – | – | – | – | – | – | – | 1 | – | – | – |
| Cholera | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Influenza | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Purpura | 1 | – | – | – | – | – | – | – | – | 1 | – | – | – |
| Ague | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Worms | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Infantile Fever | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Typhus | 20 | – | – | – | 1 | – | 1 | – | 3 | – | 2 | 3 | 2 |
| Metria | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rheumatic Fever | 1 | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Erysipelas | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Syphilis | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Noma | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – |
| II. Hæmorrhage | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Dropsy | 4 | – | – | – | – | – | – | – | – | 1 | – | – | – |
| Abscess | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ulcer | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Fistula | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mortification | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cancer | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| Gout | – | – | – | – | – | – | – | – | – | – | – | – | – |
| III. Scrofula | 8 | – | – | – | 2 | 1 | – | 1 | 1 | – | – | 2 | – |
| Tabes Mesenterica | 2 | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Phthisis | 26 | – | – | – | 3 | 1 | 1 | – | – | 2 | 2 | 4 | 2 |
| Hydrocephalus | 10 | – | – | 3 | 1 | 3 | 1 | – | 2 | – | – | – | – |

CAUSES of DEATH in PERTH, at different Periods of Life, in 1862.—MALES.

| DISEASES. | MALES. AGE UNDER | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 35 | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| ALL CAUSES | 7 | 4 | 10 | 6 | 9 | 12 | 22 | 13 | 8 | 11 | 14 | 4 | – | – | – | 1 |
| SPECIFIED CAUSES | 7 | 4 | 10 | 6 | 9 | 12 | 22 | 13 | 8 | 11 | 14 | 4 | – | – | – | – |
| Zymotic Class | – | – | 1 | 1 | – | 3 | 1 | 2 | – | 1 | – | – | – | – | – | – |
| Uncertain Seat | – | – | – | 1 | – | – | 1 | 1 | 1 | 2 | – | – | – | – | – | – |
| Tubercular Class | 2 | – | 4 | 1 | 3 | 2 | 1 | – | – | – | – | – | – | – | – | – |
| Brain, etc. | – | 2 | 2 | 1 | 1 | – | 7 | 4 | 1 | 1 | 4 | – | – | – | – | – |
| Heart, etc. | 1 | 2 | 1 | – | 1 | 3 | 4 | 2 | 3 | 2 | – | – | – | – | – | – |
| Respiratory Organs | 3 | – | 1 | 1 | 1 | 1 | 5 | 2 | 1 | 1 | – | 2 | – | – | – | – |
| Digestive Organs | – | – | – | – | – | – | 2 | – | – | 1 | – | – | – | – | – | – |
| Urinary Organs | 1 | – | – | – | – | – | 1 | – | – | – | 1 | – | – | – | – | – |
| Generative Organs | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Locomotive Organs | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Skin | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Malformation | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Premature Debility | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Atrophy | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Age | – | – | – | – | – | – | – | 1 | 2 | 3 | 9 | 2 | – | – | – | – |
| Sudden Deaths | – | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Violent Deaths | – | – | 1 | – | 1 | 2 | – | 1 | – | – | – | – | – | – | – | – |
| Small Pox | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Measles | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scarlatina | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diphtheria | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hooping Cough | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Croup | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Thrush | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diarrhœa | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Dysentery | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cholera | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Influenza | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Purpura | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ague | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Worms | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Infantile Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Typhus | – | – | 1 | 1 | – | 2 | 1 | 2 | – | 1 | – | – | – | – | – | – |
| Metria | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rheumatic Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Erysipelas | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Syphilis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Noma | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmorrhage | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Dropsy | – | – | – | – | – | – | – | 1 | 1 | 1 | – | – | – | – | – | – |
| Abscess | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ulcer | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Fistula | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mortification | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cancer | – | – | – | 1 | – | – | – | – | – | 1 | – | – | – | – | – | – |
| Gout | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scrofula | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tabes Mesenterica | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Phthisis | 2 | – | 3 | 1 | 3 | 1 | 1 | – | – | – | – | – | – | – | – | – |
| Hydrocephalus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in PERTH, at different Periods of Life, in 1862.—MALES. (*Continued.*)

| DISEASES. | MALES. | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | |
| | | MONTHS. | | | | | | | | | | | |
| | | 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 |
| IV. Cephalitis | 3 | – | – | 1 | – | – | 1 | – | 1 | – | – | – | – |
| Apoplexy | 10 | – | 1 | – | – | – | – | 1 | – | – | – | – | – |
| Paralysis | 12 | – | – | – | – | – | – | – | – | – | – | – | – |
| Delirium Tremens | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chorea | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epilepsy | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tetanus | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Insanity | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Convulsions | 5 | 1 | 1 | – | 1 | 1 | 1 | – | – | – | – | – | – |
| Brain Disease | 5 | – | – | – | – | – | 1 | 2 | – | – | – | – | – |
| V. Pericarditis | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Aneurism | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| Heart Disease | 20 | – | – | – | – | – | – | – | 3 | – | – | – | – |
| VI. Laryngitis | 2 | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Bronchitis | 23 | 2 | 1 | 4 | 3 | – | 1 | 2 | – | – | – | – | – |
| Pleurisy | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Pneumonia | 7 | – | – | 1 | – | – | – | – | – | – | – | 1 | 1 |
| Asthma | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| Lung Disease | – | – | – | – | – | – | – | – | – | – | – | – | – |
| VII. Teething | 12 | – | 2 | 3 | 7 | – | – | – | – | – | – | – | – |
| Quinsey | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Gastritis | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Enteritis | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Peritonitis | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Ascites | 1 | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Ulceration of Intestines | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Hernia | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ileus | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intussusception | 1 | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Stricture of Intestines | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Stomach Disease | 2 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Pancreas Disease | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hepatitis | 1 | – | – | – | – | – | 1 | – | – | – | – | – | – |
| Jaundice | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Liver Disease | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Spleen Disease | – | – | – | – | – | – | – | – | – | – | – | – | – |
| VIII. Nephritis | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Nephria | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ischuria | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diabetes | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Stone | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cystitis | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Stricture of Urethra | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Kidney Disease | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| IX. Paramenia | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ovarian Dropsy | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Childbirth | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Organs of Generation | – | – | – | – | – | – | – | – | – | – | – | – | – |
| X. Arthritis | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rheumatism | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Joint and Bone Disease | 1 | – | – | – | – | – | – | – | – | – | 1 | – | – |
| XI. Carbuncle | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmon | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Skin Disease | – | – | – | – | – | – | – | – | – | – | – | – | – |
| XII. Cyanosis | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Spina Bifida | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Malformations | – | – | – | – | – | – | – | – | – | – | – | – | – |
| XVII. Intemperance | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Privation | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Want of Breast Milk | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Neglect | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cold | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Poison | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hanging, etc. | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suffocation | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Drowning | 3 | – | – | – | – | – | – | – | – | – | 1 | – | – |
| Fracture and Contusion | 5 | – | – | – | – | – | – | – | – | 1 | 1 | – | – |
| Wounds | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Violent Causes | 1 | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Not Specified | 6 | 2 | – | – | – | 3 | – | – | – | – | – | – | – |

CAUSES of DEATH in PERTH, at different Periods of Life, in 1862.—MALES. (*Continued.*)

| DISEASES. | MALES. AGE UNDER | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 35 | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| Cephalitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Apoplexy | – | 1 | 1 | – | – | – | 3 | 1 | 1 | – | 1 | – | – | – | – | – |
| Paralysis | – | 1 | 1 | – | 1 | – | 3 | 3 | – | 1 | 2 | – | – | – | – | – |
| Delirium Tremens | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chorea | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epilepsy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tetanus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Insanity | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Convulsions | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Brain Disease | – | – | – | – | – | – | 1 | – | – | – | 1 | – | – | – | – | – |
| Pericarditis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Aneurism | – | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Heart Disease | 1 | 1 | 1 | – | 1 | 2 | 4 | 2 | 3 | 2 | – | – | – | – | – | – |
| Laryngitis | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Bronchitis | 1 | – | – | 1 | – | – | 4 | – | 1 | 1 | – | 2 | – | – | – | – |
| Pleurisy | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Pneumonia | 1 | – | 1 | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – |
| Asthma | – | – | – | – | – | – | 1 | 1 | – | – | – | – | – | – | – | – |
| Lung Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Teething | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Quinsey | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gastritis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Enteritis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Peritonitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ascites | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ulceration of Intestines | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| Hernia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ileus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intussusception | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Stricture of Intestines | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Stomach Disease | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Pancreas Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hepatitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Jaundice | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Liver Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Spleen Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Nephritis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Nephria | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ischuria | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diabetes | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Stone | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cystitis | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Stricture of Urethra | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Kidney Disease | 1 | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| Paramenia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ovarian Dropsy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Childbirth | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Organs of Generation | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Arthritis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rheumatism | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Joint Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Carbuncle | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmon | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Skin Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cyanosis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Spina Bifida | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Malformations | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intemperance | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Privation | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Want of Breast Milk | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Neglect | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cold | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Poison | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hanging, etc. | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suffocation | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Drowning | – | – | – | – | – | 2 | – | – | – | – | – | – | – | – | – | – |
| Fracture and Contusion | – | – | 1 | – | 1 | – | – | 1 | – | – | – | – | – | – | – | – |
| Wounds | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Violent Causes | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Not Specified | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | 1 |

CAUSES of DEATH in PERTH, at different Periods of Life, in 1862.—FEMALES.

| DISEASES. | FEMALES. | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | |
| | | MONTHS. | | | | | | | | | | | |
| | | 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 |
| ALL CAUSES | 323 | 24 | 3 | 18 | 37 | 10 | 11 | 7 | 7 | 6 | 8 | 11 | 14 |
| SPECIFIED CAUSES | 314 | 20 | 3 | 18 | 37 | 10 | 11 | 7 | 7 | 6 | 8 | 11 | 14 |
| I. Zymotic Class | 78 | 3 | 2 | 13 | 17 | 8 | 9 | 5 | 5 | 3 | 3 | 1 | – |
| II. Diseases of Uncertain Seat | 15 | – | – | – | – | – | – | – | – | – | – | – | – |
| III. Tubercular Class | 43 | – | – | – | 3 | 1 | – | 1 | 2 | 3 | 5 | 6 | 9 |
| IV. Brain and Nervous System | 21 | – | – | – | – | – | – | – | – | – | – | – | 1 |
| V. Organs of Circulation | 16 | – | – | – | – | – | – | – | – | – | – | – | – |
| VI. Respiratory Organs | 46 | 4 | – | 4 | 7 | 1 | 2 | 1 | – | – | – | 1 | 2 |
| VII. Organs of Digestion | 23 | – | – | 1 | 9 | – | – | – | – | – | – | 1 | – |
| VIII. Urinary Organs | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| IX. Organs of Generation | 6 | – | – | – | – | – | – | – | – | – | – | 1 | 2 |
| X. Organs of Locomotion | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| XI. Skin, etc. | – | – | – | – | – | – | – | – | – | – | – | – | – |
| XII. Malformation | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| XIII. Premature Debility | 13 | 12 | 1 | – | – | – | – | – | – | – | – | – | – |
| XIV. Atrophy | 5 | – | – | – | 1 | – | – | – | – | – | – | 1 | – |
| XV. Age | 37 | – | – | – | – | – | – | – | – | – | – | – | – |
| XVI. Sudden Deaths | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| XVII. Violent Deaths | 6 | – | – | – | – | – | – | – | – | – | – | – | – |
| I. Small Pox | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Measles | 4 | – | – | 1 | – | 2 | 1 | – | – | – | – | – | – |
| Scarlatina | 10 | – | – | 1 | 3 | 1 | 2 | 1 | 1 | – | 1 | – | – |
| Diphtheria | 3 | – | – | – | – | – | 1 | – | 2 | – | – | – | – |
| Hooping Cough | 36 | 3 | 2 | 10 | 12 | 3 | 2 | 3 | 1 | – | – | – | – |
| Croup | 6 | – | – | – | 2 | 1 | 2 | 1 | – | – | – | – | – |
| Thrush | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diarrhœa | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| Dysentery | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cholera | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Influenza | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| Purpura | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Ague | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Worms | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Infantile Fever | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Typhus | 13 | – | – | – | – | 1 | 1 | – | 1 | 3 | 2 | 1 | – |
| Metria | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rheumatic Fever | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Erysipelas | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Syphilis | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Noma | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – |
| II. Hæmorrhage | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Dropsy | 3 | – | – | – | – | – | – | – | – | – | – | – | – |
| Abscess | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ulcer | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Fistula | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mortification | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Cancer | 11 | – | – | – | – | – | – | – | – | – | – | – | – |
| Gout | – | – | – | – | – | – | – | – | – | – | – | – | – |
| III. Scrofula | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Tabes Mesenterica | 2 | – | – | – | 1 | 1 | – | – | – | – | – | – | – |
| Phthisis | 39 | – | – | – | 1 | – | – | 1 | 2 | 3 | 5 | 6 | 9 |
| Hydrocephalus | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – |

CAUSES of DEATH in PERTH, at different Periods of Life, in 1862.—FEMALES.

| DISEASES. | FEMALES. AGE UNDER | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 35 | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| ALL CAUSES | 9 | 8 | 11 | 7 | 8 | 15 | 20 | 23 | 27 | 18 | 12 | 5 | 3 | – | – | 1 |
| SPECIFIED CAUSES | 8 | 8 | 9 | 7 | 8 | 15 | 19 | 23 | 27 | 18 | 12 | 5 | 3 | – | – | – |
| Zymotic Class | – | 1 | 2 | – | – | – | 2 | – | 2 | 2 | – | – | – | – | – | – |
| Uncertain Seat | – | – | – | 1 | 3 | 5 | 3 | 2 | – | 1 | – | – | – | – | – | – |
| Tubercular Class | 4 | 1 | 2 | 1 | – | 2 | 1 | – | 1 | 1 | – | – | – | – | – | – |
| Brain, etc. | – | 1 | – | 2 | 1 | 2 | 3 | 5 | 3 | 2 | 1 | – | – | – | – | – |
| Heart, etc. | 1 | – | – | 1 | 1 | – | 2 | 4 | 6 | – | 1 | – | – | – | – | – |
| Respiratory Organs | 1 | 1 | 3 | – | – | 2 | 1 | 5 | 7 | 3 | – | – | 1 | – | – | – |
| Digestive Organs | 1 | 1 | 1 | – | 1 | 3 | 2 | 2 | 1 | – | – | – | – | – | – | – |
| Urinary Organs | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Generative Organs | 1 | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Locomotive Organs | – | – | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – |
| Skin | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Malformation | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Premature Debility | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Atrophy | – | 1 | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Age | – | – | – | – | – | – | 4 | 3 | 5 | 9 | 9 | 5 | 2 | – | – | – |
| Sudden Deaths | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Violent Deaths | – | – | – | – | 1 | – | – | 2 | 2 | – | 1 | – | – | – | – | – |
| Small Pox | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Measles | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scarlatina | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diphtheria | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hooping Cough | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Croup | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Thrush | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diarrhœa | – | – | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Dysentery | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cholera | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Influenza | – | – | – | – | – | – | – | – | 2 | – | – | – | – | – | – | – |
| Purpura | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| Ague | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Worms | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Infantile Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Typhus | – | 1 | – | – | – | – | 2 | – | – | 1 | – | – | – | – | – | – |
| Metria | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rheumatic Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Erysipelas | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Syphilis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Noma | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmorrhage | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Dropsy | – | – | – | – | – | – | 1 | 1 | – | 1 | – | – | – | – | – | – |
| Abscess | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ulcer | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Fistula | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mortification | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Cancer | – | – | – | 1 | 2 | 5 | 2 | 1 | – | – | – | – | – | – | – | – |
| Gout | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scrofula | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Tabes Mesenterica | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phthisis | 4 | 1 | 2 | 1 | – | 2 | 1 | – | – | 1 | – | – | – | – | – | – |
| Hydrocephalus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in PERTH, at different Periods of Life, in 1862.—FEMALES. (*Continued.*)

| DISEASES. | FEMALES. | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | |
| | | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 |
| | | 3 | 6 | 12 | | | | | | | | | |
| IV. Cephalitis | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Apoplexy | 10 | – | – | – | – | – | – | – | – | – | – | – | – |
| Paralysis | 5 | – | – | – | – | – | – | – | – | – | – | – | – |
| Delirium Tremens | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chorea | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epilepsy | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tetanus | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Insanity | 3 | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Convulsions | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Brain Disease | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| V. Pericarditis | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Aneurism | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Heart Disease | 15 | – | – | – | – | – | – | – | – | – | – | – | – |
| VI. Laryngitis | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Bronchitis | 40 | 4 | – | 4 | 7 | 1 | 2 | 1 | – | – | – | 1 | 2 |
| Pleurisy | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pneumonia | 4 | – | – | – | – | – | – | – | – | – | – | – | – |
| Asthma | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| Lung Disease | – | – | – | – | – | – | – | – | – | – | – | – | – |
| VII. Teething | 9 | – | – | 1 | 8 | – | – | – | – | – | – | – | – |
| Quinsey | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gastritis | 2 | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Enteritis | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Peritonitis | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Ascites | 2 | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Ulceration of Intestines | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hernia | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Ileus | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Intussusception | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Stricture of Intestines | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Stomach Disease | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| Pancreas Disease | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hepatitis | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Jaundice | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Liver Disease | 5 | – | – | – | – | – | – | – | – | – | – | – | – |
| Spleen Disease | – | – | – | – | – | – | – | – | – | – | – | – | – |
| VIII. Nephritis | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Nephria | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ischuria | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diabetes | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Stone | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cystitis | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Stricture of Urethra | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Kidney Disease | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| IX. Paramenia | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ovarian Dropsy | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Childbirth | 6 | – | – | – | – | – | – | – | – | – | – | 1 | 2 |
| Organs of Generation | – | – | – | – | – | – | – | – | – | – | – | – | – |
| X. Arthritis | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rheumatism | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| Joint and Bone Disease | – | – | – | – | – | – | – | – | – | – | – | – | – |
| XI. Carbuncle | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmon | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Skin Disease | – | – | – | – | – | – | – | – | – | – | – | – | – |
| XII. Cyanosis | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Spina Bifida | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Other Malformations | – | – | – | – | – | – | – | – | – | – | – | – | – |
| XVII. Intemperance | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Privation | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Want of Breast Milk | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Neglect | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cold | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Poison | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| Hanging, etc. | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Suffocation | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Drowning | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Fracture and Contusion | 3 | – | – | – | – | – | – | – | – | – | – | – | – |
| Wounds | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Violent Causes | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Not Specified | 9 | 4 | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in PERTH, at different Periods of Life, in 1862.—FEMALES. (*Continued.*)

| DISEASES. | FEMALES. AGE UNDER | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 35 | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| Cephalitis | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Apoplexy | – | 1 | – | 1 | 1 | 1 | 1 | 1 | 2 | 1 | 1 | – | – | – | – | – |
| Paralysis | – | – | – | – | – | 1 | 1 | 2 | – | 1 | – | – | – | – | – | – |
| Delirium Tremens | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chorea | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epilepsy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tetanus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Insanity | – | – | – | – | – | – | 1 | 1 | – | – | – | – | – | – | – | – |
| Convulsions | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Brain Disease | – | – | – | – | – | – | – | 1 | 1 | – | – | – | – | – | – | – |
| Pericarditis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Aneurism | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Heart Disease | 1 | – | – | – | 1 | – | 2 | 4 | 6 | – | 1 | – | – | – | – | – |
| Laryngitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Bronchitis | 1 | 1 | 3 | – | – | 1 | – | 3 | 5 | 3 | – | – | 1 | – | – | – |
| Pleurisy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pneumonia | – | – | – | – | – | 1 | – | 2 | 1 | – | – | – | – | – | – | – |
| Asthma | – | – | – | – | – | – | 1 | – | 1 | – | – | – | – | – | – | – |
| Lung Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Teething | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Quinsey | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gastritis | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Enteritis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Peritonitis | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Ascites | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ulceration of Intestines | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hernia | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Ileus | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Intussusception | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Stricture of Intestines | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Stomach Disease | – | – | – | – | – | – | 1 | 1 | – | – | – | – | – | – | – | – |
| Pancreas Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hepatitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Jaundice | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Liver Disease | 1 | – | 1 | – | 1 | 1 | 1 | – | – | – | – | – | – | – | – | – |
| Spleen Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Nephritis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Nephria | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ischuria | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diabetes | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Stone | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cystitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Stricture of Urethra | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Kidney Disease | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Paramenia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ovarian Dropsy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Childbirth | 1 | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Organs of Generation | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Arthritis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rheumatism | – | – | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – |
| Joint Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Carbuncle | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmon | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Skin Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cyanosis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Spina Bifida | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Malformations | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intemperance | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Privation | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Want of Breast Milk | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Neglect | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cold | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Poison | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds | – | – | – | – | – | – | – | 1 | – | – | 1 | – | – | – | – | – |
| Hanging, etc. | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Suffocation | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Drowning | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Fracture and Contusion | – | – | – | – | 1 | – | – | – | 2 | – | – | – | – | – | – | – |
| Wounds | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Violent Causes | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Not Specified | 1 | – | 2 | – | – | – | 1 | – | – | – | – | – | – | – | – | 1 |

TABLE showing the Distribution of DEATHS according to MONTHS, or the Influence of SEASON on the MORTALITY.
The Population is estimated to the middle of the year 1862.

| | | | DEATHS in 1862. | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | Jan | Feb | Mar | Apr | May | Jun | July | Aug | Sep | Oct | Nov | Dec | YEAR. |
| | MEAN TEMPERATURE in 1862 | | 38°·4 | 40°·1 | 37°·8 | 44°·6 | 51°·1 | 52°·4 | 53°·8 | 56°·0 | 53°·4 | 47°·1 | 37°·1 | 41°·8 | 46°·1 |
| | | Population 1862. | | | | | | | | | | | | | |
| | SCOTLAND . . | 3,083,989 | 6895 | 5825 | 6693 | 6229 | 5844 | 5309 | 5177 | 4455 | 4598 | 4782 | 5209 | 6179 | 67,195 |
| | INSULAR DISTRICTS . | 160,014 | 247 | 260 | 398 | 345 | 264 | 211 | 238 | 213 | 188 | 176 | 188 | 247 | 2,975 |
| | MAINLAND DISTRICTS | 1,769,198 | 3213 | 2911 | 3312 | 3029 | 2871 | 2656 | 2647 | 2290 | 2195 | 2248 | 2406 | 2916 | 32,694 |
| | TOWN DISTRICTS . | 1,154,777 | 3435 | 2654 | 2983 | 2855 | 2709 | 2442 | 2292 | 1952 | 2215 | 2358 | 2615 | 3016 | 31,526 |
| | DIVISIONS. | | | | | | | | | | | | | | |
| 1 | Northern . . . | 130,845 | 165 | 192 | 229 | 243 | 167 | 143 | 179 | 153 | 132 | 138 | 127 | 149 | 2,017 |
| 2 | North-Western . | 166,279 | 266 | 289 | 380 | 322 | 270 | 230 | 237 | 220 | 230 | 197 | 191 | 274 | 3,106 |
| 3 | North-Eastern . . | 369,084 | 656 | 623 | 724 | 630 | 600 | 554 | 508 | 447 | 448 | 399 | 556 | 643 | 6,788 |
| 4 | East-Midland . . | 524,803 | 1074 | 938 | 1173 | 1083 | 957 | 835 | 867 | 771 | 735 | 734 | 796 | 946 | 10,909 |
| 5 | West-Midland . . | 242,639 | 523 | 453 | 505 | 441 | 447 | 366 | 419 | 344 | 338 | 315 | 382 | 434 | 4,967 |
| 6 | South-Western . | 1,024,151 | 2772 | 2142 | 2368 | 2292 | 2265 | 2082 | 1906 | 1622 | 1834 | 1954 | 2031 | 2299 | 25,567 |
| 7 | South-Eastern . . | 412,179 | 980 | 823 | 875 | 813 | 767 | 732 | 714 | 598 | 629 | 798 | 792 | 1031 | 9,552 |
| 8 | Southern . . . | 214,009 | 459 | 365 | 439 | 405 | 371 | 367 | 347 | 300 | 252 | 247 | 334 | 403 | 4,289 |
| | COUNTIES. | | | | | | | | | | | | | | |
| | I. NORTHERN. | | | | | | | | | | | | | | |
| 1 | Shetland . . . | 31,744 | 41 | 50 | 69 | 58 | 40 | 24 | 38 | 33 | 30 | 29 | 32 | 40 | 484 |
| 2 | Orkney . . . | 32,512 | 34 | 38 | 64 | 62 | 38 | 41 | 39 | 40 | 30 | 34 | 28 | 39 | 487 |
| 3 | Caithness . . . | 42,500 | 71 | 76 | 64 | 84 | 56 | 59 | 64 | 51 | 49 | 53 | 37 | 38 | 702 |
| 4 | Sutherland . . | 24,089 | 19 | 28 | 32 | 39 | 33 | 19 | 38 | 29 | 23 | 22 | 30 | 32 | 344 |
| | II. NORTH-WESTERN. | | | | | | | | | | | | | | |
| 5 | Ross and Cromarty . | 82,258 | 122 | 133 | 168 | 142 | 128 | 116 | 131 | 121 | 105 | 90 | 104 | 147 | 1,507 |
| 6 | Inverness . . . | 84,021 | 144 | 156 | 212 | 180 | 142 | 114 | 106 | 99 | 125 | 107 | 87 | 127 | 1,599 |
| | III. NORTH-EASTERN. | | | | | | | | | | | | | | |
| 7 | Nairn . . . | 8,380 | 15 | 15 | 19 | 8 | 7 | 9 | 11 | 14 | 8 | 16 | 15 | 7 | 144 |
| 8 | Elgin (or Moray) . | 44,678 | 76 | 98 | 91 | 81 | 61 | 75 | 66 | 58 | 60 | 53 | 65 | 79 | 863 |
| 9 | Banff . . . | 56,603 | 88 | 87 | 104 | 117 | 94 | 70 | 58 | 68 | 65 | 48 | 57 | 62 | 918 |
| 10 | Aberdeen . . . | 224,579 | 413 | 385 | 464 | 370 | 394 | 352 | 328 | 261 | 283 | 239 | 368 | 443 | 4,300 |
| 11 | Kincardine . . | 34,844 | 64 | 38 | 46 | 54 | 44 | 48 | 45 | 46 | 32 | 43 | 51 | 52 | 563 |
| | IV. EAST-MIDLAND. | | | | | | | | | | | | | | |
| 12 | Forfar . . . | 208,389 | 483 | 442 | 560 | 526 | 448 | 350 | 378 | 317 | 329 | 299 | 366 | 387 | 4,885 |
| 13 | Perth . . . | 132,677 | 250 | 207 | 275 | 249 | 216 | 181 | 197 | 181 | 169 | 163 | 172 | 221 | 2,481 |
| 14 | Fife . . . . | 155,174 | 280 | 233 | 297 | 263 | 255 | 238 | 241 | 220 | 202 | 240 | 231 | 288 | 2,988 |
| 15 | Kinross . . . | 8,620 | 11 | 16 | 13 | 16 | 10 | 17 | 16 | 12 | 7 | 7 | 5 | 8 | 138 |
| 16 | Clackmannan . . | 19,943 | 50 | 40 | 28 | 29 | 28 | 49 | 35 | 41 | 28 | 25 | 22 | 42 | 417 |
| | V. WEST-MIDLAND. | | | | | | | | | | | | | | |
| 17 | Stirling . . . | 88,679 | 191 | 170 | 168 | 145 | 176 | 164 | 165 | 119 | 140 | 140 | 169 | 190 | 1,937 |
| 18 | Dumbarton . . | 55,078 | 142 | 92 | 108 | 107 | 102 | 74 | 83 | 75 | 87 | 78 | 77 | 85 | 1,110 |
| 19 | Argyll . . . | 82,587 | 164 | 166 | 185 | 155 | 140 | 101 | 130 | 123 | 93 | 73 | 111 | 122 | 1,563 |
| 20 | Bute . . . . | 16,295 | 26 | 25 | 44 | 34 | 29 | 27 | 41 | 27 | 18 | 24 | 25 | 37 | 357 |
| | VI. SOUTH-WESTERN. | | | | | | | | | | | | | | |
| 21 | Renfrew . . . | 170,097 | 423 | 323 | 382 | 403 | 381 | 381 | 350 | 274 | 353 | 347 | 323 | 368 | 4,308 |
| 22 | Ayr . . . . | 200,199 | 477 | 435 | 422 | 419 | 403 | 346 | 325 | 237 | 289 | 283 | 282 | 343 | 4,261 |
| 23 | Lanark . . . | 653,855 | 1872 | 1384 | 1564 | 1470 | 1481 | 1355 | 1231 | 1111 | 1192 | 1324 | 1426 | 1588 | 16,998 |
| | VII. SOUTH-EASTERN. | | | | | | | | | | | | | | |
| 24 | Linlithgow . . | 40,102 | 86 | 71 | 84 | 79 | 71 | 91 | 65 | 57 | 54 | 95 | 79 | 106 | 938 |
| 25 | Edinburgh . . | 275,918 | 723 | 610 | 638 | 590 | 559 | 506 | 516 | 404 | 467 | 579 | 603 | 769 | 6,964 |
| 26 | Haddington . . | 37,784 | 71 | 63 | 62 | 58 | 51 | 48 | 49 | 58 | 50 | 54 | 45 | 68 | 677 |
| 27 | Berwick . . . | 36,527 | 62 | 44 | 56 | 55 | 57 | 57 | 54 | 48 | 37 | 41 | 32 | 54 | 597 |
| 28 | Peebles . . . | 11,361 | 19 | 22 | 16 | 16 | 10 | 17 | 18 | 21 | 13 | 17 | 14 | 21 | 204 |
| 29 | Selkirk . . . | 10,487 | 19 | 13 | 19 | 15 | 19 | 13 | 12 | 10 | 8 | 12 | 19 | 13 | 172 |
| | VIII. SOUTHERN. | | | | | | | | | | | | | | |
| 30 | Roxburgh . . . | 54,033 | 100 | 86 | 95 | 112 | 71 | 84 | 95 | 70 | 79 | 63 | 97 | 92 | 1,044 |
| 31 | Dumfries . . | 75,624 | 185 | 142 | 154 | 124 | 151 | 141 | 128 | 109 | 87 | 84 | 128 | 156 | 1,589 |
| 32 | Kirkcudbright . | 42,417 | 91 | 64 | 98 | 85 | 63 | 77 | 52 | 60 | 44 | 52 | 53 | 79 | 818 |
| 33 | Wigtown . . . | 41,935 | 83 | 73 | 92 | 84 | 86 | 65 | 72 | 61 | 42 | 48 | 56 | 76 | 838 |

## CONSTITUTION OF THE COMPOUND DISTRICTS.

| No. | District. | Component Parts (Parishes). |
|---|---|---|
| 13 | Birsay . . . . | Part of Harray & Birsay. |
| 14 | Deerness . . . | Part of St Andrews. |
| 15 | Eday & Pharay . . | Part of Stronsay & Eday. |
| 22 | North Ronaldshay . | Part of Cross & Burness. |
| 26 | Sanday . . . | Lady, and part of Cross & Burness. |
| 86*b* | Carloway . . . | Parts of Lochs and Uig. |
| 87 | Lochs . . . . | Parts of Lochs and Uig. |
| 112 | Kilmuir . . . | (1) Part of Kilmuir, (2) Rest of Kilmuir and part of Snizort. |
| 135 | Elgin . . . . | Elgin, and parts of New Spynie and St Andrews Lhanbryde. |
| 147 | Banff . . . . | (1) Burghal parts of Banff and Gamrie, (2) Rest of Banff. |
| 152 | Enzie . . . . | Parts of Bellie and Rathven. |
| 167 | Seafield . . . | Parts of Cullen and Rathven. |
| 222*b* | Millbrex . . . | Parts of Fyvie and Monquhitter. |
| 227*a* | New Machar . . | New Machar and part of Udny. |
| 227*b* | New Pitsligo . . | Parts of Aberdour, New Deer, Strichen, and Tyrie. |
| 237*b* | Savoch . . . | Parts of Ellon, New Deer, Old Deer, and Tarves. |
| 272 | Arbroath . . . | Arbroath, and part of St Vigeans. |
| 282 | Dundee . . . | (1) Part of Dundee, (2) Rem. of Dundee, and part of Liff, Benvie, and [Invergowrie, (3) Part of Liff, &c. |
| 312 | Montrose . . . | Montrose, and part of Dun. |
| 324 | Aberfeldy . . . | Parts of Dull, Fortingall, Kenmore, Logierait, and Weem. |
| 331 | Balquhidder . . | Balquhidder, and part of Comrie. |
| 333 | Blackford . . . | Blackford, and part of Ardoch. |
| 344 | Dowally . . . | Part of Dunkeld & Dowally. |
| 348 | Dunblane . . . | Dunblane, and part of Ardoch. |
| 349 | Dunkeld . . . | Parts of Caputh and of Dunkeld & Dowally. |
| 355*a* | Fortingall . . . | Parts of Fortingall and Weem. |
| 355*b* | Foss . . . . | Part of Dull. |
| 360 | Kenmore . . . | Parts of Kenmore and Weem. |
| 361 | Killin . . . . | Parts of Kenmore, Killin, and Weem. |
| 367 | Kinloch-Rannoch . | Parts of Fortingall and Logierait. |
| 375 | Logiealmond . . | Parts of Fowlis-Wester, Little Dunkeld, Methven, Monzie, and [Redgorton. |
| 379 | Meigle . . . . | Meigle, and part of Coupar-Angus. |
| 386*a* | Muthill . . . | Muthill, and part of Ardoch. |
| 386*b* | Persie . . . . | Parts of Alyth, Bendochy, Blairgowrie, Caputh, Kirkmichael, Lethendy [& Kinloch, and Rattray. |
| 387 | Perth . . . . | Perth, and parts of Kinnoull, Scone, and Tibbermore. |
| 394*b* | Strathfillan . . . | Part of Killin. |
| 394*c* | Tenandry . . . | Parts of Blair-Athol, Dull, and Moulin. |
| 423 | Dunbog . . . | Dunbog, and parts of Abdie and Flisk. |
| 442 | Kirkcaldy . . . | Kirkcaldy, and parts of Abbotshall and Kinghorn. |
| 490 | Stirling . . . | Stirling, and part of St Ninians. |
| 493 | Bonhill . . . | Bonhill, and part of Dumbarton. |
| 496 | Dumbarton . . . | Parts of Cardross and Dumbarton. |
| 506 | Ballachulish, &c. . | Part of Kilmalie. |
| 509 | Cumlodden . . . | Parts of Glassary and Inveraray. |
| 515 | Kilbrandon & Kilchattan | Kilbrandon & Kilchattan, and part of Jura. |
| 526 | Lochgilphead . . | Parts of Glassary and South Knapdale. |
| 535 | Tarbert . . . | Parts of Kilcalmonell & Kilberry, of Saddell & Skipness, and of South [Knapdale. |
| 536 | Bowmore (or Killarrow) | Part of Killarrow & Kilmeny. |
| 538 | Iona . . . | Part of Kilfinichen & Kilvickeon. |
| 542 | Kilfinichen & Kilvickeon | Parts of Kilfinichen & Kilvickeon, and of Torosay. |
| 543 | Kilmeny . . . | Part of Killarrow & Kilmeny. |
| 545 | Kinlochspelvie . . | Part of Torosay. |
| 546 | Oa . . . . | Part of Kildalton. |
| 547 | Portnahaven . . | Part of Kilchoman. |
| 548 | Salen . . . . | Parts of Kilninian & Kilmore, and of Torosay. |
| 549 | Tobermory . . . | Part of Kilninian & Kilmore. |
| 556 | Lochranza . . . | Parts of Kilbride and of Kilmory. |
| 557 | North Bute . . . | North Bute, and part of Rothesay. |
| 559 | Abbey . . . | (1) Parts of Abbey and Renfrew, (2 & 3) Rest of Abbey. |
| 578 | Ayr . . . . | Ayr, and parts of Newton-upon-Ayr, and of St Quivox. |
| 595 | Irvine . . . . | Irvine, and part of Dundonald. |
| 612 | St Quivox, &c. . . | Parts of Newton-upon-Ayr, and St Quivox. |
| 626*b* | Calderhead . . . | Parts of Cambusnethan and Shotts. |
| 644 | Glasgow . . . | City of Glasgow, including Gorbals and parts of Barony and Govan. |
| 670 | Queensferry . . | Queensferry, and part of Dalmeny. |
| 684 | Portobello . . . | Parts of Duddingstone and South Leith. |
| 685 | Edinburgh . . . | City of Edinburgh, including Canongate and parts of St Cuthberts, Duddingstone, Liberton, and South Leith. |
| 690 | Kirknewton & East Calder | Kirknewton & East Calder, and part of Kirkliston. |
| 692 | Leith . . . . | (1) Parts of Cramond, North Leith, and St Cuthberts, (2) Parts of North Leith, St Cuthberts, and South Leith. |
| 787*b* | Edgerston . . . | Parts of Jedburgh, Oxnam, and Southdean. |
| 813*b* | Brydekirk . . . | Parts of Annan, Cummertrees, and Hoddam. |
| 853*b* | Wanlockhead . . | Part of Sanquhar. |
| 857*b* | Bargrennan . . | Parts of Minnigaff (Kirkcudbright), and of Penninghame (Wigton). |
| 862 | Corsockbridge . . | Parts of Balmaclellan, Kirkpatrick-Durham, and Parton. |
| 864 | Dalbeattie . . . | Part of Urr. |
| 899 | Stranraer . . . | Stranraer, and parts of Inch and Leswalt. |

# INDEX TO THE DISTRICTS.

*The Figures refer to the Numbers of the Districts in the preceding Tables of Births, Deaths, and Marriages (pages 2 to 23), these being numbered consecutively from 1 to 901.**


Abbey, . 559
Abbey St Bathans, . 726
Abbotshall, 399
Abdie, . 400
Abercorn, . 661
Aberdalgie, 323
Aberdeen, . 168
Aberdour (Aberdeen), . 169
Aberdour (Fife), 401
Aberfeldy, . 324
Aberfoyle, . 325
Aberlady, . 702
Aberlemno, 269
Aberlour, . 145
Abernethy, 326
Abernethy and Kincardine, 124
Abernyte, . 327
Aboyne, . 170
Aharacle, . 505
Airdrie, . 651
Airlie, . 270
Airth, . 469
Alford, . 171
Alloa, . 465
Alness, . 57
Alva (Stirling), 470
Alvah (Banff), 146
Alves, . 125
Alvie, . 90
Alyth, . 328
Ancrum, . 780
Anderston, 644
Annan, . 812
Anstruther-Easter, . 402
Anstruther-Wester, . 403
Anwoth, . 855
Appin, . 525
Applecross, 58
Applegarth, 813*a*
Arbirlot, . 271
Arbroath, . 272
Arbuthnot, . 250
Ardchattan, 504
Ardclach, . 120
Ardersier, . 91
Ardnamurchan, 505
Ardrossan, 576
Arisaig, . 505
Arngask, . 404
Arrochar, . 492
Ashkirk, . 781
Assynt, . 44
Athelstaneford, 703
Auchbreck, 157
Auchindoir, 172
Auchinleck, 577
Auchterarder, 329
Auchterderran, 405
Auchtergaven, 330
Auchterhouse, 273
Auchterless, 173
Auchtermuchty, 406
Auchtertool, 407
Auldearn, . 121
Avoch, . 59
Avondale, . 621
Ayr, . . 578
Ayton, . 727

Baldernock, 471
Balfron, . 472
Ballachulish & Corran of Ardgour, 506
Ballantrae, 579
Ballingry, . 408
Balmaclellan, 856
Balmaghie, 857
Balmerino, 409
Balquhidder, 331
Banchory-Devenick, . 251
Banchory-Ternan, . 252
Banff, . 147
Bargrennan, 857*b*
Barony, . 622
Barr, . 580
Barra (Inverness), . 108
Barry (Forfar), 274
Barvas, . 86*a*
Bathgate, . 662
Beath (Fife), 410
Bedrule, . 782
Beith (Ayr), 581
Belhelvie, . 174
Bellie, . 126
Benbecula, . 118
Bendochy, . 332
Benholm, . 253
Bernera, . 111
Bervie (or Inverbervie), 254
Biggar, . 623
Birnie, . 127
Birsay, . 13
Birse, . 175
Blackford, . 333
Blair-Athol, 334
Blairgowrie, 335
Blantyre, . 624
Blythswood, 644
Boharm, . 128
Boisdale, . 118
Boleskine . 92
Bolton, . 704
Bonar, . 46
Bonhill, . 493
Borgue, . 858
Bo'ness, . 663
Borthwick, 674
Bothkennar, 473
Bothwell, . 625
Botriphnie, 148
Bourtie, . 176
Bowden, . 783
Bower, . 34
Bowmore (or Kilarrow), 536
Boyndie, . 149
Bracadale, 109
Brechin, . 275
Bressay, . 1
Bridgeton, . 644
Broughton, 758
Brydekirk, 813*b*
Buchanan, 474
Buittle, . 859
Bunkle and Preston, . 728
Burntisland, 411
Burra & Quarff, 1

Cabrach, . 177
Cadder, . 626
Cairney, . 178
Calderhead, 626
Callander, . 336
Calton, . 644
Cambuslang, 627
Cambusnethan, 628
Cameron, . 412
Campbeltown, 507
Campsie, . 475
Canisbay, . 35
Canonbie, . 814
Canongate, 685
Caputh, . 337
Cardross, . 494
Careston, . 277
Cargill, . 338
Carlaverock, 815
Carloway, . 86*b*
Carluke, . 629
Carmichael, 630
Carmunnock, 631
Carmylie, . 276
Carnbee, . 413
Carnock, . 414
Carnwath, . 632
Carriden, . 664
Carrington, 675
Carsphairn, 860
Carstairs, . 633
Castleton, . 784
Cathcart, . 560
Cavers, . 785
Cawdor, . 122
Ceres, . 415
Channelkirk, 729
Chapel-of-Garioch, . 179
Chirnside, . 730
Clackmannan, 466
Clatt, . 180
Cleish, . 460
Closeburn, 816
Clunie (Perth), 339
Cluny (Aberdeen), . 181
Clyde, . 644
Clyne, . 45
Cockburnspath, 731
Cockpen, . 676
Coigach, . 75
Coldingham, 732
Coldstream, 733
Colinton, . 677
Coll, . . 551
Collace, . 340
Collessie, . 416
Colmonell, . 582
Colonsay, . 539
Colvend, . 861
Comrie, . 341
Contin, . 60
Cookney, . 258
Corsock-Bridge, 862
Corstorphine, 678
Cortachy and Clova, . 278
Coull, . 182
Coupar-Angus, 279
Covington and Thankerton, 634
Coylton, . 583
Craig, . 280
Craigie, . 584
Craignish, . 508
Crail, . 417
Crailing, . 786
Cramond, . 679
Cranshaws, 734
Cranston, . 680
Crathie and Braemar, 183
Crawford, 635
Crawfordjohn, 636
Creich (Sutherland), . 46
Crichton, . 681
Criech (Fife), 418
Crieff, . 342
Crimond, . 184
Cromarty, . 61
Cromdale and Inverallan, 93
Crossmichael, 863
Croy & Dalcross, 94
Cruden, . 185
Cullen, . 150
Culross, . 343
Culsalmond, 186
Culter, . 637
Cults, . 419
Cumbernauld, 495
Cumbraes, 552
Cumlodden, 509
Cummertrees, 817
Cupar, . 420
Currie, . 682

Dailly, . 585
Dairsie, . 421
Dalavich, . 517
Dalbeattie, 864
Dalgetty, . 422
Dalkeith, . 683
Dallas, . 129
Dalmellington, 586
Dalmeny, . 665
Dalry (Ayr), 587
Dalry (Kirkcudbright), 865
Dalrymple, 588
Dalserf, . 638
Dalton, . 818
Dalziel, . 639
Daviot, . 187
Daviot & Dunlichty, . 95
Deerness, . 14
Delting, . 2
Denny, . 476
Deskford, . 151
Dingwall, . 62
Dirleton, . 705
Dollar, . 467
Dolphington, 640
Dores, . 96
Dornoch (Sutherland), . 47
Dornock (Dumfries), . 819
Douglas, . 641
Dowally, . 344
Drainie, . 130
Dreghorn, . 589
Dron, . 345
Drumblade, 188
Drumelzier, 759
Drumoak, . 189
Dryfesdale, 820
Drymen, . 477
Duddingston, 684
Duffus, . 131
Duirinish, . 110
Dull, . . 346
Dumbarton, 496
Dumfries, . 821
Dun, . . 281
Dunbar, . 706
Dunbarney, 347
Dunblane, . 348
Dunbog, . 423
Dundee, . 282
Dundonald, 590
Dunfermline, 424
Dunino, . 425
Dunipace, . 478
Dunkeld, . 349
Dunlop, . 591
Dunnet, . 36
Dunnichen, 283
Dunning, . 350
Dunnottar, 255
Dunoon & Kilmun, . 510
Dunrossness, 3
Dunscore, . 822
Dunse, . 735
Dunsyre, . 642
Durness, . 48
Duror, . 525
Durris, . 256
Durrisdeer, 823
Duthil, . 132
Dyce, . 190
Dyke, . 133
Dysart, . 426

Eaglesham, 561
Earlsferry, 436
Earlston, . 734
Eassie & Nevay, 286


* The actual number of Districts is 1011—many Parishes and Burghs having been divided into two or more Districts for the purposes of Registration. Thus Edinburgh and Glasgow, to each of which only a single number is assigned in the Tables, consist of 5 and 10 Districts respectively. In forming the alphabetical arrangement, the principle adopted has been to place *compound* names in the order in which they are pronounced.

East Kilbride, 643
Eastwood, . 562
Eccles, . 737
Ecclesmachen, 666
Echt, . 191
Eckford, . 787*a*
Eday & Pharay, 15
Edderton, . 63
Eddlestone, 760
Eddrachillis, 49
Edgerston, 787*b*
Edinburgh, 685
Edinkillie, . 134
Ednam, . 788
Edrom, . 738
Edzell, . 285
Elgin, . . 135
Elie, . . 427
Ellon, . . 192
Enzie, . . 152
Errol, . . 351
Erskine, . 563
Eskdalemuir, 824
Ettrick, . 774
Evie & Rendall, 16
Ewes, . 825
Eyemouth, 739

Fair Isle, . 3
Fala & Soutra, 686
Falkirk, . 479
Falkland, . 428
Farnell, . 286
Farr, . 50
Fearn (Forfar), 287
Fearn (Ross), 64
Fenwick, . 592
Ferry-Port-on-Craig, . 429
Fetlar, . 4
Fettercairn, 257
Fetteresso, . 258
Findo-Gask, 352
Fintray (Aberdeen), . 193
Fintry (Stirling), 480
Firth & Stennes, 17
Flisk, . 430
Flotta, . 32
Fodderty, . 65
Fogo, . 740
Fordoun, . 259
Fordyce, . 153
Forfar, . 288
Forgan, . 431
Forgandenny, 353
Forglen, . 154
Forgue, . 194
Forres, . 137
Fort-Augustus (or Abertarff), 92
Forteviot, . 354
Fortingall, . 355*a*
Fortrose, . 80
Foss, . . 355*b*
Fossoway and Tulliebole, 461
Foula, . 12
Foulden, . 741
Foveran, . 195
Fowlis-Easter, 356
Fowlis-Wester, 357
Fraserburgh, 196
Fyvie, . 197

Gairloch, . 66
Galashiels, . 775
Galston, . 593
Gamrie, . 155
Gargunnock, 481
Gartly, . 198
Garvald, . 707
Garvock, . 260
Gigha, . 537
Girthon, . 866
Girvan, . 594
Gladsmuir, 708
Glammis, . 289
Glasgow, . 644
Glass, . 199
Glassary, . 511
Glasserton, 885
Glassford, . 645
Glenbervie, 261
Glenbucket, 200
Glencairn, . 826
Glencoe and Ballachulish, 525
Glencross, . 687
Glendevon, 358
Glenelg, . 97
Glengarry, 99
Glenholm, . 761
Glenisla, . 290
Glenmoriston, 107
Glenmuick, Tullich, &c. 201
Glenorchy and Inishail, . 512
Glenshee, . 370
Glenshiel, . 67
Golspie, . 51
Gordon, . 742
Gourock, . 567
Govan, . 646
Graitney (or Gretna), . 827
Grange, . 156
Greenlaw, . 743
Greenock, . 564
Guthrie, . 291

Haddington, 709
Halfmorton, 828
Halkirk, . 37
Hamilton, . 647
Harray, . 18
Harris, . 111
Hawick, . 789
Heriot, . 688
Hobkirk, . 790
Hoddam, . 829
Holm & Paplay, 19
Holytown, . 625
Holywood, . 830
Houston and Killellan, 565
Howmore, . 118
Hownam, . 791
Hoy & Græmsay, 20
Humbie, . 710
Hume, . 744
Huntly, . 202
Hutchesontown, 644
Hutton (Berwick), . 745
Hutton (Dumfries), . 831

Inch (Wigtown), 886
Inchinnan, . 566
Inchture, . 359
Innerkip, . 567
Innerleithen, 762
Innerwick, . 711
Insch (Aberd'n), 203
Inverallan, . 93
Inveraray, . 513
Inverarity, . 292
Inveravon, . 157
Inverchaolain, 514
Inveresk, . 689
Inverkeillor, 293
Inverkeithing, 432
Inverkeithny, 158
Inverness, . 98
Inverury, . 204
Iona, . 538
Irongray, . 867
Irvine, . 595

Jedburgh, . 792
Johnstone (Dumfries), 832
Johnstone (Renfrew), . 559
Jura, . 539

Keig, . 205
Keir, . 833
Keith, . 159
Keith-hall, 206
Kells, . 868
Kelso, . 793
Kelton, . 869
Kemback, . 433
Kemnay, . 207
Kenmore, . 360
Kennoway, 434
Kettins, . 294
Kettle, . 435
Kilbarchan, 568
Kilberry, . 516
Kilbirnie, . 596
Kilbrandon and Kilchattan, 515
Kilbride, . 553
Kilbucho, . 763
Kilcalmonell, 516
Kilchoman, 540
Kilchrenan, 517
Kilconquhar, 436
Kildalton, . 541
Kildonan, . 52
Kildrummy, 208
Kilfinan, . 518
Kilfinichen and Kilvickeon, 542
Killean and Kilchenzie, 519
Killearn, . 482
Killearnan, 68
Killin, . 361
Kilmadock, 362
Kilmalcolm, 569
Kilmallie, . 520
Kilmany (Fife), 437
Kilmarnock, 597
Kilmaronock, 497
Kilmartin, 521
Kilmaurs, . 598
Kilmelford, 524
Kilmeny (Argyll), . 543
Kilmodan, . 522
Kilmonivaig, 99
Kilmorack, 100
Kilmore & Kilbride, . 523
Kilmorich, . 527
Kilmory, . 554
Kilmuir, . 112
Kilmuir-Easter, 69
Kilmun, . 509
Kilninian and Kilmore, 544
Kilninver, . 524
Kilrenny, . 438
Kilspindie, 363
Kilsyth, . 483
Kiltarlity, . 101
Kiltearn, . 70
Kilwinning, 599
Kincardine (Perth), . 364
Kincardine (Ross), . 71
Kincardine O'Neil, . 209
Kinclaven, . 365
Kinfauns, . 366
Kingarth, . 555
King-Edward, 210
Kinghorn, . 439
Kinglassie, . 440
Kingoldrum, 295
Kingsbarns, 441
Kingussie and Insh, . 102
Kinlochbervie, 49
Kinloch-Rannoch, . 367
Kinlochspelvie, 545
Kinloss, . 138
Kinnaird, . 368
Kinneff and Catterline, 262
Kinnell, . 296
Kinnellar, . 211
Kinnethmont, 212
Kinnettles, 297
Kinnoull, . 369
Kinross, . 462
Kintail, . 72
Kintore, . 213
Kippen, . 484
Kirkbean, . 870
Kirkcaldy, . 442
Kirkcolm, . 887
Kirkconnel, 834
Kirkcowan, 888
Kirkcudbright, 871
Kirkden, . 298
Kirkgunzeon, 872
Kirkhill, . 103
Kirkhope, . 776
Kirkinner, . 889
Kirkintilloch, 498
Kirkliston, 667
Kirkmabreck, 873
Kirkmahoe, 835
Kirkmaiden, 890
Kirkmichael (Ayr), . 600
Kirkmichael (Banff), . 160
Kirkmichael (Dumfries), 836
Kirkmichael (Perth), . 370
Kirknewton and East-Calder, 690
Kirkoswald, 601
Kirkpatrick-Durham, 874
Kirkpatrick-Fleming, 837
Kirkpatrick-Juxta, . 838
Kirkton (Assynt), . 44
Kirkton (Farr), 50
Kirktown (Roxburgh), . 794
Kirkurd, . 764
Kirkwall & St Ola 21
Kirriemuir, 299
Knockando, 139
Knockbain, 73
Knoydart, . 97

Ladhope, . 799
Ladykirk, . 746
Laggan, . 104
Lairg, . 53
Lanark, . 648
Langholm, . 839
Langton, . 747
Larbert, . 485
Largo, . 443
Largs, . 602
Larkhall, . 638
Lasswade, . 691
Latheron, . 38
Lauder, . 748
Laurencekirk, 263
Leadhills, . 635
Lecropt, . 371
Legerwood, 749
Leith, . . 692
Leochel-Cushnie, . 214
Lerwick, . 5
Leslie (Aberdeen), . 215
Leslie (Fife), 444
Lesmahagow, 649
Leswalt, . 891
Lethendy and Kinloch, 372
Lethnott and Navar, . 300
Leuchars, . 445
Libberton (Lanark), . 650
Liberton (Edinburgh), . 693
Liff, Benvie, & Invergowrie, 301
Lilliesleaf, . 795
Linlithgow, 668
Linton, . 796
Lintrathen, 302
Lismore, . 525
Little Dunkeld, 373
Livingstone, 669
Lochaber, . 99
Lochalsh, . 74
Lochbroom, 75
Lochcarron, 76
Lochgilphead, 526
Lochgoilhead, 527
Lochlee, . 303
Lochmaben, 840
Lochranza, 556
Lochrutton, 875
Lochs, . 87
Lochwinnoch, 570
Logie (Fife), 446
Logie (Perth), 374
Logiealmond, 375
Logie-Buchan, 216
Logie-Coldstone, . 217
Logie-Easter, 77
Logie-Pert, 304
Logierait, . 376
Longforgan, 377
Longformacus, 750
Longside, . 218
Lonmay, . 219
Loth, . 54
Loudoun, . 603
Lumphanan, 220
Lunan, . 305
Lundie, . 306
Lunnasting, 7
Luss, . 499
Lyne, . 765

Madderty, . 770
Mains, . 833

Makerston, 797
Manor, . 766
Markinch, . 447
Marnoch, . 161
Maryculter, 264
Maryhill, . 622
Marykirk, . 265
Marytown, 308
Mauchline, 604
Maxton, . 798
Maybole, . 605
Mearns, . 571
Meggat, . 765
Meigle, . 379
Melrose, . 799
Menmuir, . 309
Merton, . 751
Methlic, . 221
Methven, . 380
Mid-Calder, 694
Middlebie, . 841
Midmar, . 222
Mid & S. Yell, 6
Millbrex, . 222b
Milton, . 644
Minnigaff, 876
Minto, . 800
Mochrum, . 892
Moffat, . 842
Moneydie, . 381
Monifieth, . 310
Monikie, . 311
Monimail, . 448
Monkton and Prestwick, 606
Monquhitter, 223
Montrose, 312
Monymusk, 224
Monzie (Perth), 382
Monzievaird, 383
Moonzie (Fife), 449
Mordington, 752
Morebattle, 801
Morham, . 712
Mortlach, . 162
Morton, . 843
Morvern, . 528
Moulin, . 384
Mousewald, 844
Moy and Dalarossie, .. 105
Muckairn, . 529
Muckhart, . 385
Muiravonside, 486
Muirkirk, . 607
Murroes, . 313
Musselburgh, 689
Muthill, . 386

Nairn, . 123
Neilston, . 572
Nenthorn, . 753
Nesting, . 7
New Abbey, 877
Newbattle, . 695
Newburgh, 450
Newburn, . 451
New Cumnock, 608
New Deer, 225
New Galloway, 868
New, or East, Kilpatrick, 500
Newhills, . 226
Newington, 685
Newlands, . 767
New Ardrossan, 576
New Luce, . 893
New Machar, 227a
New Monkland, 651
New Pitsligo, 227b
New Spynie, 136
Newton, . 696
Newtyle, . 314
Nigg (Kincardine), . 266
Nigg (Ross), 78
North Berwick, 713
North Bute, 557
North Knapdale, . 530
North Leith, 692
Northmavine, 8
North Morar, 97
North Ronaldshay, . 22
North Uist, 113
North Yell, 4

Oa, . . 546
Oathlaw, . 315
Oban, . 523
Ochiltree, . 609
Old Ardrossan, 576
Old Cumnock, 610
Old Deer, . 228
Oldhamstocks, 714
Old, or West, Kilpatrick, 501
Old Luce (or Glenluce), 894
Old Machar, 168
Old Meldrum, 229
Old Monkland, 652
Olrig, . 39
Ordiquhill, 163
Ormiston, . 715
Orphir, . 23
Orwell, . 463
Oxnam, . 802
Oyne, . 230

Paisley, . 573
Panbride, . 316
Papa-Stour, 12
Papa-Westray, 33
Partick, . 646
Parton, . 878
Peebles, . 768
Pencaitland, 716
Penicuik, . 697
Penninghame, 895
Penpont, . 845
Persie, . 386b
Perth, . 387
Peterculter, 231
Peterhead, 232
Pettinain, . 653
Petty, . 106
Pitsligo, . 233
Pittenweem, 452
Polmont, . 487
Polwarth, . 754
Port-Glasgow, 574
Portlethen, 251
Port of Menteith, . 388
Portmoak, 464
Portnahaven, 547
Portobello, 684
Portpatrick, 896
Portree, . 114
Premnay, . 234
Prestonkirk, 717
Prestonpans, 718

Queensferry, 670

Rafford, . 140
Raasay, . 114
Rathen, . 235
Ratho, . 698
Rathven, . 164
Rattray, . 389
Rayne, . 236
Reay, . 40
Redgorton, 390
Renfrew, . 575
Rerrick, . 879
Rescobie, . 317
Resolis, . 79
Rhynd, . 391
Rhynie, . 237
Riccarton, . 611
Roberton, . 777
Rogart, . 55
Rosehall, . 46
Rosemarkie, 80
Roseneath, 502
Rosskeen, . 81
Rothes, . 141
Rothesay, . 558
Rothiemay, 165
Rothiemurchus, 132
Rousay and Egilsay, . 24
Row, . . 503
Roxburgh, 803
Rutherglen, 654
Ruthven, . 318
Ruthwell, . 846

Saddell, . 531
St Andrew (Edinburgh), 685
St Andrews (Orkney), 25
St Andrews-Lhanbryde, 142
St Andrews and St Leonards (Fife), . 453
St Boswells, 804
St Cyrus, . 267
St Fergus, 166
St George, 685
St Giles, . 685
St Kilda, . 111
St Madoes, 392
St Martins, 393
St Michaels, 668
St Monance (or Abercrombie), 454
St Mungo, . 847
St Nicholas, 168
St Ninians, 488
St Quivox and Newton-upon-Ayr, . 612
St Vigeans, 319
Salen (Argyll), 548
Saline (Fife), 455
Salton, . 719
Sanday, . 26
Sandness, . 12
Sandsting and Aithsting, 9
Sandwick, . 27
Sandwick & Cunningsburgh, 3
Sanquhar, . 848
Savoch, . 237b
Scone, . 394a
Scoonie, . 456
Scourie, . 49
Seafield, . 167
Selkirk, . 778
Shapinshay, 28
Shettleston, 622
Shieldaig, . 58
Shotts, . 655
Skene, . 238
Skipness, . 531
Skirling, . 769
Slains, . 239
Slamannan, 489
Sleat, . 115
Smailholm, 805
Small Isles, 116
Snizort, . 117
Sorbie, . 897
Sorn, . 613
Southdean, 806
Southend, . 532
South Knapdale, 533
South Leith, 692
South Ronaldshay & Burray, . 29
South Uist, 118
Speymouth, 143
Spott, . 720
Springburn, 622
Sprouston, 807
Stair, . 614
Stenscholl, 112
Stenton, . 721
Stevenston, 615
Stewarton, 616
Stirling, . 490
Stitchel, . 808
Stobo, . 770
Stoer, . 44
Stonehouse, 656
Stoneykirk, 898
Stornoway, 88
Stow, . 699
Stracathro, 320
Strachan, . 268
Strachur, . 534
Straiton, . 617
Stralachlan, 534
Stranraer, . 899
Strath, . 119
Strathblane, 491
Strathdon, 240
Strathfillan, 394b
Strathmartine, 307
Strathmiglo, 457
Strathy, . 50
Strichen, . 241
Stromness, . 30
Stronsay, . 31
Sunart (or Strontian), 505
Swinton, . 755
Symington (Ayr), . 618
Symington (Lanark), 657

Tain, . 82
Tannadice, 321
Tarbat, 83
Tarbert, . 535
Tarbolton, 619
Tarland, . 242
Tarves, . 243
Tealing, . 322
Temple, . 700
Tenandry, 394c
Terregles, . 880
Teviothead, 809
Thurso, . 41
Tibbermore, 395
Tillicoultry, 468
Tingwall, . 10
Tinwald, . 849
Tobermory, 549
Tomintoul, 160
Tongland, . 881
Tongue, . 56
Torosay, . 550
Torphichen, 671
Torryburn, 458
Torthorwald, 850
Tough, . 244
Towie, . 245
Tradeston, 644
Tranent, . 722
Traquair, . 771
Trinity-Gask, 396
Troqueer, . 882
Tulliallan, . 397
Tullynessle and Forbes, . 246
Tundergarth, 851
Turriff, . 247
Tweedsmuir, 772
Twynholm, 883
Tynron, . 852
Tyree, . 551
Tyrie, . 248

Udny, . 249
Uig, . . 89
Unst, . . 11
Uphall, . 672
Urquhart (Elgin), . 144
Urquhart (Inverness), . 107
Urquhart and Logie-Wester, 84
Urr, . . 884
Urray, . 85

Walls (Shetland), 12
Walls (Orkney), 32
Walston, . 658
Wamphray, 853a
Wandell and Lamington, 659
Wanlockhead, 853b
Watten, . 42
Weem, . 398
Wemyss, . 459
West Calder, 701
Westerkirk, 854
West Kilbride, 620
West Linton, 773
Westray, . 33
Westruther, 756
Whalsay and Skerries, 7
Whitburn, 673
Whitekirk and Tynninghame, 723
Whiteness and Weesdale, 10
Whithorn, 900
Whitsome, 757
Whittinghame, 724
Wick, . 43
Wigtown, . 901
Wilton, . 810
Wiston and Roberton, . 660

Yarrow, . 779
Yester (or Gifford), . 725
Yetholm, . 811